

Quest™



KACE® Systems Management Appliance 8.1

API Reference Guide



Table of Contents

About the KACE Systems Management Appliance API.....	4
Authentication and organization selection.....	4
Authorization.....	4
Access.....	5
Headers.....	5
Accept.....	5
CSRF.....	5
Content-Type.....	5
Version.....	5
Query syntax.....	5
Filtering.....	6
Operators.....	6
Existence.....	7
Filtering on related data.....	7
Using wildcards in filters.....	7
Sorting.....	8
Paging.....	8
Shaping.....	9
Counts.....	9
Examples.....	9
Login example.....	10
Update a location example.....	10
Create an inventory example.....	11
Query example.....	12
API Reference.....	13
Asset API Reference.....	55
Inventory API Reference.....	65
Managed Install API Reference.....	104
Reporting API Reference.....	114
Scripting API Reference.....	125
User API Reference.....	141
About us.....	145
We are more than just a name.....	145
Our brand, our vision. Together.....	145
Contacting Quest.....	145
Technical support resources.....	145

Legal notices.....146

About the KACE Systems Management Appliance API

The KACE Systems Management Appliance (SMA) API allows you to manage various aspects of the KACE SMA appliance data and its related information.

- **CAUTION:** This API Reference Guide is available only to those users who have a technical understanding of how to use the information provided in this document. Our Support team does not provide assistance for any custom development that implements the APIs covered in this guide which is in line with our support policy. For more information, visit: <https://support.quest.com/essentials/support-guide>.

Authentication and organization selection

Access to the KACE SMA API is limited to authenticated KACE SMA users. If the appliance is configured for multiple organizations, querying is limited to the currently selected organization for the requesting user.

Authentication and organization selection are available through the KACE SMA Account Management Service. The authentication route is accessed through a POST request at `/ams/shared/api/security/login`. So for example, if the appliance name is `KACE_SMA_Test`, the route to login can be: `http://KACE_SMA_Test/ams/shared/api/security/login`.

The body for the POST request must contain the user name and password, and optionally an organization name. Here is an example body for that request:

```
{
  "password" : "AdminPW",
  "userName" : "admin",
  "organizationName" : "Default"
}
```

Authorization

During authentication, the assigned role is retrieved for the given KACE SMA user. This role determines the actions that the user is authorized to perform. With regard to this API, the following default roles have specific capabilities.

- **Administrator:** All API actions are available. In queries, matching data for all users is returned.
- **Read-only administrator:** All API queries are available. Matching data for all users is returned.
- **Standard user:** All API queries are available. Matching data is returned only for the current user.

If the appliance is updated with custom roles and the current user is assigned one of those roles, its permissions are retrieved. These permission values are used to determine the user's querying capability for this API. For more information about the KACE SMA roles, see the K1000 Systems Management Appliance Administrator Guide.

Access

The API is available at the K1000 address starting with the path `/api`.

So for example, if the K1000 name in your environment is `K1000Test`, the route to the machine entities would be `http://K1000Test/api/inventory/machines`.

Headers

On any request to this API, there is a set of mandatory HTTP headers that must be included.

Accept

This standard header determines the format of the response payload. XML and JSON are supported.

Example syntax. `Accept: application/json`

CSRF

During user authentication, a token is returned in a response header named `x-dell-csrf-token`. That value must be gathered by the client and sent in a similarly named request header for every subsequent request.

This value is compared against a token stored in a client's cookie. This is a common technique that helps prevent cross-site request forgery (CSRF) attacks.

Content-Type

This standard header indicates the format of the request payload. It is required only for `POST` and `PUT` requests. XML and JSON are supported.

Example syntax. `Content-Type: application/json`

Version

As the development of this API continues, some routes may support multiple implementations. In that case this header determines which version of the route will execute. The requested version must be at least 1. If the requested version does not exist for the given route, the server executes the most recent version.

Example syntax. `x-dell-api-version: 1`

Query syntax

A rich set of operations can be performed on any data request. These are controlled by query parameters in the URL. None, any, or all of these operations can be included in a request.



TIP: In this chapter, base entity refers to the entity specified in the URL route. For example, in the request `/api/inventory/machines?software.name eq Word`, `machine` is the base entity, while `software` is a sub-entity. The API query engine determines how to mesh multiple entities.

Filtering

Filtering is accomplished using the `filtering` query parameter. A comma is used to separate multiple filters. All filters are matched in the returned data set. Each filter is specified by an optional entity name, a field name, an operator, and a value. If the entity is not provided, the base entity is assumed. A period separates an entity and a field name. A space must separate either end of the operator.

Casting is as broad as possible, however if the field type does not match the operator (for example, `contains` on an integer), an error is returned.

Operators

The standard operators are as follows:

- `lt`: Less than
- `le`: Less than or equal
- `ge`: Greater than or equal
- `eq`: Equal
- `ne`: Not equal
- `neq`: Not equal
- `co`: Contains
- `nc`: Does not contain
- `nco`: Does not contain
- `st`: Starts with
- `ns`: Does not start with
- `nst`: Does not start with
- `en`: Ends with
- `end`: Ends with
- `nen`: Does not end with
- `nend`: Does not end with
- `in`: In set (values separated by semicolon)
- `nin`: Not In set (values separated by semicolon)

Examples:



NOTE: For clarity, the prefix `/api/inventory` is omitted in the examples.

All machines named `xxx`:

```
/machines?filtering=name eq xxx
```

All machines whose name contains the string `xxx`

```
machines?filtering=machine.name co xxx
```

All machines whose name does not contain `xxx`, and an ID value greater than 1000:

```
/machines?filtering=name nc xxx,id gt 1000
```

All machines whose name does not contain `xxx`:

```
/machines?filtering=name nc xxx
```

Machines whose IDs are 100, 101 and 108:

```
/machines?filtering=id in 100;101;108
```

All machines with a software title `zoo` installed:

```
/machines?filtering=id software.name eq zoo
```

All machines with ID values greater than 100 and a software title `zoo` installed:

```
/machines?filtering=id gt 100,software.name eq  
zoo
```

Existence

The existence of associated data in sub-entities can be tested using the following operators.



NOTE: Values are not required for these operators:

- `ex`: Exists
- `nex`: Does not exist

Examples:

All machines with a recorded location:

```
/machines?filtering=machine_location.id ex
```

All machines without a recorded location:

```
/machines?filtering=machine_location.id nex
```

Filtering on related data

Note that adding a filter on a sub-entity does not cause the data for that sub-entity to appear in the result set.

The filter is applied, but shaping (or sorting) is required in order to specify extra return data.

Using wildcards in filters

There is a special case in which a filter can be applied to match any field of the entity. To use that capability, an asterisk `*` can be used as the field name.

Examples:

Return the machines in which any field contains the string `ABC`:

```
/machine?filtering=* co ABC
```

Filters can be combined. The following example retrieves the machines that have the software title `DEF` installed and also have fields containing the `ABC` string:

```
/machine?filtering=* co ABC,software.name eq  
DEF
```

Sorting

Sorting is accomplished with the `sorting` query parameter. Commas can be used to separate multiple sorting requests. Each sorting request must give the sort entity and field. Optionally, a sort order can be specified. If the sort order is not specified, the default sort order is `ASC` (ascending). Sort requests are processed from left to right.

Sorting can be performed on the base entity as well as on any sub-entities. If sorting is indicated for a sub-entity that does not appear in the shaping clause, that sub-entity is automatically included at the standard shaping level. Any given shaping level overrides that value.

Examples:

Sort the machines by their ID in a descending list, and retrieve the software for each machine. Shaping is not necessarily required here. It is assumed that since ordering was requested for the software, it is expected in the result set:

```
/machines?sorting=machine.id,software.name  
desc
```

Since shaping is not specified in the above example, the standard level is applied. However, note also that shaping can still be specified, if needed:

```
/machines?sorting= software.name  
desc&shaping=software all
```

In this example any result data is sorted by the machine name and then the ID:

```
/machines?sorting=machine.name,machine.id
```

Paging

To apply paging, use the `paging` query parameter.

To limit the number of records returned, use the `limit` parameter. For example:

```
/machines?paging=limit 100
```

To indicate the index of the first returned record, use the `offset` parameter. For example:

```
/machines?offset 101
```

To use these parameters together, separate them with a space:

```
/machines?offset 101 limit 100
```

These two values are useful for consumers that display the records in a paged format. The values can appear in either order.

If no limit is specified, the default is 50. To force the server to return every record, set the limit to zero '0' or `ALL`. For example:

```
/machines?paging=limit ALL
```

If no offset is given, the default is zero '0'.

Shaping

The `shaping` query parameter limits the amount of returned data is specified. The returned fields for each associated entity is controlled by two query values. The first is the name of the entity, while the second half of the pair is the associated level. Name/value pairs are separated by a comma.

The definition of each shaping level is specific to the entity in question. You can use the following shaping levels:

- `LIMITED`: ID and name.
- `STANDARD`: The expected set of fields that a typical user consumer requires. This is the default for any entity if shaping parameters are not specified.
- `EXTENDED`: Most data.
- `ALL`: All data, including foreign keys and similar information.

The default for all non-included sub-entities is `none`. There is no need to specify in such calls.

The same syntax can be used to shape the base entity as well as any desired sub-entities. For example, to gather full machine data and limited data for each software title on every machine, use the following call:

```
/machines?shaping=machine all,software limited
```

Counts

Two flags are available to dictate whether and how the count value is returned in the payload. The count value indicates the total number of entities in the system that match the query. This can be different than the number of returned records based upon the `limit` flag, as described above.

The `use_count` parameter can be used to prevent a field giving the count of available records from being included. Returning the count is the default behavior. To do that, set this flag can set to `false` and `sent`.

If only the count is needed, use the `use_count` parameter. Any value except `false` forces only the count of matching entities to be returned. This flag can save processing and data transfer time. By default this flag is `false`.

Examples

This section provides API usage examples.

The following placeholders appear in these examples. You must replace them in the actual API calls as follows:

- **{host}** represents the appliance host name or IP address.
- **{username}** and **{password}** are the administrator user's credentials for logging in to the appliance Administration Console.
- **{token}** is the `x-dell-csrf-token` returned by login.
- **{id}** is the ID of the item being updated.

Other variables should be replaced with the data you want to write when creating or updating. For example, replace "**{website}**" with "https://www.example.com".

Login example

Syntax:

- Type: POST
- URL: {host}/ams/shared/api/security/login
- Headers:
 - Content-Type:application/json
 - Accept:application/json
- Body:
 - {"userName": "{username}", "password": "{password}"}

Example:

- Type: POST
- URL: **k1000**/ams/shared/api/security/login
- Headers:
 - Content-Type:application/json
 - Accept:application/json
- Body:
 - {"userName": "**admin**", "password": "**123456**"}

Update a location example

Syntax:

- Type: PUT
- URL: {host}/ams/shared/api/locations/{id}
- Headers:
 - Content-Type:application/json
 - Accept:application/json
 - x-dell-csrf-token:{token}
 - x-dell-api-version:5
- Body:

```
{
  "name": "{asset name}",
  "description": "{description}",
  "webSite": "{webSite}",
  "address": "{address}",
  "phoneNumber": "{phone number}",
  "organizationId": 2
}
```

Example:



NOTE: This example updates the description, website, address, and phone number for the location "Oklahoma" whose ID is '3'. The location ID ('3') must be specified in the URL, and the location name ("Oklahoma") must be in the body.

- Type: PUT
- URL: **k1000/ams/shared/api/locations/3**
- Headers:
 - Content-Type:application/json
 - Accept:application/json
 - x-dell-csrf-token:
0f0af166283d60b9e0b4697d9fac83a2a0a74aeb7840714dae71b9f993a3aa1fbe8736607e89511cf6b833e313b0d12d030ef866a85cf2c0db175e29c7b31da7
 - x-dell-api-version:5
- Body:

```
{  
  "name": "Oklahoma",  
  "description": "OK",  
  "webSite": "www.example.com",  
  "address": "123 Main St.",  
  "phoneNumber": "555-555-5555",  
  "organizationId": 2  
}
```

Create an inventory example

Syntax:

- Type: POST
- URL: {host}/api/inventory/machines
- Headers:
 - Content-Type:application/json
 - Accept:application/json
 - x-dell-csrf-token:{token}
 - x-dell-api-version:5
- Body:

```
{  
  "Machines": [  
    {  
      "Name": "{system name}",  
      "Ip": "{ip address}",  
      "Os_number": "{os number}",  
      "User": "{user}",  
      "Cdrom_devices": "{cd rom device}",  
      "Os_name": "{os name}",  
      "Ram_Total": "{ram total}",  
      "Ram_used": "{ram used}",  
      "Pagefile_max_size": "{pagefile max size}",  
      "Ram_max": "{ram max}",  
      "Bios_identification_code": "{bios id code}",  
    }  
  ]  
}
```

```

"Monitor": "{monitor}",
"Sound_devices": "{sound device}",
"Video_controllers": "{video controller}",
"Pagefile_size": "{pagefile size}"
}
]
}

```

Example:



NOTE: This example creates a machine in the inventory given the field values below.

- Type: POST
- URL: **k1000**/api/inventory/machines
- Headers:
 - Content-Type: application/json
 - Accept: application/json
 - x-dell-csrf-token:


```
0f0af166283d60b9e0b4697d9fac83a2a0a74aeb7840714dae71b9f993a3aa1fbe8736607e89511cf6b833e313b0d12d030ef866a85cf2c0db175e29c7b31da7
```
 - x-dell-api-version: 5
- Body:

```

{
  "Machines": [
    {
      "Name": "Workstation 123",
      "Ip": "192.168.101.110",
      "Os_number": "10.0.14393",
      "User": "user1",
      "Cdrom_devices": "NECVMMWar VMware SATA CD01",
      "Os_name": "Microsoft Windows 10 Pro x64",
      "Ram Total": "2048 Bytes",
      "Ram_used": "1324.1",
      "Pagefile_max_size": "385",
      "Ram_max": "33792",
      "Bios_identification_code": "",
      "Monitor": "Generic Non-PnP Monitor",
      "Sound_devices": "High Definition Audio Device",
      "Video_controllers": "VMware SVGA 3D:1024 MB",
      "Pagefile_size": "385"
    }
  ]
}

```

Query example

For reference, here is an example of a query that uses most of the parameters described in this section.

```

/machines?shaping=machine all,software
limited&sorting=software.name
desc&use_count=false&filtering=id lt 1000&paging=limit
1

```

API Reference

KACE SMA API

Overview

Version information

Version : 1.0.0

URI scheme

BasePath : /

Consumes

- application/json

Produces

- application/json

Paths

GET /ams/shared/api/accounts/

Description

Returns a list of all accounts.

Responses

HTTP Code	Schema
200	< Account > array

POST /ams/shared/api/accounts/search

Description

Allows for searching of accounts

Responses

HTTP Code	Schema
200	< Account > array

GET /ams/shared/api/accounts/{accountId}

Description

Returns the selected account.

Parameters

Type	Name	Schema
Path	accountId required	integer
Query	registry required	string

Responses

HTTP Code	Schema
200	Account

GET /ams/shared/api/accounts/{accountId}/organizationAccounts

Description

Returns a list of organization accounts associated with the selected account.

Parameters

Type	Name	Schema
Path	accountId required	integer
Query	filter optional	string
Query	properties optional	string

Responses

HTTP Code	Schema
200	< OrganizationAccount > array

Add or if find by key and account then Update

POST /ams/shared/api/accounts/{accountId}/registry

Description

Create a new registry key for the selected account.

Parameters

Type	Name	Schema
Path	accountId required	integer
Query	registry required	string

Responses

HTTP Code	Schema
200	AccountRegistry

GET /ams/shared/api/accounts/{accountId}/registry

Description

Returns a list of registry keys for the selected account

Parameters

Type	Name	Schema
Path	accountId required	integer
Query	categories required	string
Query	keys required	string

Responses

HTTP Code	Schema
200	< AccountRegistry > array

DELETE /ams/shared/api/accounts/{accountId}/registry/{category}/{registryKey}

Description

Removes a registry key by category and account

Parameters

Type	Name	Schema
Path	accountId required	integer
Path	category required	string
Path	registryKey required	string

Responses

HTTP Code	Schema
200	No Content

GET /ams/shared/api/accounts/{managerId}/managedAccounts

Description

Returns a list of accounts managed by selected account

Parameters

Type	Name	Schema
Path	managerId required	integer

Responses

HTTP Code	Schema
200	< Account > array

POST /ams/shared/api/kkmp/login

Description

Logs the user into the linked device account

Parameters

Type	Name	Schema
Query	isSystem required	boolean
Query	orgId required	integer
Query	token required	string

Responses

HTTP Code	Schema
200	No Content

POST /ams/shared/api/kkmp/login_user

Description

Logs the user into the linked device

Responses

HTTP Code	Schema
200	Response

POST /ams/shared/api/locations

Description

Returns all locations

Parameters

Type	Name	Schema
Body	location required	Location

Responses

HTTP Code	Schema
200	Location

GET /ams/shared/api/locations/{locationId}

Description

Returns the selected location

Parameters

Type	Name	Schema
Path	locationId required	integer
Query	fields optional	string

Responses

HTTP Code	Schema
200	Location

PUT /ams/shared/api/locations/{locationId}

Description

Updates the selected location.

Parameters

Type	Name	Schema
Path	locationId required	integer
Body	locationDTO required	Location

Responses

HTTP Code	Schema
200	Location

DELETE /ams/shared/api/locations/{locationId}

Description

Removes the selected location

Parameters

Type	Name	Schema
Path	locationId required	integer

Responses

HTTP Code	Schema
200	No Content

GET /ams/shared/api/organizationAccounts

Description

Return all organization accounts

Parameters

Type	Name	Schema
Query	filtering optional	string
Query	offset optional	string
Query	paging optional	string
Query	shaping optional	string
Query	sorting optional	string

Responses

HTTP Code	Schema
200	PagingResponse

DELETE /ams/shared/api/organizationAccounts

Description

Deletes the selected organization accounts.

Parameters

Type	Name	Schema
Query	ids required	integer
Query	moveEmployeesTo required	integer

Responses

HTTP Code	Schema
200	No Content

POST /ams/shared/api/organizationAccounts/

Description

Creates a new organization account.

Parameters

Type	Name	Schema
Body	orgAccountDTO required	OrganizationAccount

Responses

HTTP Code	Schema
200	OrganizationAccount

POST /ams/shared/api/organizationAccounts/disable

Description

Disables the selected organization accounts.

Parameters

Type	Name	Schema
Query	ids required	integer

Responses

HTTP Code	Schema
200	No Content

POST /ams/shared/api/organizationAccounts/enable

Description

Enables the selected organization accounts.

Parameters

Type	Name	Schema
Query	ids required	integer

Responses

HTTP Code	Schema
200	No Content

POST /ams/shared/api/organizationAccounts/search

Description

Searches the organization accounts by the search criteria

Parameters

Type	Name	Schema
Body	SearchDTO required	OrgAccSearch

Responses

HTTP Code	Schema
200	< OrganizationAccount > array

DELETE /ams/shared/api/organizationAccounts/{orgAcclId}

Description

Deletes a single organization account by id

Parameters

Type	Name	Schema
Path	orgAcclId required	integer
Query	moveEmployeesTo required	integer

Responses

HTTP Code	Schema
200	No Content

GET /ams/shared/api/organizationAccounts/{orgAccountId}

Description

Gets the selected organization account.

Parameters

Type	Name	Schema
Path	orgAccountId required	integer
Query	properties required	string

Responses

HTTP Code	Schema
200	OrganizationAccount

PUT /ams/shared/api/organizationAccounts/{orgAccountId}

Description

Updates an existing organization account

Parameters

Type	Name	Schema
Path	orgAccountId required	integer
Body	organizationAccountDTO required	OrganizationAccount

Responses

HTTP Code	Schema
200	OrganizationAccount

PUT /ams/shared/api/organizationAccounts/{orgAccountId}/addEmployees

Description

Adds employees to the associated organization account

Parameters

Type	Name	Schema
Path	orgAccountId required	integer
Body	idListDTO required	IdList

Responses

HTTP Code	Schema
200	No Content

POST /ams/shared/api/organizationAccounts/{orgAccountId}/hasRole

Description

Checks to see if the organization account has a specific role.

Parameters

Type	Name	Schema
Path	orgAccountId required	integer
Query	includeInherited optional	integer
Query	productId optional	integer
Query	roleName optional	string

Responses

HTTP Code	Schema
200	boolean

Add or if find by key and account then Update

POST /ams/shared/api/organizationAccounts/{orgAccountId}/registry

Description

Add a new registry key to an organization account

Parameters

Type	Name	Schema
Path	orgAccountId required	integer
Body	registry optional	OrgAccountRegistry

Responses

HTTP Code	Schema
200	OrgAccountRegistry

GET /ams/shared/api/organizationAccounts/{orgAccountId}/registry

Description

Returns a list of registry keys associated with the selected organization account

Parameters

Type	Name	Schema
Path	orgAccountId required	integer
Query	categories optional	string
Query	keys optional	string

Responses

HTTP Code	Schema
200	OrgAccountRegistry

DELETE /ams/shared/api/organizationAccounts/{orgAccountId}/registry/{category}/{registryKey}

Description

Remove a registry key from an organization account by category

Parameters

Type	Name	Schema
Path	category required	string

Type	Name	Schema
Path	orgAccountId required	integer
Path	registryKey required	string

Responses

HTTP Code	Schema
200	No Content

POST /ams/shared/api/organizations

Description

Creates a new organization

Parameters

Type	Name	Schema
Body	organizationDTO required	Organization

Responses

HTTP Code	Schema
200	Organization

GET /ams/shared/api/organizations

Description

Returns a list of all organizations

Parameters

Type	Name	Schema
Query	filter optional	string
Query	filtering optional	string
Query	offset optional	string
Query	paging optional	string
Query	properties optional	string
Query	sorting optional	string

Responses

HTTP Code	Schema
200	< Organization > array

DELETE /ams/shared/api/organizations

Description

Removes the selected organizations

Parameters

Type	Name	Schema
Query	ids required	integer

Responses

HTTP Code	Schema
200	No Content

POST /ams/shared/api/organizations/disable

Description

Disables the selected organizations

Parameters

Type	Name	Schema
Query	ids required	integer

Responses

HTTP Code	Schema
200	No Content

POST /ams/shared/api/organizations/enable

Description

Enables the selected organizations

Parameters

Type	Name	Schema
Query	ids required	integer

Responses

HTTP Code	Schema
200	No Content

GET /ams/shared/api/organizations/list

Description

Returns a list of all organizations

Parameters

Type	Name	Schema
Query	filtering optional	string
Query	getTZ optional	string
Query	offset optional	string
Query	paging optional	string
Query	shaping optional	string
Query	sorting optional	string

Responses

HTTP Code	Schema
200	PagingResponse

GET /ams/shared/api/organizations/{organizationId}

Description

Returns a specific organization

Parameters

Type	Name	Schema
Path	organizationId required	integer

Responses

HTTP Code	Schema
200	Organization

PUT /ams/shared/api/organizations/{organizationId}

Description

Updates an existing organization

Parameters

Type	Name	Schema
Path	organizationId required	integer
Body	organizationDTO required	Organization

Responses

HTTP Code	Schema
200	Organization

GET /ams/shared/api/organizations/{organizationId}/account/{accountId}

Description

Returns a specific account within an organization

Parameters

Type	Name	Schema
Path	accountId required	integer
Path	organizationId required	integer

Responses

HTTP Code	Schema
200	OrganizationAccount

GET /ams/shared/api/organizations/{organizationId}/history

Description

Returns the history for the organization

Parameters

Type	Name	Schema
Path	organizationId required	integer
Query	accounts optional	string
Query	entities optional	string
Query	events optional	string

Responses

HTTP Code	Schema
200	History

GET /ams/shared/api/organizations/{organizationId}/locations

Description

Returns the locations associated with an organization

Parameters

Type	Name	Description	Schema
Path	organizationId required		integer
Query	fields optional	Comma seperated list of fields	string

Responses

HTTP Code	Schema
200	< Location > array

GET /ams/shared/api/organizations/{organizationId}/organizationAccounts

Description

Returns a list of organization accounts for an organization

Parameters

Type	Name	Schema
Path	organizationId required	integer

Type	Name	Schema
Query	filter optional	string
Query	properties optional	string

Responses

HTTP Code	Schema
200	< OrganizationAccount > array

GET /ams/shared/api/organizations/{organizationId}/roles

Description

Returns all roles associated with an organization

Parameters

Type	Name	Schema
Path	organizationId required	integer
Query	productId optional	integer

Responses

HTTP Code	Schema
200	< OrganizationRole > array

POST /ams/shared/api/products

Description

Creates a new product

Parameters

Type	Name	Schema
Body	productDTO required	Product

Responses

HTTP Code	Schema
200	Product

GET /ams/shared/api/products

Description

Returns a list of all products

Parameters

Type	Name	Schema
Query	filtering optional	string
Query	offset optional	string
Query	paging optional	string
Query	sorting optional	string

Responses

HTTP Code	Schema
200	< Product > array

DELETE /ams/shared/api/products

Description

Remove the selected products

Parameters

Type	Name	Schema
Query	ids required	integer

Responses

HTTP Code	Schema
200	No Content

POST /ams/shared/api/products/update

Description

Updates the specific product

Responses

HTTP Code	Schema
200	No Content

GET /ams/shared/api/products/{productId}

Description

Returns a specific product

Parameters

Type	Name	Schema
Path	productId required	integer

Responses

HTTP Code	Schema
200	Product

GET /ams/shared/api/products/{productId}/roles

Description

Returns the roles associated with a product

Parameters

Type	Name	Schema
Path	productId required	integer
Query	organizationId required	integer

Responses

HTTP Code	Schema
200	< Role > array

POST /ams/shared/api/roles

Description

Creates a new role

Parameters

Type	Name	Schema
Query	organizationId required	integer
Query	productId required	integer
Body	roleDTO required	Role

Responses

HTTP Code	Schema
200	Role

GET /ams/shared/api/roles

Description

Returns a list of roles

Parameters

Type	Name	Schema
Query	name required	string
Query	organizationId required	integer
Query	productId required	integer

Responses

HTTP Code	Schema
200	Role

DELETE /ams/shared/api/roles

Description

Removes the selected roles

Parameters

Type	Name	Schema
Query	ids required	integer

Responses

HTTP Code	Schema
200	No Content

GET /ams/shared/api/roles/{roleId}

Description

Returns the selected role

Parameters

Type	Name	Schema
Path	roleId required	integer

Responses

HTTP Code	Schema
200	ole

PUT /ams/shared/api/roles/{roleId}

Description

Updates the selected role

Parameters

Type	Name	Schema
Path	roleId required	integer
Body	roleDTO required	Role

Responses

HTTP Code	Schema
200	ole

GET /ams/shared/api/roles/{roleId}/organizationAccounts

Description

Returns a list of the organization accounts associated with the selected role

Parameters

Type	Name	Schema
Path	roleId required	integer

Responses

HTTP Code	Schema
200	< OrganizationAccount > array

POST /ams/shared/api/security/login

Description

Logs the user in

Parameters

Type	Name	Schema
Body	credentials required	ApiCredentials

Responses

HTTP Code	Schema
200	No Content

GET /ams/shared/api/security/logout

Description

Logs out the currently logged in user

Parameters

Type	Name	Schema
Query	redirectTo optional	string

Responses

HTTP Code	Schema
200	Response

POST /ams/shared/api/security/organization/switch

Description

Changes the organization the user is logged into

Parameters

Type	Name	Schema
Query	organizationId required	integer

Responses

HTTP Code	Schema
200	No Content

POST /ams/shared/api/security/organization/{id}/switchto

Description

Changes the organization the user is logged into

Parameters

Type	Name	Schema
Path	id required	integer

Responses

HTTP Code	Schema
200	No Content

GET /ams/shared/api/security/refreshcontext

Description

Refreshes the current security context

Responses

HTTP Code	Schema
200	No Content

POST /ams/shared/api/security/verifyPW

Description

Verifies the users password

Parameters

Type	Name	Schema
Query	orgID required	integer
Query	pw required	string
Query	userName required	string

Responses

HTTP Code	Schema
200	boolean

POST /ams/shared/api/{roleId}/addOrganizationAccounts

Description

Add an organization account to the selected role

Parameters

Type	Name	Schema
Path	roleId required	integer
Query	ids required	integer

Responses

HTTP Code	Schema
200	No Content

POST /ams/shared/api/{roleId}/removeOrganizationAccounts

Description

Remove the organization account from the selected role

Parameters

Type	Name	Schema
Path	roleId required	integer
Query	ids required	integer

Responses

HTTP Code	Schema
200	No Content

Definitions

Account

Name	Schema
ADDomain optional	string
IMAddress optional	string
creationMode optional	integer
dateTimeFormat optional	string
distinguishedName optional	string
fullName optional	string
id optional	integer

Name	Schema
isDeleted optional	boolean
jobTitle optional	string
language optional	string
login optional	string
mobilePhone optional	string
numberFormat optional	string
overrideLocationSettings optional	boolean
password optional	string
passwordChangedAt optional	string(date-time)
principalName optional	string
timeZone optional	string
userType optional	integer
version optional	string(date-time)
workPhone optional	string

AccountEmail

Name	Schema
account optional	Account
email optional	string
sorting optional	integer

AccountRegistry

Name	Schema
account optional	Account
categoryName optional	string
id optional	integer
key optional	string

Name	Schema
value optional	string

AuthStorage

Name	Schema
authStorageExpiration optional	AuthStorageExpiration
key optional	string
value optional	string

AuthStorageExpiration

Name	Schema
expires optional	integer
key optional	string

History

Name	Schema
accountId optional	integer
action optional	integer
creationDt optional	string(date-time)
entityId optional	integer
entityName optional	string
id optional	integer
parentEntityId optional	integer
parentEntityName optional	string

HistoryDetail

Name	Schema
history optional	History
historyId optional	integer
id optional	integer
propertyName optional	string

HistoryDetailDatetime

Name	Schema
history optional	History
historyId optional	integer
id optional	integer
newValue optional	string(date-time)
oldValue optional	string(date-time)
propertyName optional	string

HistoryDetailReference

Name	Schema
history optional	History
historyId optional	integer
id optional	integer
newValue optional	integer
oldValue optional	integer
propertyName optional	string
refName optional	string

HistoryDetailString

Name	Schema
history optional	History
historyId optional	integer
id optional	integer
newValue optional	string
oldValue optional	string
propertyName optional	string

LinkedAccountToken

Name	Schema
created optional	string(date-time)
id optional	integer
organizationAccount optional	OrganizationAccount
token optional	string

Location

Name	Schema
address optional	string
appData optional	string
description optional	string
id optional	integer
isDeleted optional	boolean
level optional	integer
locale optional	string
name optional	string
organization optional	Organization
parent optional	Location
path optional	string

Name	Schema
phoneNumber optional	string
primaryContact optional	OrganizationAccount
webSite optional	string

Notification

Name	Schema
accountId optional	integer
actionCode optional	integer
affectedIds optional	string
affectedResourceType optional	integer
id optional	integer
message optional	string
organizationId optional	integer
severityCode optional	integer
timestamp optional	string(date-time)

OrgAccountRegistry

Name	Schema
categoryName optional	string
id optional	integer
key optional	string
orgAccount optional	OrganizationAccount
value optional	string

Organization

Name	Schema
id optional	integer
isDeleted optional	boolean
isEnabled optional	boolean
isSystem optional	boolean
locationAttrName optional	string
name optional	string
primaryLocation optional	Location
syncLocations optional	boolean
timeZone optional	string
version optional	string(date-time)

OrganizationAccount

Name	Schema
account optional	Account
created optional	string(date-time)
id optional	integer
isEnabled optional	boolean
level optional	integer
location optional	Location
manager optional	OrganizationAccount
path optional	string
version optional	string(date-time)

Product

Name	Schema
allowMultipleRoles optional	boolean
baseApiUrl optional	string

Name	Schema
baseNavigationUrl optional	string
baseViewUrl optional	string
callbackUrl optional	string
configuration optional	string
description optional	string
fullName optional	string
id optional	string
shortName optional	string

Role

Name	Schema
created optional	string(date-time)
description optional	string
id optional	integer
isDefaultAdminRole optional	boolean
isDefaultApplianceAdminRole optional	boolean
isDefaultUserRole optional	boolean
name optional	string
organization optional	Organization
product optional	Product
productRoleId optional	string
version optional	string(date-time)

SystemSetting

Name	Schema
key optional	string
value optional	string

Asset API Reference

KACE SMA Asset API Reference

Overview

Version information

Version : 8.1

URI scheme

BasePath : /api/asset

Consumes

- application/json

Produces

- application/json

Paths

POST /api/asset/assets

Description

Creates a new asset

Parameters

Type	Name	Schema
Body	assetData required	< string > array

Responses

HTTP Code	Schema
200	integer

GET /api/asset/assets/

Description

Returns a list of all assets

Parameters

Type	Name	Schema
Query	filtering optional	string
Query	offset optional	string
Query	paging optional	string
Query	shaping optional	string
Query	sorting optional	string
Query	use_count optional	string
Query	use_count_only optional	string
Query	use_pretty_print optional	boolean

Responses

HTTP Code	Schema
200	< object > array

GET /api/asset/assets/types

Description

Returns a list of all asset types

Responses

HTTP Code	Schema
200	< object > array

GET /api/asset/assets/version

Description

Returns the version associated with this API endpoint.

Responses

HTTP Code	Schema
200	string

GET /api/asset/assets/{id}

Description

Returns the asset associated with the id

Parameters

Type	Name	Schema
Path	id required	integer
Query	shaping optional	string
Query	sorting optional	string
Query	use_count optional	string
Query	use_count_only optional	string
Query	use_pretty_print optional	boolean

Responses

HTTP Code	Schema
200	< string > array

PUT /api/asset/assets/{id}

Description

Updates an asset

Parameters

Type	Name	Schema
Path	id required	integer
Body	assetData required	< string > array

Responses

HTTP Code	Schema
200	string

DELETE /api/asset/assets/{id}

Description

Removes an asset

Parameters

Type	Name	Schema
Path	id required	integer

Responses

HTTP Code	Schema
200	string

PUT /api/asset/assets/{id}/add_attachment/

Description

Adds an attachment to the associated asset

Parameters

Type	Name	Schema
Path	id required	integer
Body	file_data required	file

Responses

HTTP Code	Schema
200	string

GET /api/asset/assets/{id}/barcodes

Description

Returns all barcodes associated with the specified asset.

Parameters

Type	Name	Schema
Path	id required	integer

Responses

HTTP Code	Schema
200	< object > array

POST /api/asset/barcodes

Description

Creates a new barcode

Parameters

Type	Name	Schema
Body	barcodeData required	string

Responses

HTTP Code	Schema
200	string

GET /api/asset/barcodes

Description

Returns all barcodes

Parameters

Type	Name	Schema
Query	filtering optional	string
Query	offset optional	string
Query	paging optional	string
Query	shaping optional	string
Query	sorting optional	string
Query	use_count optional	string
Query	use_count_only optional	string
Query	use_pretty_print optional	boolean

Responses

HTTP Code	Schema
200	< string > array

GET /api/asset/barcodes/version

Description

Returns the version associated with this API endpoint.

Responses

HTTP Code	Schema
200	string

GET /api/asset/barcodes/{id}

Description

Returns the barcode associated with the id

Parameters

Type	Name	Schema
Path	id required	integer
Query	shaping optional	string
Query	sorting optional	string
Query	use_count optional	string
Query	use_count_only optional	string
Query	use_pretty_print optional	boolean

Responses

HTTP Code	Schema
200	< string > array

PUT /api/asset/barcodes/{id}

Description

Updates the selected barcode

Parameters

Type	Name	Schema
Path	id required	integer
Body	barcodeData required	string

Responses

HTTP Code	Schema
200	string

DELETE /api/asset/barcodes/{id}

Description

Removes the selected barcode

Parameters

Type	Name	Schema
Path	id required	integer

Responses

HTTP Code	Schema
200	string

Inventory API Reference

KACE SMA Inventory API Reference

Overview

Version information

Version : 8.1

URI scheme

BasePath : /api/inventory

Consumes

- application/json

Produces

- application/json

Paths

POST /api/inventory/machines/

Description

Creates or updates inventory data. The only way to send new inventory data is via this Machine entity. It is suggested that POST be used for new machines and PUT for machine updates. However, as a convenience for clients, the POST route can be used to update the inventory for existing machines. See Appendix B for an

example of the request body format. Multiple machines can be sent in a single request. If no KUID is given for a machine, one will be auto-generated. The ID(s) of the impacted machines will be included in the response.

Responses

HTTP Code	Schema
200	< integer > array

GET /api/inventory/machines/

Description

Retrieves the data for any matching machines.

Parameters

Type	Name	Description	Schema	Default
Query	filterOptions optional	The name of join set to insert in base query	string	""
Query	filtering optional		string	
Query	offset optional		string	
Query	paging optional		string	
Query	shaping optional		string	
Query	sorting optional		string	
Query	use_count optional		string	
Query	use_count_only optional		string	
Query	use_pretty_print optional		boolean	

Responses

HTTP Code	Schema
200	< string > array

GET /api/inventory/machines/version/

Description

Returns the latest API version for the entity. If there is no specific version, the overall API version is returned.

Responses

HTTP Code	Schema
200	string

GET /api/inventory/machines/{id}/

Description

Retrieves the data for the specific ID given. All query parameters are available.

Parameters

Type	Name	Schema
Path	id required	integer
Query	shaping optional	string
Query	sorting optional	string
Query	use_count optional	string
Query	use_count_only optional	string
Query	use_pretty_print optional	boolean

Responses

HTTP Code	Schema
200	< string > array

PUT /api/inventory/machines/{id}/

Description

Updates machine inventory data for the given ID. If a KUID is sent in the request body, it must match the KUID for the machine with the given ID. See Appendix B for an example of the request body format.

Responses

HTTP Code	Schema
200	< integer > array

POST /api/inventory/machines/{id}/force/

Parameters

Type	Name	Schema
Path	id required	integer

Responses

HTTP Code	Schema
200	string

POST /api/inventory/nodes/

Responses

HTTP Code	Schema
200	string

GET /api/inventory/nodes/

Description

Retrieves the data for any matching agentless nodes.

Parameters

Type	Name	Schema
Query	filtering optional	string
Query	offset optional	string
Query	paging optional	string
Query	shaping optional	string
Query	sorting optional	string
Query	use_count optional	string
Query	use_count_only optional	string
Query	use_pretty_print optional	boolean

Responses

HTTP Code	Schema
200	< string > array

GET /api/inventory/nodes/version/

Description

Returns the latest API version for the entity. If there is no specific version, the overall API version is returned.

Responses

HTTP Code	Schema
200	string

GET /api/inventory/nodes/{id}/

Description

Retrieves the data for the specific ID given. All query parameters are available.

Parameters

Type	Name	Schema
Path	id required	integer
Query	shaping optional	string
Query	sorting optional	string
Query	use_count optional	string
Query	use_count_only optional	string
Query	use_pretty_print optional	boolean

Responses

HTTP Code	Schema
200	string

POST /api/inventory/operating_systems/

Responses

HTTP Code	Schema
200	string

GET /api/inventory/operating_systems/

Description

Retrieves the data for any matching operating systems. The operating system for a machine are reported during inventory.

Parameters

Type	Name	Schema
Query	filtering optional	string
Query	offset optional	string
Query	paging optional	string
Query	shaping optional	string
Query	sorting optional	string
Query	use_count optional	string
Query	use_count_only optional	string
Query	use_pretty_print optional	boolean

Responses

HTTP Code	Schema
200	< string > array

GET /api/inventory/operating_systems/version/

Description

Returns the latest API version for the entity. If there is no specific version, the overall API version is returned.

Responses

HTTP Code	Schema
200	string

GET /api/inventory/operating_systems/{id}/

Description

Retrieves the data for the specific ID given. All query parameters are available.

Parameters

Type	Name	Schema
Path	id required	integer
Query	shaping optional	string
Query	sorting optional	string
Query	use_count optional	string
Query	use_count_only optional	string
Query	use_pretty_print optional	boolean

Responses

HTTP Code	Schema
200	string

POST /api/inventory/processes/

Responses

HTTP Code	Schema
200	string

GET /api/inventory/processes/

Description

Retrieves the data for any matching processes. The running processes for a machine are reported during inventory.

Parameters

Type	Name	Schema
Query	filtering optional	string
Query	offset optional	string
Query	paging optional	string
Query	shaping optional	string
Query	sorting optional	string
Query	use_count optional	string
Query	use_count_only optional	string
Query	use_pretty_print optional	boolean

Responses

HTTP Code	Schema
200	< string > array

GET /api/inventory/processes/version/

Description

Returns the latest API version for the entity. If there is no specific version, the overall API version is returned.

Responses

HTTP Code	Schema
200	string

GET /api/inventory/processes/{id}/

Description

Retrieves the data for the specific ID given. All query parameters are available.

Parameters

Type	Name	Schema
Path	id required	integer
Query	shaping optional	string
Query	sorting optional	string
Query	use_count optional	string
Query	use_count_only optional	string

Type	Name	Schema
Query	use_pretty_print optional	boolean

Responses

HTTP Code	Schema
200	string

POST /api/inventory/services/

Responses

HTTP Code	Schema
200	string

GET /api/inventory/services/

Description

Retrieves the data for any matching NT services. The list of services for a Windows machine are reported during inventory.

Parameters

Type	Name	Schema
Query	filtering optional	string
Query	offset optional	string
Query	paging optional	string
Query	shaping optional	string
Query	sorting optional	string
Query	use_count optional	string

Type	Name	Schema
Query	use_count_only optional	string
Query	use_pretty_print optional	boolean

Responses

HTTP Code	Schema
200	< string > array

GET /api/inventory/services/version/

Description

Returns the latest API version for the entity. If there is no specific version, the overall API version is returned.

Responses

HTTP Code	Schema
200	string

GET /api/inventory/services/{id}/

Description

Retrieves the data for the specific ID given. All query parameters are available.

Parameters

Type	Name	Schema
Path	id required	integer
Query	shaping optional	string

Type	Name	Schema
Query	sorting optional	string
Query	use_count optional	string
Query	use_count_only optional	string
Query	use_pretty_print optional	boolean

Responses

HTTP Code	Schema
200	string

POST /api/inventory/software/

Responses

HTTP Code	Schema
200	string

GET /api/inventory/software/

Description

Retrieves the data for any matching software. The installed software titles for a machine are reported during inventory.

Parameters

Type	Name	Schema
Query	filtering optional	string
Query	offset optional	string
Query	paging optional	string

Type	Name	Schema
Query	shaping optional	string
Query	sorting optional	string
Query	use_count optional	string
Query	use_count_only optional	string
Query	use_pretty_print optional	boolean

Responses

HTTP Code	Schema
200	< string > array

GET /api/inventory/software/version/

Description

Returns the latest API version for the entity. If there is no specific version, the overall API version is returned.

Responses

HTTP Code	Schema
200	string

GET /api/inventory/software/{id}/

Description

Retrieves the data for the specific ID given. All query parameters are available.

Parameters

Type	Name	Schema
Path	id required	integer
Query	shaping optional	string
Query	sorting optional	string
Query	use_count optional	string
Query	use_count_only optional	string
Query	use_pretty_print optional	boolean

Responses

HTTP Code	Schema
200	string

POST /api/inventory/startup_programs/

Responses

HTTP Code	Schema
200	string

GET /api/inventory/startup_programs/

Description

Retrieves the data for any matching startup programs. The list of startup programs for a machine are reported during inventory.

Parameters

Type	Name	Schema
Query	filtering optional	string

Type	Name	Schema
Query	offset optional	string
Query	paging optional	string
Query	shaping optional	string
Query	sorting optional	string
Query	use_count optional	string
Query	use_count_only optional	string
Query	use_pretty_print optional	boolean

Responses

HTTP Code	Schema
200	< string > array

GET /api/inventory/startup_programs/version/

Description

Returns the latest API version for the entity. If there is no specific version, the overall API version is returned.

Responses

HTTP Code	Schema
200	string

GET /api/inventory/startup_programs/{id}/

Description

Retrieves the data for the specific ID given. All query parameters are available.

Parameters

Type	Name	Schema
Path	id required	integer
Query	shaping optional	string
Query	sorting optional	string
Query	use_count optional	string
Query	use_count_only optional	string
Query	use_pretty_print optional	boolean

Responses

HTTP Code	Schema
200	string

Definitions

Catalog.Sam_Catalog

Name	Schema
Edition optional	string
Id optional	string
Is_Mobile optional	integer
License_Type optional	string
Major_Version optional	string
Name optional	string
Product_Name optional	string
Publisher optional	string
Sam_Type optional	string

Name	Schema
Software_Category optional	string
Software_Category_Id optional	integer
Software_Platform optional	string
Software_Platform_Id optional	integer
Support_Url optional	string

Dell_Inventory

Name	Schema
Inv_Log_Xml optional	string
Inv_Out_Xml optional	string
Lang optional	string
Machine_Id optional	integer
Os_Arch optional	string
Os_Code optional	string
Os_Majver optional	integer
Os_Minver optional	integer
Os_Vendor optional	string
Status_Code optional	integer
Status_Phase optional	string
System_Did optional	string

Dell_Inventory_Log

Name	Schema
Failure_Reason optional	string
Machine_Id optional	integer
Module_Id optional	string
Status optional	string

Dell_Machine_Pkg_Update_Status

Name	Schema
Catalog_Id optional	integer
Dell_Schedule_Id optional	integer
Machine_Id optional	integer
Max_Update_Attempt optional	integer
Package_Did optional	string
Update_Count optional	integer

Dell_Machine_Status

Name	Schema
Applicable_Update optional	string
Catalog_Id optional	integer
Device_Id optional	integer
Machine_Id optional	integer
Package_Did optional	string

Dell_Pkg_Update_History

Name	Schema
Applicable_Update optional	string
Catalog_Id optional	integer
Machine_Id optional	integer
Package_Did optional	string
Update_Phase optional	string
Update_Status optional	integer

Fs

Name	Schema
Alt_Checksum optional	string
Alt_Location optional	string
Create_Location optional	integer
Create_Shortcut optional	integer
Credential_Id_Alt_Location optional	integer
Credential_Id_Location optional	integer
Enabled optional	integer
Hour_Begin optional	integer
Hour_End optional	integer
Id optional	integer
Location optional	string
No_Uncompress optional	integer
Notes optional	string
Persistent optional	integer
Postinstall_Message optional	string
Preinstall_Message optional	string
Remove_Files optional	integer
Replace_Existing optional	integer
Shortcut_Name optional	string
Software_Id optional	integer
Target_All_Machines optional	integer
Type optional	string

Label

Name	Schema
App_Ctrl_Enabled optional	integer
Id optional	integer
Kace_Alt_Location optional	string
Kace_Alt_Location_Password_Enc optional	string
Kace_Alt_Location_User optional	string
Meter_Enabled optional	integer
Name optional	string
Notes optional	string
Type optional	string
Usage_All optional	integer
Usage_Catalog optional	integer
Usage_Dell optional	integer
Usage_Label optional	integer
Usage_Machine optional	integer
Usage_Node optional	integer
Usage_Patch optional	integer
Usage_Process optional	integer
Usage_Software optional	integer
Usage_User optional	integer

Machine

Name	Schema
Asset_Tag optional	string
Bios_Description optional	string
Bios_Identification_Code optional	string
Bios_Manufacturer optional	string
Bios_Name optional	string

Name	Schema
Bios_Serial_Number optional	string
Bios_Version optional	string
Cdrom_Devices optional	string
Chassis_Type optional	string
Client_Version optional	string
Cpu_Name optional	string
Cs_Domain optional	string
Cs_Manufacturer optional	string
Cs_Model optional	string
Csp_Id_Number optional	string
Custom_Field_Value0 optional	string
Custom_Field_Value1 optional	string
Custom_Field_Value2 optional	string
Custom_Field_Value3 optional	string
Custom_Field_Value4 optional	string
Custom_Field_Value5 optional	string
Domain optional	string
Dot_Net_Versions optional	string
Force_Inventory optional	integer
Id optional	integer
Ie_Version optional	string
Ip optional	string
Kuid optional	string
Last_Reboot optional	string
Last_Shutdown optional	string
Last_User optional	string
Mac optional	string
Manual_Entry optional	integer

Name	Schema
Monitor optional	string
Motherboard_Primary_Bus optional	string
Motherboard_Secondary_Bus optional	string
Name optional	string
Netmask optional	string
Notes optional	string
Os_Arch optional	string
Os_Build optional	string
Os_Family optional	string
Os_Id optional	integer
Os_Installed_Date optional	string
Os_Major optional	string
Os_Minor optional	string
Os_Minor2 optional	string
Os_Name optional	string
Os_Number optional	string
Os_Version optional	string
Pagefile_Max_Size optional	string
Pagefile_Size optional	string
Patchlink_Language_Id optional	integer
Physical_Cores optional	integer
Physical_Processors optional	integer
Printers optional	string
Processors optional	string
Ram_Max optional	string
Registry_Max_Size optional	string
Registry_Size optional	string
Service_Pack optional	string

Name	Schema
Smp_Version optional	string
Sound_Devices optional	string
Sys_Arch optional	string
System_Description optional	string
System_Directory optional	string
Tz_Agent optional	string
Uptime optional	string
User optional	string
User_Domain optional	string
User_Fullname optional	string
User_Logged optional	string
User_Name optional	string
Video_Controllers optional	string
Virtual optional	string
Wmi_Status optional	string

Machine_Bitlocker_Volume

Name	Schema
Conversion_Status optional	string
Device_Id optional	string
Drive_Letter optional	string
Encryption_Method optional	string
Encryption_Percentage optional	integer
Hardware_Encryption_Status optional	string
Id optional	integer
Identification_Field optional	string
Is_System_Volume optional	integer

Name	Schema
Key_Protectors optional	string
Lock_Status optional	string
Persistent_Volume_Id optional	string
Protection_Status optional	string
Self_Encryption_Drive_Encryption_Method optional	string
Version optional	integer
Wiping_Percentage optional	integer
Wiping_Status optional	string

Machine_Chromeos_Details

Name	Schema
Annotated_Location optional	string
Annotated_User optional	string
Boot_Mode optional	string
Device_Id optional	string
Firmware_Version optional	string
Id optional	integer
Mac_Address optional	string
Machine_Chromeos_Details_Id optional	integer
Meid optional	string
Model optional	string
Notes optional	string
Order_Number optional	string
Org_Unit_Path optional	string
Os_Version optional	string
Platform_Version optional	string
Serial_Number optional	string

Name	Schema
Status optional	string
Will_Auto_Renew optional	integer

Machine_Custom_Inventory

Name	Schema
Field_Value_Type optional	integer
Id optional	integer
Num_Field_Value optional	integer
Software_Id optional	integer
Str_Field_Value optional	string

Machine_Daily_Uptime

Name	Schema
Id optional	integer
Machine_Id optional	integer

Machine_Ddpe

Name	Schema
Agent_Version optional	string
Id optional	integer
Mcid optional	string
Protection_Status optional	string
Server_Hostname optional	string

Machine_Ddpe_Volume

Name	Schema
Device_Id optional	string
Id optional	integer
Protection_Reason optional	string
Protection_Status optional	string

Machine_Disks

Name	Schema
Id optional	integer
Name optional	string

Machine_Drive_Encryption_Summary

Name	Schema
Id optional	integer
Is_Drive_Encryption_Enabled optional	integer
Is_Drive_Protected optional	integer
Protection_Reason optional	string

Machine_Filevault_Volume

Name	Schema
Authorized_Users optional	string
Conversion_Percentage optional	integer
Conversion_Status optional	string
Device_Id optional	string
Encryption_Status optional	string
Encryption_Type optional	string
Has_Institutional_Recovery_Key optional	integer

Name	Schema
Has_Personal_Recovery_Key optional	integer
Id optional	integer
Is_Enabled optional	integer
Version optional	string

Machine_Intel_Amt

Name	Schema
Configuration_Mode optional	string
Control_Mode optional	string
Fw_Version optional	string
Id optional	integer
Is_Amt_Configured optional	integer
Is_Amt_Enabled_In_Bios optional	integer
Is_Amt_Supported optional	integer
Is_Mei_Enabled optional	integer
Mei_Version optional	string
Skus optional	string
State optional	string
Version optional	string

Machine_Location

Name	Schema
Country optional	string
Country_Code optional	string
Id optional	integer
Locality optional	string
Machine_Location_Id optional	integer

Name	Schema
Postal_Code optional	string
Region optional	string
Street_Address optional	string

Machine_Mobile

Name	Schema
Battery_Level optional	string
Carrier optional	string
Current_Carrier_Network optional	string
Device_Type optional	string
Iccid optional	string
Id optional	integer
Imei optional	string
Is_Compliant optional	integer
Is_Enrolled optional	integer
Machine_Mobile_Id optional	integer
Meid optional	string
Modem_Firmware optional	string
Phone_Number optional	string
Udid optional	string

Machine_Nics

Name	Schema
Dhcp_Enabled optional	string
Dnsdomain optional	string
Dnshostname optional	string
Id optional	integer

Name	Schema
Ip optional	string
Mac optional	string
Netmask optional	string
Nic optional	string

Machine_Replitem

Name	Schema
Checksum optional	string
Error optional	integer
File_Name optional	string
File_Size optional	integer
Machine_Id optional	integer
Ordinal optional	integer
Path optional	string
Type optional	string
Type_Id optional	string
Zip_Package optional	string

Machine_Snmp_Data

Name	Schema
Full_Walk optional	string
Machine_Id optional	integer
Machine_Snmp_Data_Id optional	integer

Machine_Tpm

Name	Schema
Id optional	integer
Is_Activated optional	integer
Is_Enabled optional	integer
Is_Owned optional	integer
Manufacturer_Id optional	integer
Manufacturer_Id_Text optional	string
Manufacturer_Version optional	string
Manufacturer_Version_Info optional	string
Physical_Presence_Version_Info optional	string
Specification_Version optional	string

Mi_Attempt

Name	Schema
Attempt_Count optional	integer
Machine_Id optional	integer
Mi_Id optional	integer
Run_Now optional	integer

Node

Name	Schema
Aw_Id optional	string
Aw_Status optional	integer
Chromeos_Id optional	string
Chromeos_Status optional	integer
Cli_Status optional	integer
Cli_Type optional	string
Dmm_Id optional	string

Name	Schema
Dmm_Status optional	integer
Host_Name optional	string
Id optional	integer
Ip optional	string
Ldap_Status optional	integer
Mac optional	string
Machine_Id optional	integer
Nmap_Status optional	integer
Os_Type optional	string
Ping_Status optional	integer
Real_Name optional	string
Scan_Settings_Id optional	integer
Snmp_Contact optional	string
Snmp_Status optional	integer
Snmp_Sysdescr optional	string
Snmp_Uptime optional	string
Snmp_Version optional	integer
Snmp_Walk_Data optional	string
Socket_Status optional	integer
Winrm_Status optional	integer

Node_Snmp_If

Name	Schema
Admin_Status optional	string
Descr optional	string
Id optional	integer
Ifindex optional	integer

Name	Schema
In_Discards optional	integer
In_Errors optional	integer
In_Nucastpkts optional	integer
In_Octets optional	integer
In_Ucastpkts optional	integer
In_Unknownprotos optional	integer
Last_Change optional	string
Mtu optional	integer
Oper_Status optional	string
Out_Discards optional	integer
Out_Errors optional	integer
Out_Nucastpkts optional	integer
Out_Octets optional	integer
Out_Ucastpkts optional	integer
Phys_Address optional	string
Specific optional	string
Speed optional	integer
Type optional	string

Node_Snmp_System

Name	Schema
Contact optional	string
Description optional	string
Full_Walk optional	string
Id optional	integer
Location optional	string
Name optional	string

Name	Schema
Object_Id optional	string
Uptime optional	string

Ntservice

Name	Schema
Can_Interact_With_Desktop optional	string
Category optional	string
Command_Args optional	string
Command_Exe optional	string
Company_Name optional	string
Description optional	string
Display_Name optional	string
File_Description optional	string
File_Name optional	string
File_Version optional	string
Id optional	integer
Logon_As_User optional	string
Name optional	string
Notes optional	string
Product_Name optional	string
Product_Version optional	string
Startup_Type optional	string
Status optional	string
Threat optional	integer

Operating_Systems

Name	Schema
Arch optional	string
Build optional	string
Common_Name optional	string
Description optional	string
Family optional	string
Id optional	integer
Major_Version optional	integer
Managed optional	integer
Minor2_Version optional	integer
Minor_Version optional	integer
Name optional	string
Os_Family_Id optional	integer
Patchlink_Os_Type_Id optional	integer
Sp optional	integer

Patchlink_Machine_Applicable_Package

Name	Schema
Applicable_Package optional	string
Applicable_Package_Path optional	string
Deploy_Error_Code optional	integer
Deploy_Rcode optional	integer
Deploy_Rdesc optional	string
Deploy_Status optional	string
Machine_Id optional	integer
Patchuid optional	string
Rollback_Error_Code optional	integer
Rollback_Rcode optional	integer

Name	Schema
Rollback_Rdesc optional	string
Rollback_Status optional	string

Patchlink_Schedule_Run_Log

Name	Schema
Id optional	integer
Machine_Id optional	integer
Patchlink_Schedule_Id optional	integer
Patchlink_Schedule_Run_Id optional	integer
Status optional	string

Patchlink_Schedule_Run_Machine

Name	Schema
Id optional	integer
Machine_Id optional	integer
Patchlink_Schedule_Id optional	integer
Patchlink_Schedule_Run_Id optional	integer
Status optional	string

Process

Name	Schema
Category optional	string
Command_Args optional	string
Command_Exe optional	string
Company_Name optional	string
File_Description optional	string

Name	Schema
File_Name optional	string
File_Version optional	string
Id optional	integer
Name optional	string
Notes optional	string
Product_Name optional	string
Product_Version optional	string
Threat optional	integer

Sam_Meter

Name	Schema
Id optional	integer
Last_Report optional	string
Machine_Id optional	integer

Sam_Meter_Data

Name	Schema
Id optional	integer
Is_Mobile optional	integer
Latest_Entry optional	integer
Launches optional	integer
Machine_Id optional	integer
Process_Id optional	string
Seconds_Used optional	integer
Titled_Application_Id optional	string
User_Data optional	string
Version optional	string

Software

Name	Schema
Category optional	string
Checksum optional	string
Comments optional	string
Contact optional	string
Custom_Field_Value0 optional	string
Custom_Field_Value1 optional	string
Custom_Field_Value2 optional	string
Custom_Field_Value3 optional	string
Custom_Field_Value4 optional	string
Custom_Field_Value5 optional	string
Display_Name optional	string
Display_Version optional	string
Dont_Replicate optional	integer
File_Name optional	string
File_Size optional	integer
Help_Link optional	string
Help_Telephone optional	string
Id optional	integer
Install_Date optional	string
Inventory_Rule optional	string
Is_Manual optional	integer
Is_Patch optional	integer
Notes optional	string
Publisher optional	string
Quiet_Uninstall_String optional	string

Name	Schema
Readme optional	string
Rule_Data_Type optional	integer
Rule_Flag optional	integer
Threat optional	integer
Uninstall_String optional	string
Urlinfo_About optional	string
Version optional	string

Startupprogram

Name	Schema
Category optional	string
Command_Args optional	string
Command_Exe optional	string
Company_Name optional	string
File_Description optional	string
File_Name optional	string
File_Version optional	string
Id optional	integer
Name optional	string
Notes optional	string
Product_Name optional	string
Product_Version optional	string
Threat optional	integer

Managed Install API Reference

KACE SMA Managed Install API Reference

Overview

Version information

Version : 8.1

URI scheme

BasePath : /api/mi

Consumes

- application/json

Produces

- application/json

Paths

PUT /api/managed_install/managed_installs/{id}/
add_to_machines

Description

Adds devices to a managed install.

Parameters

Type	Name	Description	Schema
Path	id required		integer
Query	use_count optional		string
Query	use_count_only optional		string
Query	use_pretty_print optional		boolean
Body	machines required	A payload with the machines to update. For example: <code>{"Machines" : ["id"]}</code>	json

Responses

HTTP Code	Schema
200	No Content

GET /api/mi/compatible_machines

Description

Returns a list of compatible machines

Parameters

Type	Name	Schema
Query	filtering optional	string
Query	offset optional	string
Query	paging optional	string
Query	shaping optional	string

Type	Name	Schema
Query	sorting optional	string
Query	use_count optional	string
Query	use_count_only optional	string
Query	use_pretty_print optional	boolean

Responses

HTTP Code	Schema
200	< string > array

GET /api/mi/compatible_machines/version

Description

Returns the API version for this endpoint.

Responses

HTTP Code	Schema
200	string

GET /api/mi/files

Description

Returns the list of files available to managed installs.

Parameters

Type	Name	Schema
Query	filtering optional	string

Responses

HTTP Code	Schema
200	< string > array

GET /api/mi/files/version

Description

Returns the version of this api endpoint.

Responses

HTTP Code	Schema
200	string

GET /api/mi/machines

Description

Returns all the devices

Parameters

Type	Name	Schema
Query	filtering optional	string
Query	offset optional	string
Query	paging optional	string

Type	Name	Schema
Query	shaping optional	string
Query	sorting optional	string
Query	use_count optional	string
Query	use_count_only optional	string
Query	use_pretty_print optional	boolean

Responses

HTTP Code	Schema
200	< string > array

GET /api/mi/machines/version

Description

Returns the version for this end point.

Responses

HTTP Code	Schema
200	string

GET /api/mi/machines/{id}

Description

Returns the managed install associated with a device.

Parameters

Type	Name	Schema
Path	id required	integer
Query	shaping optional	string
Query	sorting optional	string
Query	use_count optional	string
Query	use_count_only optional	string
Query	use_pretty_print optional	boolean

Responses

HTTP Code	Schema
200	< string > array

GET /api/mi/managed_installs

Description

Returns a list of all managed installs.

Parameters

Type	Name	Schema
Query	filtering optional	string
Query	offset optional	string
Query	paging optional	string
Query	shaping optional	string
Query	sorting optional	string
Query	use_count optional	string
Query	use_count_only optional	string
Query	use_pretty_print optional	boolean

Responses

HTTP Code	Schema
200	< string > array

GET /api/mi/managed_installs/version

Description

Returns the current version of this API endpoint.

Responses

HTTP Code	Schema
200	string

GET /api/mi/managed_installs/{id}

Description

Gets the details of this managed install

Parameters

Type	Name	Schema
Path	id required	integer
Query	shaping optional	string
Query	sorting optional	string
Query	use_count optional	string
Query	use_count_only optional	string

Type	Name	Schema
Query	use_pretty_print optional	boolean

Responses

HTTP Code	Schema
200	string

GET /api/mi/managed_installs/{id}/compatible_machines

Description

Returns a list of compatible devices for this managed install.

Parameters

Type	Name	Schema
Path	id required	integer
Query	filtering optional	string
Query	shaping optional	string
Query	sorting optional	string
Query	use_count optional	string
Query	use_count_only optional	string
Query	use_pretty_print optional	boolean

Responses

HTTP Code	Schema
200	< string > array

GET /api/mi/managed_installs/{id}/file

Description

Gets the file associated with this managed install.

Parameters

Type	Name	Schema
Path	id required	integer
Query	shaping optional	string
Query	sorting optional	string
Query	use_count optional	string
Query	use_count_only optional	string
Query	use_pretty_print optional	boolean

Responses

HTTP Code	Schema
200	string

PUT /api/mi/managed_installs/{id}/remove_from_machines

Description

Removed devices from a managed install.

Parameters

Type	Name	Description	Schema
Path	id	required	integer
Query	use_count	optional	string
Query	use_count_only	optional	string
Query	use_pretty_print	optional	boolean
Body	machines	required A payload with the machines to update	json

Responses

HTTP Code	Schema
200	No Content

Reporting API Reference

KACE SMA Reporting API Reference

Overview

Version information

Version : 8.1

URI scheme

BasePath : /api/reporting

Consumes

- application/json

Produces

- application/json

Paths

GET /api/reporting/definitions/

Description

Retrieves the JSON definition string for reports in the given organization.

Parameters

Type	Name	Description	Schema	Default
Query	filtering optional		string	
Query	offset optional		string	
Query	orgID optional	K1 organization ID	integer	"0"
Query	paging optional		string	
Query	shaping optional		string	
Query	sorting optional		string	
Query	use_count optional		string	
Query	use_count_only optional		string	
Query	use_pretty_print optional		boolean	

Responses

HTTP Code	Schema
200	< string > array

GET /api/reporting/definitions/DistinctField/

Description

Retrieves a list of distinct values of the given field for reports in the given organization. For example a list of all category names in use.

Parameters

Type	Name	Description	Schema	Default
Path	field required	DB name of the field	boolean	

Type	Name	Description	Schema	Default
Path	orgID optional	K1 organization ID	integer	"0"
Query	filtering optional		string	
Query	offset optional		string	
Query	paging optional		string	
Query	sorting optional		string	
Query	use_count optional		string	
Query	use_count_only optional		string	
Query	use_pretty_print optional		boolean	

Responses

HTTP Code	Schema
200	< string > array

GET /api/reporting/definitions/version/

Description

Returns the latest API version for the entity. If there is no specific version, the overall API version is returned.

Responses

HTTP Code	Schema
200	string

GET /api/reporting/definitions/{id}/

Description

Retrieves the report data in the given organization for the specific ID given. All query parameters are available.

Parameters

Type	Name	Description	Schema	Default
Path	id	required	integer	
Path	orgID	optional K1 organization ID	integer	"0"
Query	shaping	optional	string	
Query	sorting	optional	string	
Query	use_count	optional	string	
Query	use_count_only	optional	string	
Query	use_pretty_print	optional	boolean	

Responses

HTTP Code	Schema
200	string

GET /api/reporting/definitions/{name}/

Description

Retrieves the report data in the given organization for the specific name given. All query parameters are available.

Parameters

Type	Name	Description	Schema	Default
Path	name	required	string	
Path	orgID	optional K1 organization ID	integer	"0"
Query	shaping	optional	string	
Query	sorting	optional	string	
Query	use_count	optional	string	
Query	use_count_only	optional	string	
Query	use_pretty_print	optional	boolean	

Responses

HTTP Code	Schema
200	string

GET /api/reporting/linked_appliances/

Description

Retrieves the data for the matching linked appliances.

Parameters

Type	Name	Schema
Query	filtering	optional string
Query	offset	optional string
Query	paging	optional string
Query	shaping	optional string
Query	sorting	optional string
Query	use_count	optional string

Type	Name	Schema
Query	use_count_only optional	string
Query	use_pretty_print optional	boolean

Responses

HTTP Code	Schema
200	< string > array

GET /api/reporting/linked_appliances/version/

Description

Returns the latest API version for the entity. If there is no specific version, the overall API version is returned.

Responses

HTTP Code	Schema
200	string

GET /api/reporting/linked_appliances/{id}/

Description

Retrieves the linked appliance data for the specific ID given. All query parameters are available.

Parameters

Type	Name	Schema
Path	id required	integer
Query	shaping optional	string

Type	Name	Schema
Query	sorting optional	string
Query	use_count optional	string
Query	use_count_only optional	string
Query	use_pretty_print optional	boolean

Responses

HTTP Code	Schema
200	string

POST /api/reporting/merges/

Description

Merges an array of report structures into a single object in the given format.

Parameters

Type	Name	Description	Schema	Default
Query	format optional	K1 organization ID	string	"html"
Query	reportData required	A payload containing a JSON array of reports to merge	< string > array	

Responses

HTTP Code	Schema
200	string

GET /api/reporting/merges/version/

Description

Returns the latest API version for the entity. If there is no specific version, the overall API version is returned.

Responses

HTTP Code	Schema
200	string

GET /api/reporting/reports/GetByDefinition/

Description

Retrieves the report in the given organization for the specific ID given. The locale and format can be specified.

Parameters

Type	Name	Description	Schema	Default
Path	definitionData required	The JSON definition data of the report to retrieve	string	
Path	orgID optional	K1 organization ID	integer	"0"
Query	async optional	Determines if the request should be made asynchronously. If true, the result will be a handle to query for the final report data.	boolean	"false"
Query	format optional	The format for the resulting report	string	"html"
Query	locale optional	The locale for the resulting report	string	"default"

Responses

HTTP Code	Schema
200	string

GET /api/reporting/reports/async/{uniqueID}/

Description

Retrieves the report from a previous asynchronous request

Parameters

Type	Name	Description	Schema
Path	uniqueID required	The handle returned by the asynchronous report request	integer

Responses

HTTP Code	Description	Schema
200		string
202	The report has not completed processing.	No Content

PUT /api/reporting/reports/cancel/{uniqueID}/

Description

Cancels report processing initiated from a previous asynchronous request

Parameters

Type	Name	Description	Schema
Path	uniqueID required	The handle returned by the asynchronous report request	integer

Responses

HTTP Code	Schema
200	string

GET /api/reporting/reports/version/

Description

Returns the latest API version for the entity. If there is no specific version, the overall API version is returned.

Responses

HTTP Code	Schema
200	string

GET /api/reporting/reports/{id}/

Description

Retrieves the report in the given organization for the specific ID given. The locale and format can be specified.

Parameters

Type	Name	Description	Schema	Default
Path	id required		integer	
Path	orgID optional	K1 organization ID	integer	"0"
Query	format optional	The format for the resulting report	string	"html"
Query	locale optional	The locale for the resulting report	string	"default"

Responses

HTTP Code	Schema
200	string

GET /api/reporting/reports/{name}/

Description

Retrieves the report in the given organization for the specific ID given. The locale and format can be specified.

Parameters

Type	Name	Description	Schema	Default
Path	name required		integer	
Path	orgID optional	K1 organization ID	integer	"0"
Query	async optional	Determines if the request should be made asynchronously. If true, the result will be a handle to query for the final report data.	boolean	"false"
Query	format optional	The format for the resulting report	string	"html"
Query	locale optional	The locale for the resulting report	string	"default"

Responses

HTTP Code	Schema
200	string

Scripting API Reference

KACE SMA Scripting API Reference

Overview

Version information

Version : 8.1

URI scheme

BasePath : /api/script

Consumes

- application/json

Produces

- application/json

Paths

POST /api/script

Description

Creates a new script

Parameters

Type	Name	Schema
Body	scriptDTO required	ScriptShellDTO

Responses

HTTP Code	Schema
200	ScriptShellDTO

GET /api/script/runStatus/{runId}

Description

Get status of progress script

Parameters

Type	Name	Schema
Path	runId required	integer

Responses

HTTP Code	Schema
200	RunStatusDTO

GET /api/script/{scriptId}

Description

Get a specific script

Parameters

Type	Name	Schema
Path	scriptId required	integer

Responses

HTTP Code	Schema
200	ScriptShellDTO

PUT /api/script/{scriptId}

Description

Updates a specific script

Parameters

Type	Name	Schema
Path	scriptId required	integer
Body	scriptDTO required	ScriptShellDTO

Responses

HTTP Code	Schema
200	ScriptShellDTO

DELETE /api/script/{scriptId}

Description

Removes a specific script with all dependencie

Parameters

Type	Name	Schema
Path	scriptId required	integer

Responses

HTTP Code	Schema
200	No Content

POST /api/script/{scriptId}/actions/run

Description

Executes a specific script

Parameters

Type	Name	Description	Schema
Path	scriptId required		integer
Query	machineIDs required	list of machine IDs to run on, or 'all'	integer

Responses

HTTP Code	Schema
200	integer

GET /api/script/{scriptId}/dependencies

Description

Get all dependency of script

Parameters

Type	Name	Schema
Path	scriptId required	integer

Responses

HTTP Code	Schema
200	< DependencyDTO > array

POST /api/script/{scriptId}/dependency/{dependencyName}

Description

Uploads and attaches a new dependency

Parameters

Type	Name	Schema
Path	dependencyName required	string
Path	scriptId required	integer
Body	file required	file

Responses

HTTP Code	Schema
200	DependencyDTO

GET /api/script/{scriptId}/dependency/{dependencyName}

Description

Get a specific dependency of script

Parameters

Type	Name	Schema
Path	dependencyName required	string
Path	scriptId required	integer

Responses

HTTP Code	Schema
200	DependencyDTO

PUT /api/script/{scriptId}/dependency/{dependencyName}

Description

Update a specific dependency

Parameters

Type	Name	Schema
Path	dependencyName required	string
Path	scriptId required	integer
Body	file required	file

Responses

HTTP Code	Schema
200	DependencyDTO

DELETE /api/script/{scriptId}/dependency/{dependencyName}

Description

Removes a specific dependency of script

Parameters

Type	Name	Schema
Path	dependencyName required	string
Path	scriptId required	integer

Responses

HTTP Code	Schema
200	No Content

GET /api/script/{scriptId}/dependency/{dependencyName}/
download

Description

Download binary dependency data of script. Allows to download streaming data

Parameters

Type	Name	Schema
Path	dependencyName required	string
Path	scriptId required	integer

Responses

HTTP Code	Schema
200	file

POST /api/script/{scriptId}/task

Description

Creates a new task

Parameters

Type	Name	Schema
Path	scriptId required	integer
Body	taskDTO required	TaskDTO

Responses

HTTP Code	Schema
200	< TaskDTO > array

GET /api/script/{scriptId}/task/{orderId}

Description

Update a specific task

Parameters

Type	Name	Schema
Path	orderId required	integer
Path	scriptId required	integer

Responses

HTTP Code	Schema
200	TaskDTO

PUT /api/script/{scriptId}/task/{orderId}

Description

Update a specific task

Parameters

Type	Name	Schema
Path	orderId required	integer
Path	scriptId required	integer
Body	taskDTO required	TaskDTO

Responses

HTTP Code	Schema
200	< TaskDTO > array

DELETE /api/script/{scriptId}/task/{orderId}

Description

Removes a specific task of script

Parameters

Type	Name	Schema
Path	orderId required	integer
Path	scriptId required	integer

Responses

HTTP Code	Schema
200	< TaskDTO > array

GET /api/script/{scriptId}/tasks

Description

Get all tasks of specific script

Parameters

Type	Name	Schema
Path	scriptId required	integer

Responses

HTTP Code	Schema
200	< TaskDTO > array

GET /api/scripts

Description

Get all founded scripts

Parameters

Type	Name	Description	Schema
Query	compatibleForMachine optional	machine identifier	string
Query	count optional	the maximum number of rows to return	integer
Query	searchText optional	text to search is the Description and Notes fields of a script	string
Query	sorting optional	comma-separated list to sort results	string
Query	start optional	offset of the first row to return	integer
Query	type optional	public, private or all	string

Responses

HTTP Code	Schema
200	< ScriptShellDTO > array

Definitions

DependencyDTO

Name	Schema
checksum optional	string
fileSize optional	integer(integer)
name optional	string

MachineDTO

Name	Schema
ip optional	string
kbotLogId optional	integer(integer)
machineId optional	integer(integer)
name optional	string
requestStatus optional	string
requestTime optional	string
status optional	integer(integer)

RunStatusDTO

Name	Schema
failed optional	< object > array
pending optional	< object > array
pushFailed optional	< object > array
scriptId optional	integer(integer)
success optional	< object > array
targeted optional	< object > array

ScriptOfflineDTO

Name	Schema
dependencies optional	< object > array
description optional	string
enabled optional	boolean(boolean)
id optional	integer(integer)
machines optional	< object > array
name optional	string
notes optional	string
osTypes optional	< object > array
schedule optional	< object > array
scheduleType optional	string
status optional	string
tasks optional	< object > array
type optional	string

ScriptOnlineDTO

Name	Schema
alertDialogOptions optional	< object > array
alertDialogTimeout optional	integer(integer)
alertDialogTimeoutAction optional	string
alertEnabled optional	boolean(boolean)
alertMessage optional	string
alertSnoozeDuration optional	integer(integer)
dependencies optional	< object > array
description optional	string

Name	Schema
enabled optional	boolean(boolean)
id optional	integer(integer)
machines optional	< object > array
name optional	string
notes optional	string
osTypes optional	< object > array
runAs optional	integer(integer)
runAsPassword optional	string
runAsUsr optional	string
schedule optional	< object > array
scheduleType optional	string
status optional	string
tasks optional	< object > array
type optional	string

ScriptShellDTO

Name	Schema
alertDialogOptions optional	< object > array
alertDialogTimeout optional	integer(integer)
alertDialogTimeoutAction optional	string
alertEnabled optional	boolean(boolean)
alertMessage optional	string
alertSnoozeDuration optional	integer(integer)
dependencies optional	< object > array
description optional	string
enabled optional	boolean(boolean)
fileName optional	string

Name	Schema
id optional	integer(integer)
machines optional	< object > array
name optional	string
notes optional	string
osTypes optional	< object > array
removeFiles optional	boolean(boolean)
runAs optional	integer(integer)
runAsPassword optional	string
runAsUsr optional	string
schedule optional	< object > array
scheduleType optional	string
scriptText optional	string
status optional	string
tasks optional	< object > array
timeout optional	integer(integer)
type optional	string
uploadFile optional	boolean(boolean)
uploadFileName optional	string
uploadFilePath optional	string

TaskDTO

Name	Schema
attempts optional	integer(integer)
onFailure optional	string
onRemediationFailure optional	< object > array
onRemediationSuccess optional	< object > array
onVerifyFailure optional	< object > array

Name	Schema
onVerifySuccess optional	< object > array
ordinalId optional	integer(integer)
verify optional	< object > array

User API Reference

KACE SMA User API Reference

Overview

Version information

Version : 8.1

URI scheme

BasePath : /api/user

Consumes

- application/json

Produces

- application/json

Paths

GET /api/users/me/

Description

Gets the user information associated with the currently logged in user.

Responses

HTTP Code	Schema
200	User

GET /api/users/version/

Description

Returns the latest API version for the entity. If there is no specific version, the overall API version is returned.

Responses

HTTP Code	Schema
200	string

GET /api/users/{id}/permissions/

Description

Gets the list of permissions associated with the user.

Parameters

Type	Name	Schema
Path	id required	integer

Responses

HTTP Code	Schema
200	Permissions

Definitions

Permissions

Name	Schema
canAddTickets optional	boolean
canAddTicketsUserPortal optional	boolean
licensedFeatures optional	< object > array
permissions optional	< object > array
userId optional	integer

User

Name	Schema
RESTAPIVersion optional	integer
apiEnabled optional	boolean
canAddTickets optional	boolean
canAddTicketsUserPortal optional	boolean
currentOrgId optional	integer
defaultQueueID optional	integer
licensedFeatures optional	< object > array
localTimezone optional	string
loggedin optional	string
loggedinEmail optional	string
loggedinFullName optional	string
loggedinId optional	integer

Name	Schema
multiple_org_ui optional	integer
org_count optional	integer
orgs optional	< object > array
permissions optional	< object > array
serialNumber optional	string
userId optional	integer

We are more than just a name

We are on a quest to make your information technology work harder for you. That is why we build community-driven software solutions that help you spend less time on IT administration and more time on business innovation. We help you modernize your data center, get you to the cloud quicker and provide the expertise, security and accessibility you need to grow your data-driven business. Combined with Quest's invitation to the global community to be a part of its innovation, and our firm commitment to ensuring customer satisfaction, we continue to deliver solutions that have a real impact on our customers today and leave a legacy we are proud of. We are challenging the status quo by transforming into a new software company. And as your partner, we work tirelessly to make sure your information technology is designed for you and by you. This is our mission, and we are in this together. Welcome to a new Quest. You are invited to Join the Innovation.

Our brand, our vision. Together.

Our logo reflects our story: innovation, community and support. An important part of this story begins with the letter Q. It is a perfect circle, representing our commitment to technological precision and strength. The space in the Q itself symbolizes our need to add the missing piece — you — to the community, to the new Quest.

Contacting Quest

For sales or other inquiries, visit www.quest.com/contact.

Technical support resources

The Support Portal provides self-help tools you can use to solve problems quickly and independently, 24 hours a day, 365 days a year. The Support Portal enables you to:

- Submit and manage a Service Request
- View Knowledge Base articles
- Sign up for product notifications
- Download software and technical documentation
- View how-to-videos
- Engage in community discussions
- Chat with support engineers online
- View services to assist you with your product.

Legal notices

Copyright 2018 Quest Software Inc. ALL RIGHTS RESERVED.

This guide contains proprietary information protected by copyright. The software described in this guide is furnished under a software license or nondisclosure agreement. This software may be used or copied only in accordance with the terms of the applicable agreement. No part of this guide may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording for any purpose other than the purchaser's personal use without the written permission of Quest Software Inc.

The information in this document is provided in connection with Quest Software products. No license, express or implied, by estoppel or otherwise, to any intellectual property right is granted by this document or in connection with the sale of Quest Software products. EXCEPT AS SET FORTH IN THE TERMS AND CONDITIONS AS SPECIFIED IN THE LICENSE AGREEMENT FOR THIS PRODUCT, QUEST SOFTWARE ASSUMES NO LIABILITY WHATSOEVER AND DISCLAIMS ANY EXPRESS, IMPLIED OR STATUTORY WARRANTY RELATING TO ITS PRODUCTS INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. IN NO EVENT SHALL QUEST SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE, SPECIAL OR INCIDENTAL DAMAGES (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF PROFITS, BUSINESS INTERRUPTION OR LOSS OF INFORMATION) ARISING OUT OF THE USE OR INABILITY TO USE THIS DOCUMENT, EVEN IF QUEST SOFTWARE HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. Quest Software makes no representations or warranties with respect to the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and product descriptions at any time without notice. Quest Software does not make any commitment to update the information contained in this document.

If you have any questions regarding your potential use of this material, contact:

Quest Software Inc.

Attn: LEGAL Dept

4 Polaris Way

Aliso Viejo, CA 92656

Trademarks

Quest, KACE, and the Quest logo are trademarks and registered trademarks of Quest Software Inc. in the U.S.A. and other countries. For a complete list of Quest Software trademarks, please visit our website at www.quest.com/legal. All other trademarks, servicemarks, registered trademarks, and registered servicemarks are the property of their respective owners.

Legend



CAUTION: A CAUTION icon indicates potential damage to hardware or loss of data if instructions are not followed.



WARNING: A WARNING icon indicates a potential for property damage, personal injury, or death.



IMPORTANT, NOTE, TIP, MOBILE, or VIDEO: An information icon indicates supporting information.

KACE Systems Management Appliance API Reference Guide

Updated - January 2018

Software Version - 8.1