

Toad® for Oracle® 12.12

# Installation Guide



**© 2017 Quest Software Inc. ALL RIGHTS RESERVED.**

This guide contains proprietary information protected by copyright. The software described in this guide is furnished under a software license or nondisclosure agreement. This software may be used or copied only in accordance with the terms of the applicable agreement. No part of this guide may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording for any purpose other than the purchaser's personal use without the written permission of Quest Software Inc.

The information in this document is provided in connection with Quest Software products. No license, express or implied, by estoppel or otherwise, to any intellectual property right is granted by this document or in connection with the sale of Quest Software products. EXCEPT AS SET FORTH IN THE TERMS AND CONDITIONS AS SPECIFIED IN THE LICENSE AGREEMENT FOR THIS PRODUCT, QUEST SOFTWARE ASSUMES NO LIABILITY WHATSOEVER AND DISCLAIMS ANY EXPRESS, IMPLIED OR STATUTORY WARRANTY RELATING TO ITS PRODUCTS INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. IN NO EVENT SHALL QUEST SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE, SPECIAL OR INCIDENTAL DAMAGES (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF PROFITS, BUSINESS INTERRUPTION OR LOSS OF INFORMATION) ARISING OUT OF THE USE OR INABILITY TO USE THIS DOCUMENT, EVEN IF QUEST SOFTWARE HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. Quest Software makes no representations or warranties with respect to the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and product descriptions at any time without notice. Quest Software does not make any commitment to update the information contained in this document.

If you have any questions regarding your potential use of this material, contact:

Quest Software Inc.

Attn: LEGAL Dept

4 Polaris Way

Aliso Viejo, CA 92656

Refer to our Web site (<https://www.quest.com>) for regional and international office information.

**Patents**

Quest Software is proud of our advanced technology. Patents and pending patents may apply to this product. For the most current information about applicable patents for this product, please visit our website at <https://www.quest.com/legal>.

**Trademarks**

Quest, the Quest logo, Toad, Toad for Oracle, and Join the Innovation are trademarks and registered trademarks of Quest Software Inc. For a complete list of Quest marks, visit <https://www.quest.com/legal/trademark-information.aspx>. All other trademarks and registered trademarks are property of their respective owners.

Toad® for Oracle® Installation Guide

Updated - 9/29/2017

Version - 12.12

# Contents

<b>Overview of Toad for Oracle</b> .....	<b>4</b>
<b>System Requirements</b> .....	<b>5</b>
About these requirements .....	5
Hardware requirements .....	5
Database requirements .....	6
Network .....	6
Additional requirements .....	7
Virtualization support .....	7
Windows Privileges .....	7
<b>Install Toad</b> .....	<b>8</b>
Toad for Oracle installation options .....	8
Installation and operation guidelines .....	9
Preinstallation instructions for Citrix or Remote Desktop Services .....	10
Install Toad silently from the command line .....	10
Run the silent installation .....	10
Install licenses .....	11
Command-line options .....	11
Install Toad as read-only .....	13
<b>Post-installation tasks</b> .....	<b>15</b>
Apply license keys to bundled products .....	15
Import user settings .....	15
<b>Uninstall Toad for Oracle</b> .....	<b>17</b>
Uninstall through Windows .....	17
Uninstall Toad silently .....	17
<b>About us</b> .....	<b>18</b>
Contacting Quest .....	18
Technical support resources .....	18

# Overview of Toad for Oracle

Toad for Oracle provides an intuitive and efficient way for database professionals of all skill and experience levels to perform their jobs with an overall improvement in workflow effectiveness and productivity. With Toad for Oracle you can:

- Understand your database environment through visual representations
- Meet deadlines easily through automation and smooth workflows
- Perform essential development and administration tasks from a single tool
- Deploy high-quality applications that meet user requirements and perform predictably and reliably in production
- Validate database code to ensure the best-possible performance and adherence to best-practice standards
- Manage and share projects, templates, scripts, and more with ease

The Toad for Oracle solutions are built for you, by you. Nearly two decades of development and feedback from various communities like Toad World have made it the most powerful and functional tool available. With an installed base of over two million, Toad for Oracle continues to be the “de facto” standard tool for database development and administration.

---

# System Requirements

## About these requirements

These are the system requirements for Toad for Oracle. Additional system requirements for the products that are bundled in the Toad Editions are in the Toad for Oracle Editions Release Notes on <http://support.quest.com/technical-documentation>.

## Hardware requirements

Requirement	Details
Memory	<ul style="list-style-type: none"><li>• 1 GB RAM - Toad for Oracle 32 bit</li><li>• 2 GB RAM - Toad for Oracle 64 bit</li></ul> <p><b>NOTE:</b> The memory required may vary based on the following:</p> <ul style="list-style-type: none"><li>• Applications that are running on your system</li><li>• Size and complexity of the database</li><li>• Amount of database activity</li><li>• Number of concurrent users accessing the database</li></ul>
Hard disk space	<ul style="list-style-type: none"><li>• 120 MB - Toad for Oracle 32 bit</li><li>• 150 MB - Toad for Oracle 64 bit</li></ul>
Operating system	<ul style="list-style-type: none"><li>• Windows Vista (32-bit and 64-bit)</li><li>• Windows Server 2008 (32-bit and 64-bit) - 2 CPU required</li><li>• Windows Server 2008 R2 (64-bit) - 2 CPU required</li><li>• Windows 7 (32-bit and 64-bit)</li><li>• Windows 8 and 8.1 (32-bit and 64-bit)</li></ul>

Requirement	Details
	<ul style="list-style-type: none"> <li>• Windows Server 2012 (32-bit and 64-bit) - 2 CPU required</li> <li>• Windows Server 2012 R1 and R2 (64-bit) - 2 CPU required</li> <li>• Windows Server 2016</li> <li>• Windows 10</li> </ul>

## Database requirements

Requirement	Details
Database client	<p>An Oracle client must be installed and configured on the system where you are running Toad. The following are supported:</p> <ul style="list-style-type: none"> <li>• Oracle Client or Instant Client 10.2.0.5</li> <li>• Oracle Client or Instant Client 11.2.0.1/11.2.0.3</li> <li>• Oracle Client or Instant Client 12c Release 1 and 2</li> </ul> <p><b>NOTE:</b> You must use the 32-bit version of Toad with the 32-bit Oracle client, and the 64-bit version of Toad with the 64-bit Oracle client.</p>
Database server	<p><b>Oracle versions:</b></p> <ul style="list-style-type: none"> <li>• 10g, 10g R2</li> <li>• 11g, 11g R2</li> <li>• 12c Release 1 and 2</li> </ul> <p><b>Exadata:</b></p> <p>Toad has been tested on Oracle Exadata 2.0 running Oracle database 11g R2.</p> <p><b>IMPORTANT:</b> It is recommended that your client version be of the same release (or later) as your database server. This is an Oracle recommendation to prevent performance issues.</p>
Cloud database service	Oracle Database as a Service on Amazon EC2 and Oracle Cloud

## Network

Internet Protocol Version 6 (IPv6) is being adopted by the US Federal Government and industries around the world. In its most basic format, the new protocol uses 128-bit addresses instead of 32-bit addresses, which are used by the current IPv4 to route packets over the Internet. Toad for Oracle features, such as FTP, access the Internet through third-party vendors that are IPv6 compliant, such as /nSoftware's IP\*Works. For access to Web sites by way of the Toad Online window, Toad simply invokes the user-defined or default Web browser.

# Additional requirements

Requirement	Details
Additional Software	<ul style="list-style-type: none"><li>• Microsoft Internet Explorer 6.0 or later (to view video from the <b>Jump</b> list within Toad, and to view the product documentation in HTML format).</li><li>• Microsoft Office 2016 and recent earlier releases are supported for Word and Excel output.</li><li>• Adobe Acrobat Reader 7.0 or later (to view the product documentation in PDF format).</li><li>• Microsoft .NET Framework 4.0 to support the Toad for Oracle Editions Installer.</li></ul>

## Virtualization support

Type	Details
Application virtualization	Citrix® XenApp
Desktop virtualization (VDI)	Dell™ vWorkspace™ 7.0 has been tested.
Server virtualization	Oracle VM 3.1 has been tested. VMware ESX Server 3.5, 4.0, and 5.5 have been tested.

**NOTE:** Toad may work in virtualization environments other than the ones listed.

## Windows Privileges

In order to install and run Toad, make a connection, and do basic operations, you must have the following privileges.

Operating System	Requirements
Windows Vista Windows 7	<ul style="list-style-type: none"><li>• Read access to the Oracle client folder</li><li>• Read/write privileges on the Oracle Home directories that you use for your connections</li></ul>
Windows 8 and later Windows Server 2012 and 2016	<ul style="list-style-type: none"><li>• Read access to the Oracle client folder</li><li>• Read/write privileges on the Oracle Home directories that you use for your connections</li></ul>

**NOTE:** Other functionality in Toad may require additional privileges.

---

# Install Toad

## Toad for Oracle installation options

You can install Toad in the following ways:

### Typical installation

Use the Toad 2017 Editions Installer to install Toad, along with any or all of the other products of a Toad Edition. This installer is available in the following formats:

- **Web-based installer:** This installer is a web-based thin client that automatically detects and downloads the correct Toad installation files, based on your license key. At the same time, the installer detects any other available Quest products in the Edition and allows you to select the ones to download and install.
- **Full installer:** This installer contains all of the installation files required to install Toad and any other products of an Edition. It detects and shows the products in the Edition, based on your license key. This installer supports administrators who need to provide installation programs from a central server to multiple users.

To install Toad from this installer, see the Toad 2017 Editions Installation Guide at <http://support.quest.com/technical-documentation>.

### Silent installation

You can perform a silent installation of Toad by running a standalone MSI installer. See [Install Toad silently from the command line](#) in this guide.

### Read-only installation

You can install a read-only version of Toad by running the special read-only installer. See [Install Toad as read-only](#) in this guide.



# Installation and operation guidelines

- Install the 32-bit version of Toad if you are using a 32-bit Oracle client. Install the 64-bit version of Toad if you are using a 64-bit Oracle client.
- The Toad Editions installer contains both 32-bit and 64-bit software.
- If you also have the freeware version of Toad, do not install the commercial version over the freeware version. This will adversely affect some functions. Install the commercial version in a different directory from the freeware version.
- Toad automatically imports your settings files if the new version is within two releases of the previous version. If your versions are more than two releases apart, install an intermediate version to successfully import the files, and then upgrade to this version.
- If you need to import your Toad settings from another computer, you can manually import the settings. See [Import user settings](#).
- In order to install and run Toad for Oracle, make a connection, and do basic operations, you must have the following privileges:

Operating System	Requirements
Windows Server	<ul style="list-style-type: none"><li>• Read access to the Oracle client folder</li><li>• Read/write privileges on the Oracle Homes directories that you use for your connections</li><li>• Be a Power User or Administrator</li></ul>
Windows Vista Windows 7	<ul style="list-style-type: none"><li>• Read access to the Oracle client folder</li><li>• Read/write privileges on the Oracle Homes directories that you use for your connections</li><li>• If UAC (user account control) is enabled, you must have administrator privileges</li></ul>
Windows 8 Windows 10 Windows Server 2012	<ul style="list-style-type: none"><li>• Read access to the Oracle client folder</li><li>• Read/write privileges on the Oracle Homes directories that you use for your connections</li></ul>

**Note:** Other functionality in Toad may require additional privileges.

- If you experience startup failures, do the following:
  - a. Right-click on the Toad shortcut, then select **Properties**.
  - b. Select the **Compatibility** tab.
  - c. Select Change Settings for All User.
  - d. Make certain **Run this program as an administrator** is selected for the user who is running Toad (or you can set it for all users).

# Preinstallation instructions for Citrix or Remote Desktop Services

All Toad user files are stored in a *user\_name* directory. When a user opens Toad for the first time, Toad copies the contents of this folder to the user's associated Application Data folder in the Toad installation folder.

**NOTE:** Write access is required to the Oracle directory if any of the users want to edit the **tnsnames.ora** file by using the TNSNames Editor within Toad.

## **To install Toad on a Citrix/Remote Desktop Services system**

1. Connect to the system as an administrator.
2. Copy the Toad installer to the Citrix/Remote Desktop Services server, if required.
3. Install Toad according to the instructions provided in this guide.
4. Right-click the **Toad.exe** file in the root installation folder, and then select **Properties**. Make sure the **Allow non-administrators to run this program** option is selected under **Compatibility | User Account Privileges**.
5. Repeat these steps for each server in the Citrix/Remote Desktop Services farm.

**Note:** Although you must install Toad on every server in the farm, you only need to publish Toad once.

## Install Toad silently from the command line

A silent installation enables you to deploy Toad and other Edition products to multiple machines. To install silently, you download an MSI file and then execute command-line parameters to install one product at a time. You can change the parameters to fit your environment or standards, such as installing to a different directory.

These instructions are for performing a silent installation of Toad and, optionally, installing licenses on the target computers. To perform a silent installation of other products that are provided with your Toad Edition, see the installation guide for that product on <https://support.quest.com/technical-documentation>.

**NOTE:** Toad is installed per machine, and will be available to all users on that machine.

## Run the silent installation

1. Go to <https://support.quest.com/download-product-select>.
2. Search for Toad for Oracle.
3. Under **MSI Installers (Special Installations Only)**, download the Toad 2017 Editions zip file.
4. Unzip the download file.
5. From the Windows command prompt, run the Toad for Oracle MSI file. The basic command to run a silent installation is the following:

```
msiexec /i "full path to MSI file"
```

### **Example**

```
msiexec /i " C:\Users\jdoe\Downloads\ToadForOracle_12.10.0.111_x86_En.msi"
```

See [Command-line options](#) for additional options.

## Install licenses

To install licenses on the target computers, you do the following:

- Create a **Questkey.reg** text file to specify each license key.
- Send the file to the target PC and import it to the Registry there.

### *To create the Questkey.reg file*

Create the **Questkey.reg** file in a text editor. The following is a template:

```
Windows Registry Editor Version 5.00
[HKEY_CURRENT_USER\Software\{08439167-4CA5-48E9-A810-A3A7C0B80B06}]
[HKEY_CURRENT_USER\Software\{08439167-4CA5-48E9-A810-A3A7C0B80B06}\Local]
[HKEY_CURRENT_USER\Software\{08439167-4CA5-48E9-A810-A3A7C0B80B06}\Local\REPLACE_WITH_KEY]
"SiteMessage"="REPLACE_WITH_SITEMESSAGE"
"ProductName"="REPLACE_WITH_PRODUCTNAME"
"ProductVersion"="REPLACE_WITH_PRODUCTVERSION"
```

Follow these steps to configure the file:

1. Do not change the first two `HKEY_CURRENT_USER` lines. They are the key entries.
2. Replace the "**REPLACE\_WITH\_(KEY | SITEMESSAGE | PRODUCTNAME | PRODUCTVERSION)**" text with the relevant information supplied with your license.
3. Add any additional licenses as required in the same file by replicating the last four lines and then applying the correct information.
4. Save the file.

### *To apply the file on the target computer*

1. Transfer the **Questkey.reg** file to the target PC.
2. Import the file to the Registry on the target PC with the following command in the Windows command prompt:  

```
C:\> reg import Questkey.reg
```

When the user runs Toad and any product installed with Toad, the software validates the license and removes the entries from the Registry.

Toad (and any other product) is ready for use when the license is validated.

## Command-line options

You can use the following command-line parameters when you silently install Toad:

Option	Parameter	Description
/l	Package ProductCode	Installs or configures the product.
/f	[p o e d c a u m s v] Package ProductCode	Repairs the product. This option ignores any property values entered in the command-line. The default argument list for this option is 'omus.' The following options are available: <ul style="list-style-type: none"> <li>• p—Reinstalls only if a file is missing.</li> <li>• o—Reinstalls if a file is missing or an older version is installed.</li> <li>• e—Reinstalls if a file is missing or an equal or older version is installed.</li> <li>• d—Reinstalls if a file is missing or a different version is installed.</li> <li>• c—Reinstalls if a file is missing or the stored checksum does not match the calculated value. This option only repairs files that have msidbFileAttributesChecksum in the Attributes column of the File table.</li> <li>• a—Forces all files to be reinstalled.</li> <li>• u—Rewrites all required, user-specific registry entries.</li> <li>• m—Rewrites all required, computer-specific registry entries.</li> <li>• s—Overwrites all existing shortcuts.</li> <li>• v—Runs from source and re-caches the local package. Do not use this option for the initial installation of the product or feature.</li> </ul>
/a	Package	Installs the product on the network.
/x	Package/ProductCode	Uninstalls the product.
/l	[i w e a r u c m o p v x + ! *] Logfile	Writes logging information to a logfile in the specified path. The path to the logfile location must already exist. The installer does not create the directory structure for the logfile. Flags indicate which information to log. If no flags are set, the default is 'iwearmo.' The following options are available: <ul style="list-style-type: none"> <li>• i—Status messages.</li> <li>• w—Nonfatal warnings.</li> <li>• e—All error messages.</li> <li>• a—Start up of actions.</li> <li>• r—Action-specific records.</li> <li>• u—User requests.</li> <li>• c—Initial UI parameters.</li> </ul>

Option	Parameter	Description
		<ul style="list-style-type: none"> <li>• m—Out-of-memory or fatal exit information.</li> <li>• o—Out-of-disk-space messages.</li> <li>• p—Terminal properties.</li> <li>• v—Verbose output.</li> <li>• x—Extra debugging information. Only available on Windows Server 2003.</li> <li>• +—Append to existing file.</li> <li>• !—Flush each line to the log.</li> <li>• "*"—Log all information except for the v and x options. To include the v and x options, enter "!/*vx".</li> </ul>
/q	n b r f	<p>Sets the user interface level. Review the following options:</p> <ul style="list-style-type: none"> <li>• q, qn—No UI</li> <li>• qb—Basic UI. Use qb! to hide the Cancel button.</li> <li>• qr—Reduced UI with no modal dialog box displayed at the end of the installation.</li> <li>• qf—Full UI and any authored FatalError, UserExit, or Exit modal dialog boxes at the end.</li> <li>• qn+—No UI except for a modal dialog box displayed at the end.</li> <li>• qb+—Basic UI with a modal dialog box displayed at the end. The modal box does not display if you cancel the installation. Use qb+! or qb!+ to hide the Cancel button.</li> <li>• qb- —Basic UI with no modal dialog boxes. Note that /qb+- is not a supported UI level. Use qb-! or qb!- to hide the Cancel button.</li> </ul> <p><b>Note:</b> The ! option is available with Windows Installer 2.0 and works only with basic UI. It is not valid with the full UI.</p>
RESTRICTIONS	p	Prevents users from saving their connection password by disabling the <b>Save password</b> field in the Database Login window. For example: RESTRICTIONS=p
	i	Prevents users from accessing the Internet via Toad by disabling all Internet access in Toad. This can be combined with the 'p' parameter; for example: RESTRICTIONS=p,i

## Install Toad as read-only

A Read-only version of Toad prevents the user from making any changes to the database, regardless of his or her Oracle privileges. Toad provides a read-only installer in 32-bit and 64-bit versions. You must have the

appropriate license for a read-only version of Toad.

**NOTE:** Toad is installed per machine, and will be available to all users on that machine.

### **To install Toad for Oracle Read-Only**

1. Obtain the license key and site message text for your installation.
2. Go to <https://support.quest.com/download-product-select>.
3. Search for Toad for Oracle.
4. Under **Read Only**, download the appropriate **Toad Edition** installer.
5. To install other products that are bundled with your Toad Edition:
  - a. Under **Web**, download the appropriate **Toad Edition** installer.
  - b. Run the Edition installer to install all of the desired products *except* Toad for Oracle.  
For help, see the Toad 2017 Editions Installation Guide at <http://support.quest.com/technical-documentation>.
6. Run the Toad for Oracle Read-only installer.
7. Review the license terms, select **I accept these terms**, then click **Next**.
8. If your license key is not shown, click **Add** to enter your license key and site message, then click **Next**.
9. Select **Toad for Oracle processor-type Read Only**. (This is the only option in that installer.)
10. Click **Install**.

---

## Post-installation tasks

### Apply license keys to bundled products

All products within a Toad Edition share a licensing key. For best results, when you have completed installation of your products, run Toad for Oracle first and enter the license key when prompted. This ensures that all installed products reflect the appropriate license key.

If you have previously licensed versions of Toad for Oracle or the other products in this Edition, your old license keys will continue to work. If you are upgrading to a different Edition and have been issued a new key, use the following procedure to apply it.

#### ***To upgrade an existing license***

1. Launch Toad for Oracle.
2. Select **Help | Licensing**, then enter your new license key. Any new features are enabled automatically, and any additional Toad products are licensed using this key.


### Import user settings

If you are installing a new version of Toad on the same computer where a previous Toad version is installed, Toad automatically imports your settings if the new version is within two releases of the previous version. If your versions are more than two releases apart, you need to install an intermediate version to successfully import the files, and then upgrade to this version.

If your old settings are *not* located on the same computer as the one where you are installing this version of Toad, use the following procedure to import them.

#### ***To import settings from another computer***

You need your license key to complete these steps.

1. On your old computer, open Windows Explorer and locate the Toad settings folder.  
**NOTE:** To find the settings folder, select **View | Toad Options | General**. The folder location is listed in the **Application data directory** field.
2. Copy the folder to the new computer, a network it can connect to, or a storage device.
3. Install and open Toad on the new computer.
4. Select **Utilities | Copy User Settings** in the main Toad toolbar.
5. Click  then navigate to the copied folder.  
**NOTE:** You can also select **Utilities | Copy User Settings**, then select **Create a clean set of user files from the base installation**.



# Uninstall Toad for Oracle

## Uninstall through Windows

1. Open the **Programs and Features** control panel in Windows.
2. Select the Toad for Oracle entry, then select **Uninstall**.
3. Click **OK**.

## Uninstall Toad silently

The following is the basic command to uninstall Toad silently:

```
msiexec /x "path_to_msi_file\ToadForOracle_version_x86_En.msi" /q
```

See [Command-line options](#) for additional command options.

## We are more than just a name

We are on a quest to make your information technology work harder for you. That is why we build community-driven software solutions that help you spend less time on IT administration and more time on business innovation. We help you modernize your data center, get you to the cloud quicker and provide the expertise, security and accessibility you need to grow your data-driven business. Combined with Quest's invitation to the global community to be a part of its innovation, and our firm commitment to ensuring customer satisfaction, we continue to deliver solutions that have a real impact on our customers today and leave a legacy we are proud of. We are challenging the status quo by transforming into a new software company. And as your partner, we work tirelessly to make sure your information technology is designed for you and by you. This is our mission, and we are in this together. Welcome to a new Quest. You are invited to Join the Innovation™.

## Our brand, our vision. Together.

Our logo reflects our story: innovation, community and support. An important part of this story begins with the letter Q. It is a perfect circle, representing our commitment to technological precision and strength. The space in the Q itself symbolizes our need to add the missing piece — you — to the community, to the new Quest.

## Contacting Quest

For sales or other inquiries, visit [www.quest.com/contact](http://www.quest.com/contact).

## Technical support resources

Technical support is available to Quest customers with a valid maintenance contract and customers who have trial versions. You can access the Quest Support Portal at <https://support.quest.com>.

The Support Portal provides self-help tools you can use to solve problems quickly and independently, 24 hours a day, 365 days a year. The Support Portal enables you to:

- Submit and manage a Service Request
- View Knowledge Base articles
- Sign up for product notifications
- Download software and technical documentation
- View how-to-videos
- Engage in community discussions
- Chat with support engineers online
- View services to assist you with your product