



## One Identity Safeguard for Privileged Sessions 5.7

### Deployment on Amazon Web Services

## Copyright 2018 One Identity LLC.

### ALL RIGHTS RESERVED.

This guide contains proprietary information protected by copyright. The software described in this guide is furnished under a software license or nondisclosure agreement. This software may be used or copied only in accordance with the terms of the applicable agreement. No part of this guide may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording for any purpose other than the purchaser's personal use without the written permission of One Identity LLC .

The information in this document is provided in connection with One Identity products. No license, express or implied, by estoppel or otherwise, to any intellectual property right is granted by this document or in connection with the sale of One Identity LLC products. EXCEPT AS SET FORTH IN THE TERMS AND CONDITIONS AS SPECIFIED IN THE LICENSE AGREEMENT FOR THIS PRODUCT, ONE IDENTITY ASSUMES NO LIABILITY WHATSOEVER AND DISCLAIMS ANY EXPRESS, IMPLIED OR STATUTORY WARRANTY RELATING TO ITS PRODUCTS INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. IN NO EVENT SHALL ONE IDENTITY BE LIABLE FOR ANY DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE, SPECIAL OR INCIDENTAL DAMAGES (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF PROFITS, BUSINESS INTERRUPTION OR LOSS OF INFORMATION) ARISING OUT OF THE USE OR INABILITY TO USE THIS DOCUMENT, EVEN IF ONE IDENTITY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. One Identity makes no representations or warranties with respect to the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and product descriptions at any time without notice. One Identity does not make any commitment to update the information contained in this document.

If you have any questions regarding your potential use of this material, contact:

One Identity LLC.  
Attn: LEGAL Dept  
4 Polaris Way  
Aliso Viejo, CA 92656

Refer to our Web site (<http://www.OneIdentity.com>) for regional and international office information.




### Patents

One Identity is proud of our advanced technology. Patents and pending patents may apply to this product. For the most current information about applicable patents for this product, please visit our website at <http://www.OneIdentity.com/legal/patents.aspx>.

### Trademarks

One Identity and the One Identity logo are trademarks and registered trademarks of One Identity LLC. in the U.S.A. and other countries. For a complete list of One Identity trademarks, please visit our website at [www.OneIdentity.com/legal](http://www.OneIdentity.com/legal). All other trademarks are the property of their respective owners.

### Legend

-  **WARNING:** A WARNING icon indicates a potential for property damage, personal injury, or death.
-  **CAUTION:** A CAUTION icon indicates potential damage to hardware or loss of data if instructions are not followed.
-  **IMPORTANT, NOTE, TIP, MOBILE, or VIDEO:** An information icon indicates supporting information.

SPS Deployment on Amazon Web Services  
Updated - July 2018  
Version - 5.7

# Contents

<b>Introduction</b> .....	<b>4</b>
<b>Prerequisites</b> .....	<b>5</b>
<b>Limitations</b> .....	<b>6</b>
<b>Installing Safeguard for Privileged Sessions on Amazon Web Services</b> .....	<b>7</b>
<b>About us</b> .....	<b>20</b>
Contacting us .....	20
Technical support resources .....	20

## Introduction

The aim of this guide is to provide detailed, step-by-step instructions on how to set up and install One Identity Safeguard for Privileged Sessions in an Amazon Web Services (AWS) virtual environment.

The document comprises the following sections:

- [Prerequisites](#) collects the requirements that you must comply with before deploying Safeguard for Privileged Sessions on AWS.
- [Limitations](#) lists the limitations that apply when installing Safeguard for Privileged Sessions in an AWS virtual environment.
- [Installing Safeguard for Privileged Sessions on Amazon Web Services](#) describes how to install Safeguard for Privileged Sessions in an AWS virtual environment.

## Prerequisites

The following prerequisites must be met before deploying Safeguard for Privileged Sessions on Amazon Web Services:

- You have a valid One Identity Safeguard for Privileged Sessions license.  
One Identity Safeguard for Privileged Sessions uses the "Bring your own license" model. Note that to deploy two active Safeguard for Privileged Sessions nodes as an availability set, you must purchase two standalone Safeguard for Privileged Sessions licenses. To purchase a license, [contact our Support Team](#).
- You have an Amazon Web Services account and privileges to access the Amazon Elastic Compute Cloud (EC2) service.
- You have secure access to your Amazon Virtual Private Cloud (VPC) resources, for example, through the use of a Virtual Private Network (VPN).
- You have working knowledge of the Safeguard for Privileged Sessions installation process.
- You have familiarity with AWS EC2.

## Limitations

The following limitations apply when deploying Safeguard for Privileged Sessions on Amazon Web Services:

- If High Availability (HA) operation mode is required in a virtual environment, use the HA function provided by the virtual environment.
- When running Safeguard for Privileged Sessions in a virtual environment, use a single network interface.
- During AWS installation, connecting directly to the Internet using a public IP address is not supported. Instead, you must access the Internet via a Virtual Private Network or a jump host.

# Installing Safeguard for Privileged Sessions on Amazon Web Services

## Purpose:

To deploy One Identity Safeguard for Privileged Sessions on Amazon Web Services, complete the following steps.

### NOTE:


This chapter uses a number of screenshots for illustration purposes. Note that these are added here for reference only as the look and feel (but not the contents) of the Amazon user interface may change without this guide showing the latest changes.

## Steps:

1. Log in to [Amazon Web Services](#).

Once logged in, go to **INSTANCES > Instances** in the left-hand navigation pane, and then click **Launch Instance**. Alternatively, from the menu, select **Services > Compute > EC2 > INSTANCES > Instances**.

**Figure 1: Instances page**



- 2.

The **Step 1: Choose an Amazon Machine Image (AMI)** page comes up.


3. Choose an AMI that corresponds to the type of Virtual Machine (VM) that you wish to launch an instance from:

- a. Click **My AMIs** in the left-hand navigation pane.
- b. Go to **Ownership**, and select the **Shared with me** checkbox. Deselect the **Owned by me** checkbox. This will apply a filter and display the AMIs relevant to you.
- c. Click your preferred AMI, and click **Select** next to it.

**TIP:**

To quickly find the AMI you are looking for, type a search keyword in the **Search my AMIs** search box and hitEnter.

**Figure 2: Step 1: Choose an Amazon Machine Image (AMI)**



The **Step 2: Choose an Instance Type** page comes up.

4. Choose an instance type:
  - a. Select an instance type by clicking the checkbox next to it.

**NOTE:**

The minimum memory requirement is 8 GiB, that is, type *t2.large*. For your specific memory requirement, contact Support.

- b. Click **Next: Configure Instance Details**.



## Figure 3: Step 2: Choose an Instance Type

1. Choose AMI 2. Choose Instance Type 3. Configure Instance 4. Add Storage 5. Add Tags 6. Configure Security Group 7. Review

### Step 2: Choose an Instance Type

Filter by: General purpose Current generation Show/Hide Columns

Currently selected: t2.large (Variable ECUs, 2 vCPUs, 2.3 GHz, Intel Broadwell E5-2686v4, 8 GiB memory, EBS only)

	Family	Type	vCPUs	Memory (GiB)	Instance Storage (GB)	EBS-Optimized Available	Network Performance	IPv6 Support
<input type="checkbox"/>	General purpose	t2.nano	1	0.5	EBS only	-	Low to Moderate	Yes
<input type="checkbox"/>	General purpose	t2.micro <small>Free tier eligible</small>	1	1	EBS only	-	Low to Moderate	Yes
<input type="checkbox"/>	General purpose	t2.small	1	2	EBS only	-	Low to Moderate	Yes
<input type="checkbox"/>	General purpose	t2.medium	2	4	EBS only	-	Low to Moderate	Yes
<input checked="" type="checkbox"/>	General purpose	t2.large	2	8	EBS only	-	Low to Moderate	Yes
<input type="checkbox"/>	General purpose	t2.xlarge	4	16	EBS only	-	Moderate	Yes
<input type="checkbox"/>	General purpose	t2.xlarge	8	32	EBS only	-	Moderate	Yes
<input type="radio"/>	General purpose	m5.large	2	8	EBS only	Yes	Up to 10 Gigabit	Yes
<input type="radio"/>	General purpose	m5.xlarge	4	16	EBS only	Yes	Up to 10 Gigabit	Yes
<input type="radio"/>	General purpose	m5.2xlarge	8	32	EBS only	Yes	Up to 10 Gigabit	Yes
<input type="radio"/>	General purpose	m5.4xlarge	16	64	EBS only	Yes	Up to 10 Gigabit	Yes
<input type="radio"/>	General purpose	m5.12xlarge	48	192	EBS only	Yes	10 Gigabit	Yes

Cancel Previous **Review and Launch** Next: Configure Instance Details

The **Step 3: Configure Instance Details** page comes up.

### 5. Configure instance details:

- a. Select the required Virtual Private Cloud (VPC) from the **Network** list.
- b. Choose a subnet to launch the instance into.

#### **NOTE:**

Exposing Safeguard for Privileged Sessions to the public Internet during installation is not supported at all, therefore, you must use a VPN or jump host to reach your instance and configure it.

- c. Ensure that the **Auto-assign Public IP** field is set to **Disable** or **Use subnet setting (Disable)**. This is required so that you do not get assigned a public IP address.
- d. Use the default values for all other fields or change them as required.
- e. You can leave the **Network interfaces** part untouched as using just one network interface will suffice.

Note, however, that if you launch Safeguard for Privileged Sessions with a single interface configured, then that interface will act as the management interface.

- f. Click **Next: Add Storage**.

**Figure 4: Step 3: Configure Instance Details**

1. Choose AMI 2. Choose Instance Type 3. Configure Instance **4. Add Storage** 5. Add Tags 6. Configure Security Group 7. Review

### Step 3: Configure Instance Details

Configure the instance to suit your requirements. You can launch multiple instances from the same AMI, request Spot instances to take advantage of the lower pricing, assign an access management role to the instance, and more.

**Number of instances** ⓘ  [Launch into Auto Scaling Group](#) ⓘ

**Purchasing option** ⓘ  Request Spot instances

**Network** ⓘ  [Create new VPC](#)

**Subnet** ⓘ  [Create new subnet](#)  
4079 IP Addresses available

**Auto-assign Public IP** ⓘ

**IAM role** ⓘ  [Create new IAM role](#)

**Shutdown behavior** ⓘ

**Enable termination protection** ⓘ  Protect against accidental termination

**Monitoring** ⓘ  Enable CloudWatch detailed monitoring  
[Additional charges apply.](#)

**Tenancy** ⓘ   
[Additional charges will apply for dedicated tenancy.](#)

▼ **Network interfaces** ⓘ

Device	Network Interface	Subnet	Primary IP	Secondary IP addresses
eth0	<input type="text" value="New network interfa"/>	<input type="text" value="subnet-2a8110"/>	<input type="text" value="Auto-assign"/>	<a href="#">Add IP</a>

[Cancel](#) [Previous](#) [Review and Launch](#) [Next: Add Storage](#)

The **Step 4: Add Storage** page comes up.

6. Add storage to your instance:

- a. Set the size of your instance's store volume.

**NOTE:**

It is important that you choose this value wisely as once you have launched the instance, you will not be able to go back and modify it. The minimum storage size is 20 GiB, while the maximum allowed value is 16 TB (16384 GB).

- b. Set the volume type of your instance's store volume.

SSD provides better performance than a Magnetic hard drive, however, it is also more expensive.

For a customer specific volume type and disc recommendation, contact

Support to discuss your needs.

**TIP:**

Selecting the **Delete on Termination** checkbox will automatically delete your store volume on terminating the instance. This is useful as this will free up storage place, and you will not have to pay for a store volume you are not using anymore. However, note that deleting the store volume will also delete your non-archived audit data.

c. Click**Next: Add Tags**.

### Figure 5: Step 4: Add Storage

1. Choose AMI 2. Choose Instance Type 3. Configure Instance 4. Add Storage 5. Add Tags 6. Configure Security Group 7. Review

#### Step 4: Add Storage

Your instance will be launched with the following storage device settings. You can attach additional EBS volumes and instance store volumes to your instance, or edit the settings of the root volume. You can also attach additional EBS volumes after launching an instance, but not instance store volumes. [Learn more](#) about storage options in Amazon EC2.

Volume Type	Device	Snapshot	Size (GiB)	Volume Type	IOPS	Throughput (MB/s)	Delete on Termination	Encrypted
Root	/dev/sda1	snap-ebe05bcc	64	Provisioned IOPS	3200	N/A	<input type="checkbox"/>	Not Encrypted

[Add New Volume](#)

Free tier eligible customers can get up to 30 GB of EBS General Purpose (SSD) or Magnetic storage. [Learn more](#) about free usage tier eligibility and usage restrictions.

[Cancel](#) [Previous](#) [Review and Launch](#) [Next: Add Tags](#)

The **Step 5: Add Tag** page comes up.

7. Create a tag for your instance:
  - a. Add a meaningful key-value pair that will help you later on to easily identify your instance.
  - b. Click**Next: Configure Security Group**.

## Figure 6: Step 5: Add Tags

1. Choose AMI 2. Choose Instance Type 3. Configure Instance 4. Add Storage 5. Add Tags 6. Configure Security Group 7. Review

### Step 5: Add Tags

A tag consists of a case-sensitive key-value pair. For example, you could define a tag with key = Name and value = Webserver.

A copy of a tag can be applied to volumes, instances or both.

Tags will be applied to all instances and volumes. [Learn more](#) about tagging your Amazon EC2 resources.

Key (127 characters maximum)	Value (255 characters maximum)	Instances ⓘ	Volumes ⓘ	
Name	demo	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Product	PSM	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

(Up to 50 tags maximum)

The **Step 6: Configure Security Group** page comes up.

8. Configure security group:
  - a. Set a new or an existing security group to control how Safeguard for Privileged Sessions is accessed.

Exposing Safeguard for Privileged Sessions to the public Internet during installation is not supported at all, therefore, you must use a VPN or jump host to reach your instance and configure it. As for exposing the logging interface to the Internet after installation, contact Support to discuss your needs and how those could be met.

To achieve the above: restrict your security group to those users and log clients that access Safeguard for Privileged Sessions from a secure network, and not over the public Internet. For example, if you are using a jump host, then you need a security group that will allow only your dedicated VPC to connect to your Safeguard for Privileged Sessions. If there is a VPN to your home network or some other secure network, that can be allowed as well.

- b. Click **Review and Launch**.

## Figure 7: Step 6: Configure Security Group

1. Choose AMI 2. Choose Instance Type 3. Configure Instance 4. Add Storage 5. Add Tags 6. Configure Security Group 7. Review

### Step 6: Configure Security Group

A security group is a set of firewall rules that control the traffic for your instance. On this page, you can add rules to allow specific traffic to reach your instance. For example, if you want to set up a web server and allow Internet traffic to reach your instance, add rules that allow unrestricted access to the HTTP and HTTPS ports. You can create a new security group or select from an existing one below. [Learn more](#) about Amazon EC2 security groups.

Assign a security group:  Create a new security group  
 Select an existing security group

Security Group ID	Name	Description	Actions
<input checked="" type="checkbox"/> sg-067e2a60	allowinternal	Allow traffic inside the vpc	<a href="#">Copy to new</a>

Inbound rules for sg-067e2a60 (Selected security groups: sg-067e2a60)

Type <sup>i</sup>	Protocol <sup>i</sup>	Port Range <sup>i</sup>	Source <sup>i</sup>
All traffic	All	All	172.31.0.0/16

[Cancel](#) [Previous](#) [Review and Launch](#)

The **Step 7: Review Instance Launch** page comes up.

9. Before launching your instance, double-check whether all details have been set as intended:
  - a. Ensure that:
    - Under **Instance Type**, you have at least 8 GiB of memory assigned.
    - Under **Instance Details**, the **Assign Public IP** option is set to **Disable** or **Use subnet setting (Disable)**.
  - b. Make any changes if required.
  - c. Once you are happy with all settings, click **Launch**.

## Figure 8: Step 7: Review Instance Launch

1. Choose AMI 2. Choose Instance Type 3. Configure Instance 4. Add Storage 5. Add Tags 6. Configure Security Group 7. Review

### Step 7: Review Instance Launch

Please review your instance launch details. You can go back to edit changes for each section. Click **Launch** to assign a key pair to your instance and complete the launch process.

**⚠ Your instance configuration is not eligible for the free usage tier**

To launch an instance that's eligible for the free usage tier, check your AMI selection, instance type, configuration options, or storage devices. Learn more about [free usage tier](#) eligibility and usage restrictions.

[Don't show me this again](#)

AMI Details [Edit AMI](#)

**PSM54 - ami-a05edad9**  
PSM 5.4 formatted to 8 GiB  
Root Device Type: ebs Virtualization type: hvm

Instance Type [Edit instance type](#)

Instance Type	ECUs	vCPUs	Memory (GiB)	Instance Storage (GB)	EBS-Optimized Available	Network Performance
t2.large	Variable	2	8	EBS only	-	Low to Moderate

Security Groups [Edit security groups](#)

Security Group ID	Name	Description
sg-0abe276e	all from BBHQ	all from BBHQ

All selected security groups inbound rules


Type	Protocol	Port Range	Source	Description
All traffic	All	All	91.120.23.97/32	
All traffic	All	All	91.120.23.99/32	

[Cancel](#) [Previous](#) [Launch](#)

The **Select an existing key pair or create a new key pair** pop-up window comes up.


10. On the **Select an existing key pair or create a new key pair** pop-up window:
  - a. Select the **Proceed without a key pair** option.
  - b. Tick the checkbox that says "I acknowledge that I will not be able to connect to this instance unless I already know the password built into this AMI".
  - c. Click **Launch Instances**.

**Figure 9: Step 7: Review Instance Launch — Key pair pop-up window**



The **Launch Status** page comes up informing you that your instance is launching. To view your instance's status, click **View Instances**.

**Figure 10: Launch Status page**



11.


The **Instances** page comes up, which should now display the instance you have just launched. Depending on the size of the instance, installation may take up to 1-5 minutes.

To access your Safeguard for Privileged Sessions instance and start configuring it using the welcome wizard, you will need your instance's IP address and the netmask of your chosen subnet, both of which you can obtain from the AWS user interface.

12. Safeguard for Privileged Sessions expects that the IP address provided will not change, therefore, before retrieving the IP address, perform the following check:

Click the instance you have just added, and select **Actions > Networking > Manage Private IP Addresses** from the menu at the top.

**Figure 11: Instances page — Actions menu**




a.

The **Manage Private IP Addresses** pop-up window comes up.

- b. To ensure that the IP address stays the same, make sure that the **Allow reassignment** option is unchecked.




**Figure 12: Instances page — Manage Private IP Addresses pop-up window**



13. To obtain and use the IP address of the instance to access the welcome wizard:
  - a. Click the instance on the **Instances** page.

This will display the description of the instance, including its private IP address.
  - b. Select the value in the **Private IPs** field and copy it.

**Figure 13: Instances page – Instance description**



- c. Paste the IP you copied in your browser and accept the displayed certificate. The welcome wizard appears.

The Safeguard for Privileged Sessions welcome wizard automatically preloads the **IP address, Prefix, Default GW** and **DNS server** fields as shown in the image below.

**NOTE:**

If data is not automatically preloaded in your welcome wizard as shown in the image below, contact Support.

**Figure 14: Welcome wizard – Preloaded fields**

No license file!

### Networking settings

Physical interface EXT or <b>1</b> :	IP address	Prefix	VLAN ID
	<input type="text" value="172.31.45.250"/>	<input type="text" value="24"/>	<input type="text"/>
Default GW:	<input type="text" value="172.31.72.1"/>		
Hostname:	<input type="text"/>		
Domainname:	<input type="text"/>		
DNS server:	<input type="text" value="172.31.0.2"/>		
NTP server:	<input type="text"/>		
Syslog server:	<input type="text"/>		
SMTP server:	<input type="text"/>		
Administrator's email:	<input type="text"/>		
Timezone:	<input type="text" value="[select an option]"/>		

For detailed information on the Safeguard for Privileged Sessions welcome wizard, see ["The Welcome Wizard and the first login"](#) in the [Administration Guide](#).

One Identity solutions eliminate the complexities and time-consuming processes often required to govern identities, manage privileged accounts and control access. Our solutions enhance business agility while addressing your IAM challenges with on-premises, cloud and hybrid environments.

## Contacting us

For sales or other inquiries, visit <https://www.oneidentity.com/company/contact-us.aspx> or call +1-800-306-9329.

## Technical support resources

Technical support is available to One Identity customers with a valid maintenance contract and customers who have trial versions. You can access the Support Portal at <https://support.oneidentity.com/>.

The Support Portal provides self-help tools you can use to solve problems quickly and independently, 24 hours a day, 365 days a year. The Support Portal enables you to:

- Submit and manage a Service Request
- View Knowledge Base articles
- Sign up for product notifications
- Download software and technical documentation
- View how-to-videos at [www.YouTube.com/OneIdentity](http://www.YouTube.com/OneIdentity)
- Engage in community discussions
- Chat with support engineers online
- View services to assist you with your product