



Rapid Recovery 6.1.2 Release Notes, Rev. B

June 2017

Revised July 7, 2017

These release notes provide information about the Rapid Recovery release, build 6.1.2.115.

These revised release notes reflect cumulative updates to information in this document, not changes to the software.

Revision B includes the following changes:

- Defect 34758 was erroneously listed in as a known issue in earlier 6.1.2 versions of release notes. This issue is now correctly shown as a [resolved issue](#).
- [Known issue](#) 102297 was removed since it was a configuration issue affecting a single customer, fixed by increasing RAM or performing a repository check. The issue does not require a code change.
- Clarified [known issue](#) 101246, which applies to DL appliances only. This defect was previously listed in both Core/Windows and DL appliance tables. The revised description now appears only in the DL appliance section.

Revision A included the following changes:

- The addition of [resolved defect](#) 101752.
- Corrections in the [Rapid Recovery Core and Agent compatibility](#) matrix.

Topics include:

- [About this release](#)
- [Rapid Recovery release designations](#)
- [Enhancements](#)
- [Deprecated in this release](#)
- [Resolved issues](#)
- [Known issues](#)
- [Rapid Recovery system requirements](#)
- [Product licensing](#)
- [Getting started with Rapid Recovery](#)
- [Additional resources](#)
- [Globalization](#)
- [About us](#)

About this release

Rapid Recovery software delivers fast backups with verified recovery for your VMs and physical servers, on-premises or remote. Rapid Recovery is software built for IT professionals who need a powerful, affordable, and easy-to-use [backup, replication, and recovery](#) solution that provides protection for servers and business-critical applications like Microsoft SQL Server, Microsoft Exchange, and Microsoft SharePoint. Using Rapid

Recovery, you can continuously back up and protect all your critical data and applications from a single web-based management console.

Since Rapid Recovery 6.1.2 is a maintenance release, the [enhancements](#) and [defect fixes](#) are unique to this release. Only the [known issues](#) are cumulative. For information on new features, enhanced functionality, resolved issues, known issues, or component changes for other releases, see release notes for the appropriate version of Rapid Recovery on our [technical documentation](#) website. For example:

- To see information specific to the most recent major release, Rapid Recovery 6.0, see [Rapid Recovery 6.0.1 Release Notes](#).
- To see information specific to the most recent minor release, Rapid Recovery 6.1, see [Rapid Recovery 6.1 Release Notes](#).
- To see information specific to the most recent prior maintenance release, Rapid Recovery 6.1.1, see [Rapid Recovery 6.1.1 Release Notes](#).



NOTE: The default view of the [technical documentation](#) website shows documentation for the most recent generally available version of the Rapid Recovery software. Using the filters at the top of the page, you can view documentation for a different software release or for a Quest DL series backup and recovery appliance. You can also filter the view by guide category.

Rebranding

Release 6.1.2 includes full rebranding of the Rapid Recovery product and documentation to reflect the Quest Software brand. For more information about Quest, see [About us](#).

Prior to release 6.0x, Rapid Recovery was named AppAssure. All components of the product were rebranded to reflect the next step in its evolution. Details are described in the [Rebranded components](#) topic of the *Rapid Recovery 6.0.1 Release Notes*.

Repository upgrade advisory

Upgrading the Core software to release 6.1.x from any earlier version (for example, Rapid Recovery 6.0x, or AppAssure 5.x) changes the schema in your repository. The updates let you use new features in the latest release, including the ability to protect guests on a Microsoft Hyper-V host without installing Rapid Recovery Agent on each guest.

After you change the structure of your repository through an upgrade, you cannot downgrade the version of Core. Should you determine in the future that you want to use an earlier version of Core after upgrade to this release, you will need to archive the data in your repository. You could then re-import the information manually, which can be a substantial effort.

System requirements documentation advisory

For each software release, we review and update the system requirements for Rapid Recovery software and components. If using localized versions of product documentation, refer to the release notes for the most current system requirements. Release notes are sometimes updated and re-issued in a release cycle.

Rapid Recovery release designations

Rapid Recovery release designations consist of up to four parts. Each part consists of a set of numerals separated by decimal points.

- **Major releases** are specified by the first numeral. These releases include dramatic changes to UI, the repository, or application behavior.
- **Minor releases** are specified by the second numeral, which follows the first decimal point. Minor releases introduce new functionality that is smaller in scope than the types of changes included in major releases.
- **Maintenance releases** are specified by the third numeral, which follows the second decimal point. For release numbers at this point and in the future, if the third numeral is greater than 0, it is a maintenance release. Maintenance releases correct previously identified defects or behaviors.
- **Build numbers** (typically 3 or 4 digits) are specified by the fourth set of numerals. This part is used to differentiate version of the software program generated during the development process.
 - For the Rapid Recovery Agent software, build numbers may differ between Windows and Linux versions. If the first three parts of the release number are identical, interoperability between the Core and Agent with different build numbers is not affected.
 - Updated builds of the same software release may be made available on to the License Portal within a release cycle. Therefore, if your Core is set to automatically update the Agent version on protected machines, you may see differences in build numbers for a single release. These differences will not negatively influence functionality.
 - Build numbers may also differ between software-only versions of the Core and the versions used on the Quest DL series backup and recovery appliances.
 - Build numbers will differ between the Core and the Add-on for Kaseya component.
 - Difference in build numbers do not affect replication.

For release 6.1.2.115, the first digit (6) is the major release. The second digit (1) represents the minor release. The third digit (2) indicates that this is the second maintenance release to 6.1, containing defect fixes. In this case, the maintenance release also contains rebranding for Quest. The build number (115) is last and is generally only referenced in release notes. The build number for this release is identical between Core, and Windows and Linux Agents, and components such as the Local Mount Utility.

Enhancements

This section lists enhancements implemented in Rapid Recovery release 6.1.2 or enhancements not previously described in technical product documentation.

Topics include:

- [Additional Linux distributions supported](#)
- [Exchange Server 2016 DAG support](#)
- [Limited support for vSphere/ESXi 6.5](#)

Additional Linux distributions supported

Rapid Recovery release 6.1.2 includes updates to its Network Block Device (NBD) implementation that expand support for Rapid Recovery Agent to version 7.3 of CentOS, Red Hat Enterprise Linux (RHEL), and Oracle Linux.

These three Linux operating systems rely on a third-party component, NBD, to support reading and writing data in fixed-size blocks over a TCP/IP network. The remaining Linux distributions supported by Rapid Recovery Agent include NBD in the kernel.

Exchange Server 2016 DAG support

Rapid Recovery now offers support for Exchange Server 2016 DAG clusters. The application and cluster configuration has been tested with release 6.1.1 and release 6.1.2 of Rapid Recovery and verified to be compatible with both releases of the software.

Limited support for vSphere/ESXi 6.5

Beginning with release 6.1, Rapid Recovery provides limited support for vSphere/ESXi 6.5. Unless otherwise indicated, functions supported for ESXi 6 now work for ESXi 6.5. Read the following details carefully for a full understanding.

The following functions are supported:

- Protection of virtual machines on ESXi 6.5
- Replication of recovery points from ESXi 6.5
- Virtual export of recovery points to ESXi 6.5

The following limitations exist:

- You cannot export a virtual machine to vCenter/ESXi 6.5 if the source machine uses the Secure Boot option.
- When protecting virtual machines agentlessly on ESXi 6.5, you cannot protect encrypted VMs, which require VDDK 6.5. This limitation does not apply if the VM has the Agent software installed. Support for this feature is expected in Rapid Recovery release 7.0.0 and later, which includes an upgrade to VDDK 6.5.
- When protecting virtual machines agentlessly on ESXi 6.5, transfer does not work if the transport mode is set to SAN (storage area network). The SAN transport mode option is only available for agentless protection.

In general, new features specific to ESXi 6.5 may not function and are not supported until the VDDK is updated and tested in a future release of Rapid Recovery.

Deprecated in this release

This section includes a list of features, items, or related components that are deprecated in Rapid Recovery release 6.1.2.

Topics include:

- [Microsoft Exchange Server 2007 SP1 Rollup 5 deprecated](#)

Microsoft Exchange Server 2007 SP1 Rollup 5 deprecated

Microsoft ended extended support for Exchange Server 2007 on April 11, 2017, based on their support lifecycle policy.

Quest tested Exchange Server 2007 SP1 Rollup 5 with Rapid Recovery release 6.1.2, and found no issues. Thus, limited support for this version of Exchange Server is provided to customers with a support agreement for release 6.1.2. Testing of this version of Exchange with Rapid Recovery 7.0.0 is also planned, and it will be supported in that release.

However, this version of Exchange Server is deprecated, and support will be discontinued in a future release of Rapid Recovery. Customers using Rapid Recovery to back up Exchange Server 2007 SP1 are advised to plan and implement an update to an Exchange Server version that is supported by Microsoft.

Resolved issues

Customer-facing issues resolved in this release are listed below.

Table 1. Core and Windows resolved issues

Resolved Issue Description	Issue ID	Functional Area
After upgrading version 5.4.3 or 6.0.x of the Agent software on a machine running Windows Server 2012 R2 or Windows Server 2016, a base image was taken instead of an incremental snapshot.	102561	Upgrading
In a case of replication failure, data that successfully replicated before the moment of failure was cleared from the staging area (target), which forced the next replication job to start over from the beginning instead of resuming from the point where the failure occurred.	102578	Replication
Mount for volumes with ReFS file system did not work on Windows Server 2016.	102437	Mounting
Requesting deletion of the same snapshot two or more times in a specific sequence in a DVM repository sometimes introduced data inconsistencies, and spammed the Core log with the error: 'unmanagedDvm.storageSubsystem.'	102286	Repository
After implementing white labeling, the Volume page was empty for agentlessly protected VMs.	101891	Volumes page
When performing mountability checks on protected Exchange servers with large databases or servers under heavy load, gaps sometimes occurred between child jobs, which led to degradation of performance on the server, with some check jobs lasting hours.	101797	Exchange server checks
For customers on DL series backup and recovery appliances only, after running RUU 3.0.587 or newer, when opening the Appliance tab, some users experienced the sporadic error: "No instances of 'CIM_ComputerSystem' have been found." DL users experiencing this problem should upgrade to release 6.1.2.	101752	DL
The Reports PowerShell script did not execute due to the relocation of a contract during refactoring. The code was updated to resolve.	101678	PowerShell
Arcserve Unified Data Protection software was not identified as an incompatible product.	35798	Validation

Resolved Issue Description	Issue ID	Functional Area
Export rate was slow for recovery points from repositories that have high fragmentation.	34758	Virtual export, Repository
In the Add New Account dialog, there was no area for entering the service endpoint for an S3-compatible cloud account.	35736	Archiving
Archive to Amazon failed with error "The authorization mechanism you have provided is not supported. Please use AWS4-HMAC-SHA256" for buckets in Ohio, Mumbai and Seoul regions.	35733	Archiving
Korean translation in replication schedule settings was incorrect.	35726	Internationalization, replication
The 'State' column had the wrong translation on the Encryption Keys page for the Korean locale.	35716	Internationalization, encryption
In the Rapid Recovery software development kit, the AppRecoveryAPI sample AddClusterUnderProtectionSample did not work.	35694	SDK
Virtual export failed with the error "No physical extents have been found for cluster offset '19626746' cluster length '520.' Extent disk #'1' LCL '19627264' LCF '0' PSF '264192'" after specific steps.	35626	VM export
In the Settings page of the Core Console, validation in the client timeout fields sometimes worked incorrectly, showing the error "Uncaught Error."	35572	GUI, Core settings
In the Korean translation of the user interface, the Pause button showed the incorrect translation of 일지 중지 instead of 일시 중지.	35557	Localization, pausing protection
On the Schedule page of the Archive wizard, the tooltip text was wrong in all translations.	35556	Localization, Scheduled archive
In the Protect Machine wizards, the "Encrypt data using Core-based encryption with an existing key" option was highlighted when it was not selected.	35554	Protection, GUI
Volumes were not available after a recovery point from an attached archive created from an agentless Windows Server 2008 R2 protected machine was mounted as Writable.	35542	Archiving, Agentless protection
The email notification template reverts to the default after the Core service restarts.	35483	Email notifications template, GUI
Replication to a second target Core did not start if volumes were missing from the source Core.	35358	Replication
On a specific environment, the GPT volume on an agentlessly protected virtual machine could not be opened from a mount point mounted in Read-only mode.	35100	Agentless protection

Resolved Issue Description	Issue ID	Functional Area
When searching all transfer events using the Transfer Job per Machine widget (on the Core Console in dashboard view), the text string 'Transfer' was not translated.	34774	Localization
On the Events page and the Delete Recovery Points Range window, the date and time pickers worked incorrectly until users refreshed the page.	34347	Events, GUI
Disk metadata size skews progress tracking during archive. For example, if there are many databases on a volume, the progress bar stays at 1% for too long, then speeds up.	32044	Archiving, Metadata
Could not open databases from recovery points when the logs and data files were located in different directories.	23285	Recovery, application support

Table 2. DocRetriever for SharePoint resolved issues

Resolved Issue Description	Issue ID	Functional Area
DocRetriever Agent did not work on a machine with Microsoft Office SharePoint Server 2007 (32-bit) installed.	102522	Restoring
When retrieving list items from a SharePoint 2010 database, restore was not possible if the stored value is a character disallowed in XML.	102062	Restoring
The error "Cannot find the original destination..." appears after trying to perform an in-place restore of a site from the "Farm" backup.	35614	Restoring

Table 3. Linux resolved issues

Resolved Issue Description	Issue ID	Functional Area
The packages-downloader script could not download mono package for Debian 8 due to a broken link that has subsequently been fixed.	102366	Debian 8
Users who had 'safenet' encrypted file partitions were unable to protect Linux machines using the Rapid Recovery Agent.	35226	Protection

Table 4. Local Mount Utility resolved issues

Resolved Issue Description	Issue ID	Functional Area
Volume image with enabled Data Deduplication (Windows Server 2012 feature) could not be mounted.	101472	Mounting
If the user tried to retrieve RPs for several Agents in the LMU, the "Connecting in progress ..." progress bar hung.	100635	GUI

Table 5. Mailbox Restore resolved issues

Resolved Issue Description	Issue ID	Functional Area
Messages from an archive mailbox were restored to the user's usual mailbox after restoring to the original location.	35654	Restoring

Known issues

The following is a list of customer-facing issues, including those issues attributed to third-party products, known to exist at the time of release.

Table 6. Central Management Console known issue

Known Issue Description	Issue ID	Functional Area
Unable to authorize to Central Management Console on a single customer environment due to specific configuration of domain controller, groups and accounts. Workaround: None. This issue is not expected to recur unless exact circumstances are duplicated.	101227	Authentication

Table 7. Core and Windows known issues

Known Issue Description	Issue ID	Functional Area
A DVM repository stored on a Common Internet File System (CIFS) shared volume randomly goes offline with error: "Multiple connections error occurred while trying to map share." Workaround: Contact Support to request a patch that addresses this issue.	103240	Repository
Archive compression speed for archives saved in 6.1.x decreased by as much as 50% over the speed attained in AppAssure release 5.4.3. Workaround: None.	103229	Archive
When database files are located on a quorum disk for a protected SQL Server cluster, log truncation does not occur, with error: "SQL log truncation for the protected has been skipped, because there aren't any SQL databases in protection group." Workaround: Move the SQL Database on a different volume. Alternatively, schedule SQL log truncation separately using a post-transfer script or a scheduled job.	103225	SQL log truncation
Archives created in Rapid Recovery Core releases 6.0.2 and later have lower performance than archives created in earlier releases, relative to both speed and compression ratio. Not a defect in 6.0.1. This defect first appeared in release 6.02, and recurs in releases 6.1.0, 6.1.1, and 6.1.2. Workaround: Contact Support to request a patch that addresses this issue as soon as it is available.	103212	Archive

Known Issue Description	Issue ID	Functional Area
<p>Validation is not present to restrict users from selecting Linux system folders as destinations for standard restore, resulting in error: "System.ApplicationException: We do not support rollback to system folders at [destination]."</p> <p>Workaround: Use standard procedures to restore a non-system volume or perform a virtual export. To restore the system volume (for Linux or Windows machines), perform a bare metal restore, as documented in the <i>Rapid Recovery User Guide</i>.</p>	103178	Restore, validation
<p>Retention policy logic does not account for specific cases that could result in skipping generation of a monthly recovery point during rollup. For example, when an error occurs during capture of an incremental snapshot, or if nightly jobs run over and cause rollup not to run, then when the rollup policy enforces the logic to keep one recovery point per month, in rare cases, the monthly recovery point may not be created.</p> <p>Workaround: If the cause is skipped rollup, workaround is to change the work that delays rollup from occurring.</p>	103165	Retention policy
<p>Disks and volumes are not detected for VMs protected agentlessly if FIPS 140-2 protocol is enabled on Core.</p> <p>Workaround: Disable FIPS 140-2 or contact Support for assistance.</p>	102508	Agentless protection
<p>Core cannot create a DVM repository greater in size than 16TB when write caching is enabled.</p> <p>Workaround: Create several 16TB or smaller storage locations in a single repository.</p>	102507	DVM repository
<p>When using replication, the Core cannot consume a seed drive named "AABackup."</p> <p>Workaround: The folder name AABackup is reserved. If you specified the name AABackup for your seed drive, rename it to another value that does not include prohibited characters or phrases, as described in the glossary for the <i>Rapid Recovery User Guide</i>.</p>	102506	Replication, seed drive
<p>Slow incremental images are captured for volumes with specific write activity.</p> <p>Workaround: Contact Support for a custom binary that addresses this situation.</p>	102493	Backups
<p>Deferred delete cancels after rollup job when localization is set to a French OS.</p> <p>Workaround: Contact Support for a custom binary that addresses this situation.</p>	102436	Localization, deletion
<p>Sometimes exported machines use different drive letters than the source machines. Implement functionality to assign drive letters to exported machines that are identical to the drive letters associated with the original source machine.</p> <p>Workaround: Contact Support for a custom binary that addresses this situation.</p>	102390	Virtual export
<p>Local Hyper-V export fails on Windows Server 2016 with error: "WMI class "MsvmVirtualSystemGlobalSettingData" or error "properties in class 'MsvmVirtualSystemGlobalSettingData' was not found."</p> <p>Workaround: No workaround for local hyper-v server. Remote hyper-v export works as expected.</p>	102223	Virtual export

Known Issue Description	Issue ID	Functional Area
<p>Hyper-V agentless protection for all nodes in a cluster fails with error: "Unrecognized Guid Format" due to the specific state of a VM hosted on a cluster.</p> <p>Workaround: Contact Support and request the custom binary that addresses this issue.</p>	102221	Hyper-V agentless
<p>Checking archive job is canceled if storage is corrupted, instead of failing with appropriate informative error.</p> <p>Workaround: None.</p>	102207	Archiving
<p>For replicated protected machines, the nightly job setting for 'Check recovery points integrity' sets to default (enabled) even if the setting on the source is changed to disabled before replicating.</p> <p>Workaround: None.</p>	102105	Replication
<p>If trying to perform a one-time export of a recovery point on a protected machine to Azure, errors appear when you try to specify a new cloud service name in the Deploy page of the Virtual Machine Export Wizard. The error is "Object reference not set to an instance of an object."</p> <p>Workaround: Directly from your Azure account, create the cloud service in the same resource group as your other resources, using the Classic management model. Then, from the wizard in the Core, specify the existing cloud service name.</p>	101819	VM export
<p>On the Recovery Points page of the Core Console, users would benefit from adding a menu for switching between the pages.</p> <p>Workaround: Use existing navigation.</p>	101736	UI
<p>Seed drive job fails with error: "Write data task has failed."</p>	101617	Replication
<p>When Secure boot option is enabled on Windows Server 2016, installation of some drivers are blocked during Agent installation, displaying error: "The transfer failed."</p>	101573	Installer
<p>After a few weeks, VM export fails. TCP/IP event 4227 appears in system log, with message "TCP/IP failed to establish an outgoing connection because the selected local endpoint was recently used to connect to the same remote endpoint." This error typically occurs when outgoing connections are opened and closed at a high rate, causing all available local ports to be used and forcing TCP/IP to reuse a local port for an outgoing connection.</p> <p>Workaround: Temporarily increase dynamic port range, and restart the server periodically.</p>	101485	Virtual export
<p>ESXi Virtual Standby fails with error: "An entry with the same key already exists" on a system test environment.</p>	100868	Virtual export
<p>There is no warning message that rollup is not performed for recovery points on a seed drive that has not yet been consumed. This is only relevant for environments using replication with an outstanding seed drive.</p>	35823	Replication

Known Issue Description	Issue ID	Functional Area
Workaround: No workaround is required since the defect only describes the absence of a notification.		
"Maximum connection pooling size" and "Minimum connection pooling size" fields for the MongoDB connection are not validated, allowing users to set a maximum value below the minimum value. Workaround: Set appropriate values.	35607	Core settings
A base image is captured instead of an incremental image on a Windows Server 2012 R2 protected machine when NTFS Boot Sector copy was changed. This defect only affects users who installed third-party software that changed in the NTFS Boot Sector copy. Workaround: There is no workaround.	34981	Backups
Unexpected base images captured in ESXi VMs that have snapshots with quiescing enabled. Defect affects users who protect vCenter virtual machines that have SAN snapshots with quiescing enabled. Workaround: Disable quiescing.	34916	Virtual export
When searching all transfer events using the Transfer Job per Machine widget (on the Core Console in dashboard view), the text string 'Transfer' is not translated.	34774	Localization
Virtual standby performance is slow when performing export of multiple concurrent protected machines (for example, 36). Workaround: Decrease the number of concurrent export jobs allowed.	34434	Virtual export
Warning message: "Information about allocated space for some volumes is unavailable..." displays on the Summary page for a protected machine if the VM is located on a Network File System (NFS) datastore. Workaround: There is no workaround. This is a limitation of VMs stored on an NFS datastore.	33551	Summary information
Replication rate becomes extremely slow if a virtual export job is started concurrent to the replication job. Workaround: Use schedule to avoid replication and export run simultaneously.	33230	Virtual export, replication, resource consumption
When archiving 2 or more jobs simultaneously, if the target network storage device runs out of space, all running archive jobs fail with error: "There is not enough space on the disk." Workaround: Create different schedules for running each archive so that the archives do not run simultaneously in the network share.	31827	Archiving
After virtual export of a WinXPx86 machine protected agentlessly, or virtual export of any machine protected on an ESXi host, the resulting VM is not bootable. Issue relates to controller drivers for SCSI and IDE controllers not present in the exported VM. Workaround: There is no workaround at this time.	31705	Virtual export

Known Issue Description	Issue ID	Functional Area
After virtual export of RHEL 6 or 7 from an ESXi host, the resulting VM is not bootable. Workaround: None.	31277	Virtual export
ESXi agentless restore or virtual export using SAN transport mode fails with the error, "One of the parameters was invalid." Workaround: Use Network Transport mode for restoring data.	29508	VMware agentless, restoring data
If using auto disk mapping for VM export from ESXi, in rare cases an error occurs with an uninformative message: "Task 'ReconfigVM_Task' failed: Invalid configuration for device '0'. " Workaround: Try the operation again and it should succeed.	27309	Virtual export

Table 8. DL Appliance known issues

Known Issue Description	Issue ID	Functional Area
In a specific customer environment, the Provisioning appliance page is unavailable, with an error: "CIM Chassis error" due to a storage pool referencing an enclosure that does not exist. Workaround: Contact Support and request the custom binary that addresses this issue.	102495	GUI
Sometimes "Internal Server Error" appears on Backup page. Workaround: Ignore and close the error message.	102379	Storage Provisioning
Repository maintaining failed after the restore provisioning configuration after upgrade to 6.1.2. Workaround: Contact Support.	102340	Windows Backup
User can launch several remount jobs simultaneously on DL Appliance. Workaround: Do not launch remount job several times until you ensure that no other jobs are running. If you experience this issue, please contact Quest Support to remount repository.	102322	Storage Provisioning
Incorrect default value of Repository name field on the Add New Repository Wizard. Workaround: Manually enter Repository name that fits the field validation rules.	101348	Storage Provisioning
Remount job does not restore Core's localization. Workaround: Manually change Core localization from Core Settings.	101316	Storage Provisioning
ESXi virtual exports start to fail with error: "System.OutOfMemoryException" on DL Appliances under heavy load after several days. Workaround: Install the latest Windows updates and reboot the appliance. If this problem persists, contact Support.	101246	Virtual export

Known Issue Description	Issue ID	Functional Area
<p>Statuses of volumes are displayed as 'Not valid' if a letter is assigned to 'Recovery' partition.</p> <p>Workaround: Wait until the RASR USB creation job completes.</p>	101224	Virtual Export
<p>RASR fails to start with fatal exception on DL1300 and DL4300 with new ID modules.</p> <p>Workaround: Contact Support.</p>	101051	Storage Provisioning
<p>Windows Backup could not be created due to inappropriate determining of necessary volume items for backup if letters for volumes were changed.</p> <p>Workaround: Remove current policy with mixed/changed letters for partitions and create a new policy with heterogeneous volume labels.</p>	100985	RASR
<p>Parameters in 'Expand Existing Repository' pop-up does not reflect true available space for repository expansion on internal controller on DL1300 after upgrade via RUU#3.1.</p> <p>Workaround: Expand repository from Repository configuration page.</p>	100908	Windows Backup
<p>Storage Provisioning and Restore the Provisioning Configuration jobs could be launched simultaneously in spite of incompatibility for launching of these jobs.</p> <p>Workaround: 1) Remove created Repository 2 Virtual Disk using OMSA. 2) Restart Core service.</p>	100907	Storage Provisioning
<p>RASR USB could not be created on the server after upgrade using RUU if server was restored from Windows backup.</p> <p>Workaround: Perform RASR restore from the following places: 1) Previously created RASR USB; 2) RECOVERY partition by pressing F8 during POST; 3) RASRdisk virtual disk; 4) IDSMD (DL4300 only).</p>	100905	Storage Provisioning
<p>Core interface becomes unavailable if force collecting Core and Appliance logs.</p> <p>Workaround: Refresh page to make GUI available again</p>	100904	RASR
<p>Main Appliance status receives a red state without the ability to resolve if Windows Backup was forced on the server with old Winbackups with volume size of 75GB and without free space on Internal controller.</p> <p>Workaround: Clear the Windows Backup logs as follows: 1) Open event viewer. 2) Go to Applications and Services Logs. 3) Navigate under Microsoft -> Windows -> Backup. 4) Right click on the Operational channel and select Save and Clear (or, if you don't want to save, select Clear).</p>	100887	UI
<p>Restore the provisioning configuration job fails with an uninformative error: "Cannot mount volume to the folder 'I:\' because it contains files or folders" if the virtual disk has a letter assigned that was already used before remount.</p> <p>Workaround: Remove assigned letters from attached virtual media via disk manager. Perform Volumes Remount job again from Appliance Provisioning page.</p>	35805	Provisioning
<p>Incorrect behavior of provisioning size determining logic.</p>	35770	Windows Backup

Known Issue Description	Issue ID	Functional Area
<p>Workaround: When performing provisioning, specify the intended size a few GB smaller than the available space.</p>		
<p>VMM actions are available when ESXi host is in maintenance mode.</p> <p>Workaround: Do not perform any VM operations from the Virtual Standby page if an ESXi host is in Maintenance mode.</p>	35740	Storage Provisioning
<p>The GUI should be disabled immediately after confirmation of the remount process.</p> <p>Workaround: Wait for a few minutes and refresh Core Console page.</p>	35579	Virtual Machine Management
<p>Monitor Active Task hangs at 95% during creation of RASR USB job.</p> <p>Workaround: Refresh the GUI. Typically, the job completes successfully, but in some cases does not reflect the correct status until you refresh the GUI.</p>	35531	Storage Provisioning
<p>Job "Restore the provisioning configuration" fails on a specific environment.</p> <p>Workaround: Detach all physical and virtual media from server before performing "Restore provisioning" operations.</p>	35137	RASR
<p>On the Backups page, incorrect translation of 'State' appears in the 'Items Baced Up' section for some non-English language.</p> <p>Workaround: None.</p>	35031	Storage Provisioning
<p>VD disk provisioning fails with return code 4 if storage pool does not have consistent empty space.</p> <p>Workaround: Contact Support.</p>	34937	Localization
<p>Sometimes error "invalid state; already open" appears on the Virtual Standby page for DL4x00 Appliances.</p> <p>Workaround: Close the error message. If the issue persists, reload page by clicking F5.</p>	31477	Storage Provisioning
<p>Start VM / Network Adapters buttons should be all in disabled state if ESXi/ Hyper-V export of machine was launched on Appliances. Workaround: Do not click these buttons until the corresponding VM export is complete.</p>	30989	Virtual Machine Management

Table 9. Documentation known issues

Known Issue Description	Issue ID	Functional Area
<p>The component Microsoft Windows Azure Storage 7.2.1 does not appear in the list of third-party components found in the product. An outdated version of the component appears in its place.</p> <p>Workaround: Microsoft Windows Azure Storage 7.2.1 uses the Apache 2.0 license, which can be found in the Third-Party Contributions list in the in-product Help and hyperlinked from the About Rapid Recovery page.</p>	102504	Context-sensitive help

Known Issue Description	Issue ID	Functional Area
<p>The component DataGridViewImageAnimator 1.0 appears in the list of third-party components found in the product, even though it was not used in Rapid Recovery 6.1.2.</p> <p>Workaround: The component will be removed from the Third-Party Contributions list in a future release.</p>	102503	Context-sensitive help
<p>The component SimpleRestServices 1.3.0.3 does not appear in the list of third-party components found in the product. An outdated version of the component appears in its place.</p> <p>Workaround: SimpleRestServices 1.3.0.3 is used in Rapid Recovery 6.1.2. The component uses the MIT N/A license. A copy of this license can be found at http://quest.com/legal/third-party-licenses.aspx.</p>	102502	Context-sensitive help
<p>The component OpenStack.NET 1.4.0.2 does not appear in the list of third-party components found in the product. An outdated version of the component appears in its place.</p> <p>Workaround: OpenStack.NET 1.4.0.2 was used in Rapid Recovery 6.1.2. The component uses the MIT N/A license. A copy of this license can be found at http://quest.com/legal/third-party-licenses.aspx.</p>	102501	Context-sensitive help
<p>The component NLog 3.2.1 does not appear in the list of third-party components found in the product. An outdated version of the component appears in its place.</p> <p>Workaround: NLog 3.2.1 was used in Rapid Recovery 6.1.2. The component uses the BSD - Kowalski 2011 license, Copyright (c) 2004-2011 Jaroslaw Kowalski <jaak@jkowwalski.net>. A copy of this license can be found at http://quest.com/legal/third-party-licenses.aspx.</p>	102500	Context-sensitive help
<p>The component AWS SDK for .NET 3.3.1.2 does not appear in the list of third-party components found in the product. An outdated version of the component appears in its place.</p> <p>Workaround: AWS SDK for .NET 3.3.1.2 uses the Apache 2.0 license, which can be found in the Third-Party Contributions list in the in-product Help and hyperlinked from the About Rapid Recovery page.</p>	102499	Context-sensitive help
<p>Context-sensitive help found in-product for Rapid Recovery Core has been re-branded as of release 6.1.2 to reflect its ownership by Quest Software. Other than rebranding, no content changes appear for help files in this release.</p>	70130	Context-sensitive help
<p>The <i>Rapid Recovery User Guide</i> procedure "Deploying a virtual machine in Azure" for release 6.1.x contains unnecessary steps. Future versions of documentation are to be modified accordingly.</p> <p>Workaround: When following this procedure, disregard Steps 4 through 8. The step currently numbered Step 9 should start with "On the Destination page..."</p>	101859	Azure export
<p>The <i>Rapid Recovery User Guide</i> procedure "Setting up continual export to Azure" for release 6.1.x contains unnecessary steps. Future versions of documentation are to be modified accordingly.</p> <p>Workaround: When following this procedure, disregard Steps 4 and 5. Since you are defining ongoing continual export, you are not prompted to select a recovery point. Likewise, there is no Summary page at the end of the wizard. On the Volumes page of the wizard, click Finish (instead of Next).</p>	101858	Azure export

Known Issue Description	Issue ID	Functional Area
<p>Containers created in Azure are used to store virtual machines exported from the Rapid Recovery Core to your associated Azure account. If you create a specific container prior to performing virtual export, the Virtual Machine Export Wizard typically displays that container as one of the choices in the Container name field of the Destination window. If you create the container by typing a valid container name into the Container name field as part of the process of defining a virtual export, the container may not be immediately visible in the wizard. This behavior is not reflected in the appropriate procedures in the <i>Rapid Recovery User Guide</i>.</p> <p>Workaround: If you create a container from the Virtual Machine Export Wizard, and that container is not accessible in the wizard UI, simply close the wizard, and launch it again, and you should then be able to access the newly created container. Future versions of documentation are to be modified accordingly.</p>	101853	Azure export
<p>When performing virtual export to Azure, the Rapid Recovery Core uses Azure storage and containers created using the Classic management model. Containers created in Azure using the newer Resource Manager deployment model are not recognized by the Core. The <i>Rapid Recovery User Guide</i> procedure "Creating a container in an Azure storage account" for release 6.1.x does not specify that the Classic management model is required. Future versions of documentation are to be modified accordingly.</p> <p>Workaround: Use the Classic management model to create storage accounts and containers for virtual export. If you already have a storage account created using the Classic model, any new containers created for it will automatically use the correct model (Classic).</p>	101837	Azure export

Table 10. Kaseya Add-On known issues

Known Issue Description	Issue ID	Functional Area
In some cases, credentials for Cores and Agents in the Kaseya Server are stored in unencrypted text in the AppRecoveryParams.json file.	102096	Authentication

Table 11. Linux protection known issues

Known Issue Description	Issue ID	Functional Area
Unable to protect an Ubuntu Linux Agent if it contains a "non fs data" partition type.	102284	Metadata
<p>Unable to use Transport Layer Security (TLS) 1.2 protocol with Linux Agent.</p> <p>Workaround: Disable TLS.</p>	101279	Security
<p>There is no warning message indicating that the Agent service cannot be started if it was installed on a Linux machine using an init system other than the originally installed system. For example, Debian 8 uses SysD by default. If SysD is removed and SysV installed, the Agent does not start.</p> <p>Workaround: No workaround is required since the defect only describes the absence of a notification.</p>	35818	Notifications

Known Issue Description	Issue ID	Functional Area
Specific volumes are not mounted after virtual export of Linux machine. This defect applies only to customers with LVM volumes on an iSCSI Dell EqualLogic machine. Workaround: There is no workaround at this time.	35288	Virtual export (ESXi)
Agentlessly protected Ubuntu machine is not bootable after BMR. Workaround: Use the Rapid Recovery Agent on Ubuntu instead of using agentless protection.	31206	BMR bootability

Table 12. Local Mount Utility known issues

Known Issue Description	Issue ID	Functional Area
For mounted recovery points on a Windows Server 2016 machine, the "Explore" button is disabled. Workaround: Use Windows Explorer to find data in mounted recovery points.	101860	Mounts

Table 13. Mailbox Restore known issues

Known Issue Description	Issue ID	Functional Area
MailboxRestore cannot restore a message containing emoticon symbols such as unamused face (ASCII symbol "😒"). Workaround: Contact Support and request the custom binary that addresses this issue.	102360	Restoring
During restore of permissions for a public folder, an uninformative error message displays if user was not found in the Global Address List. Workaround: No workaround is required since the defect only describes an error message which can be ignored.	102018	Restoring

Rapid Recovery system requirements

This section describes the system and license requirements for installing the Rapid Recovery Core, Rapid Recovery Agent, and Rapid Recovery Central Management Console.

Topics include:

- [Recommended network infrastructure](#)
- [UEFI and ReFS support](#)
- [Support for dynamic and basic volumes](#)
- [Support for Cluster Shared Volumes](#)
- [Rapid Recovery Core installation requirements](#)
- [Rapid Recovery release 6.1 operating system installation and compatibility matrix](#)
- [Rapid Recovery Core and Central Management Console requirements](#)
- [Rapid Recovery Agent software requirements](#)
- [Rapid Recovery Local Mount Utility software requirements](#)
- [Rapid Snap for Virtual agentless protection](#)
- [Hypervisor requirements](#)
- [DVM repository requirements](#)
- [License requirements](#)
- [Quest Support policy](#)

Recommended network infrastructure

For running Rapid Recovery, Quest requires a minimum network infrastructure of 1 gigabit Ethernet (GbE) for efficient performance. Quest recommends 10GbE networks for robust environments. 10GbE networks are also recommended when protecting servers featuring large volumes (5TB or higher).

If multiple network interface cards (NICs) are available on the Core machine that support NIC teaming (grouping several physical NICs into a single logical NIC), and if the switches on the network allow it, then using NIC teaming on the Core may provide extra performance. In such cases, teaming up spare network cards that support NIC teaming on any protected machines, when possible, may also increase overall performance.

If the core uses iSCSI or Network Attached Storage (NAS), Quest recommends using separate NIC cards for storage and network traffic, respectively.

Use network cables with the appropriate rating to obtain the expected bandwidth. Quest recommends testing your network performance regularly and adjusting your hardware accordingly.

These suggestions are based on typical networking needs of a network infrastructure to support all business operations, in addition to the backup, replication, and recovery capabilities Rapid Recovery provides.

UEFI and ReFS support

Unified Extensible Firmware Interface (UEFI) is a replacement for Basic Input/Output System (BIOS). For Windows systems, UEFI uses the Extensible Firmware Interface (EFI) system partitions that are handled as simple FAT32 volumes.

Protection and recovery capabilities are available in Rapid Recovery for EFI system partitions with the following operating systems:

- **Windows:** Windows 8, Windows 8.1, Windows 10; Windows Server 2012, Windows Server 2012 R2, and Windows Server 2016.
- **Linux:** All supported versions of Linux.

Rapid Recovery also supports the protection and recovery of Resilient File System (ReFS) volumes for Windows Server 2012, Windows Server 2012 R2, and Windows Server 2016.

Support for dynamic and basic volumes

Rapid Recovery supports taking snapshots of all dynamic and basic volumes. Rapid Recovery also supports exporting simple dynamic volumes that are on a single physical disk. As their name implies, simple dynamic volumes are not striped, mirrored, spanned, or RAID volumes.

The behavior for virtual export of dynamic disks differs, based on whether the volume you want to export is protected by the Rapid Recovery Agent software, or is a VM using agentless protection. This is because non-simple or complex dynamic volumes have arbitrary disk geometries that cannot be fully interpreted by the Rapid Recovery Agent.

When you try to export a complex dynamic disk from a machine with the Rapid Recovery Agent software, a notification appears in the user interface to alert you that exports are limited and restricted to simple dynamic volumes. If you attempt to export anything other than a simple dynamic volume with the Rapid Recovery Agent, the export job fails.

In contrast, dynamic volumes for VMs you protect agentlessly are supported for protection, virtual export, restoring data, and BMR, and for repository storage, with some important restrictions. For example:

- **Protection:** In the case when a dynamic volume spans multiple disks, you must protect those disks together to maintain the integrity of the volume.
 - **Virtual export:** You can export complex dynamic volumes such as striped, mirrored, spanned, or RAID volumes from an ESXi or Hyper-V host using agentless protection. However, the volumes are exported at the disk level, with no volume parsing. For example, if exporting a dynamic volume spanned across two disks, the export will include two distinct disk volumes.
- CAUTION:** When exporting a dynamic volume that spans multiple disks, you must export the dynamic disks with the original system volumes to preserve the disk types.
- **Restoring data:** When restoring a dynamic volume that spans multiple disks, you must restore the dynamic disks with the original system volumes to preserve the disk types. If you restore only one disk, you will break the disk configuration.

Repository storage: Additionally, Rapid Recovery supports the creation of repositories on complex dynamic volumes (striped, mirrored, spanned, or RAID). The file system of the machine hosting the repository must be NTFS or ReFS.

Support for Cluster Shared Volumes

Rapid Recovery release 6.1 and later includes the Rapid Snap for Virtual feature. With the Rapid Recovery Agent installed on each node, you can protect and restore supported VMs hosted on Hyper-V cluster-shared volumes (CSVs) installed on Windows Server 2012 R2 and Windows Server 2016.

In addition, Rapid Recovery release 6.1 and later supports virtual export to Hyper-V CSVs installed on Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, and Windows Server 2016. For information about supported hypervisors, see [Hypervisor requirements](#).

Rapid Recovery only supports protection and restore of CSV volumes running on Windows Server 2008 R2.

The following table depicts current Rapid Recovery support for cluster-shared volumes.

Table 14. Rapid Recovery support for cluster-shared volumes

Operating System	Protect ¹ and Restore ² VMs on a Hyper-V CSV		Virtual Export to Hyper-V CSV		Protect ¹ and Restore ³ of CSV	
	Rapid Recovery Version	Rapid Recovery Version	Rapid Recovery Version	Rapid Recovery Version	Rapid Recovery Version	Rapid Recovery Version
CSV Operating System	6.0.x	6.1.x	6.0.x	6.1.x	6.0.x	6.1.x
Windows Server 2008 R2	No	No	Yes	Yes	Yes	Yes
Windows Server 2012	No	No	Yes	Yes	No	No
Windows Server 2012 R2	No	Yes	Yes	Yes	No	No
Windows Server 2016	No	Yes	No	Yes	No	No

¹ Protect includes protection, replication, rollup, mount, and archiving.

² Restore includes file-level restore, volume-level restore, bare metal restore, and virtual export.

³ Restore includes file-level restore, volume-level restore, and bare metal restore.

Rapid Recovery Core installation requirements

Install the Rapid Recovery Core on a dedicated Windows 64-bit server. Servers should not have any other applications, roles, or features installed that are not related to Rapid Recovery. As an example, do not use the Core machine to also serve as a hypervisor host (unless the server is an appropriately sized Quest DL series backup and recovery appliance).

As another example, do not use the Core server as a high-traffic web server. If possible, do not install and run Microsoft Exchange Server, SQL Server, or Microsoft SharePoint on the Core machine. If SQL Server is required on the Core machine – for example, if you are using Rapid Recovery DocRetriever for SharePoint – make sure you allocate more resources, in addition to those needed for efficient Core operations.

Depending on your license and your environment requirements, you may need to install multiple Cores, each on a dedicated server. Optionally, for remote management of multiple Cores, you can install the Rapid Recovery Central Management Console on a 64-bit Windows computer.

For each machine you want to protect in a Rapid Recovery Core, install the Rapid Recovery Agent software version appropriate to that machine's operating system. Optionally, you can protect virtual machines on a VMware ESXi host without installing the Rapid Recovery Agent. This agentless protection has some limitations. For more information, see the topic "Understanding Rapid Snap for Virtual" in the *Rapid Recovery User Guide*.

Before installing Rapid Recovery release 6.1, ensure that your system meets the following minimum hardware and software requirements. For additional guidance for sizing your hardware, software, memory, storage, and network requirements, see knowledge base article 185962, "[Sizing Rapid Recovery Deployments](#)."

CAUTION: Quest does not support running the Rapid Recovery Core on Windows Core operating systems, which offer limited server roles. This includes all editions of Windows Server 2008 Core, Windows Server 2008 R2 Core, Windows Server 2012 Core, Windows Server 2012 R2 Core, and Windows Server 2016 Core. Excluding Windows Server 2008 Core, these Core edition operating systems are supported for running the Rapid Recovery Agent software.

NOTE: Quest does not recommend installing Rapid Recovery Core on an all-in-one server suite such as Microsoft Small Business Server or Microsoft Windows Server Essentials.



CAUTION: Quest does not recommend running the Rapid Recovery Core on the same physical machine that serves as the Hyper-V host. (This recommendation does not apply to Quest DL series of backup and recovery appliances.)

Rapid Recovery release 6.1 operating system installation and compatibility matrix

Microsoft Windows operating systems

Rapid Recovery Core must be installed on an appropriately sized server running a supported 64-bit Microsoft Windows operating system. The following table and notes list each Windows operating system and describes compatibility for each Rapid Recovery component or feature.



NOTE: This information is provided to educate users on compatibility. Quest does not support operating systems that have reached end of life.

Table 15. Rapid Recovery components and features compatible with Windows operating systems

This table lists each supported Windows OS and the Rapid Recovery components compatible with it.

Windows OS	Core/ Central Management Console	Agent	Agent- less	LMU	MR	DR	URC Restore	VM Export to Azure
Windows XP SP3	No	No	Yes	No	No	No	Yes ¹	No
Windows Vista	No	No	Yes	No	No	No	Yes ¹	No
Windows Vista SP2	No	Yes	Yes	Yes	Yes	Yes	Yes ¹	No
Windows 7	No	No	Yes	No	No	No	Yes	Yes ²
Windows 7 SP1	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes ²
Windows 8	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes ²
Windows 8.1	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes ²
Windows 10	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes ²
Windows Server 2003	No	No	Yes	No	No	No	Yes ¹	No
Windows Server 2008	No	No	Yes	No	No	No	Yes ¹	Yes ²
Windows Server 2008 SP2	Yes	Yes	Yes	Yes	Yes	Yes	Yes ¹	Yes ²
Windows Server 2008 R2	No	No	Yes	No	No	No	Yes	Yes ²
Windows Server 2008 R2 SP1	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes ²

Windows OS	Core/ Central Management Console	Agent	Agent- less	LMU	MR	DR	URC Restore	VM Export to Azure
Windows Server 2012	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes ²
Windows Server 2012 R2	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes ²
Windows Server 2016	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

Windows installation and support notes:

¹ The boot CD supports bare metal restore, but does not support driver injection.

² VM export to Azure works only for x64 editions of operating systems listed.

Linux operating systems

Linux operating systems are supported as protected machines in a Rapid Recovery Core. You can use agentless protection, or install the Rapid Recovery Agent. The following table and notes list each supported Linux operating system and distribution, and describes support for each Rapid Recovery component or feature.

Table 16. Compatible Rapid Recovery components and features by Linux operating system

This table lists each supported Linux distribution and the Rapid Recovery components compatible with it.

Windows OS	Core/ Central Management Console	Agent	Agentless
Linux OS or distribution	Agent	Agentless	Live DVD
Red Hat Enterprise Linux 6.3 - 6.8	Yes	Yes	Yes
Red Hat Enterprise Linux 7.0 - 7.3	Yes	Yes	Yes
CentOS Linux 6.3 - 6.8	Yes	Yes	Yes
CentOS Linux 7.0 - 7.3	Yes	Yes	Yes
Debian Linux 7, 8	Yes	Yes	Yes
Oracle Linux 6.3 - 6.8	Yes	Yes	Yes
Oracle Linux 7.0 - 7.3	Yes	Yes	Yes
Ubuntu Linux 12.04 LTS, 12.10	Yes	Yes	Yes
Ubuntu Linux 13.04, 13.10	Yes	Yes	Yes
Ubuntu Linux 14.04 LTS, 14.10	Yes ¹	Yes ¹	Yes ¹
Ubuntu Linux 15.04, 15.10	Yes ¹	Yes ¹	Yes ¹

Windows OS	Core/ Central Management Console	Agent	Agentless
Ubuntu Linux 16.04 LTS	Yes ¹	Yes ¹	Yes ¹
SUSE Linux Enterprise Server (SLES) 11 SP2 or later	Yes	Yes	Yes
SLES 12	Yes ¹	Yes ¹	Yes ¹

Linux installation and support notes:

¹ B-tree file system (BTRFS) is supported only on operating systems with kernel version 4.2. or later. Compliant operating systems currently include Ubuntu versions 14.04.4 with service pack 4 or later, and versions 15.10 or later. SLES versions 12 and 12 SP1 have older kernel versions, and so Rapid Recovery does not support their implementations of BTRFS.

Rapid Recovery Core and Central Management Console requirements

Requirements for the Rapid Recovery Core and the Central Management Console (CMC) are described in the following table.

Operating system requirements for the Central Management Console are identical to the requirements for the Rapid Recovery Core. These components can be installed on the same machine or on different machines, as your needs dictate.

Table 17. Rapid Recovery Core and Central Management Console requirements

Requirement	Details
Operating system	<p>The Rapid Recovery Core and Central Management Console require one of the following 64-bit Windows operating systems (OS). They do not run on 32-bit Windows systems or any Linux distribution. Rapid Recovery Core requires one of the following x64 Windows operating systems:</p> <ul style="list-style-type: none"> • Microsoft Windows 7 SP1 • Microsoft Windows 8, 8.1* • Microsoft Windows 10 • Microsoft Windows Server 2008 SP2, 2008 R2 SP1 (except Core editions) • Microsoft Windows Server 2012, 2012 R2* (except Core editions) • Microsoft Windows Server 2016* (except Core editions) <p>Windows operating systems require the .NET Framework 4.5.2 to be installed to run the Rapid Recovery Core service. Additionally, any OS marked with * requires the ASP .NET 4.5x role or feature. When installing or upgrading the Core, the installer checks for these components based on the OS of the Core server, and installs or activates them automatically if required.</p> <p>The Rapid Recovery Core supports all x64 editions of the Windows OS listed, unless otherwise indicated. The Rapid Recovery Core does not support Windows Server core editions.</p> <p>If any operating system listed specifies a service pack (for example, Windows 7 SP1), then the OS with the specified service pack is the minimum requirement. If an operating</p>

Requirement	Details
	<p>system is listed without a service pack (for example, Windows 8), then the base operating system is supported. Any subsequent SP for a listed OS is also supported, unless explicitly excluded.</p> <p>For optimal performance, it is recommended that you install the Rapid Recovery Core on more recent operating systems such as Windows 8.1 (or later) and Windows Server 2012 (or later).</p>
Architecture	64-bit only
Memory	<p>8GB RAM or more</p> <p>Quest highly recommends using Error Checking & Correction (ECC) memory, to ensure optimum performance of Rapid Recovery Core servers.</p>
Processor	Quad-core or higher
Storage	<p>Quest recommends locating your repository on direct attached storage (DAS), storage area network (SAN), or network attached storage (NAS) devices (listed in order of preference).</p> <p>i NOTE: If installing on a NAS, Quest recommends limiting the repository size to 6TB. Any storage device must meet the minimum input/output requirements. See Quest knowledge base article 185962, “Sizing Rapid Recovery Deployments” for guidance in sizing your hardware, software, memory, storage, and network requirements.</p>
Network	<p>1 gigabit Ethernet (GbE) minimum</p> <p>i NOTE: Quest recommends a 10GbE network backbone for robust environments.</p>
Network hardware	<p>Use network cables with the appropriate rating to obtain the expected bandwidth.</p> <p>i NOTE: Quest recommends testing your network performance regularly and adjusting your hardware accordingly.</p>

Rapid Recovery Agent software requirements

Requirements for the Rapid Recovery Agent software are described in the following table.

i **NOTE:** The Rapid Recovery Agent cannot be deployed to a machine with a Linux operating system installed using the Add-on for Kaseya. If using that add-on, you must install the Agent on a Linux machine manually. For more information, see the *Rapid Recovery User Guide*.

Table 18. Rapid Recovery Agent software requirements

The first column of the following table lists Agent software requirements, including operating system, architecture, memory, processor, Exchange Server, SQL Server, SharePoint, storage, network and network hardware. The second column includes specific details for each.

Requirement	Details
Operating system	<p>The Rapid Recovery Agent software supports 32-bit and 64-bit Windows and Linux operating systems, including the following:</p> <ul style="list-style-type: none"> • Microsoft Windows Vista SP2 • Microsoft Windows 7 SP1 • Microsoft Windows 8, 8.1* • Microsoft Windows 10 • Microsoft Windows Server 2008 SP2, 2008 R2 SP1 (all editions except Windows Server 2008 Core) • Microsoft Windows Server 2012, 2012 R2* • Microsoft Windows Server 2016* • Red Hat Enterprise Linux (RHEL) 6.3, 6.4, 6.5, 6.6, 6.7, 6.8, 7.0, 7.1, 7.2, 7.3 • CentOS Linux 6.3, 6.4, 6.5, 6.6, 6.7, 6.8, 7.0, 7.1, 7.2, 7.3 • Oracle Linux 6.3, 6.4, 6.5, 6.6, 6.7, 6.8, 7.0, 7.1, 7.2, 7.3 • Debian Linux 7, 8 • Ubuntu Linux 12.04 LTS, 12.10, 13.04, 13.10, 14.04 LTS, 14.10, 15.04, 15.10, 16.04 LTS • SUSE Linux Enterprise Server (SLES) 11 (SP2 and later), 12
	<p>i NOTE: Windows operating systems require the Microsoft .NET framework version 4.5.2 to be installed to run the Rapid Recovery Agent service. Operating systems listed above that are marked with * also require the ASP .NET 4.5.x role or feature. When installing or upgrading the Rapid Recovery Agent software, the installer checks for these components, and installs or activates them automatically if required.</p>
	<p>Additional operating systems are supported for agentless protection only. For more information, see Rapid Snap for Virtual agentless protection.</p>
	<p>If any operating system listed specifies a service pack (for example, Windows 7 SP1), then the OS with the specified service pack is the minimum requirement. If an operating system is listed without a service pack (for example, Windows 8), then the base operating system is supported. Any subsequent SP for a listed OS is also supported, unless explicitly excluded.</p>
	<p>The Rapid Recovery Agent software supports Windows Server Core edition installations for Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, and Windows Server 2016. For Windows Server 2008 R2 Core only, you must have SP1 or later. Windows Server 2008 Core edition is not supported.</p>
	<p>The Rapid Recovery Agent software supports the Linux distributions included in this list. Most of the released kernel versions have been tested. File systems supported include ext2, ext3, ext4, and xfs. BTRFS is also supported (only on certain Linux operating systems with kernel version 4.2. or later). For more information, see the Rapid Recovery release 6.1 operating system installation and compatibility matrix.</p>
	<p>Agents installed on Microsoft Hyper-V Server 2012 operate in the Core edition mode of Windows Server 2012.</p>
	<p>i NOTE: Native backup of cluster shared volumes is supported on Windows 2008 R2 (SP2 and later) protected machines only.</p>
Architecture	32-bit or 64-bit

Requirement	Details
Memory	4GB or higher
Processor	Single processor or higher
Microsoft Exchange Server support	Microsoft Exchange Server 2007 SP1 Rollup 5 or later , Exchange Server 2010, Exchange Server 2013, or Exchange Server 2016
Microsoft SQL Server support	Microsoft SQL Server 2008 or higher
Microsoft SharePoint Server support	Microsoft SharePoint 2007, 2010, 2013, 2016 i NOTE: Support for "SharePoint" refers to fully licensed versions of Microsoft SharePoint Server for the versions listed above.
Storage	Direct attached storage, storage area network or network attached storage
Network	1 gigabit Ethernet (GbE) minimum i NOTE: Quest recommends a 10GbE network backbone for robust environments. Quest does not recommend protecting machines over a wide-area network (WAN). If you have multiple networked sites, Quest recommends installing a Core at each site. To share information, you can replicate between the Cores located at different sites. Replication between Cores is WAN-optimized. The data transmitted is compressed, deduplicated, and encrypted during transfer.
Network hardware	Use network cables with the appropriate rating to obtain the expected bandwidth. i NOTE: Quest recommends testing your network performance regularly and adjusting your hardware accordingly.

Rapid Recovery Local Mount Utility software requirements

The Local Mount Utility (LMU) is included with Rapid Recovery. You can obtain the LMU installer from the **Downloads** page from either the Core Console or the Rapid Recovery [License Portal](#).

Table 19. Local Mount Utility software requirements

Requirement	Details
Operating system	<p>The Rapid Recovery Local Mount Utility software supports 32-bit and 64-bit Windows operating systems, including the following:</p> <ul style="list-style-type: none"> • Microsoft Windows Vista SP2 • Microsoft Windows 7 SP1 • Microsoft Windows 8, 8.1* • Microsoft Windows 10 • Microsoft Windows Server 2008 SP2, 2008 R2 SP1 (all editions except Windows Server 2008 Core and Windows Server 2008 R2 Core) • Microsoft Windows Server 2012, 2012 R2* • Microsoft Windows Server 2016*
	<p>i NOTE: Windows operating systems require the Microsoft .NET framework version 4.5.2 to be installed to run the Local Mount Utility service. Operating systems listed above that are marked with * also require the ASP .NET 4.5.x role or feature. When installing or upgrading the LMU, the installer checks for these components, and installs or activates them automatically if required.</p> <p>If any operating system listed specifies a service pack (for example, Windows 7 SP1), then the OS with the specified service pack is the minimum requirement. If an operating system is listed without a service pack (for example, Windows 8), then the base operating system is supported. Any subsequent SP for a listed OS is also supported, unless explicitly excluded.</p> <p>The LMU software supports Windows Server Core edition installations for Windows Server 2012, Windows Server 2012 R2, and Windows Server 2016. Windows Server 2008 Core edition and Windows Server 2008 R2 Core edition are not supported.</p>
Architecture	32-bit or 64-bit
Memory	4GB or higher
Processor	Single processor or higher
Network	<p>1 gigabit Ethernet (GbE) minimum</p> <p>i NOTE: Quest recommends a 10GbE network backbone for robust environments.</p>
Network hardware	<p>Use network cables with the appropriate rating to obtain the expected bandwidth.</p> <p>i NOTE: Quest recommends testing your network performance regularly and adjusting your hardware accordingly.</p>

Rapid Snap for Virtual agentless protection

The Rapid Snap for Virtual feature of Rapid Recovery lets you protect virtual machines (VMs) on specific hypervisor platforms without installing the Rapid Recovery Agent on each guest machine.

When using this feature on the Hyper-V hypervisor platform, you only install Agent on the Hyper-V host. When using this feature on VMware ESXi, the ESXi host uses native APIs to extend protection to its guest machines.

Since the Agent software is not required to be installed on every VM, this feature is known in the industry as agentless protection. On Hyper-V, we also refer to this as host-based protection.

Rapid Snap for Virtual offers several benefits, and also some restrictions. As an example, you cannot capture snapshots of dynamic volumes (such as spanned, striped, mirrored, or RAID volumes) at the volume level. You can, however, capture snapshots on dynamic volumes at the disk level. Ensure that you understand both the benefits and restrictions before using this feature. For more information, see the topic Understanding Rapid Snap for Virtual in the *Rapid Recovery User Guide*.

When using agentless or host-based protection, your VMs have the same minimum requirements for base operating system, RAM, storage, and network infrastructure as machines protected with the Rapid Recovery Agent software. For details, see the topic [Rapid Recovery Agent software requirements](#).

Agentless support for other operating systems

Rapid Recovery release 6.x uses Microsoft .NET Framework version 4.5.2, which is not supported by Windows XP SP3, Windows Vista (prior to SP2), Windows Server 2003, and Windows Server 2008. If you protected machines with these operating systems in an earlier Core version (such as AppAssure Core 5.4.3), the corresponding version of AppAssure Agent (which used an earlier version of .NET) was supported.

You can continue to protect these machines in a Rapid Recovery Core, using the earlier Agent version.

However, protected machines with these operating systems cannot be upgraded to Rapid Recovery Agent release 6.x.

Nonetheless, machines with these Windows operating systems can be protected in a Rapid Recovery release 6.x Core using one of the following methods:

- Protect virtual machines on a VMware ESXi host using agentless protection.
- Install and run an earlier compatible version of Agent on a physical or virtual machine you want to protect. For release 6.0.2, the only supported compatible Agent version for these OS is AppAssure Agent 5.4.3.

VMware ESXi environments are compatible with some operating systems that Quest does not support. For example, Windows XP SP3, Windows Vista (prior to SP2), Windows Server 2003, and Windows Server 2008 have all reached end of life with Microsoft.

During testing, the full range of Rapid Recovery features (backup, restore, replication, and export) functioned properly with these specific operating systems.

Nonetheless, use these operating systems at your own risk. Quest Support will not be able to assist you with issues for operating systems that have reached end of life, or that are listed as unsupported for Rapid Recovery Agent.

Rapid Snap for Virtual (agentless protection) support limitations

For a list of supported operating systems, see [Rapid Recovery release 6.1 operating system installation and compatibility matrix](#). Any known limitations are included in these matrices, or as notes to the software requirements tables for the Core or the Agent, respectively. If a defect precludes the use of specific features temporarily, this information is typically reported in the release notes for any specific release. Quest strongly encourages users to review system requirements and release notes prior to installing any software version.

Quest does not fully test with unsupported operating systems. If using agentless protection to protect virtual machines with an OS not supported by the Rapid Recovery Agent software, do so at your own risk. Users are cautioned that some restrictions or limitations may apply. These restrictions may include:

- An inability to perform virtual export (one-time or continual)
- An inability to save to an archive or restore from an archive
- An inability to restore to a system volume using bare metal restore

For example, if agentlessly protecting a machine with Windows 95, attempts at virtual export to Hyper-V will fail. This failure is due to restrictions in Hyper-V support of that older operating system.

To report specific difficulties, you can contact your Quest Support representative. Reporting such difficulties lets Quest potentially include specific incompatibilities in knowledge base articles or future editions of release notes.

Hypervisor requirements

A hypervisor creates and runs virtual machines (guests) on a host machine. Each guest has its own operating system.

Using the virtual export feature of Rapid Recovery, you can perform a one-time virtual export, or define requirements for continual virtual export known as virtual standby. This process can be performed from any protected machine, physical or virtual. If a protected machine goes down, you can boot up the virtual machine to restore operations, and then perform recovery.

Rapid Recovery lets you perform virtual export to VM hosts described in the following table.

Table 20. Hypervisor requirements supporting virtual export

The following table lists hypervisor requirements. The first column lists each requirement: virtual machine host, guest OS, storage, and architecture. The second column specifies details for each requirement.

Requirement	Details
Virtual machine host	<p>VMware:</p> <ul style="list-style-type: none"> VMware Workstation 7.0, 8.0, 9.0, 10, 11, 12 VMware vSphere on ESXi 5.0, 5.1, 5.5, 6.0, 6.5 <p>i NOTE: Quest recommends running on the most recent supported VMware version. Future major releases of our software are not expected to support ESXi 5.0 and 5.1.</p> <p>i NOTE: Secure Boot is a new ESXi 6.5 feature. Rapid Recovery support for this feature is planned for the near future. At this time, Rapid Recovery does not support virtual export to vCenter/ESXi 6.5 if the source machine uses the Secure Boot option.</p> <p>Microsoft Hyper-V:</p> <p>i NOTE: For virtual export to any Hyper-V host, .NET 4.5.2 and .NET 2.0 are required on the Hyper-V host.</p> <ul style="list-style-type: none"> First generation: <ul style="list-style-type: none"> Hyper-V running on Microsoft Server versions 2008 SP2, 2008 R2 SP1, 2012, 2012 R2, 2016 Hyper-V running on Microsoft Windows 8, 8.1 with Hyper-V, Windows 10 Second generation: <ul style="list-style-type: none"> Hyper-V running on Microsoft Server 2012 R2, 2016 Hyper-V running on Microsoft Windows 8.1, Windows 10

Requirement	Details
	<p>i NOTE: Only protected machines with the following Unified Extensible Firmware Interface (UEFI) operating systems support virtual export to Hyper-V second-generation hosts:</p> <ul style="list-style-type: none"> Windows 8 (UEFI) Windows 8.1 (UEFI) Windows Server 2012 (UEFI) Windows Server 2012 R2 (UEFI) Windows Server 2016 (UEFI) <p>NOTE: Hyper-V export to second-generation VM can fail if the Hyper-V host does not have enough RAM allocated to perform the export.</p> <p>Oracle VirtualBox:</p> <ul style="list-style-type: none"> VirtualBox 4.2.18 and higher
Guest (exported) operating system	<p>Volumes under 2TB. For protected volumes under 2TB, the VM (guest) can use the same supported operating systems described in the topic Rapid Recovery Agent software requirements.</p> <p>Volumes over 2TB. If you want to perform virtual export on a system for which the protected volumes exceed 2TB, use Windows 2012 R2, Windows Server 2016, VMware ESXi 5.5, or VMware ESXi 6.0. Earlier operating systems are not supported based on an inability of the host to connect to the virtual hard disk (VHD).</p> <p>Both Hyper-V generation 1 and generation 2 VMs are supported.</p> <p>i NOTE: Not all operating systems are supported on all hypervisors.</p>
Storage	The storage reserved on the host must be equal to or larger than the storage in the guest VMs.
Architecture	32-bit or 64-bit

Rapid Recovery lets you protect VM hosts without installing the Rapid Recovery Agent software on each guest. This is known as agentless protection. For more information, including exclusions for agentless protection, see the *Rapid Recovery User Guide* topic "Understanding Rapid Snap for Virtual."

Agentless protection is supported as described in the following table.

Table 21. Hypervisor requirements supporting agentless or host-based protection

The following table lists hypervisor requirements specific to agentless (or host-based) protection. The first column lists each requirement: virtual machine host, OS, storage, and architecture. The second column specifies details for each requirement.

Requirement	Details
Virtual machine host	<p>VMware:</p> <ul style="list-style-type: none"> VMware vSphere on ESXi 5.0 (build 623860 or later), 5.1, 5.5, 6.0, 6.5. You should also install the latest VMware Tools on each guest.

Requirement	Details
	<p>i NOTE: The following limitations apply to agentless protection using vSphere/ESXi version 6.5:</p> <ul style="list-style-type: none"> Secure Boot is a new ESXi 6.5 feature. Rapid Recovery support for this feature is planned for the near future. At this time, Rapid Recovery does not support virtual export to vCenter/ESXi 6.5 if the source machine uses the Secure Boot option. ESXi 6.5 introduced support for encrypted VMs. However, that feature requires Virtual Disk Development Kit (VDDK) version 6.5. Support for VDDK 6.5 for agentless protection is planned for Rapid Recovery version 7.0.0 and later. Until that change, agentless protection of encrypted VMs in ESXi version 6.5 or higher by Rapid Recovery is not supported. Transfer for VMs agentlessly protected on ESXi 6.5 does not work if the transport mode is set to SAN (storage area network). <p>i NOTE: Quest strongly recommends running on the most recent supported VMware version. Future major releases of our software are not expected to support ESXi 5.0 and 5.1.</p> <p>Microsoft Hyper-V:</p> <ul style="list-style-type: none"> Windows Server 2012 R2 Windows Server 2016 Windows 8 x64 Windows 8.1 x64 Windows 10 x64
Operating system	For volume-level protection, volumes on guest VMs must have GPT or MBR partition tables. If other partition tables are found, protection occurs at the disk level, not at the volume level.
Storage	The storage reserved on the host must be equal to or larger than the storage in the guest VMs.
Architecture	32-bit or 64-bit

DVM repository requirements

When you create a Deduplication Volume Manager (DVM) repository, you can specify its location on a local storage volume or on a storage volume on a Common Internet File System (CIFS) shared location. If creating the repository locally on the Core server, you must allocate resources accordingly.

DVM repositories must be stored on primary storage devices. Archival storage devices such as Data Domain are not supported due to performance limitations. Similarly, repositories should not be stored on NAS filers that tier to the cloud, as these devices tend to have performance limitations when used as primary storage.

Quest recommends locating your repository on direct attached storage (DAS), storage area network (SAN), or network attached storage (NAS) devices. These are listed in order of preference. If installing on a NAS, Quest recommends limiting the repository size to 6TB. Any storage device must meet the minimum input/output requirements. For these requirements, and for additional guidance for sizing your hardware, software, memory, storage, and network requirements, see the *Rapid Recovery Sizing Guide* referenced below.

When creating a DVM repository, you are required to specify the repository size on a volume. Each DVM repository supports up to 4096 repository extents (additional storage volumes).

Quest does not support installing a Rapid Recovery Core or a repository for a Core on a cluster shared volume (CSV).

You can install multiple DVM repositories on any volume on a supported physical or virtual host. The installer lets you determine the size of a DVM repository.



NOTE: You can generate an on-demand or scheduled report to monitor the size and health of your repository. For more information on generating a Repository report, see the topic *Generating a report from the Core Console* in the *Rapid Recovery User Guide*.

Always create your repository in a dedicated folder or directory, not the root folder on a volume. For example, if installing on a local path, use `D:\Repository\` instead of `D:\`. The best practice is to create separate directories for data and metadata. For example, `D:\Repository\Data` and `D:\Repository\Metadata`.

For more information on using Rapid Recovery, see the *Rapid Recovery User Guide*. For more information on managing Rapid Recovery licenses, see the *Rapid Recovery License Portal User Guide*. For more information on sizing your hardware, software, memory, storage, and network requirements, see the *Rapid Recovery Sizing Guide* referenced in knowledge base article 185962, “[Sizing Rapid Recovery Deployments](#).”

License requirements

Before you can install Rapid Recovery components, you must register at the Rapid Recovery License Portal, create an account, and obtain a license key or file, which is required to download the Rapid Recovery Core and Rapid Recovery Agent software and to configure and protect machines. To register the Core with the license portal, the server must have internet connectivity, and be able to check in with the license portal on a regular basis.

For more information about the Rapid Recovery License Portal, obtaining a license key, and registering for an account, see the *Rapid Recovery License Portal User Guide*.

Quest Support policy

For customers with a valid support agreement, Quest provides call-in or email support for the current major and minor release, when patched to the latest maintenance release. That release is known as N. Quest also fully supports N - 1 and N - 2. Intermediate versions receive limited support.

Quest describes its product lifecycle (PLC) support policy on its Support website (visit <https://support.quest.com/rapid-recovery/>), click **Policies & PLC**, and then expand **Software Product Support Lifecycle Policy**). To understand full support, limited support, and discontinued support, consult the policy referenced above.

Product licensing

To use and manage any version of Rapid Recovery, AppAssure, or Quest DL series backup and recovery appliance software, you need two items:

- **An account on the Rapid Recovery License Portal.**

License portal accounts are free. If you are a new user, register at <https://licenseportal.com>. When you register, use the email address that is on file with your Quest sales representative. If upgrading from a trial version, use the email address associated with the trial version. If you need to use a different email address, contact your Quest sales representative for assistance.



NOTE: This license portal was recently rebranded. If you previously registered a license portal account to use with AppAssure or Rapid Recovery, then use that account information. Previous license portal users do not need to register a new account for Rapid Recovery.

For more details about the license portal, please see the *Rapid Recovery License Portal User Guide* on our [documentation website](#).

- **A software license.** Use of Rapid Recovery requires a license. You can use a trial license, which has a limited lifetime; or you can use a long-term (non-trial) license. After a trial license expires, the Rapid Recovery Core stops taking snapshots until you obtain and register a valid long-term license.

If you registered for a trial version of Rapid Recovery, the installer is configured with a trial license which you can use immediately. This temporary license is valid for 14 days, and can be extended one time by the group administrator to a 28-day license.

If you purchased a DL backup and recovery appliance, your appliance is configured with a 30-day temporary license that is activated automatically the first time you start the Core on the appliance. After you purchase software or a DL appliance, you receive by email a long-term (non-trial) license file or license number. If specified on the sales order, the license is sent to the end user email address. Otherwise, the long-term license is sent to the contact email address on the sales order.

To enable a trial software license:

When you register for a trial version, a trial license is written into the Rapid Recovery Core software installer. Simply log in to your license portal account and download the Rapid Recovery Core software. Carefully review the [Rapid Recovery system requirements](#), and install a Rapid Recovery Core. You can begin protecting machines and backing up immediately.

To enable a purchased commercial software license (without a trial license):

If you purchased a software license and did not start with a trial license, then you are prompted for the license from the Core Console after you install the Rapid Recovery Core. Enter the license number, or browse and locate the license file provided to you by email in your sales order. For more information, see the topic Updating or changing a license in the *Rapid Recovery User Guide*.

To enable a trial DL appliance license:

Each Quest DL series appliance contains a 30-day license that is activated automatically the first time you start the Core on the appliance.

To upgrade a trial license:

For uninterrupted backups, upgrade to a long-term license before the trial period expires. Once a trial license expires, the Rapid Recovery Core stops taking snapshots. To resume backups interrupted by the lack of a license, obtain a long-term license and enter the license information into the Core Console.

If a Core does not contact the license portal for 20 days after the grace period, it will be removed from the license pool automatically. If the Core subsequently connects to the license portal, it will be restored automatically on the license portal.

To request a license upgrade, contact your sales representative by completing the Contact Sales web form at <https://www.quest.com/register/95291/>. Once you have upgraded or purchased your long-term Rapid Recovery license through your Sales representative, you receive an email that includes your new license key or file. Enter this license information in the Core Console. For more information, see the topic Updating or changing a license in the *Rapid Recovery User Guide*.

To add a license to a DL series backup and recovery appliance, see the topic Adding a license in the *Rapid Recovery User Guide*.

Getting started with Rapid Recovery

These topics provide information you can use to begin protecting your data with Rapid Recovery.

Topics include:

- [Rapid Recovery Core and Agent compatibility](#)
- [Upgrade and installation instructions](#)
- [Additional resources](#)

Rapid Recovery Core and Agent compatibility

The following table provides a visual guide of the interoperability between Core and Agent software versions. This table lists versions tested for release 6.1.2.

Table 22. Interoperability between Core and Agent versions

This table explicitly lists compatibility between specific Agent and Core software versions.

	AppAssure 5.4.3 Core	Rapid Recovery 6.0.2 Core	Rapid Recovery 6.1.1 Core	Rapid Recovery 6.1.2 Core
AppAssure 5.4.3 Agent ¹	Fully compatible	Fully compatible	Fully compatible ^{2,3}	Fully compatible ^{2,3}
Rapid Recovery 6.0.2 Agent	Not compatible	Fully compatible	Fully compatible ³	Fully compatible ³
Rapid Recovery 6.1.1 Agent	Not compatible	Not compatible	Fully compatible	Fully compatible ³
Rapid Recovery 6.1.2 Agent	Not compatible	Not compatible	Not compatible	Fully compatible

¹ EFI partitions on protected machines must be upgraded to Rapid Recovery Agent release 6.0.x or later to successfully restore data, perform bare metal restore, or perform virtual export.

² Release 6.1 release notes erroneously indicated that 5.4.3 Agent in 6.1.0 Core was not supported. This configuration is tested and supported. See Note 1.

³ Users can protect machines using older versions of the Agent software in a newer Core. Logically, newer features provided in more recent versions of Rapid Recovery Agent are not available for machines protected with older versions of Agent installed.

The matrix shows releases that have been fully tested with this release, and represent fully supported releases, plus the most recent prior release (6.1.1). Other software versions in limited support status (such as releases 6.0.1 and 6.1) have not been tested for interoperability, but are also expected to work.

Other factors affect interoperability. For example, the Rapid Snap for Virtual feature was first introduced in Rapid Recovery Core version 6.0, letting you protect VMware ESXi VMs agentlessly. Rapid Recovery release 6.1.0 expanded this support to host-based protection for Hyper-V VMs. Logically, users of Core version 5.4.3 cannot agentlessly protect any VMs. And users of Core version 6.0 cannot protect VMs on Hyper-V without installing the Agent software.

Upgrade and installation instructions

Quest recommends users carefully read and understand the *Rapid Recovery Installation and Upgrade Guide* before installing or upgrading. Specifically, when upgrading, read all topics in the chapter Upgrading to Rapid Recovery. For new installations, read all topics in the chapter Installing Rapid Recovery.

Additionally, Quest requires users to carefully review the release notes for each release, and the [Rapid Recovery system requirements](#) for that release, prior to upgrading. This process helps to identify and preclude potential issues. Since the release notes are updated last of all the product documents for each release, it is your best source for updated system requirements.

If upgrading from AppAssure Core release 5.4.3, or Rapid Recovery Core release 6.0.x or 6.1.x, then run the latest Core installer software on your Core server. If using replication, always upgrade the target Core before the source Core.

To protect machines using the Agent software, if upgrading from AppAssure Core release 5.4.3, or Rapid Recovery Core release 6.0.x or 6.1.x, run the latest Rapid Recovery Agent installer on each machine you want to protect. For more information, see the subtopic [Protection](#).

You can also use the Rapid Snap for Virtual feature to protect virtual machines on supported hypervisor platforms agentlessly. Important restrictions apply. For more information on benefits or restrictions for agentless protection, see the topic [Understanding Rapid Snap for Virtual](#) in the release 6.1 edition of the *Rapid Recovery User Guide*.

Quest Software policy is to support two previous major/minor releases of Rapid Recovery. If you want to upgrade an older version, best practice is to first upgrade to the fully supported release (Rapid Recovery Core release 6.0.2), or the one prior (AppAssure Core release 5.4.3). You can then run the 6.1.2 installer for the appropriate Rapid Recovery software component.

i **NOTE:** Release 6.0.1 did not include localization support. If running a localized AppAssure 5.4.3 Core in a language other than English, upgrade to Rapid Recovery Core release 6.0.2 or later.

For more information, see the *Rapid Recovery Installation and Upgrade Guide*.

When upgrading a protected Linux machine from AppAssure Agent to Rapid Recovery Agent version 6.x, you must first uninstall AppAssure Agent. For more information and specific instructions, see the *Rapid Recovery Installation and Upgrade Guide*.

To download the Rapid Recovery Core software, you must have an account registered on the [license portal](#). Upon successful registration, you can then download the software, carefully review the [Rapid Recovery system requirements](#), and install a Rapid Recovery Core.

Licensing

Trial versions of Rapid Recovery Core may include a temporary license key. A license key is required to perform uninterrupted backups, replication, or data restoration. For more information, see the following resources:

- Basic information about license keys is available in the [Product licensing](#) section of these release notes.
- For information about managing licenses from the Rapid Recovery Core, see the topic [Managing licenses](#) in the *Rapid Recovery User Guide*.
- For complete details on licensing, see the *Rapid Recovery License Portal User Guide*.

Protection

To protect any physical or virtual machine (except VMs on VMware vSphere), you must install the Rapid Recovery Agent software. You can download Rapid Recovery Agent from the [license portal](#) to install on each machine you want to protect. You can also deploy Agent to the machines you want to protect from a properly configured Rapid Recovery Core.

If using a VMware vSphere host for your Core and protected machines, in many cases, you have the option to protect your machines without installing Rapid Recovery Agent. If using agentless protection, some limitations apply (especially for SQL Server or Exchange servers). For more information about these limitations, see the topic [Understanding agentless protection](#) in the *Rapid Recovery User Guide*.

Add your machines to protection on the Rapid Recovery Core by using the Protect Machine or Protect Multiple Machines wizard.

i **NOTE:** Before protecting a cluster, you must first create a repository. For more information, see the topic [Creating a DVM repository](#) in the *Rapid Recovery User Guide*. Although a repository is also required to protect a machine, you have the option to create a repository during the workflow for protecting a machine.

Additional resources

Additional information is available from the following:

- [Technical documentation](#)
- [Videos and tutorials](#)
- [Knowledge base](#)
- [Technical support forum](#)
- [Training and certification](#)
- [Rapid Recovery License Portal](#)

Globalization

This section contains information about installing and operating this product in non-English configurations, such as those needed by customers outside of North America. This section does not replace the materials about supported platforms and configurations found elsewhere in the product documentation.

This release is Unicode-enabled and supports any character set. In this release, all product components should be configured to use the same or compatible character encodings and should be installed to use the same locale and regional options. This release is targeted to support operations in the following regions: North America, Western Europe and Latin America, Central and Eastern Europe, Far-East Asia, Japan. It supports bidirectional writing (Arabic and Hebrew). The release supports Complex Script (Central Asia – India, Thailand).

The release is localized to the following languages: Chinese (Simplified), French, German, Japanese, Korean, Portuguese (Brazil), Spanish.

This release has the following known capabilities or limitations:

- Rapid Recovery requires the Microsoft .NET 4.5.2 Framework. AppAssure used an earlier .NET version. There is no downgrade option available. If you upgrade from AppAssure to Rapid Recovery and then subsequently decide to use a prior version of AppAssure, you must perform a new installation of AppAssure Core and Agent.
- Logs and KB articles for Rapid Recovery are in English only.
- The Rapid Recovery Add-On for Kaseya is in English only.
- Technical product documentation for this release is in English only, except for Release Notes, which are available in all of the languages listed above.

About us

We are more than just a name

We are on a quest to make your information technology work harder for you. That is why we build community-driven software solutions that help you spend less time on IT administration and more time on business innovation. We help you modernize your data center, get you to the cloud quicker and provide the expertise, security and accessibility you need to grow your data-driven business. Combined with Quest's invitation to the global community to be a part of its innovation, and our firm commitment to ensuring customer satisfaction, we continue to deliver solutions that have a real impact on our customers today and leave a legacy we are proud of. We are challenging the status quo by transforming into a new software company. And as your partner, we work

tirelessly to make sure your information technology is designed for you and by you. This is our mission, and we are in this together. Welcome to a new Quest. You are invited to Join the Innovation™.

Our brand, our vision. Together.

Our logo reflects our story: innovation, community and support. An important part of this story begins with the letter Q. It is a perfect circle, representing our commitment to technological precision and strength. The space in the Q itself symbolizes our need to add the missing piece — you — to the community, to the new Quest.

Contacting Quest

For sales or other inquiries, visit <https://www.quest.com/contact>.

Technical support resources

Technical support is available to Quest customers with a valid maintenance contract and customers who have trial versions. You can access the Quest Support Portal at <https://support.quest.com>.

The Support Portal provides self-help tools you can use to solve problems quickly and independently, 24 hours a day, 365 days a year. The Support Portal enables you to:

- Submit and manage a Service Request.
- View Knowledge Base articles.
- Sign up for product notifications.
- Download software and technical documentation.
- View how-to videos.
- Engage in community discussions.
- Chat with support engineers online.
- View services to assist you with our product

Copyright © 2017 Quest Software Inc.

ALL RIGHTS RESERVED.

This guide contains proprietary information protected by copyright. The software described in this guide is furnished under a software license or nondisclosure agreement. This software may be used or copied only in accordance with the terms of the applicable agreement. No part of this guide may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording for any purpose other than the purchaser's personal use without the written permission of Quest Software Inc.

The information in this document is provided in connection with Quest Software products. No license, express or implied, by estoppel or otherwise, to any intellectual property right is granted by this document or in connection with the sale of Quest Software products. EXCEPT AS SET FORTH IN THE TERMS AND CONDITIONS AS SPECIFIED IN THE LICENSE AGREEMENT FOR THIS PRODUCT, QUEST SOFTWARE ASSUMES NO LIABILITY WHATSOEVER AND DISCLAIMS ANY EXPRESS, IMPLIED OR STATUTORY WARRANTY RELATING TO ITS PRODUCTS INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. IN NO EVENT SHALL QUEST SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE, SPECIAL OR INCIDENTAL DAMAGES (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF PROFITS, BUSINESS INTERRUPTION OR LOSS OF INFORMATION) ARISING OUT OF THE USE OR INABILITY TO USE THIS DOCUMENT, EVEN IF QUEST SOFTWARE HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. Quest Software makes no representations or warranties with respect to the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and product descriptions at any time without notice. Quest Software does not make any commitment to update the information contained in this document.

If you have any questions regarding your potential use of this material, contact:

Quest Software Inc., Attn: LEGAL Dept., 4 Polaris Way, Alisa Viejo, CA 92656.

Refer to our website (<https://www.quest.com>) for regional and international office information

Patents

Quest Software is proud of our advanced technology. Patents and pending patents may apply to this product. For the most current information about applicable patents for this product, please visit our website at <https://www.quest.com/legal>.

Trademarks

Quest, the Quest logo, and Join the Innovation are trademarks and registered trademarks of Quest Software Inc. For a complete list of Quest marks, visit <https://www.quest.com/legal/trademark-information.aspx>. All other trademarks and registered trademarks are property of their respective owners.

Legend

-  **CAUTION:** A CAUTION icon indicates potential damage to hardware or loss of data if instructions are not followed.
-  **WARNING:** A WARNING icon indicates a potential for property damage, personal injury, or death.
-  **IMPORTANT, NOTE, TIP, MOBILE, or VIDEO:** An information icon indicates supporting information.