

# Quest® Collaboration Services 3.8

## Release Notes

September 2017

These release notes provide information about the Quest® Collaboration Services release.

Topics:

- [About this release](#)
- [New features](#)
- [Resolved issues](#)
- [Known issues](#)
- [System requirements](#)
- [Product licensing](#)
- [Installation instructions](#)
- [More resources](#)
- [Globalization](#)
- [About us](#)

## About this release

Quest Collaboration Services allows companies to establish secure collaboration between users in different forests; being used on a continuous basis, it allows you to reduce the costs and complexities associated with managing a decentralized, multi-forest network. Quest Collaboration Services provides a consolidated view of all collaboration processes and gives easy access to object management functionality. It assists corporate IT administrators in synchronizing data between separated forests, while taking into account organizational and business demands.

Quest Collaboration Services can be deployed in a single company (for example, between divisions and subsidiaries) as well as between separate companies (such as partners, consultants, and vendors). Quest Collaboration Services allows for granular and selective data synchronization, including global address list (GAL), free/busy information and calendar details information.

Collaboration Services 3.8 is a minor release, with new features and functionality. See [New features](#).

## New features

New features in Collaboration Services 3.8:

- Support for new operating systems:
  - Windows Server 2016

- Windows Server 2012 R2
- Support for Exchange Server 2016 CU6 and later versions.

## Resolved issues

The following is a list of issues addressed in this release.

**Table 1. General resolved issues**

| Resolved issue             | Issue ID |
|----------------------------|----------|
| Add support for MSXML 6.0. | 699098   |

## Known issues

The following is a list of issues, including those issues attributed to third-party products, known to exist at the time of release.

**Table 2. General known issues**

| Known issue  | Issue ID |
|--|----------|
| The QCS Namespaces list may contain duplicate namespaces after installation. You can remove duplicate values manually.   | CR#52102 |
| The user interface may appear unresponsive when retrieving large quantities of data when the Collaboration Services server CPU usage is high. This happens because the user interface has the lowest priority and always yields to all other Collaboration Services processes. | CR#52098 |

**Table 3. Synchronization known issues**

| Known issue  | Issue ID   |
|--|------------|
| ACSMAPIServ.exe service will not shut down which causes the Quest Collaboration Services Synchronization Service to become unresponsive.   | TFS#291199 |
| When free/busy information is published to public folders, the current month is determined in GMT. This behavior is only applicable to Calendar synchronization.   | CR#52296   |
| Collection statistics may show incorrect information. This does not mean there are any errors in the synchronization. Please refer to Collaboration Services events for tracking synchronization issues.   | CR#52099   |
| Indexing service, antivirus on-access scanners, and any other software that interacts directly with the file system may lock Collaboration Services databases and cause synchronization failures. You must exclude the Storage subfolder in the Collaboration Services installation folder from the scope of such tools. | CR#52047   |

**Table 4. Installation and upgrade known issues**

| Known issue   | Issue ID |
|---|----------|
| When upgrading the license to one for a different number of synchronized objects, you must perform a re-publication of all published collections. | CR#52100 |

# System requirements

Before installing or upgrading Collaboration Services 3.8, ensure that your system meets the following minimum hardware and software requirements.

## Hardware requirements

Table 5. Hardware requirements

| Requirement         | Details  |
|---------------------|--|
| Platform            | Intel x86-based computer<br>Pentium III or higher<br>Multi-processor configurations are recommended for the HQ forest server in large deployments.<br><b>NOTE:</b> Using faster processors and multi-processor configurations generally improves synchronization performance.  |
| Memory              | A minimum of 1 GB RAM is required; 4 GB is recommended. Requirements for RAM depend on the total number of synchronized objects:<br>Less than 100,000 objects – 4 GB<br>100,000 to 300,000 objects – 8 GB<br>More than 300,000 objects – 16 GB   |
| Hard disk space     | A minimum of 50 GB of free disk space is required. Additional disk space requirements are as follows:<br>10 MB per every 1K of synchronized Active Directory objects<br>10 MB per every 1K of synchronized free/busy objects or Calendar objects   |
| Operating system    | One of the following:<br>Microsoft Windows Server 2003 Service Pack 2 or later<br>Microsoft Windows Server 2003 R2<br>Microsoft Windows Server 2008<br>Microsoft Windows Server 2008 R2<br>Microsoft Windows Server 2012<br>Microsoft Windows Server 2012 R2<br>Microsoft Windows Server 2016  |
| Additional software | Microsoft Exchange Server MAPI Client and Collaboration Data Objects 1.2.1 build 6.5.8320 or later<br><b>NOTE:</b> Do not install Outlook or other MAPI clients on the same computer as Collaboration Services.<br><b>NOTE:</b> Only 32-bit version of Outlook is supported.<br><b>NOTE:</b> For the supported operating systems for Microsoft Exchange Server MAPI Client and Collaboration Data Objects 1.2.1, see this page: <a href="https://www.microsoft.com/en-us/download/details.aspx?id=1004">https://www.microsoft.com/en-us/download/details.aspx?id=1004</a><br>Microsoft Internet Explorer 8.0 or later<br>Microsoft Windows Installer 2.0 or later<br>Collaboration Services supports the following Active Directory forest functional levels: Windows 2003, Windows 2008, Windows 2008 R2, Windows 2012, Windows 2012 R2 and Windows 2016.<br>Microsoft Core XML Services (MSXML) 6.0<br><b>NOTE:</b> MSXML 4.0 is not supported any more. |

# Exchange server requirements

Table 6. Exchange server requirements

| Requirement     | Details   |
|-----------------|---|
| Exchange server | <p>Microsoft Exchange Server 2007 Service Pack 1 or later</p> <p><b>NOTE:</b> To use the free/busy synchronization option with Microsoft Exchange Server 2010, Service Pack 1 must be installed along with a configured public folder store. Without Service Pack 1 you will only be able to use the Active Directory and calendar synchronization options with Exchange 2010.</p> <p>Microsoft Exchange Server 2010 Service Pack 3 Rollup 9</p> <p>Microsoft Exchange Server 2013 Cumulative Update 1</p> <p>Microsoft Exchange Server 2016 CU6 or later: only works with Outlook 2013.</p> <p><b>NOTE:</b> Exchange 2013 and 2016 only support Active Directory and calendar synchronization options.</p> |

## Required permissions

The account used as the service account should also be used to install and configure Collaboration Services. Ensure that the account has the following rights:

- Member of the Built-In Administrator group in all domains where Collaboration Services is installed
- Exchange Full Admin rights
- Member of the Local Administrators group on the computer where Collaboration Services is to be installed

**i** | **NOTE:** The full administrative rights for Exchange are different for each version. Refer to the Support site (<https://support.quest.com>) for the latest information on the required rights.

If your organization's security policies will not allow the above permissions to be set, you can set the minimum permissions listed below to successfully install and configure Collaboration Services.

**Table 7. Required permissions**

| <b>Action</b>   | <b>Used to</b>   | <b>Required permissions</b>   |
|---|--|---|
| Install and setup   | Run the Collaboration Services setup and deploy the software.<br><br>This also includes installing services on the computer. | <p><b>Exchange View Only Administrator</b> role.</p> <p><b>Local Administrator</b> permissions on the computer where Collaboration Services is installed.</p> <p><b>Full Control</b> permission for Collaboration Services container.</p> <p><b>NOTE:</b> Be sure to log on to the server with this account before launching setup.</p> <p><b>NOTE:</b> When installing the service you will be offered to use the setup account as a service account. You can use another account if required.</p>   |
| Run the services required by Collaboration Services application | Start the synchronization service on the Collaboration Services server.  | <p><b>Local Administrator</b> privileges on the computer where the Collaboration Services instance is installed.</p> <p><b>Full Control</b> to service mailboxes on Exchange.</p> <p><b>Full Control</b> to child objects of Active Directory container where Collaboration Services stubs will be created.</p> <p><b>NOTE:</b> After Collaboration Services is installed, the service account used to run the Collaboration Server services should also be given the rights for General Usage in the domains.</p> <p><b>NOTE:</b> You can change it to another account if required.</p>  |
| Minimum access in the domains                                   | Read and update AD data.   | <p><b>Read</b> access to Active Directory</p> <p><b>Replicate Directory Changes</b> right for all domains in the forest from which objects will be published</p> <p><b>Manage Replication Topology</b> right for all domains in the forest from which objects will be published</p> <p><b>Write, create, and delete objects</b> rights for the Collaboration Services container and child containers</p> <p><b>Delete objects</b> right for all containers with objects that are subject to conflict resolution via deletion</p> <p><b>Write</b> permission for all objects that are subject to matching</p> <p><b>Modify group membership</b> right for all groups whose members can be affected by conflict resolution via deletion or matching</p> <p><b>Modify</b> permissions for all stores in the Configuration container where Collaboration Services' Calendar stub objects are stored</p> <p>The Modify Permission right can be set through ADSI Edit.</p> <ol style="list-style-type: none"> <li>1 Locate the store in the configuration container, right-click and select <b>Properties</b>.</li> <li>2 Select the <b>Security</b> tab, and click the <b>Advanced</b> tab.</li> <li>3 Select the account used for Collaboration Services, and click <b>Edit</b>. (If the account does not appear in the list click <b>Add</b>)</li> <li>4 Grant the <b>Modify Permission</b> right and save your changes.</li> </ol> <p><b>NOTE:</b> If objects that are subject to conflict resolution through deletion or matching can be scattered all over the forest, be sure to give this account sufficient privileges so it can update or delete objects located in different domains and containers and change the membership of different groups throughout the forest.</p> |

# Upgrade and compatibility

Refer to the Collaboration Services 3.8 Deployment Guide for the upgrade procedure.

## Product licensing

### *To activate a new installation when you install Collaboration Services on a branch forest*

- 1 Using the setup account, log on to the computer where you want to install Collaboration Services and run the Quest Collaboration Services Installation Wizard.
- 2 On the Welcome screen, click **Next**.
- 3 Read and accept the license agreement, and click **Next**.
- 4 Specify the user information, provide the license file, and then click **Next**.
- 5 Select which Collaboration Services features to install and either accept the default path for installation or specify a different folder, and click **Next**.
- 6 Specify the credentials for the service account to be used to start the Collaboration Services service. Click **Test** to check whether the specified account has a valid mailbox, and click **Next**.
- 7 Configure the Partner and click **Next**.
- 8 Configure Notifications by specifying who is to receive email messages with all the errors and warnings generated by service.
- 9 Enter the email address of the recipient in the Send notifications to box, and click **Next**.
- 10 On the Public Key page, click **Browse** to specify the HQ forest public key file location and provide the password for this file. Click **Next**.
- 11 Click **Next** and wait while the wizard completes the installation of Collaboration Services to the branch forest.
- 12 Click **Finish** to complete the wizard.

**i** | **NOTE:** See the Collaboration Services Deployment Guide for more installation details.

### *To update an existing license*

- 1 In the management console, right-click **Collaboration Services** and select **Properties**.
- 2 Select **General** and choose **License**.
- 3 Click **Browse** and select a new license file.

## Installation instructions

### *How to install the product from this CD:*

- 1 Ensure that your computer meets the system requirements.
- 2 Run the product setup and follow the steps of the wizard. For details, refer to Quest Collaboration Services 3.8 Deployment Guide.

Before you start the installation, it is recommended that you close all the previously open applications.

**i** | **NOTE:** Collaboration Services setup requires Windows Installer 2.0 to be installed. Earlier versions of Windows Installer are automatically upgraded during installation, so you may have to reboot your computer after the installation is finished.

## More resources

Additional information is available from the following:

- Online product documentation (<http://support.quest.com/technical-documents/collaboration-services/>)

## Globalization

This section contains information about installing and operating this product in non-English configurations, such as those needed by customers outside of North America. This section does not replace the materials about supported platforms and configurations found elsewhere in the product documentation.

This release is Unicode-enabled and supports any character set. In this release, all product components should be configured to use the same or compatible character encodings and should be installed to use the same locale and regional options. This release is targeted to support operations in the following regions: North America, Central and Eastern Europe, Japan.

## About us

## We are more than just a name

We are on a quest to make your information technology work harder for you. That is why we build community-driven software solutions that help you spend less time on IT administration and more time on business innovation. We help you modernize your data center, get you to the cloud quicker and provide the expertise, security and accessibility you need to grow your data-driven business. Combined with Quest's invitation to the global community to be a part of its innovation, and our firm commitment to ensuring customer satisfaction, we continue to deliver solutions that have a real impact on our customers today and leave a legacy we are proud of. We are challenging the status quo by transforming into a new software company. And as your partner, we work tirelessly to make sure your information technology is designed for you and by you. This is our mission, and we are in this together. Welcome to a new Quest. You are invited to Join the Innovation™.

## Our brand, our vision. Together.

Our logo reflects our story: innovation, community and support. An important part of this story begins with the letter Q. It is a perfect circle, representing our commitment to technological precision and strength. The space in the Q itself symbolizes our need to add the missing piece—you—to the community, to the new Quest.

# Contacting Quest

For sales or other inquiries, visit [www.quest.com](http://www.quest.com).

## Technical support resources

Technical support is available to Quest customers with a valid maintenance contract and customers who have trial versions. You can access the Quest Support Portal at <https://support.quest.com>.

The Support Portal provides self-help tools you can use to solve problems quickly and independently, 24 hours a day, 365 days a year. The Support Portal enables you to:

- Submit and manage a Service Request.
- View Knowledge Base articles.
- Sign up for product notifications.
- Download software and technical documentation.
- View how-to-videos.
- Engage in community discussions.
- Chat with support engineers online.
- View services to assist you with your product.

## Third-party contributions

This product contains the following third-party components. For third-party license information, go to <https://www.quest.com/legal/license-agreements.aspx>. Source code for components marked with an asterisk (\*) is available at <https://opensource.quest.com>.

Table 8. List of third-party contributions

| Component               | License or acknowledgment |
|-------------------------|---------------------------|
| Synchronization Service | zlib 1.2.3                |
| Synchronization Service | Boost 1.34.1              |



© 2017 Quest Software Inc.

**ALL RIGHTS RESERVED.**

This guide contains proprietary information protected by copyright. The software described in this guide is furnished under a software license or nondisclosure agreement. This software may be used or copied only in accordance with the terms of the applicable agreement. No part of this guide may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording for any purpose other than the purchaser's personal use without the written permission of Quest Software Inc.

The information in this document is provided in connection with Quest Software products. No license, express or implied, by estoppel or otherwise, to any intellectual property right is granted by this document or in connection with the sale of Quest Software products. EXCEPT AS SET FORTH IN THE TERMS AND CONDITIONS AS SPECIFIED IN THE LICENSE AGREEMENT FOR THIS PRODUCT, QUEST SOFTWARE ASSUMES NO LIABILITY WHATSOEVER AND DISCLAIMS ANY EXPRESS, IMPLIED OR STATUTORY WARRANTY RELATING TO ITS PRODUCTS INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. IN NO EVENT SHALL QUEST SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE, SPECIAL OR INCIDENTAL DAMAGES (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF PROFITS, BUSINESS INTERRUPTION OR LOSS OF INFORMATION) ARISING OUT OF THE USE OR INABILITY TO USE THIS DOCUMENT, EVEN IF QUEST SOFTWARE HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. Quest Software makes no representations or warranties with respect to the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and product descriptions at any time without notice. Quest Software does not make any commitment to update the information contained in this document.

If you have any questions regarding your potential use of this material, contact:

Quest Software Inc.  
Attn: LEGAL Dept.  
4 Polaris Way  
Aliso Viejo, CA 92656

Refer to our website (<https://www.quest.com>) for regional and international office information.




**Patents**

Quest Software is proud of our advanced technology. Patents and pending patents may apply to this product. For the most current information about applicable patents for this product, please visit our website at <https://www.quest.com/legal>.

**Trademarks**

Quest, the Quest logo, and Join the Innovation are trademarks and registered trademarks of Quest Software Inc. For a complete list of Quest marks, visit <https://www.quest.com/legal/trademark-information.aspx>. All other trademarks and registered trademarks are property of their respective owners.

**Legend**

-  **WARNING:** A WARNING icon indicates a potential for property damage, personal injury, or death.
  
-  **CAUTION:** A CAUTION icon indicates potential damage to hardware or loss of data if instructions are not followed.
  
-  **IMPORTANT, NOTE, TIP, MOBILE, or VIDEO:** An information icon indicates supporting information.