

Starling multi-factor authentication with PSM — an overview

June 19, 2018

Abstract

An overview about the benefits of using Starling multi-factor authentication with Balabit's Privileged Session Management (PSM)



Table of Contents

- 1. Introduction 3
- 2. How PSM and Starling 2FA work together 4
- 3. Technical requirements 5
- 4. Learn more 6
 - 4.1. About One Identity 6

1. Introduction

This document describes how you can use the services of *One Identity Starling 2FA* to authenticate the sessions of your privileged users with Balabit's Privileged Session Management (PSM).

Balabit's Privileged Session Management:

Balabit's Privileged Session Management (PSM) controls privileged access to remote IT systems, records activities in searchable, movie-like audit trails, and prevents malicious actions. PSM is a quickly deployable enterprise device, completely independent from clients and servers — integrating seamlessly into existing networks. It captures the activity data necessary for user profiling and enables full user session drill down for forensic investigations.

PSM acts as a central authentication gateway, enforcing strong authentication before users access sensitive IT assets. PSM can integrate with remote user directories to resolve the group memberships of users who access nonpublic information. Credentials for accessing information systems can be retrieved transparently from PSM's local credential store or a third-party password management system. This method protects the confidentiality of passwords as users can never access them. When used together with Starling (or another multi-factor authentication provider), PSM directs all connections to the authentication tool, and upon successful authentication, it permits the user to access the information system.

Integrating One Identity Starling 2FA with PSM:

PSM can interact with your Starling account and can automatically request strong multi-factor authentication for your privileged users who are accessing the servers and services protected by PSM. When used together with One Identity Starling 2FA, PSM prompts the user for a second factor authentication, and upon successful authentication, it permits the user to access the information system.

The integration adds an additional security layer to the gateway authentication performed on PSM. If the Starling 2FA App is installed on the user's device (smartphone, tablet, and so on), the user can generate a one-time password on the device. This will be used for the authentication to the One Identity platform. This way, the device turns into a two-factor authentication token for the user. The one-time password is changed after a few seconds.

Meet compliance requirements


ISO 27001, ISO 27018, SOC 2, and other regulations and industry standards include authentication-related requirements, for example, multi-factor authentication (MFA) for accessing production systems, and the logging of all administrative sessions. In addition to other requirements, using PSM and Starling helps you comply with the following requirements:

- PCI DSS 8.3: Secure all individual non-console administrative access and all remote access to the cardholder data environment (CDE) using multi-factor authentication.
- PART 500.12 Multi-Factor Authentication: Covered entities are required to apply multi-factor authentication for:
 - Each individual accessing the covered entity's internal systems.
 - Authorized access to database servers that allow access to nonpublic information.
 - Third parties accessing nonpublic information.

- NIST 800-53 IA-2, Identification and Authentication, network access to privileged accounts: The information system implements multi-factor authentication for network access to privileged accounts.

2. Procedure – How PSM and Starling 2FA work together

Figure 1. How PSM and Starling 2FA work together



- Step 1. A user attempts to log in to a protected server.
- Step 2. **Gateway authentication on PSM.**
PSM receives the connection request and authenticates the user. PSM can authenticate the user to a number of external user directories, for example, LDAP, Microsoft Active Directory, or RADIUS. This authentication is the first factor.
- Step 3. **Outband authentication on Starling.**
If gateway authentication is successful, PSM connects the Starling service to check which authentication methods are available for the user. Then PSM requests the second authentication factor from the user.
 - For OTP-like authentication methods, PSM requests the one-time password (OTP) from the user, and sends it to the Starling service for verification.
 - For the Starling push notification method, PSM asks the Starling service to check if the user successfully authenticated on the Starling service.
- Step 4. If multi-factor authentication is successful, the user can start working, while PSM records the user's activities. (Optionally, PSM can retrieve credentials from a local or external credential store or password vault, and perform authentication on the server with credentials that are not known to the user.)

3. Technical requirements

In order to successfully connect PSM with Starling, you need the following components.

In Starling:

- A valid Starling subscription that permits multi-factor authentication.
- Your users must be enrolled in Starling and their access must be activated. To create a new user account, log on to Starling, navigate to the **Users** tab and click **Add**.
- The users must install the Starling mobile app.
- To configure Starling 2FA Authentication in your product, you have to provide the Subscription Key that is available on the Starling 2FA Dashboard. To do this, log on to your Starling account. Navigate to **Dashboard** and click **Subscription Key**.

In PSM:

- A Balabit's Privileged Session Management appliance (virtual or physical), at least version 5 F1.
- A copy of the PSM Starling plugin. This plugin is an Authentication and Authorization (AA) plugin customized to work with the Starling multi-factor authentication service.
- PSM must be able to access the Internet (at least the API services). Since Starling is a cloud-based service provider, PSM must be able to access its web services to authorize the user. The connection also requires the API Key.
- Depending on the method you use to authenticate your users, your users might need Internet access on their cellphones.
- PSM supports Authentication and Authorization plugins in the RDP, SSH, and Telnet protocols.
- In RDP, using an **AA plugin** together with Network Level Authentication in a Connection Policy has the same limitations as using Network Level Authentication without domain membership. For details, see *Procedure 10.3.3, Network Level Authentication without domain membership* in *The Balabit's Privileged Session Management 5 F6 Administrator Guide*.
- In RDP, using an **AA plugin** requires TLS-encrypted RDP connections. For details, see *Procedure 10.5, Enabling TLS-encryption for RDP connections* in *The Balabit's Privileged Session Management 5 F6 Administrator Guide*.

Availability and support of the plugin

The PSM Starling plugin is available as-is, free of charge to every PSM customer from the [Appstore](#). In case you need any customizations or additional features, [contact professionalservices@balabit.com](mailto:professionalservices@balabit.com).

You can use the plugin on PSM 5 F5 and later. If you need to use the plugin on PSM 5 LTS, [contact professionalservices@balabit.com](mailto:professionalservices@balabit.com).

4. Learn more

To find out more about PSM, visit the [One Identity page](#).

For a detailed tutorial about how to connect your Starling account with PSM, see [Tutorial — How to use Starling multi-factor authentication with PSM](#).

If you need help in connecting your Starling account with Balabit's Privileged Session Management, [contact our Sales Team](#) or contactprofessionalservices@balabit.com.

4.1. About One Identity

One Identity LLC, is a leading provider of Privileged Access Management (PAM) and Log Management solutions. Founded in 2000, One Identity has a proven track record of helping businesses reduce the risk of data breaches associated with privileged accounts. With offices in the United States and Europe, and a global client list that includes 25 Fortune 100 companies, One Identity and its network of reseller partners serves more than 1,000,000 corporate users worldwide.

For more information, visit www.balabit.com, read the One Identity blog, or follow us on Twitter via @balabit, LinkedIn or Facebook.

To learn more about commercial and open source One Identity products, request an evaluation version, or find a reseller, visit the following links:

- [Privileged Session Management homepage](#)
- [One Identity Documentation page](#)
- To request an evaluation version, [contact our Sales Team](#)

About One Identity

One Identity helps organizations optimize identity and access management (IAM). Our combination of offerings, including a portfolio of identity governance, access management, privileged management and identity as a service solutions, enables organizations to achieve their full potential — unimpeded by security, yet safeguarded against threats. For more information, visit oneidentity.com.

All questions, comments or inquiries should be directed to <info@balabit.com> or by post to the following address: One Identity LLC 1117 Budapest, Alíz Str. 2 Phone: +36 1 398 6700 Fax: +36 1 208 0875 Web: <https://www.balabit.com/>
Copyright © 2018 One Identity LLC All rights reserved. This document is protected by copyright and is distributed under licenses restricting its use, copying, distribution, and decompilation. No part of this document may be reproduced in any form by any means without prior written authorization of One Identity.

All trademarks and product names mentioned herein are the trademarks of their respective owners.