



Quest® On Demand Recovery

## **User Guide**



© 2025 Quest Software Inc. ALL RIGHTS RESERVED.

This guide contains proprietary information protected by copyright. The software described in this guide is furnished under a software license or nondisclosure agreement. This software may be used or copied only in accordance with the terms of the applicable agreement. No part of this guide may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording for any purpose other than the purchaser's personal use without the written permission of Quest Software Inc.

The information in this document is provided in connection with Quest Software products. No license, express or implied, by estoppel or otherwise, to any intellectual property right is granted by this document or in connection with the sale of Quest Software products. EXCEPT AS SET FORTH IN THE TERMS AND CONDITIONS AS SPECIFIED IN THE LICENSE AGREEMENT FOR THIS PRODUCT, QUEST SOFTWARE ASSUMES NO LIABILITY WHATSOEVER AND DISCLAIMS ANY EXPRESS, IMPLIED OR STATUTORY WARRANTY RELATING TO ITS PRODUCTS INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. IN NO EVENT SHALL QUEST SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE, SPECIAL OR INCIDENTAL DAMAGES (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF PROFITS, BUSINESS INTERRUPTION OR LOSS OF INFORMATION) ARISING OUT OF THE USE OR INABILITY TO USE THIS DOCUMENT, EVEN IF QUEST SOFTWARE HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. Quest Software makes no representations or warranties with respect to the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and product descriptions at any time without notice. Quest Software does not make any commitment to update the information contained in this document.

If you have any questions regarding your potential use of this material, contact:

Quest Software Inc.

Attn: LEGAL Dept  
20 Enterprise, Suite 100

Aliso Viejo, CA 92656

Refer to our Web site (<https://www.quest.com>) for regional and international office information.


### Patents

Quest Software is proud of our advanced technology. Patents and pending patents may apply to this product. For the most current information about applicable patents for this product, please visit our website at <https://www.quest.com/legal>.

### Trademarks

Quest, the Quest logo, and Join the Innovation are trademarks and registered trademarks of Quest Software Inc. For a complete list of Quest marks, visit <https://www.quest.com/legal/trademark-information.aspx>. All other trademarks and registered trademarks are property of their respective owners.

### Legend

 **CAUTION:** A CAUTION icon indicates potential damage to hardware or loss of data if instructions are not followed.

 **IMPORTANT, NOTE, TIP, MOBILE, or VIDEO:** An information icon indicates supporting information.

# Contents

<b>About Quest® On Demand Recovery</b>	<b>1</b>
<b>On Demand Recovery Module Overview</b>	<b>3</b>
<b>Before You Start</b>	<b>4</b>
<b>Sign up for Quest On Demand</b>	<b>6</b>
<b>Adding a Microsoft Entra Tenant</b>	<b>7</b>
<b>Required Permissions</b>	<b>8</b>
Azure Account Used to Grant Consents	8
Basic Consent Permissions	9
Restore Consent Permissions	10
Exchange Online PowerShell for Backup Consent	13
Exchange Online PowerShell for Restore Consent	14
Trusted IP Settings	15
<b>Access Control</b>	<b>16</b>
<b>Working with On Demand Recovery</b>	<b>17</b>
<b>Backup Unpacking</b>	<b>23</b>
<b>Restoring Objects</b>	<b>26</b>
Which Objects Can Be Restored from the Recycle Bin?	30
Restoring Passwords	30
<b>Restoring Directory Roles and Application Roles</b>	<b>31</b>
<b>Restoring Users</b>	<b>32</b>
<b>Restoring Groups</b>	<b>33</b>
<b>Restoring Service Principal Objects</b>	<b>34</b>
<b>Restoring Applications</b>	<b>38</b>
<b>Restoring Application Proxy Settings</b>	<b>39</b>
<b>Restoring Group Licenses</b>	<b>42</b>
<b>Restoring Devices</b>	<b>43</b>

<b>Restoring Conditional Access Policies .....</b>	<b>44</b>
<b>Backup and Restore of Tenant Level Settings .....</b>	<b>46</b>
<b>Backup and Restore Administrative Units .....</b>	<b>47</b>
<b>Integration with Recovery Manager for Active Directory .....</b>	<b>48</b>
Limitations When a Hybrid Connection is Not Configured .....	52
Hybrid Connection Widget .....	53
<b>Working with Inactive Mailboxes .....</b>	<b>56</b>
Restoring Mailboxes for Hybrid Users .....	56
<b>Hybrid Connection Port and Protocol Requirements .....</b>	<b>58</b>
Hybrid Connection Security .....	59
<b>Restoring Email Address or Phone for Self-Service Password Reset .....</b>	<b>60</b>
<b>Reporting .....</b>	<b>66</b>
<b>Advanced Search .....</b>	<b>68</b>
Using Operators in Keyword Queries .....	68
Search by Date Range .....	69
Using Query Strings .....	69
<b>How does On Demand Recovery Handle Object Attributes? .....</b>	<b>72</b>
Attributes Restored by On Demand Recovery .....	72
<b>What is Not Protected by Microsoft Entra Connect but Can Be Restored by On Demand Recovery? .....</b>	<b>73</b>
<b>About Us .....</b>	<b>74</b>
Technical Support Resources .....	74

# About Quest® On Demand Recovery

Quest® On Demand Recovery cloud application lets you perform the following operations:

- Backup Microsoft Entra ID and Microsoft 365 users, groups, contacts, service principals, device information, Conditional Access policies, navigation properties, and Application Proxy settings.
- Support for Microsoft Entra B2C tenants.
- Restore Microsoft Entra ID and Microsoft 365 users, groups, service principals, devices, Conditional Access policies, and Application Proxy settings. The application can process two types of Microsoft 365 groups: Microsoft 365 groups and security groups. Group membership and ownership is restored for both types of groups.
- View differences between the selected backup and live Microsoft Entra ID or Microsoft 365 and revert unwanted changes in the Differences report.
- Configure integration with Quest Recovery Manager for Active Directory to restore on-premises Active Directory objects.

The objects can be selected in a backup and then restored to Microsoft Entra ID or Microsoft 365 without affecting other objects or attributes. Using the granular restore, objects that were accidentally deleted or modified can be recovered in a few minutes.

On Demand Recovery can be started from [Quest On Demand](#) single SaaS command point. For more information about Quest On Demand, see the [Quest On Demand](#) product documentation.

To access On Demand, you need to provide On Demand credentials or use your existing [Quest Software](#) account. For more details, see [Signing up for Quest On Demand](#) in the *On Demand Global Settings User Guide*.

The following sections describe how to configure and work with On Demand Recovery:

- [On Demand Recovery Module Overview](#)
- [Before You Start](#)
- [Sign up for Quest On Demand](#)
- [Adding a Microsoft Entra Tenant](#)
- [Required Permissions](#)
- [Access Control](#)
- [Working with On Demand Recovery](#)
- [Backup Unpacking](#)
- [Restoring Objects](#)
- [Restoring Passwords](#)
- [Restoring Directory Roles and Application Roles](#)
- [Restoring Users](#)

- Restoring Groups
- Restoring Service Principal Objects
- Restoring Applications
- Restoring Application Proxy Settings
- Restoring Group Licenses
- Restoring Devices
- Restoring Conditional Access Policies
- Backup and Restore of Tenant Level Settings
- Backup and Restore of Administrative Units
- Integration with Recovery Manager for Active Directory
- Hybrid Connection Widget
- Hybrid Connection Port and Protocol Requirements
- Restoring Email Address or Phone for Self-Service Password Reset
- Reporting
- Advanced Search
- How does On Demand Recovery Handle Object Attributes?
- What is Not Protected by Microsoft Entra Connect but Can Be Restored by On Demand Recovery?

# On Demand Recovery Module Overview

The main screen, called **Dashboard**, is opened after you connect to your Microsoft Entra tenant. The user interface of the administrative console consists of four main screens:


- **Dashboard**  
This is the main screen in the module. It is a source of all general information regarding current project status. You can view and open tasks from the **Dashboard**, view and manage available connections, view object charts and monitor recent errors. The toolbar provides links to most general tasks such as managing tenants, unpacking backups and browsing objects to restore.
- **Backups**  
This screen shows a list of backups that were created for the selected tenant.
- **Unpacked Objects**  
This screen contains all objects that were extracted from the selected backup and operations you can perform on them.
- **Differences**  
This screen allows you to compare the current state of objects in live Microsoft Entra ID or Microsoft 365 with their state in a backup and roll back unwanted changes. This helps when troubleshooting problems that may result from the deletion or modification of critical objects.
- **Events**  
This screen provides you with detailed information about errors and warnings that occur during backup creation and restore operations.
- **Tasks**  
This screen allows you to view task statuses and manage them.

## Before You Start


To access your Microsoft Entra or Microsoft 365 tenant via On Demand Recovery, use an Administrative account that has the **Global Administrator** role. If you do not have an account with the **Global Administrator** permissions, you should create the account by using one of the procedures described below. Once consent has been granted in On Demand Recovery, the account can be downgraded if necessary.

### *To create an administrative user account with the Global Administrator role in Microsoft 365 Admin Center*

1. Sign in to Microsoft 365 with your administrative account using this link <https://login.microsoftonline.com>.
2. Click the **Admin** tile.




3. From the home screen, in the **User management** tile, click **Add user**.
4. Specify all necessary user information. In **Optional settings**, click **Roles**, then **Admin center access**, and check **Global Administrator**.



5. Click **Next**.
6. Once you have reviewed the information, click **Finish adding**.
7. Now you can use this user account to access your Microsoft 365 tenant in On Demand Recovery.

## To create an administrative user account with the Global Administrator role in Azure Management Portal

1. Log into the Azure Management Portal (<https://portal.azure.com/>) with your individual account.
2. Select your tenant from the list of available tenants. To view the list of tenants, click on your profile icon in the upper-right corner of the screen.
3. Navigate to the **Microsoft Entra ID** section in the left pane.
4. In the **Users** tab, click **New user**, then **Create new user**. Enter your basic details.
5. On the **Assignments** tab, click **Add role**.
6. In the **Directory roles** section, check **Global Administrator** and click **Select**.



7. Click **Review + create**.
8. Click **Create**.

# Sign up for Quest On Demand

To get access to On Demand Recovery, you need to sign up for the Quest On Demand service and create an organization. For that, go to [Quest On Demand](#) and use one of the following options:

- Sign up using the existing Quest account
- Create a new Quest account and sign up for Quest On Demand
- Join an existing On Demand organization

For more details, refer to the [Signing up for Quest On Demand](#) section in *On Demand Global Settings User Guide*.

# Adding a Microsoft Entra Tenant

For instructions on how to add or remove a Microsoft Entra tenant, see the [Tenant Management](#) section in the *On Demand Global Settings User Guide*.

**i** | **NOTE:** Although GCC High tenants can be added on the **Tenants** page for use in other On Demand modules, On Demand Recovery does not support restoring objects from GCC High tenants. This type of tenant will not be available for selection in On Demand Recovery. GCC tenants are also not supported.

When a tenant is added, the creation of backups is disabled by default. You must enable the backup creation as described in Step 6 in [Working with On Demand Recovery](#).

# Required Permissions

This section lists the minimum user account permissions required to perform specific On Demand Recovery tasks.

## Azure Account Used to Grant Consents

The ability for On Demand service principals to access and operate with tenant assets requires explicit permissions. The Global Administrator grants these permissions through consents. Once consent has been granted, the account can be downgraded if necessary.

Each tenant that is added has granted consent to the initial Core – Basic permission set to the On Demand service principal. Additional consents are required to work with different features of On Demand Recovery. There are two service principals for On Demand Recovery; **On Demand Recovery Basic** and **On Demand Recovery Restore**. For more information on explicit permission for each service principal, see [Basic Consent Permissions](#) and [Restore Consent Permissions](#).

- On Demand Recovery requires Basic consent in the Recovery section. Basic consent is used for all read operations including backups.
  - For backup operations, the Global Administrator role can be used. Once consent is granted, the account can be downgraded if necessary.
- On Demand Recovery requires Restore consent in the Recovery section. Restore consent is used for all write operations including restore.
  - For restore operations, the Authentication Administrator, User Administrator, Windows 365 Administrator and Conditional Access Administrator roles must be used. In addition, if any Conditional Access policies use a custom security attribute, the Attribute Definition Reader role will also be required.
- On Demand Recovery requires Exchange Online PowerShell for Backup consent in the Recovery section. This consent is used to back up the linkage between users and mailboxes. In addition, you must assign the Global Reader Role to the service principal created in your tenant. See [Exchange Online PowerShell for Backup Consent](#).
  - For backup operations, the Global Administrator role can be used. Once consent is granted, the account can be downgraded if necessary.
- On Demand Recovery requires Exchange Online PowerShell for Restore consent in the Recovery section. This consent is used to manage Exchange Online and to read and write information to the tenant. In addition to granting consent, you must assign the Exchange Administrator role. See [Exchange Online PowerShell for Restore Consent](#).
  - For restore operations, the Global Administrator role can be used. Once consent is granted, the account can be downgraded if necessary.

# Basic Consent Permissions

In addition to the Basic consents required by On Demand, On Demand Recovery requires the following consents and permissions.

To view the list of Basic consent permissions in On Demand Recovery:

1. Select **Tenants** in the navigation panel on the left and click **Edit Consents** for the required tenant.
2. Under **Recovery**, navigate to **Basic**.
3. Under **Status and Actions**, select **View Details**.

**Application permissions** are used in the app-only access scenario, without a signed-in user present. The application will be able to access any data that the permission is associated with. Only an administrator or owner of the service principal can consent to application permissions.

**Delegated permissions** are permissions that allow the application to act on a user's behalf. The application will never be able to access anything the signed in user themselves could not access.

For more information on application and delegated permissions, click [here](#).

## Consent Version 2.2

Type	Permissions	Application API Name
Application	<i>Application.Read.All</i> Allows the app to read all applications and service principals without a signed-in user.	Microsoft Graph
Application	<i>DelegatedPermissionGrant.Read.All</i> Allows the app to read all delegated permission grants, without a signed-in user.	Microsoft Graph
Application	<i>Device.Read.All</i> Allows the app to read your organization's devices' configuration information without a signed-in user.	Microsoft Graph
Application	<i>Directory.Read.All</i> Allows the app to read data in your organization's directory, such as users, groups and apps, without a signed-in user.	Microsoft Graph
Application	<i>Group.Read.All</i> Allows the app to read group properties and memberships, and read the calendar and conversations for all groups, without a signed-in user.	Microsoft Graph
Application	<i>Member.Read.Hidden</i> Read all hidden memberships.	Microsoft Graph
Application	<i>Policy.Read.All</i> Allows the app to read all your organization's policies without a signed-in user.	Microsoft Graph

Type	Permissions	Application API Name
Application	<i>RoleManagement.Read.Directory</i> Allows the app to read the role-based access control (RBAC) settings for your company's directory, without a signed-in user. This includes reading directory role templates, directory roles and memberships.	Microsoft Graph
Application	<i>User.Read.All</i> Allows the app to read the full set of profile properties, group membership, reports and managers of other users in your organization, without a signed-in user.	Microsoft Graph
Application	<i>UserAuthenticationMethod.Read.All</i> Allows the app to read authentication methods of all users in your organization, without a signed-in user. Authentication methods include things like a user's phone numbers and Authenticator app settings. This does not allow the app to see secret information like passwords, or to sign-in or otherwise use the authentication methods.	Microsoft Graph
Delegated	<i>email</i> Allows the app to read your users' primary email address.	Microsoft Graph

## Restore Consent Permissions

In addition to the Basic consents required by On Demand Recovery, On Demand Recovery requires the following permissions to be granted consent for restore operations.

To view the list of Restore consent permissions in On Demand Recovery:

1. Select **Tenants** in the navigation panel on the left and click **Edit Consents** for the required tenant.
2. Under **Recovery**, navigate to **Restore**.
3. Under **Status and Actions**, click **View Details**.

**Application permissions** are used in the app-only access scenario, without a signed-in user present. The application will be able to access any data that the permission is associated with. Only an administrator or owner of the service principal can consent to application permissions.

**Delegated permissions** are permissions that allow the application to act on a user's behalf. The application will never be able to access anything the signed in user themselves could not access.

For more information on application and delegated permissions, click [here](#).

Type	Permissions	Application API Name
Application	<i>AdministrativeUnit.ReadWrite.All</i> Allows the app to create, read, update, and delete	Microsoft Graph

Type	Permissions	Application API Name
	administrative units and manage administrative unit membership without a signed-in user.	
Application	<p><i>Application.ReadWrite.All</i></p> <p>Allows the app to create groups, read all group properties and memberships, update group properties and memberships, and delete groups. Also allows the app to read and write group calendar and conversations. All of these operations can be performed by the app without a signed-in user.</p>	Microsoft Graph
Application	<p><i>AppRoleAssignment.ReadWrite.All</i></p> <p>Allows the app to manage permission grants for application permissions to any API (including Microsoft Graph) and application assignments for any app, without a signed-in user.</p>	Microsoft Graph
Application	<p><i>Device.ReadWrite.All</i></p> <p>Allows the app to read and write all device properties without a signed in user. Does not allow device creation or update of device alternative security identifiers.</p>	Microsoft Graph
Application	<p><i>Directory.ReadWrite.All</i></p> <p>Allows the app to read and write data in your organization's directory, such as other users, groups. It does not allow the app to delete users or groups, or reset user passwords.</p>	Microsoft Graph
Application	<p><i>Group.ReadWrite.All</i></p> <p>Allows the app to create groups, read all group properties and memberships, update group properties and memberships, and delete groups. Also allows the app to read and write group calendar and conversations. All of these operations can be performed by the app without a signed-in user.</p>	Microsoft Graph
Application	<p><i>Policy.Read.All</i></p> <p>Allows the app to read all your organization's policies without a signed in user.</p>	Microsoft Graph
Application	<p><i>Policy.ReadWrite.Authorization</i></p> <p>Allows the app to read and write your organization's authorization policy without a signed in user. For example, authorization policies can control some of the permissions that the out-of-the-box user role has by default.</p>	Microsoft Graph
Application	<i>Policy.ReadWrite.AuthenticationFlows</i>	Microsoft Graph

Type	Permissions	Application API Name
	Allows the app to read and write all authentication flow policies for the tenant, without a signed-in user.	
Application	<i>Policy.ReadWrite.ConditionalAccess</i> Allows the app to read and write your organization's conditional access policies on behalf of the signed-in user.	Microsoft Graph
Application	<i>Policy.ReadWrite.ExternalIdentities</i> Allows the application to read and update the organization's external identities policy without a signed-in user. For example, external identities policy controls if users invited to access resources in your organization via B2B collaboration or B2B direct connect are allowed to self-service leave.	Microsoft Graph
Application	<i>RoleManagement.ReadWrite.Directory</i> Allows the app to read and manage the role-based access control (RBAC) settings for your company's directory, without a signed-in user. This includes instantiating directory roles and managing directory role membership, and reading directory role templates, directory roles and memberships.	Microsoft Graph
Application	<i>UserAuthenticationMethod.ReadWrite.All</i> Allows the application to read and write authentication methods of all users in your organization, without a signed-in user. Authentication methods include things like a user's phone numbers and Authenticator app settings. This does not allow the app to see secret information like passwords, or to sign-in or otherwise use the authentication methods.	Microsoft Graph
Application	<i>User.ManageIdentities.All</i> Allows the app to read, update and delete identities that are associated with a user's account that the signed-in user has access to. This controls the identities users can sign-in with.	Microsoft Graph
Application	<i>User.ReadWrite.All</i> Allows the app to read and write the full set of profile properties, group membership, reports and managers of other users in your organization, without a signed-in user. Also allows the app to create and delete non-administrative users. Does not allow reset of user passwords.	Microsoft Graph
Delegated	<i>Directory.AccessAsUser.All</i>	Microsoft Graph

Type	Permissions	Application API Name
	Allows the app to have the same access to information in your work or school directory as you do.	
Delegated	<i>Directory.ReadWrite.All</i> Allows the app to read and write data in your organization's directory, such as users, and groups. It does not allow the app to delete users or groups, or reset user passwords.	Microsoft Graph

## Exchange Online PowerShell for Backup Consent

This application is required to back up the linkage between users and mailboxes. You need to grant consent to Exchange Online PowerShell for Backup and assign the Global Reader role to the service principal created in your tenant. This role is needed to access Exchange and retrieve the mailbox properties associated with the user account.

To view the consent permissions for Exchange Online PowerShell for Backup in On Demand Recovery:

1. Select **Tenants** in the navigation panel on the left and click **Edit Consents** for the required tenant.
2. Under **Recovery**, go to the **Exchange Online PowerShell for Backup**.
3. Under **Status and Actions**, select **View Details**.

On Demand Recovery requires the following permissions to be granted consent for Exchange backup operations:

Type	Permissions	Application API Name
Application	<i>Exchange.ManageAsApp</i> Allows the app to manage the organization's Exchange environment without any user interaction. This includes mailboxes, groups, and other configuration objects. To enable management actions, an admin must assign the appropriate roles directly to the app.	Office 365 Exchange Online
Application	<i>RoleManagement.ReadWrite.Directory</i> Allows the app to read and manage the role-based access control (RBAC) settings for your company's directory, without a signed-in user. This includes instantiating directory roles and managing directory role membership, and reading directory role templates, directory roles and memberships.	Microsoft Graph

To assign the Global Reader role to the service principal:

1. In the navigation panel on the left, go to **Tenants**.
2. Select **Edit Consents** for the required tenant.

3. Under **Recovery**, navigate to **Exchange Online PowerShell for Backup**.
4. Select **Assign Role**.

**i** **NOTE:** After the Global Reader role is assigned, the permission `RoleManagement.ReadWrite.Directory` can be manually removed for your tenant application.

## Exchange Online PowerShell for Restore Consent

This application is required to manage Exchange Online and to read and write information to the tenant. To perform Exchange tasks, you need to grant consent to Exchange Online PowerShell for Restore and assign the Exchange Administrator role to the service principal created in your tenant. This role is needed to perform Exchange task such as linking mailboxes to users, restoring inactive mailboxes, and deleting mail-enabled groups.

To view the list of Exchange Online PowerShell for Restore consent permissions in On Demand Recovery:

1. Select **Tenants** in the navigation panel on the left and click **Edit Consents** for the required tenant.
2. Under **Recovery**, go to the **Exchange Online PowerShell for Restore**.
3. Under **Status and Actions**, select **View Details**.

On Demand Recovery requires the following permissions to be granted consent for Exchange restore operations:

Type	Permissions	Application API Name
Application	<i>Exchange.ManageAsApp</i> Allows the app to manage the organization's Exchange environment without any user interaction. This includes mailboxes, groups, and other configuration objects. To enable management actions, an admin must assign the appropriate roles directly to the app.	Office 365 Exchange Online
Application	<i>RoleManagement.ReadWrite.Directory</i> Allows the app to read and manage the role-based access control (RBAC) settings for your company's directory, without a signed-in user. This includes instantiating directory roles and managing directory role membership, and reading directory role templates, directory roles and memberships.	Microsoft Graph

**To assign the Exchange Administrator role to the service principal:**

1. In the navigation panel on the left, go to **Tenants**.
2. Select **Edit Consents** for the required tenant.
3. Under **Recovery**, navigate to **Exchange Online PowerShell for Restore**.
4. Select **Assign Role**.

**i** **NOTE:** After the Exchange Administrator role is assigned, the permission `RoleManagement.ReadWrite.Directory` can be manually removed for your tenant application.

# Trusted IP Settings

To configure Trusted IP settings, use this table to allow the following subnets for relevant region:

Region	IP Prefixes
US	52.233.76.96/29, 20.230.254.72/29
EU	13.69.216.192/29, 13.69.214.48/29
Canada	20.104.81.8/29, 4.205.3.248/29
UK	51.145.35.32/29, 20.254.44.208/29
Australia	20.191.252.152/29, 68.218.80.112/29

# Access Control

Quest On Demand provides permission-based roles to determine what permission level a user has and what tasks the user can perform.

For more details, see [Adding users to an organization](#) section in the *On Demand Global Settings User Guide*.

## List of permissions that can be assigned to Recovery module users

- Can manage backup settings
- Can download hybrid credentials
- Can run backup manually
- Can unpack backups
- Can run difference report
- Can restore from objects
- Can restore from differences
- Can read backup history
- Can read unpacked objects
- Can read differences
- Can read task history
- Can read events
- Can read restore attributes
- Can read UI projects
- Can read UI collections
- Can manage events

**i** | **NOTE:** On Demand administrators have full access to global settings and all module permissions.

# Working with On Demand Recovery

This section provides step-by-step instructions on how to use On Demand Recovery.

**i NOTE:**


- **For Microsoft 365 tenants:** On Demand Recovery can backup and restore Microsoft 365 users, Microsoft 365 groups and security groups. Group membership and ownership is restored for both types of groups. The product does not restore any resources associated with Microsoft 365 groups and Microsoft Teams, such as conversations, Planner tasks and plans.
- Email notifications about failed backups can be enabled. Click [here](#) for more information.

**! CAUTION:** Due to Microsoft Entra ID being a dynamic and rapidly evolving platform, its' associated APIs could be subject to updates or changes with limited notice, which may occasionally impact On Demand Recovery features. Quest will provide timely notification to customers in the event of any such impact. Please refer to Microsoft's [official documentation](#) and [Microsoft Graph API changelog](#) for any updates related to Entra ID APIs

1. Go to [Quest On Demand](#) and sign up for Quest On Demand. For more details, refer to [Sign up for Quest On Demand](#).
2. Add your Microsoft Entra tenant as described in the [Tenant Management](#) section in the *On Demand Global Settings User Guide*.
3. After the tenant is added, make sure that the permissions required to work with Microsoft Entra tenant are granted. To grant the required permissions, click **Go** on the tenant tile and check that the Recovery module has the **Granted** status. For details, please see the [Admin Consent Status](#) section in the *On Demand Global Settings User Guide*. For a list of permissions that need to be granted consent for On Demand Recovery, refer to [Consent permissions](#).

**i NOTE:** Microsoft admin consent status is "expired" after 90 days and the Recovery module status is changed to "Not Granted". Once expired, you must grant admin consent again to continue using the module.

- To launch On Demand Recovery, click **Recovery** on the left pane. The **Dashboard** screen opens.



- To configure a hybrid connection with on-premises Active Directory, see [Integration with Recovery Manager for Active Directory](#).

6. To configure the backup settings, perform the following steps:

- a. Click **Manage backups** on the **Dashboard** screen.
- b. Select the tenant from the list and click **Edit**. The **Configure backup** dialog opens.

Configure backup

Schedule Disabled

☐ Run backup immediately

Specify the backup retention period using the retention policy option. The backup retention policy is also applied to backups started manually. Specify the retention policy in the number of days. If no policy is set, the default is 5 years (1825 days). Warning: When changing the retention period, the new policy will only affect new backups.

Retention policy 15

**Backup options**

Some advanced objects and attributes affect the performance of the backup or requires specific permissions, these are provided with separate options. Select the advanced options to backup.

☒ Backup Application Proxy settings and connector groups

Save Cancel

- To enable the backup creation, select **Enabled** next to the **Schedule** option. On Demand Recovery will attempt up to 4 backups per day. Depending on the completion time required for each, the number of backups may be less.
  - Choose to immediately run the backup by selecting the **Run backup immediately** option. Deselecting this option will allow backups to only run when scheduled.
  - Specify the backup retention period using the **Retention policy** option in days. The backup retention policy is also applied to backups that are started manually. If no policy is set, the default retention policy is five years (1825 days). If the retention period is changed, the new policy will only affect new backups.
  - To backup Application Proxy settings, select the **Backup Application proxy settings and connector groups** option.
- c. Check the status of the module admin consent.

- d. If you need to run the backup creation manually, go to the **Tasks** screen, select the Backup task and click **Start**.



## Manage backups

<div><div>Q</div><div>Search</div></div>				
<div><div></div><div>EDIT</div></div>				
Tenant ▼	Schedule	Retention	Advanced data	Consent
<a href="#">rdrmazexploratory1</a>	Disabled	Disabled	Disabled	✔
<a href="#">RDRMAZ</a>	Disabled	Disabled	Disabled	✔

Finish


7. To view a list of tenants that have been granted consent to perform restore operations, go to the **Manage restores** section on the [Restoring Objects](#) page.
8. To start the backup creation manually, you can use the **Create Backup** option on the **Dashboard** screen.

9. To unpack a backup:


- a. Go to the **Backups** screen. Here, you will find each packed backup, and the properties associated with that backup.



**NOTE:** The Users column reflects the total number of users including guest accounts. The Guest column reflects only guest accounts.



- b. From the **Tenant** drop-down list, select the tenant, then select the backup you want.
- c. You can specify predefined or custom date ranges to narrow the search results by selecting Custom range.
- d. Click **Unpack** in the actions menu.
- e. If the option **Unpack service principals and devices** is not selected, the unpack operation will work faster and the **Differences** report will contain only changes related to users and groups. For more details about this option, see [Backup Unpacking](#).



- f. In the **Backup Unpacking** dialog, click **Unpack**.
10. When the **Unpack backup** task is completed, go to the **Unpacked Objects** screen and select the users and groups that you want to restore and click **Restore**.



**NOTE:** If you do not unpack a backup, the **Unpacked Objects** screen will contain no objects or show a list of objects that were extracted from the previously unpacked backup.


11. In the **Restore Objects** dialog, select the options for restore. See the **To restore objects** section in the [Restoring Objects](#) page for information on each option.
12. Also, you can view differences between the selected backup and live Microsoft Entra ID or Microsoft 365 and revert the selected changes using the **Differences** report tool. For more details, see the [Reporting](#) section. You can export the selected report data to the CSV file.
13. You can view the status of your **Restore objects** task on the **Tasks** screen.

Name	Status	Type	Modified	Created	Operation
Restore objects	Completed	Restore	Yesterday at 7:43 PM	Yesterday at 7:43 PM	1 object(s) were restored.
Unpack backup 2020-02-18 16:05:10	Completed	Unpacking	Yesterday at 7:42 PM	Yesterday at 7:42 PM	Unpacking delta changes...
Unpack backup 2020-02-18 16:05:10	Completed	Unpacking	Yesterday at 7:08 PM	Yesterday at 7:07 PM	Unpacking delta changes...
Backup tenant Contoso	Completed	Backup	Yesterday at 7:06 PM	Yesterday at 7:04 PM	Backed up 220.2 KB
Unpack backup 2020-01-28 16:46:07	Completed	Unpacking	02/03/2020 1:47 PM	02/03/2020 1:46 PM	Unpacking delta changes...
Unpack backup 2020-01-28 16:46:07	Completed	Unpacking	02/03/2020 1:45 PM	02/03/2020 1:45 PM	Unpacking delta changes...
Restore objects	Completed	Restore	01/28/2020 7:50 PM	01/28/2020 7:48 PM	1 object(s) were restored.
Unpack backup 2020-01-28 16:46:07	Completed	Unpacking	01/28/2020 7:48 PM	01/28/2020 7:48 PM	Unpacking delta changes...
Backup tenant Contoso	Completed	Backup	01/28/2020 7:47 PM	01/28/2020 7:45 PM	Backed up 208.1 KB

14. Open the **Events** screen to view errors or warnings, if they occur during the restore operation.
  - Use the **Export** option to export the selected log data to the CSV format.
  - Use the **Acknowledge** option to hide events that are not actual anymore. The status of acknowledged events is changed from 'Current' to 'Obsolete'. To view the list of obsolete events, click **Obsolete** on the left side of the screen.

# Backup Unpacking

In the **Backup Unpacking** dialog, you have the option to **Unpack service principals, devices, and conditional access policies**. If this option is not selected, the unpack operation will work faster and the **Differences** report will contain only changes related to users and groups. Otherwise, you will see changes related to users, groups, service principals, devices, and Conditional Access policies. The table below provides the full list of objects and changes that will be shown on the corresponding screens.



**Backup Unpacking**

☒ Clear objects from previously unpacked backups

☐ Unpack service principals, devices and conditional access policies

☒ Perform differences during the unpack

**Unpack** **Cancel**

If the **Unpack service principals, devices, and conditional access policies** option is **NOT** selected, the following items will be shown:

## Unpacked Objects view

- Administrative Unit
- Directory Setting
- External Identities Settings
- Group
- Group Lifecycle Policy
- User
- User Authentication Settings
- User Authorization Settings

## Differences view

- Administrative Unit
- Directory Setting

- DirectoryLinkChange
- DirectoryRoleLinkChange
- External Identities Settings
- Group
- Group Lifecycle Policy
- User
- User Authentication Settings
- User Authorization Settings

If the **Unpack service principals, devices, and conditional access policies** option is selected, the following items will be shown:

#### **Unpacked Objects view**

- Administrative Unit
- Conditional Access Policy
- Country Named Location
- Device
- Directory Setting
- External Identities Settings
- Group
- Group Lifecycle Policy
- IP Named Location
- Service Principal
- User
- User Authentication Settings
- User Authorization Settings

#### **Differences view**

- Administrative Unit
- AdministrativeUnitLinkChange
- ApplicationOwnerLinkChange
- AppRoleAssignment
- CompliantNetworkNamedLocation
- Conditional Access Policy
- Country Named Location
- Device
- Directory Setting
- DirectoryLinkChange
- DirectoryRoleLinkChange

- External Identities Settings
- Group
- Group Lifecycle Policy
- GroupLifecyclePolicyLinkChange
- GroupOwnerLinkChange
- IP Named Location
- OAuth2PermissionGrant
- OwnerLinkChange
- RegisteredOwnerDeviceLinkChange
- RegisteredUserDeviceLinkChange
- ScopedRoleMembership
- Service Principal
- User
- User Authentication Settings
- User Authorization Settings

**Perform differences during the unpack** is selected by default. The differences operation will automatically begin. If this is not selected, then only the unpack operation will be performed.

## Restoring Objects

After you complete an **Unpack backup** task, go to the **Unpacked Objects** tab to select the objects that you want to restore.

**NOTE:** If you do not unpack a backup, the **Unpacked Objects** tab does not display any objects or shows a list of objects that were extracted from the previously unpacked backup.

You can choose one of the following views to see the unpacked objects:

- **List View** - This view lists the unpacked objects from your backup. You can select objects to export to a CSV file or select objects to restore.
- **Objects** - This view displays the number of unpacked objects by category in graph form. You can use the filters to display specific types of objects.

### Manage restore

The Manage Restore list displays a list of tenants that have been granted consent to perform restore operations.



### Manage Restore

Search	
Tenant	Consent
[Redacted]	✓
[Redacted]	✓
[Redacted]	✓
[Redacted]	✓
[Redacted]	✗ Grant
[Redacted]	✗ Grant

1-6 of 6 Results

Show 25 ▾

⏪ < 1 /1 >

Cancel

If the desired tenant has not been granted consent:


1. Click **Grant** next to the tenant to be directed to the Office 365 Tenants page.
2. Scroll to the **Recovery** section, and click **Grant Consent** next to Restore.

### **To restore objects**

1. On the **Unpacked Objects** tab, in **List View**, click the check boxes next to the objects that you want to restore.
  - a. You can use the **Search** field to [search](#) for specific objects to restore.
  - b. You can use the filters to display specific objects that you want to restore. The following filters are available:
    - **Tenant** - allows you to filter objects by a specified tenant.
    - **Backup** - allows you to filter objects by a specified backup.
    - **Type** - allows you to filter objects by type.
    - **User Type** - allows you to filter objects by type of user.
    - **Microsoft Entra Connect** - allows you to filter by objects synced from a hybrid environment.
    - **Mail Enabled** - allows you to filter by objects that have a mailbox (enabled) or do not have a mailbox (disabled).

**CAUTION:** The Restore button will be disabled when objects from multiple tenants are selected. To display the Restore button, please select a single tenant.

2. Click **Restore**.
3. In the **Restore Objects** dialog, you can select the following options:
  - **Restore deleted objects from Recycle Bin** - This restores accidentally deleted objects from the Recycle Bin. On Demand Recovery preserves original object identifiers (GUID).
  - **If a user or group is not found in Recycle Bin, create a new one** - This recreates permanently deleted users, groups, and subgroups. This option recreates users and groups with attributes that are required for object identification. If you need to restore all attributes for the object including membership information (links), use this option together with the **Restore all attributes** option.
  - **Restore all attributes** - This restores all object attributes including membership information (links). If this option is not selected, you can specify specific attributes that you want to restore by clicking **Browse**.
  - **Restore specific attributes** - see below
  - **Specify password for the encrypted backup** - This allows you to type a password that is used to decrypt the encrypted backup. This is strongly recommended only for [hybrid users](#).
  - You may also need to grant/regrant Restore Admin Consent for the On Demand Recovery module. Ensure this has been completed before progressing.



## Restore Objects

☒ Restore deleted objects from Recycle Bin

☒ If an object is not found in Recycle Bin, create a new one

☒ Restore all attributes

Restore specific attributes

Select Attributes

☐ Specify password for the encrypted backup (hybrid configuration only)

OK

Cancel

4. Click **OK**.

**i** **NOTE:** Because of Microsoft requirements, hard deleted objects will receive a new Object ID upon restore of these objects. Please consider the implications of having a new Object ID after restoring these objects.



## To restore selected attributes

On Demand Recovery allows you to restore specific attributes for each object, with each object type displaying its own list of attributes to restore. To do this:

1. Uncheck the **Restore all attributes** option, and click **Select Attributes**.

**NOTE:** Only the attributes for the selected object type will be displayed.

2. Select the required attributes to restore for the object by checking the box(es), and click **Save**. Your selected attributes will appear in the Restore specific attributes box.
3. Click **OK** when all required options have been selected.



# Which Objects Can Be Restored from the Recycle Bin?

On Demand Recovery can restore the following objects from the Recycle Bin:

- Users (all types of users including B2B, B2C, guests, hybrid)
- Microsoft 365 Groups
- Applications
- Service principals
- Administrative Units

**NOTE:** Links, permissions, and roles cannot be restored from the Recycle Bin. But if an object from the above list is soft deleted and then recovered from the Recycle Bin, all attributes and links including group membership and app role assignments are preserved by Microsoft.

**NOTE:** Soft-deleted service principals can only be restored from the Objects view tab, under Unpacked Objects.

Objects that cannot be restored from the Recycle Bin:

- Distribution groups
- Security groups
- Mail-enabled security groups
- All groups synchronized by Microsoft Entra Connect from on-premises Exchange server (hybrid configuration)
- Devices

## Restoring Passwords

On Demand Recovery does not backup passwords. During the restore of permanently deleted users, the application sets a random password that can be changed by the administrator at the next login.

# Restoring Directory Roles and Application Roles

On Demand Recovery backs up and restores the assigned roles in Microsoft Entra ID.

## Supported scenarios

The following scenarios are supported in On Demand Recovery:

- Restoring eligible/active assigned roles that are associated with applications integrated with Microsoft Entra ID. For more information, see [Restoring Service Principal Objects](#).
- Restoring directory roles and their members including users and group members.
- Restoring role assignments for users, groups and service principals.

## Limitations

The following roles are not restored by On Demand Recovery:

- Custom Microsoft Entra roles are not restored.
- Custom Microsoft 365 roles are not restored.

# Restoring Users

Users that were accidentally deleted can be restored using On Demand Recovery. Users who have been moved to the Deleted users page (soft deleted) can be restored along with users who have been permanently deleted (hard deleted) from Microsoft Entra ID.

## Supported scenarios

The following scenarios are supported by On Demand Recovery:

- Restoring a soft or hard deleted user as a group owner if they were previously an owner of a security group or Microsoft 365 group.

**i** | **NOTE:** Because of Microsoft requirements, hard deleted objects will receive a new Object ID upon restore of these objects. Please consider the implications of having a new Object ID after restoring these objects.

## Restored user attributes

For a list of user attributes restored by On Demand Recovery, visit the [On Demand Recovery Supported Attributes guide](#).

# Restoring Groups

In Microsoft Entra ID, there are two types of groups; Security and Microsoft 365. When a Microsoft 365 group is deleted in Microsoft Entra ID, it is soft deleted. That is, the Microsoft 365 group is moved to the Deleted groups page where it can be restored or permanently deleted. When a security group is deleted in Microsoft Entra ID, it is hard deleted. That is, the security group is permanently deleted and not moved to the Deleted groups page. The Differences report in On Demand Recovery identifies groups as being either hard deleted or soft deleted in Microsoft Entra ID. Both types of groups can be restored from the Differences report.

## Supported scenarios

The following scenarios are supported in On Demand Recovery:

- Restoring security groups and group membership
- Restoring Microsoft 365 groups and group membership
- Restoring dynamic groups
- Restoring group owners associated with a security group
- Restoring group owners associated with a Microsoft 365 group

**i** **NOTE:** Because of Microsoft requirements, hard deleted objects will receive a new Object ID upon restore of these objects. Please consider the implications of having a new Object ID after restoring these objects.

## Restored group attributes

For a list of group attributes restored by On Demand Recovery, visit the [On Demand Recovery Supported Attributes guide](#).

## Limitations

The following groups are not restored by On Demand Recovery:

- Distribution groups

# Restoring Service Principal Objects

On Demand Recovery supports backing up and restoring service principal objects with the following properties:

- **oAuth2PermissionGrants** - the OAuth 2.0 scopes (delegated permissions) that have been granted to an application (represented by a service principal) as part of the user or admin consent process.
- **appRoleAssignments** - link between a service principal and a directory object.
- **roles** - administrator roles in Microsoft Entra ID. Refer to [this article](#) for details.
- **appRoles** - the collection of application roles that an application may declare.
- **Service principal owners** - the owners are a set of users who are allowed to modify service principal objects.

For the full list of service principal attributes that are restored and not restored by On Demand Recovery, see [How does On Demand Recovery Handle Object Attributes?](#)



**NOTE:** Due to the design specifications set by Microsoft, the default App Role can only be assigned to a principal if the corresponding resource application has not declared any App Roles. This limitation prevents On Demand Recovery from restoring default application role assignments for such principals. See [Microsoft documentation](#) for more information.



**NOTE:** Because of Microsoft requirements, hard deleted objects will receive a new Object ID upon restore of these objects. Please consider the implications of having a new Object ID after restoring these objects.

## What is the difference between a service principal object and an application object?

When you register a Microsoft Entra application in the Azure portal, two objects are created in your Microsoft Entra tenant; an application object and a service principal object.

- **Application object**  
A Microsoft Entra application is defined by its one and only application object, which resides in the Microsoft Entra tenant where the application was registered, known as the application's "home" tenant. The Microsoft Graph Application entity defines the schema for an application object's properties.
- **Service principal object**  
In order to access resources that are secured by a Microsoft Entra tenant, the entity that requires access must be represented by a security principal. This is true for both users (user principal) and applications (service principal). The security principal defines the access policy and permissions for the user/application in that tenant. This enables core features such as authentication of the user/application during sign-in, and authorization during resource access.  
When an application is given permission to access resources in a tenant (upon registration or consent), a service principal object is created. The Microsoft Entra Graph ServicePrincipal entity defines the schema for a service principal object's properties.

For more details, see <https://www.microsoftpressstore.com/articles/article.aspx?p=2473127>.

## Service principals provisioned from Microsoft Entra Gallery


On Demand Recovery supports restoring service principals provisioned from Microsoft Entra Gallery.

**Limitations:** On Demand Recovery does not backup certificate settings for applications.


To make SAML SSO work after the restore of a service principal provisioned from Microsoft Entra Gallery, you must install the new certificate for the corresponding application. For details on how to provide the certificate for a particular application, refer to the application configuration guide.

### To access the application configuration guide


1. In Azure Management Portal, navigate to the **Microsoft Entra ID** section in the left pane and click **Enterprise applications**.



- Choose the application for which you want to configure single sign-on.



- Under the **Manage** section, select **Single sign-on**.



- Click the **configuration guide** link.

### Which actions are shown in the Differences report for a service principal?

- Deletion of a service principal object
- Changes to the accountEnabled attribute
- Add/remove roles assigned to service principals (custom roles are not monitored)
- Add/remove owners from service principals
- Add/remove owners from application

Names of administrator roles in the Azure portal are slightly different from the names of the corresponding roles that are shown in the **Differences** report. For information, see the following comparison table:

**Table 1: Names of administrator roles in the Azure portal and the corresponding role in the Differences report**

Azure portal	Differences report
Global Administrator	Company Administrator
Billing Administrator	Billing Administrator

Azure portal	Differences report
Compliance Administrator	Compliance Administrator
Conditional Access Administrator	Conditional Access Administrator
Dynamics 365 Administrator	CRM Service Administrator
Exchange Administrator	Exchange Service Administrator
Guest Inviter	Guest Inviter
Password Administrator	Helpdesk Administrator
Azure Information Protection administrator	Information Protection Administrator
Intune Administrator	Intune Service Administrator
Skype for Business Administrator	Lync Service Administrator
Power BI Administrator	Power BI Service Administrator
Privileged role Administrator	Privileged Role Administrator
Reports Reader	Reports Reader
Security Administrator	Security Administrator
Security Reader	Security Reader
Service Administrator	Service Support Administrator
User Administrator	User Account Administrator

# Restoring Applications

You can restore applications from the Recycle Bin as well as hard deleted applications. On Demand Recovery performs the following actions when restoring applications:

- If there is an application in the Recycle Bin, it is restored. After the application is restored, On Demand Recovery restores application attributes that are in the backup.
- If there is no application in the Recycle Bin, On Demand Recovery attempts to restore it from the backup.

## Supported scenarios

The following scenarios are supported by On Demand Recovery:

- Restoring soft deleted applications.
- Restoring hard deleted applications.
- Restoring applications from the Recycle Bin.

**i** **NOTE:** Because of Microsoft requirements, hard deleted objects will receive a new Object ID upon restore of these objects. Please consider the implications of having a new Object ID after restoring these objects.

# Restoring Application Proxy Settings

On Demand Recovery supports the recovery of Application Proxy settings, Connector groups, and Connector group membership.

## Supported scenarios

The following scenarios are supported in On Demand Recovery:

- Restoring changes to Application Proxy configuration.
- Restoring connector group membership if an Application Proxy is moved into another connector group.
- If an Application Proxy is moved into another connector group and the previous connector group was deleted, On Demand Recovery puts the Application Proxy back to the connector group with the same name.
- If an Application Proxy is put into another connector group and the previous connector group is deleted and there is no connector group with the same name, the new connector group with this name will be automatically recreated and the Application Proxy will be put into it.

## Limitations

All of the Application Proxy settings can only be restored at once, granular restore of Application Proxy settings is not supported.

## Configuration data restored for an Application Proxy item

On Demand Recovery restores the following configuration data for an Application Proxy item:

### Connector Groups

For deleted connector groups, On Demand Recovery restores the following attributes:

- name
- region

Other connector group data is currently backed up but cannot be restored.

### OnPremisesPublishing Settings

An onPremisesPublishing object represents the set of properties for configuring Application Proxy for an on-premises application.

- externalUrl
- internalUrl
- externalAuthenticationType

- isTranslateHostHeaderEnabled
- isTranslateLinksInBodyEnabled
- isOnPremPublishingEnabled
- isHttpOnlyCookieEnabled
- isSecureCookieEnabled
- isPersistentCookieEnabled
- applicationServerTimeout
- useAlternateUrlForTranslationAndRedirect

For details, see <https://docs.microsoft.com/en-us/graph/api/resources/onpremisespublishing?view=graph-rest-beta>.

### Connectors

Connector data is currently backed up but cannot be restored.

- id
- machineName
- externalIP
- status
- connectorGroupId

### Prerequisites

Backing up Application Proxy settings is not enabled by default. You must select this option when configuring backup options.

## To backup Application Proxy settings and connector groups

1. Click **Manage backups** on the **Dashboard** screen.
2. Select the tenant from the list and click **Edit**.  
The **Configure backup** dialog opens.

### Configure backup

Schedule

Disabled

☐ Run backup immediately

Specify the backup retention period using the retention policy option. The backup retention policy is also applied to backups started manually. Specify the retention policy in the number of days. If no policy is set, the default is 5 years (1825 days). Warning: When changing the retention period, the new policy will only affect new backups.

Retention policy

15

#### Backup options

Some advanced objects and attributes affect the performance of the backup or requires specific permissions, these are provided with separate options. Select the advanced options to backup.

☒ Backup Application Proxy settings and connector groups

Save

Cancel

3. Select the **Backup Application Proxy settings and connector groups** option.
4. Click **Save**.

For details, see [How does On Demand Recovery Handle Object Attributes?](#)

# Restoring Group Licenses

On Demand Recovery restores group licenses, which means reassignment of a license to a group after its recreation or restore from the Recycle Bin. Granular restore of the assignedLicenses attribute is supported as well.

## Supported scenarios

The following scenarios are supported by On Demand Recovery:

- If a group is moved to the Recycle Bin, group licenses are restored simultaneously with the group object.
- Direct and inherited licenses for users are now distinguished.
- Inherited licenses are reassigned automatically by restoring membership.
- If the **licenseAssignmentStates** attribute is not present in old backups, user object assignments in Microsoft Entra ID are used to distinguish inherited and direct licenses.
- The same logic is applied to the **Differences** report to show only one change if a group which is giving licenses was changed or deleted. In this case, the report will contain only the "Group change" or "Group deletion" action.



**NOTE:** If you are restoring a permanently deleted user from an old backup, the user license may be assigned twice; by group and directly.

# Restoring Devices

On Demand Recovery can restore Microsoft Entra device objects that were removed from the Azure Portal. For registered or joined devices, single sign-on (SSO) data (if any) is also restored.

**NOTE:** Because of Microsoft requirements, hard deleted objects will receive a new Object ID upon restore of these objects. Please consider the implications of having a new Object ID after restoring these objects.

## Limitations

The following limitation exist when restoring devices in On Demand Recovery:

- Automatically restoring SSO data for a device that was permanently deleted together with the device owner. In this case, the device owner should join the device once again.
- If a device was unjoined by the device owner, it will be restored in the Azure Portal but SSO will not work.

## Not supported

The following scenarios are not supported in On Demand Recovery:

- Windows Hello for joined devices
- Microsoft Intune is not supported
- Restricted access for devices
- Restoring of devices in hybrid configuration

## Restored device attributes

For a list of device attributes restored by On Demand Recovery, visit the [On Demand Recovery Supported Attributes guide](#).

# Restoring Conditional Access Policies

On Demand Recovery supports backing up and restoring Conditional Access policies and Named Location policies in cloud-only environments.

**i** **NOTE:** When policies are created using a predefined template in Azure and then restored after being hard deleted, the "templateId" attribute is not restored as it is read-only.

## *To backup Conditional Access policies*

Backing up Conditional Access policies and Named Location policies is enabled by default.

## Supported Scenarios

If a backup contains Conditional Access policies or Named Location policies, the Objects view will show the type of policy.

The following policy types are supported by On Demand Recovery:

- Conditional Access Policy
- Country Named Location
- IP Named Location

On Demand Recovery restores the whole policy object and what has changed is displayed in the Differences report. On Demand Recovery checks whether objects (users, groups, named locations) assigned to the policy exist in Microsoft Entra ID. If any objects are missing, the policy is restored but a warning is shown.

A user can select attributes to be restored for Conditional Access policies and Named Location policies. For the full list of policy attributes that are restored and not restored by On Demand Recovery, see [How does On Demand Recovery Handle Object Attributes?](#)

**i** **NOTE:** Because of Microsoft requirements, hard deleted objects will receive a new Object ID upon restore of these objects. Please consider the implications of having a new Object ID after restoring these objects.

## Limitations

Other policy types such as [claims mapping policy](#), token issuance policy, token lifetime policy and many others are currently not supported by On Demand Recovery. See the [Known issues](#) list in the On Demand Recovery release notes.

- If the "AuthenticationStrength" attribute in "grantControl" is not present in the tenant while restoring, the restore of the Conditional Access policy will fail. "AuthenticationStrength" is a relational attribute and On Demand Recovery does not backup this attribute, so if it is deleted from the tenant, we will not restore the Conditional Access policy and error will be shown.
- The "TermsOfUse" attribute in "grantControl" will not be restored. A warning will be shown: "Terms of Use for the policy are not set."
- The restore of a relational attribute does not have any special attributes that can be selected from the user interface. In each instance that a user, group, application and/or named location is restored, the restore of the relational attribute is also run even if the minimum attributes to restore were selected.
- If On Demand Recovery has "All", "None" or "AllTrusted" selected in live policies, no relational attribute will be restored and the policy in Microsoft Entra ID will remain as is.
- If "All", "None" or "AllTrusted" is selected in a backup for On Demand Recovery, and a link is subsequently added to a user in live policies, restoring that user will result in the link being removed. In this case, the policy will be updated with default value ("None" or null or []).
- Links removed or added are not visible in the Differences report.

# Backup and Restore of Tenant Level Settings

On Demand Recovery supports the ability to backup and restore many types of tenant level settings.

## Object Types

The backup and restore of the following tenant level settings are supported by On Demand Recovery. The corresponding object type for each tenant level setting will appear in the Unpacked Objects list view:

Tenant Level Setting	Object Type
Backup and restore of user settings	User Authorization Settings
	User Authentication Settings
	External Identities Settings
Backup and restore of group settings (Naming policy)	Directory Settings
Backup and restore of group settings (Expiration policy)	Group Lifecycle Policy

## Limitations

The following tenant level settings cannot be currently restored by On Demand Recovery:

- Security Defaults
- Password reset
- Organization Settings
- Domains

## Tenant level settings attributes

For a list of attributes restored by On Demand Recovery, visit the [On Demand Recovery Supported Attributes guide](#). Each attribute can be restored individually. See the *To restore selected attributes* in the [Restoring Objects](#) section to find out more.

# Backup and Restore Administrative Units

On Demand Recovery can backup and restore Microsoft Entra administrative units from the Recycle Bin.

**i** **NOTE:** An additional permission *AdministrativeUnit.ReadWrite.All* is required to restore administrative units. For more information, go to the [Restore Consent Permissions](#) section.

## Object Types

The corresponding object type for administrative units will appear in the Unpacked Objects list view:

Setting	Object Type
Backup and restore of administrative units	Administrative Unit Link to scopedRoleMember will be displayed in Differences report with type "ScopedRoleMembership".


## Administrative units attributes

For a list of attributes restored by On Demand Recovery, visit the [On Demand Recovery Supported Attributes guide](#). Each attribute can be restored individually. See the *To restore selected attributes* in the [Restoring Objects](#) section to find out more.

# Integration with Recovery Manager for Active Directory

On Demand Recovery can be integrated with Recovery Manager for Active Directory 9.0 or higher to restore and undelete on-premises objects that are synchronized with cloud by Microsoft Entra Connect. The following figure illustrates the hybrid restore process.

**Figure 1: Hybrid Restore Operation Flow Diagram**



## **i** NOTE:

- All attributes that can be modified by Microsoft Graph API are considered as cloud attributes and restored on the first step. For example: **assignedLicense**, **usageLocation**, **membership** in cloud groups.
- On Demand Recovery also restores users from the Recycle Bin or recreates them before the on-premises restore with the **Undelete** option. Microsoft Entra Connect matches these objects after the cloud restore by the Security Identifier as well as the **immutableID** attribute which is restored from the On Demand Recovery backup.
- On-premises restore is always performed for **member**, **memberOf**, **accountEnabled**, **manager** and **directReports** attributes.
- Groups are restored after the on-premises restore, because in case of permanent deletion, On Demand Recovery needs to wait until a group is recreated by Microsoft Entra Connect.

## Prerequisites

- Microsoft Entra tenant that is synchronized with on-premises Active Directory by Microsoft Entra Connect.
- For Recovery Manager for Active Directory (RMAD) version 10.2.2 or later, the Hybrid Connector service must be enabled and configured in the RMAD console. To get the latest version of Recovery Manager for Active Directory, click [here](#).
  - For Recovery Manager for Active Directory 10.2.1 or earlier, the Recovery Manager Portal is required. If you have Microsoft Entra Connect version 1.4.32.0 or higher, the Recovery Manager Portal 10.1 is required.
    - The portal can be run on any machine in your environment. It is not required to install all Recovery Manager for Active Directory components.

### ***To configure Hybrid Connector service with Recovery Manager for Active Directory - v.10.2.2 or later***

For Recovery Manager for Active Directory 10.2.2 and later versions, you will need to disable the Recovery Manager Portal (if previously enabled), and enable and configure the Hybrid Connector service in the Recovery Manager for Active Directory (RMAD) console.

1. In the RMAD console, select the **Hybrid Recovery** node from the tree and select **Enable Integration with On Demand Recovery**.
2. In On Demand Recovery, click **CONFIGURE CONNECTION** under the Hybrid Connection panel.
3. Download the credentials.
4. In the RMAD console, open the hybrid credential file saved from step 3. This will automatically populate all the required fields.
5. Provide Microsoft Entra Connect host settings.
6. Enter the domain username, password and primary computer for each domain discovered in the backup.


For more information on this, go to [Hybrid Recovery with On Demand Recovery](#).

### ***To configure Recovery Manager Portal to enable integration with Recovery Manager for Active Directory - v.10.2.1 or earlier***

1. Connect to the Recovery Manager Portal with your Web browser.
2. In the Recovery Manager Portal, open the **Configuration** tab.
3. Expand **Portal Settings**
4. **Recommended:** Select the **Automatically unpack backups for restore operations** option to automatically unpack the required backup. If the option is not selected, the restore operation may fail because the backup was not unpacked or was removed due to retention policies for the unpack operation. For more details, see the *Recovery Manager for Active Directory User Guide*.

5. Click **On Demand integration**. In the On Demand integration dialog, select the **Enable integration** check box and specify the Relay URL and credentials. To get these parameters, go to On Demand Recovery and perform the following steps:

- a. On the **Dashboard** screen, click **Configure hybrid connection**.



## Configure hybrid connection

Please download relay credentials to work with on-premises Recovery Manager for Active Directory

Relay credentials should be properly set up in Recovery Manager Portal

For more details, please see [Integration with Recovery Manager for Active Directory](#)

Download hybrid credentials

☒ Show hybrid restore errors if hybrid connection is not configured

Save

Cancel

- b. In the Configure hybrid connection dialog, click **Download hybrid credentials** to download a configuration file with Relay credentials.
- c. When a customer does not want to configure a hybrid connection with Quest Recovery Manager for Active Directory, the corresponding connection error events can be deactivated by changing their severity from Error to Info. To do this, clear the **Show hybrid restore errors if hybrid connection is not configured** check box.
- d. Save the file to the folder of your choice.
- e. Go back to the On Demand integration dialog, click **Choose file** and select the configuration file. For security reasons, you should remove this file from your computer after the credentials will be specified in the Recovery Manager Portal.

**i** **NOTE:** Microsoft Entra Connect synchronization occurs automatically after the restore operation. But On Demand Recovery forces synchronization cycles and requires credentials for the machine where Microsoft Entra Connect is installed.

6. Specify Microsoft Entra Connect host name and credentials. If Microsoft Entra Connect and Recovery Manager Portal are installed on the same machine, leave the fields blank.

**i** **NOTE:** You may get an error related to the proxy settings while configuring integration with On Demand Recovery. To resolve this issue, perform the following actions:

1. Open the Recovery Manager Portal configuration file **%Program Files%\Quest\Recovery Manager Portal\EnterprisePortalSettings.xml**.
2. Set the *UseDefaultSystemProxy* parameter to *False* and check that *ProxyAddress* has the correct value.
  - If *UseDefaultSystemProxy* is set to *False* and *ProxyAddress* is specified, the value of *ProxyAddress* will be used as a proxy server address.
  - If *UseDefaultSystemProxy* is set to *False* and *ProxyAddress* is not specified, the direct connection will be used.
  - If *UseDefaultSystemProxy* is set to *True* and *ProxyAddress* is specified or has no value, the proxy server specified for your browser will be used.
3. Make sure that URI contains the protocol prefix and the port number, e.g. `http://localhost:8080/`.
4. Restart the Recovery Manager Portal service.

For more information about integration with Recovery Manager for Active Directory, see [Integration with On Demand Recovery](#).

### What can be restored in hybrid configuration?

- On-premises groups
- User licenses (e.g. Microsoft 365 licenses and assignedLicenses property for cloud users) and cloud group membership
- Deleted on-premises users and groups
- Service principals' appRoleAssignments to on-premises users
- appRoleAssignments to non-Microsoft groups (used for SSO and App Roles)
- Directory roles: Global Administrator, Exchange Administrator, Compliance Administrator
- Other cloud-only properties: such as Block sign in, Authentication contact information, Minors and Consent
- Conditional Access policies

**i** **NOTE:** Because of Microsoft requirements, hard deleted objects will receive a new Object ID upon restore of these objects. Please consider the implications of having a new Object ID after restoring these objects.

### Important Considerations

- To restore on-premises objects, On Demand Recovery uses attribute values from the RMAD backup that is closest in time but older than the cloud backup unpacked in the On Demand Recovery user interface. If the closest on-premises backup is 24 hours older than the cloud backup, you will receive the warning message. By default, the search of the closest in time on-premises backup is performed among the backups that were unpacked in Recovery Manager Portal. You can use the **Automatically unpack backups for restore operations** option on **Portal Settings** of the **Configuration** tab in the Recovery Manager Portal – in this case, the on-premises backup will be unpacked automatically during the restore operation. (RMAD v10.2.1 or earlier)

On Demand Recovery displays only cloud-synchronized on-premises attributes and cloud-only attributes for the selected object when you click **Browse** in the Restore Objects dialog. This does not include on-premises only

attributes. To restore on-premises only attributes, you must select the **Restore all attributes** option in the Restore Objects dialog.

**i** **NOTE:** Hybrid recovery uses the default recovery method defined in Recovery Manager for Active Directory (**Settings** | **General** tab). The default recovery method does not allow for the recovery of passwords from backups. As On Demand Recovery does not provide an option to set a password for recovered users, hybrid users are restored without a password and are disabled.

- After the hybrid restore operation, On Demand Recovery forces Microsoft Entra Connect synchronization to push on-premises changes to the cloud and wait until it completes the synchronization. Restore events can be used to track steps of Microsoft Entra Connect synchronization, such as export and import.
- To restore 'member' or 'memberOf' attributes for an object, restore the group from the **Unpacked Objects** view. Restoring of group memberships from the **Differences** report is not supported in hybrid environments.
- On Demand Recovery supports one hybrid connection per On Demand organization. If you need to manage multiple hybrid tenants, create a separate On Demand organization for each Hybrid Microsoft Entra tenant.
- One instance of Recovery Manager Portal can be used with one Microsoft Entra tenant and one Microsoft Entra Connect server. Install multiple RMAD web portals if you need to work with multiple Microsoft Entra tenants and Microsoft Entra connect servers.
- On Demand Recovery restores Back Link attributes: 'memberOf' (the back link for the 'member' attribute) and 'directReports' (the back link for the 'manager' attribute). These attributes can be selected along with all other attributes when you click **Browse** in the Restore Objects dialog.
- Separate Microsoft Azure Relay service is used for each hybrid connection (one per On Demand organization). On Demand Recovery creates WCF Relay per On Demand organization. No changes to On-Premises Firewall settings are required.

### ***To perform a restore operation in On Demand Recovery***

1. Unpack a backup.
2. Go to the **Objects** screen and select on-premises objects to restore.
3. Click **Restore**.
4. In the Restore Objects dialog, if you select the **Restore all attributes** option, On Demand Recovery will restore all on-premises attributes and cloud-only attributes from the backup.
5. You can perform the restore of on-premises objects from the **Differences** report as well.

**i** **NOTE:** You can restore a hybrid user using only On Demand Recovery without configuring a hybrid connection. In this case, do not forget to clear the **Show hybrid restore errors if hybrid connection is not configured** check box in the Configure hybrid connection dialog. If the hybrid connection is not configured, On Demand Recovery restores a cloud user and their cloud attributes without an on-premises user. For more information, see [How does On Demand Recovery Handle Object Attributes?](#) This scenario does not work for Federated Domains.

## **Limitations When a Hybrid Connection is Not Configured**

On Demand Recovery can restore cloud-only users and groups without a configured Recovery Manager for Active Directory hybrid connection. If a hybrid connection is not configured intentionally or Recovery Manager for Active Directory is not installed yet, recovery features for hybrid users and groups are limited. As a result, the following

errors will occur: "Cloud restore was interrupted due to failed restore of the on-premise object" and "A hybrid connection is required to complete the restore of the on-premises attributes with RMAD".

- If a hybrid user is permanently deleted, On Demand Recovery will create a cloud object with cloud properties, including on-premises values, but actual values will be taken from the cloud backup, such as user surname, office, etc. If a hybrid user is recreated in the on-premises Active Directory by Recovery Manager for Active Directory or by any other on-premises recovery solution, this user object will be automatically synchronized by Microsoft Entra Connect resulting in the full recovery of the hybrid user. If a hybrid user is not recreated, on-premises attributes will be missing, for example, on-premises groups membership, etc.
- If On Demand Recovery tries to restore a hybrid user that has not been deleted but has modified on-premises attributes, the task will fail with the following error: "Cannot restore attribute". This error occurs due to the "Unable to update the specified properties for on-premises mastered Directory Sync objects or objects currently undergoing a migration" error. In this case, On Demand Recovery will show changes in the Difference report correctly, but will not be able to restore them.
- For a non-deleted hybrid group (modified in the cloud), cloud attributes such as licenses or assigned Enterprise applications can be restored. On Demand Recovery cannot restore a permanently deleted hybrid group that was synchronized by Microsoft Entra Connect, so the error that Recovery Manager for Active Directory configuration is needed will be shown in the case of restoring of the permanently deleted group.

## Hybrid Connection Widget

The **Hybrid connection** widget on the **Dashboard** screen shows issues with the hybrid connection. The widget state is synchronized automatically every time the page is refreshed.

When a customer does not want to configure a hybrid connection with Quest Recovery Manager for Active Directory, the corresponding connection error events can be deactivated by changing their severity from Error to Info. To do this, clear the **Show hybrid restore errors if hybrid connection is not configured** check box in the **Configure hybrid connection** dialog. For details, see [Integration with Recovery Manager for Active Directory](#).

The widget has the following states:

- If the hybrid connection is properly configured and works fine, the widget is green.

## Hybrid connection



Hybrid connection is configured.

- If the hybrid connection is not configured because you do not need it, the widget is gray and advises you to configure the connection. In this case, the **Show hybrid restore errors if hybrid connection is not configured** check box is not selected in the **Configure hybrid connection** dialog.

## Hybrid connection

Configure a hybrid connection to protect cloud and on-premises objects and attributes.



**CONFIGURE CONNECTION**

- If the hybrid connection is not configured and the **Show hybrid restore errors if hybrid connection is not configured** check box is selected in the **Configure hybrid connection** dialog, the widget is yellow and has a warning sign.

## Hybrid connection



Hybrid connection is not configured.  
Set up a hybrid connection to protect cloud and on-premises objects  
and attributes.

 **CONFIGURE CONNECTION**

- If one or more console is connected to On Demand Recovery and the **Show hybrid restore errors if hybrid connection** check box is selected in the **Configure hybrid connection** dialog, the widget is yellow and has a warning sign. For more information, go to the *Configure Hybrid Recovery* section in [Hybrid Recovery with On Demand Recovery](#).

## Hybrid connection



Hybrid connection is not properly configured. There are 2 consoles  
currently connected to On Demand Recovery. On Demand Recovery  
requires only one console to be connected.

## Working with Inactive Mailboxes

On Demand Recovery supports the backup and restore of inactive mailboxes of hard-deleted users.



**NOTE:** This feature requires the following consent permissions and roles:

- Consent granted to Exchange Online PowerShell for Backup and the Global Reader role assigned. For more information, see [Exchange Online PowerShell for Backup Consent](#).
- Consent granted to Exchange Online PowerShell for Restore and the Exchange Administrator role assigned. For more information, see [Exchange Online PowerShell for Restore Consent](#).



**NOTE:** If you need to restore the inactive mailbox of a hybrid user, see [Restoring Mailboxes for Hybrid Users](#).

To back up and restore inactive mailboxes, you need to back up the mailbox properties associated with the user account.

**To back up the linkage between users and inactive mailboxes:**

1. On the **Dashboard**, select **Manage Backups**.
2. In the **Manage backups** dialog, select the tenant from the list and click **Edit**.
3. In the **Configure backup** dialog, under **Backup options**, select the checkbox **Back up linkage between users and inactive mailboxes**.
4. Click **Save**.

## Restoring Mailboxes for Hybrid Users

To preserve the original cloud mailbox of hybrid users, you need to remove the newly created cloud user from Microsoft Entra ID before the restore.

To do so, in the **Restore objects** dialog, select the checkbox **If a hybrid user account already exists in Microsoft Entra ID, delete it before the restore operation**.

**Hybrid user scenario**

1. A hybrid user is deactivated by the administrator. The user account goes to the Recycle Bin. After 30 days, Microsoft Entra ID cleans this account from the Recycle Bin.
2. The user returns to the organization and the user account is enabled by the administrator. After the activation, the user is recreated in the cloud with the new mailbox.
3. To use the original cloud mailbox for the user, the user needs to be restored from the backup. Before restoring the user, the newly created cloud user is removed from Microsoft Entra ID.

**If you restore a hybrid user and their mailbox with On Demand Recovery**

- For Non-Federated Domains, On Demand Recovery restores a cloud user and its mailbox without an on-premises user.
- For Federated Domains, restore of hybrid users requires Recovery Manager for Active Directory. In this scenario, On Demand Recovery restores a hybrid user and its mailbox in the cloud. Recovery Manager for Active Directory restores this hybrid user on-premises, then it calls Microsoft Entra Connect to synchronize the user back to the cloud and make the cloud user previously restored by On Demand Recovery be in the Federated Domain. Without Recovery Manager for Active Directory, the cloud user will be non-federated after restore and you will not log in with this user.

# Hybrid Connection Port and Protocol Requirements


Hybrid configuration with Recovery Manager for Active Directory requires only outbound TCP/UDP port 443 to be opened on the Recovery Manager Portal server to access the internet. If the Recovery Manager Portal server already has access to the internet, you do not need to change the Firewall configuration.

**NOTE:** If you do not want to open all outbound IP Prefixes and your firewall or proxy allows DNS allow lists, you can add connections to <your name space>.servicebus.windows.net to your allow list.

**Table 2: Hybrid connection port and protocol requirements**

Protocol	Ports	Direction
HTTPS	443 (TCP/UDP)	Outbound

**Figure 2: Hybrid Restore Components Diagram**



# Hybrid Connection Security

FIPS 140-2 compliant TLS protocol is used for traffic encryption. HTTPS certificate is validated on our client side (Recovery Manager Portal).

Server side is [Azure WCF Relay](#) that is created and configured in Quest Azure Subscription.

Shared Access Signature (SAS) is used for authentication. A SAS token is based on an access key generated by On Demand Recovery cloud. This key is downloaded to the on-premises server with Recovery Manager Portal and used in the portal configuration to establish the Hybrid connection (from on-premises to the cloud). The SAS token is sent to the cloud and verified on each connection request. For details about Shared Access Signature algorithm, click the following link: <https://docs.microsoft.com/en-us/azure/service-bus-relay/relay-authentication-and-authorization>.

# Restoring Email Address or Phone for Self-Service Password Reset

On Demand Recovery restores an email address or phone that was specified as an authentication method for the self-service password reset user option in the Azure portal. So users can reset their passwords without help of the global administrator.

## Supported scenarios

The following scenarios are supported by On Demand Recovery:

- Restoring email, mobile phone number, and office phone number for the self-service password reset option.

**i** | **NOTE:** Because of Microsoft requirements, hard deleted objects will receive a new Object ID upon restore of these objects. Please consider the implications of having a new Object ID after restoring these objects.

## Limitations


The following scenarios are not supported by On Demand Recovery:

- Restoring user passwords and the password reset is the only option to log in to the Azure portal after the restore of a permanently deleted user.
- The following authentication methods are not restored; security questions, mobile app notification, and mobile app code.

For details on how to enable self-service password reset in your Microsoft Entra tenant, click [here](#).

**To log in to the Azure portal after the user restore if an email address was specified as authentication method for the password reset option**

1. Go to the Azure portal and enter the user name.
2. On the **Enter password** screen, click **Forgot my password**.



Microsoft Azure

Microsoft

← mail2@rdrmazexploratory1.onmicrosoft.com

**Enter password**

Password

[Forgot my password](#)

**Sign in**

3. On the **Get back into your account** screen, type the user name and prove that you are not a robot by entering the characters you see on the screen, and then select **Next**.

## Microsoft

# Get back into your account

Who are you?

To recover your account, begin by entering your user ID and the characters in the picture or audio below.

User ID:

mail2@rdrmazexploratory1.onmicrosoft.com

Example: user@contoso.onmicrosoft.com or user@contoso.com



RVD6

Enter the characters in the picture or the words in the audio.

4. On the next screen, select **Email my alternate email**, and then select **Email**.

**Microsoft**

## Get back into your account

**verification step 1** > choose a new password

---

Please choose the contact method we should use for verification:

<input checked="" type="radio"/> Email my alternate email	<p>You will receive an email containing a verification code at your alternate email address ( mail1@gmail.com ).</p> <p>Email</p>
---	---

5. Type the verification code from the email into the box, and then select **Next**.

6. Type and confirm your new password, and then select **Finish**. Your password has been reset and can be used to log in to the Azure portal.

Microsoft

## Get back into your account

verification step 1 ✓ > **choose a new password**

\* Enter new password:

Password strength

\* Confirm new password:

Finish

Cancel

A strong password is required. Strong passwords are 8 to 16 characters and must combine uppercase and lowercase letters, numbers, and symbols. They cannot contain your username.

7. Log in with the new password.
8. Then you may see the screen where you will be asked to verify your email address if the [Converged service](#) is not enabled in your environment. You can click **Cancel** and verify the email address later.

don't lose access to your account!

To make sure you can reset your password, we need to collect some info so we can verify who you are. We won't use this to spam you - just to keep your account more secure. **You'll need to set up at least 1 of the options below.**

⚠ Authentication Email is set to [mail1@gmail.com](#) [Verify](#)

finish

cancel

9. If the Converged service is enabled, you will get the screen like below. In this case, no further action is required.



## Keep your account secure

Sometimes your organization needs more info to make sure it's you. Set up the security info below so you can prove who you are.

✓ Email mail1@gmail.com



Done

## Reporting

On Demand Recovery includes the comparison report feature that is used to monitor and roll back changes occurred in live Microsoft Entra ID or Microsoft 365 since the backup was created. The report assists you with troubleshooting and resolving problems that may result from the deletion of critical objects or parameter changes.

The report shows the following changes:

- Creation of new users or groups
- Changes to Microsoft Entra B2C "local accounts", "guest accounts", and "social accounts"
- Changes to object attributes, including licenses
- Group membership and manager property changes (**DirectoryLinkChange** object type)
- Changes to service principal objects: deletion of a service principal, add/remove roles (custom roles are not monitored), changes to the **accountEnabled** property
- Objects moved to the Recycle Bin
- Permanently deleted objects
- When deleting a group, all links that were affected by this action are shown in the Differences report, such as Microsoft Entra group membership, Conditional Access policies, group owners, and application assignments.

**i** **NOTE:** To restore 'member' or 'memberOf' attributes for an object, restore the group from the **Unpacked Objects** view. Restoring of group memberships from the **Differences** report is not supported in hybrid environments.

### *To view and roll back changes in Microsoft Entra ID or Microsoft 365*

**i** **NOTE:** Objects added to the directory after the backup was created cannot be deleted using the **Restore** option in the comparison report. This option removes only membership information for the selected object and logs an event.

1. Create a backup of your directory.
2. Change any object attributes in your live Microsoft Entra ID or Microsoft 365.
3. Unpack the backup to compare with the current version of your directory. For that, click **Unpack backup** on the **Dashboard** view. In the Backup Unpacking dialog, click **Browse** and select the backup.
4. After the backup is unpacked, go to the **Differences** view.
5. To refine the data, use the **Search** field or facets on the left side of the screen. For more information about the search syntax, see [Advanced Search](#).
6. Select the changes you want to roll back and click **Restore**.
7. To update the report data, use the **Refresh** option.

8. The **Export** feature allows you to export the selected report data to the CSV format. Note that the CSV file contains internal column names, for example: the **Attribute** column in the **Difference** report has the "changedAttribute" internal name. You can use internal column names to create search queries. For more information, refer to [Advanced Search](#).

## Advanced Search

You can use words, symbols, and query strings in your search to make your search results more precise.

**Consider the following:**

- It is recommended to add an asterisk to the end of your search term. The asterisk will replace a character in your search string to indicate that any number of characters can be substituted in place of the asterisk.
- Do not put spaces between the symbol or word. For example, a search for `changedAttribute:link*` will work, but will not work for `changedAttribute: link*`
- Press **Enter** to get the search results.
- Keywords are not case-sensitive.
- You can export selected search results to the CSV file.

## Using Operators in Keyword Queries

You can use special punctuation marks to refine your search.

**Table 3: Operators that can be used in keyword queries**

To search for	Operator	Example	Result
Specify part of a word	*	serv*	Include terms beginning with "serv".
Exclude specified content	-	-mail*	Excludes content with values that match the exclusion.
Exclude specified content	<b>NOT</b> (case-sensitive)	NOT mail*	Excludes content with values that match the exclusion
Include specified content	+	+mail*	Includes content with values that match the inclusion.
Multiple keywords	space	mail user	Returns content that includes either 'mail' or 'user'.
Multiple keywords	<b>OR</b> (case-sensitive)	mail OR user	Returns content that includes either 'mail' or 'user'.

To search for	Operator	Example	Result
Multiple keywords	<b>AND</b> (case-sensitive)	mail AND user	Returns content that includes both these keywords.
Exact phrase	Quotation marks	"Object hard deleted"	Finds items that contain the exact phrase "Object hard deleted".

**NOTE:** Asterisk matches zero or more non-space characters.

## Search by Date Range

Table 4: Query examples to search by date range

Time stamp	Query example
Search for the backup created on September 18, 2017 Eastern Time (UTC-5) in the <b>Select backups to unpack</b> dialog	when:[2017-09-18T00:00:00-05 TO 2017-09-19T00:00:00-05]
All events after June 27	timestamp:[2017-06-27 TO *]
All events up to June 27 9:03:27	timestamp:[* TO 2017-06-28T09:03:27]
January 27-28 interval	timestamp:[2017-01-27 TO 2017-01-28]
53 second interval on January 27 9:13 UTC	timestamp:[2017-01-27T09:13:00Z TO 2017-01-27T09:13:53Z]
The same time interval as previous but with time zone specified	timestamp:[2017-01-27T12:13:00+03 TO 2017-01-27T12:13:53+03]
1 – 3 weeks of 2017 year	timestamp:[2017-W1 TO 2017-W3]
First 50 days of 2017 year	timestamp:[2017-001 TO 2017-050]

## Using Query Strings

You can refine your search for the report data by using search expressions. To perform a keyword search in a specified column, you need to use the internal name of the column instead of the column display name. For example, `<internal column name>:<search term or expression>`. For a list of internal column names and string examples, see the tables below.

**Table 5: Unpacked Objects screen**

Column display name	Column internal name	To search for	Query example
Name	displayName	An object by object name	displayName:SamJones
Type	objectType	An object by object type	objectType:user
Backup Date	backupDate	An object by the specified backup date/time	backupDate:[2017-06-27]
Directory	tenant	An object by directory name	tenant:demo365
Principal Name	userPrincipalName	An object by principal name	userPrincipalName:Sam.Jones@mycompany.com
Mail	mail	An object by mail address	mail:Sam.Jones@mycompany.com
City	city	An object by city	city:London
Department	department	An object by department	department:Sales
Job Title	jobTitle	An object by job title	jobTitle:manager
Description	description	An object using keywords in the object descriptions	description:Sales
User Type	userType	An object by user type	userType:new
Telephone Number	telephoneNumber	An object by telephone number	telephoneNumber:44658

**Table 6: Differences screen**

Column display name	Internal column name	To search for	Query example
Name	objectName	Changes related to a specified object name	objectName:SamThomas*
Change	changeType	Objects by change type	changeType:"Object hard deleted"
Object Type	objectType	Objects by object type	objectType:User
Attribute	changedAttribute	Changes related to a	changedAttribute:link

Column display name	Internal column name	To search for	Query example
		specific attribute	
Difference	oldValue	Search by old attribute value (value before the change)	oldValue:User1@mycompany.com
Difference	newValue	Search by new attribute value (value after the change)	newValue:User1@gmail.com
Backup time	backupDate	Search by the specified backup date/time	backupDate:[2017-06-27]

**Table 7: Events screen**

Column display name	Internal column name	To search for	Query example
Time	timestamp	Specified timestamp	timestamp:NormanThomas*
Description	message	Keywords in event descriptions	message:"Object attributes were restored"
Object Name	object.name	Objects by an object name	object.name:User
Task Name	task.name	Specified task	task.name:"Restore objects"

**Table 8: Tasks screen**

Column display name	Column internal name	To search for	Query example
Title	name	A task by task name	name:"restore objects"
State	status	A task by task status	status:completed
Type	type	A task by task type	type:restore
Modified	modified	A task by the date when the task was modified	modified:[2017-06-26]
Created	created	A task by the date when the task was created	created:[2017-06-27]
Operation	lastResultDescription	Keywords in the operation description	lastResultDescription:unpack*

## How does On Demand Recovery Handle Object Attributes?

- For more information about known issues and limitations, see <http://support.quest.com/technical-documents/on-demand-recovery-for-azure-active-directory/release-notes/about-quest-recovery-for-azure-active-directory/known-issues>.
- For more details about MSOnline module, see <https://learn.microsoft.com/en-us/powershell/module/msonline/?view=azureadps-1.0>.

**i** **NOTE:** On Demand Recovery does not support the restore of objects in restricted management administrative units.

## Attributes Restored by On Demand Recovery

For a full list of attributes restored by On Demand Recovery, visit the [On Demand Recovery Supported Attributes guide](#).

# What is Not Protected by Microsoft Entra Connect but Can Be Restored by On Demand Recovery?

Microsoft Entra Connect synchronizes many attributes for users and groups from on-premises Active Directory but there are also cloud objects, properties, and links to Microsoft 365 resources which are not protected by Microsoft Entra Connect and restored only with On Demand Recovery.

**Table 9: Types of cloud-only objects restored by On Demand Recovery**

Object Type	Description	Azure Recycle Bin
Guest users	A Microsoft Entra business-to-business (B2B) collaboration user that typically resides in a partner organization and has limited privileges in the inviting directory.	30 days
Microsoft 365 Groups	Groups that are used for collaboration between users, both inside and outside the company.	30 days
Cloud only Security Groups	Groups that are used for granting access to Microsoft 365 and Microsoft Entra ID resources.	No
Dynamic Security Groups	Groups with dynamic rule-based membership.	No
Dynamic Microsoft 365 Groups	Microsoft 365 Groups with dynamic rule-based membership.	30 days
Devices	Device registration records in Microsoft Entra ID.	No
Application Registration	Stores application manifest (non-Gallery application manifests are not supported), logo, sign in, up URLs and other information.	30 days
Conditional Access Policies	Microsoft Entra policies that are used to control user access to cloud applications and resources.	No
Named Locations	Named lists of IP prefixes that are used in Conditional Access Policies.	No

# About Us

---

Quest creates software solutions that make the benefits of new technology real in an increasingly complex IT landscape. From database and systems management, to Active Directory and Office 365 management, and cyber security resilience, Quest helps customers solve their next IT challenge now. Around the globe, more than 130,000 companies and 95% of the Fortune 500 count on Quest to deliver proactive management and monitoring for the next enterprise initiative, find the next solution for complex Microsoft challenges and stay ahead of the next threat. Quest Software. Where next meets now. For more information, visit [www.quest.com](http://www.quest.com).

## Technical Support Resources

Technical support is available to Quest customers with a valid maintenance contract and customers who have trial versions. You can access the Quest Support Portal at <https://support.quest.com>.

The Support Portal provides self-help tools you can use to solve problems quickly and independently, 24 hours a day, 365 days a year. The Support Portal enables you to:

- Submit and manage a Service Request
- View Knowledge Base articles
- Sign up for product notifications
- Download software and technical documentation
- View how-to-videos
- Engage in community discussions
- Chat with support engineers online
- View services to assist you with your product