

Quest® Recovery Manager for Active Directory Disaster Recovery Edition 10.0.1

Release Notes

December 2019

These release notes provide information about the Quest® Recovery Manager for Active Directory Disaster Recovery Edition release.

- [New Features](#)
- [Resolved Issues](#)
- [Known Issues](#)
- [System Requirements](#)
- [Product Licensing](#)
- [Getting Started with Recovery Manager for Active Directory](#)
- [Globalization](#)
- [Third-Party Contributions](#)

About Recovery Manager for Active Directory Disaster Recovery Edition

Recovery Manager for Active Directory Disaster Recovery Edition is designed to recover the entire Active Directory forest or specific domains in the forest.

The use of Recovery Manager for Active Directory Disaster Recovery Edition helps you minimize the downtime caused by the corruption or improper modification of Active Directory forest and data.

Recovery Manager for Active Directory Disaster Recovery Edition simplifies and automates the process of Active Directory forest or domain recovery: It automates the manual tasks involved in the recovery, remotely

quarantines corrupt domain controllers, and restores domain controllers to speed up the overall recovery and restore business operation quickly.

Recovery Manager for Active Directory Disaster Recovery Edition is based on patented technology.

Recovery Manager for Active Directory Disaster Recovery Edition 10.0.1 is a maintenance release with new features and functionality. See [New features](#).

New features

New features and enhancements in Recovery Manager for Active Directory Disaster Recovery Edition 10.0.1:

New Features

Support for Microsoft Windows Server 2019

This release can be installed on computers running Windows Server 2019, and domain controllers running Windows Server 2019 can be targets for backup and restore operations.

Continuous recovery (Change Auditor integration)

Recovery Manager for Active Directory restores a deleted object and the last change (if any) that was made to the object properties after the backup creation using data from the Change Auditor database.

Support for restore of Group Policy Objects in non-trusted domains

Domain access credentials can be explicitly specified in Group Policy Restore Wizard.

Support for Azure Files as a backup storage

Recovery Manager for Active Directory Disaster Recovery Edition can work with backups stored in the Azure Files share.

Separate accounts to access the backup storage and the Backup agent

Now a user can access backup storage share under specified account, which is not the same as an account used to access the backup agent.

Install AD recovery method supports RODC

Now the Install Active Directory recovery method supports promoting read-only domain controllers (RODC).

Independent DC verification workflow

Now verification of DC1 does not wait for verification of DC2.

New verification step "Check if promoting paths are valid" for the 'Install Active Directory' and 'Install from Media' recovery methods

On this step Recovery Manager for Active Directory Disaster Recovery Edition checks whether the specified 'DIT database path', 'Log files path' and 'SYSVOL path' are available.

Configure as Global Catalog option for the Install from Media recovery method

Now the Install from Media recovery method has the "Configure as Global Catalog" option.

Checking the System State backup password

Now the Verify Settings operation checks the System State backup password for the "second stage" scenario.

NAT Settings for Bare Metal Recovery

The "NAT settings" option lets you access recovered domain controllers that are located outside the network where Recovery Manager for Active Directory Disaster Recovery Edition is installed.

Custom port for Forest Recovery Agent in Windows Recovery Environment

Now you can connect to the FR agent in Windows Recovery Environment using a custom port.

BMR project verification in a live environment

BMR project settings can be verified in a live environment, without additional blank hosts.

New Features

Creating Quest Recovery Media with third-party drivers

Third-party drivers can be added to the Quest Recovery Media image using the new options in Forest Recovery Console. For details, see *Custom Quest Recovery Media with Additional Drivers* in User Guide.

Including additional (non-critical) disks in a RMAD BMR backup

We have added an option to include additional volumes to a BMR backup. For details, see the *Including additional volumes in a BMR backup* section in User Guide.

UEFI boot mode on SCVMM

Active Directory Virtual Lab: Support for source machines with the UEFI boot mode on System Center Virtual Machine Manager (SCVMM).

Resolved issues

Table 1: General resolved issues

Resolved Issue	Issue ID
Now the "Windows Server Backup" feature is installed automatically during the backup process if the feature is missing.	RMADFE-1874
Now Backup Agent retries to connect to the LDAP server if it is not functional during start of the backup creation process.	RMADFE-1954
RMAD console may hang during startup on Windows Server 2016 with some updates.	RMADFE-2006
Now log information about backup creation sessions is written to the text file specified on the Alerts tab of the collection properties.	RMADFE-2025
Recovery Manager Console could show misleading "agent is up to date" message when the version of Backup agent did not match the console version.	RMADFE-2054
Recovery Manager for Active Directory can open a DIT database as Read/Write from backups made on other versions of operating system.	RMADFE-2091
Now we show the warning during the backup session if the agent is not up to date.	RMADFE-2096
Now Recovery Manager Console starts with no MMC errors.	RMADFE-2097
Now the error is shown if an AD component is copied incompletely from the VSS snapshot.	RMADFE-2127
MSA/gMSA accounts now can be used for scheduled backups on localized Windows operating systems.	RMADFE-2145
Support for RMAD backup and restore operations for Windows Server 2019 domain controllers.	RMADFE-2168
Unable to uncheck two options on the Components tab of the collection properties: "When backing up Global Catalog servers, collect group membership information from all domains within the Active directory forest" and "Collect Forest recovery metadata".	RMADFE-2183
Support for RMAD backup and restore operations for Windows Server 2019 Core domain controllers.	RMADFE-2211
In some cases, a license violation warning may appear in Recovery Manager Console.	RMADFE-2249
Unable to change access credentials during the Agent-less Online Restore when the "Require trusted path for credential entry" policy is enabled.	RMADFE-2259
Unable to change access credentials during the Agent-based Online Restore when the "Require trusted path for credential entry" policy is enabled.	RMADFE-2306
Now 'Boot Files' and 'IIS Metabase' backup components are hidden.	RMADFE-2343
Recovery Manager cannot process large .dit files.	RMADFE-

Resolved Issue	Issue ID
	2349
When specifying the port for the Offline Restore Agent on the Ports tab of the Recovery Manager Console Settings, Recovery Manager for Active Directory Disaster Recovery Edition still connects via a random port.	RMADFE-2289
Recovery Manager for Active Directory Disaster Recovery Edition does not restore some attributes in the hybrid configuration because of incorrect attribute matching.	RMADFE-2499
The Online Restore Wizard did not accept long paths to the Change Auditor database.	RMADFE-2567
Recovery Manager cannot backup a DC if SYSVOL is placed on a deduplicated volume.	RMADFE-2582

Table 2: Forest Recovery Console and Forest Recovery Agent resolved issues

Resolved Issue	Issue ID
Now the firewall service is not enabled on the Forest Recovery Agent start.	RMADFE-872
Now you can configure Recovery Media and Drivers locations in Forest Recovery Console using the following command: <code>Set-RMADFEGlobalOptions -RecoveryMediaPath "mediaDir" -CustomDriversPath "driverDir" -Save.</code>	RMADFE-1906
Third-party drivers from the source machine backup can be added to the WinRE image.	RMADFE-1914
In rare cases, the Verify settings could fail with the wrong error message "A conflict detected in the recovery project settings".	RMADFE-1898
"Insufficient configuration information" warning appeared prior to the BMR recovery. This happened because the version of operating system was not read from the backup.	RMADFE-1878
Now the forest recovery step "Reset computer account password" is performed in parallel for all domain controllers.	RMADFE-1926
The password was asked two times during creation of the FR Project from backup and registration of encrypted backup.	RMADFE-1983
Forest recovery could fail with the exception "ThereIsAnotherWorkingSessionException" if a user abort the forest recovery procedure, reopen Forest Recovery Console and then start the recovery session again.	RMADFE-1990
Bare Metal Recovery Console could show the "Waiting for connection from the Forest Recovery Console" message being already connected.	RMADFE-1978
Agent operations may fail on canceling timeout expiration.	RMADFE-2187
"Disk already detached" error may occur when creating and registering the BMR backup.	RMADFE-2007
BMR backup could not be completed on Windows Server 2008 R2 because of insufficient size of VHD container.	RMADFE-2008
Could not apply the changed System State backup password.	RMADFE-2010

Resolved Issue	Issue ID
Wrong DNS server might be selected during the forest recovery process (Install from Media recovery method).	RMADFE-2019
Could not create a backup on the restored machine in case of corrupted backup catalog.	RMADFE-2026
Now the "Restore DNS delegation" operation removes obsolete IP addresses.	RMADFE-2027
Now the Forest Health Check tool successfully performs "Active Directory replication" and "Domain trusts" checks.	RMADFE-2040
Now Recovery Manager for Active Directory Disaster Recovery Edition cleans up duplicated DNS server IP addresses during the forest recovery.	RMADFE-2048
If a user changes some settings after the failed restore operation and then restarts the restore operation, new settings will be applied successfully.	RMADFE-2056
Now the project verification successfully updates the project file settings.	RMADFE-2066
You may get an error when retrying to reboot Windows Recovery Environment to DSRM mode.	RMADFE-2073
Forest Recovery Agent tried to configure network adapter only once after reboot from WinRE to DSRM mode.	RMADFE-2074
We add an option that lets you specify the target IP address and port to connect to Recovery Environment.	RMADFE-2080
If you need to schedule FR project verification, click the drop-down toggle next to Verify Settings on the tool bar and select Schedule Verify Settings.	RMADFE-2084
Now the email notification that is generated during the "Scheduled Verify Settings" procedure contains more detailed information.	RMADFE-2085
Now the Manage FSMO Roles tool correctly determines current role owner.	RMADFE-2087
Recovery report could contain obsolete IP addresses after the Disaster recovery is completed.	RMADFE-2109
Bare Metal Recovery Console could show wrong IP address when it was manually changed.	RMADFE-2110
The "Unable to rename backup media file..." error occurred on attempt to create the BMR backup.	RMADFE-2118
Now the backup criteria is automatically applied to BMR backups.	RMADFE-2122
Bare Metal Recovery Console can automatically select a network adapter that is physically connected to the network.	RMADFE-2129
Bare Metal Recovery Console might crash on start up when there are several disconnected network adapters.	RMADFE-2150
Now Bare Metal Recovery Console shows correct subnet mask/gateway addresses for disconnected network adapters.	RMADFE-2151
Bare Metal Recovery Console could fail to configure the second network adapter with the "The	RMADFE-

Resolved Issue	Issue ID
object already exist" error in the log.	2152
Bare Metal Recovery Console could hang on quickly switching of network adapters.	RMADFE-2159
The BMR backup path field in the Forest Recovery Console contained some backup path in case of selection of multiple domain controllers. Now this field is empty.	RMADFE-2166
Invalid DNS server could be selected.	RMADFE-2175
Now the Manage FSMO Roles tool allows a user to seize or move FSMO roles to a running domain controller.	RMADFE-2179
Forest Recovery Console fails to send an e-mail notification after the project verification or recovery process has been completed with the following exception "Cannot compile template: RazorEngine.Templating.TemplateCompilationException: Unable to compile template."	RMADFE-2181
Cancel of agent operation may hang on canceling timeout expiration.	RMADFE-2187
The "Reset computer account password" operation could report successful result even if some DC passwords were not reset.	RMADFE-2206
Now the "Configure DNS server" operation is waiting for the DNS server to become available.	RMADFE-2208
Bare Metal Recovery Console might fail on the Initializing step with the error "Failed to wait for network to become available".	RMADFE-2237
Bare Metal Recovery Console might fail to initialize a network adapter for an unknown reason with the "Waiting for connection on 0.0.0.0..." message.	RMADFE-2277
Recovery Manager for Active Directory Disaster Recovery Edition cannot extract files from the BMR backup if the file path is too long (exceeds 260 characters) with the error "System cannot find the file specified".	RMADFE-2290
Now the Quest Recovery Media image file is recreated when the Forest Recovery Agent version has changed, for example, because of the installation of the product update.	RMADFE-2309
BMR recovery hangs on the 'Restart DC in DSRM mode' recovery step when DHCP is enabled on NIC cards.	RMADFE-2335
Bare Metal Recovery Console crashed on Windows Recovery Environment for Windows Server version 2008 R2 Build 7600.	RMADFE-2401
Forest Recovery may hang in some cases when BitLocker is enabled.	RMADFE-2420
The BMR backup process might fail with the "bad allocation" error.	RMADFE-2435
Blue Screen with the 0xc00002e2 error could occur after Bare Metal recovery and restore from the System State backup.	RMADFE-2495
The 'authoritative sysvol restore' flag is ignored during Bare Metal recovery.	RMADFE-2530
SYSVOL replication does not work on a domain controller that is restored by using the Bare Metal Active Directory Recovery method with the "Restore from System State Backup" option.	RMADFE-2533

Resolved Issue	Issue ID
Forest Recovery may hang at the "Restart domain controller in normal mode" step with the disabled network adapter.	RMADFE-2546
Forest Recovery using the "Install Active Directory" or "Install Active Directory from Media" method may fail with the error "Unable to check forest upgrade status" at the "Install Active Directory" step. To resolve this problem, the "Replicate FSMO role owners" step is added to the following recovery methods "Bare Metal Active Directory Recovery" and "Restore from backup".	RMADFE-2552
Cannot manually change NIC adapter settings from the Bare Metal Recovery Console.	RMADFE-2563
The recovery process may fail on the "Get information about computer from backup" step with the "Invalid IP address" error when static DNS is configured for the DHCP-enabled network adapter.	RMADFE-2641
Bare Metal Recovery Console cannot be upgraded from version 10.0.1 to version 10.0.1 HF1 due to the "improper version" error.	RMADFE-2652
RMAD Backup Agent should be able to collect Windows Server Backups if any third-party Anti-Spyware software is installed on the domain controller.	RMADFE-2653

Table 3: Active Directory Virtual Lab resolved issues

ADVL project could fail with the "Timeout expired" error.	RMADFE-2125
Now ADVL can work with VMWare agents deployed with self-signed certificates.	RMADFE-2227

Known issues

The following is a list of issues, including those attributed to third-party products, known to exist at the time of release.

Table 4: Forest Recovery Console and Forest Recovery Agent known issues

Known Issue	Issue ID
<p>Unexpected behavior of the Forest Recovery Console when you update a recovery project created from a backup file: The "FSMO Roles" column in the right pane remains empty, although it should display information about FSMO roles of the DCs in the project.</p> <p>WORKAROUND: Update the project: On the "Menu Bar", click Tools, and then click "Update Project with Changes in Active Directory".</p>	65946
<p>Unexpected behavior in the Forest Recovery Console: When you group domain controllers by recovery method, some domain controllers may be included in the wrong group. This issue only occurs when you perform the following steps:</p> <ol style="list-style-type: none">1. Group domain controllers in the Forest Recovery Console by recovery method.2. Change recovery method for some of the domain controllers. <p>WORKAROUND: Change the grouping criteria for the domain controllers, and then again group the domain controllers by recovery method.</p>	177600
<p>Unexpected behavior when you print out the Recovery Plan or Recovery Report: Your attempt to use the Portrait page orientation may have no effect, and the plan or report is printed out in the Landscape orientation.</p> <p>WORKAROUND: This is a limitation in the Microsoft Report Viewer. Use the Landscape orientation since this is the orientation where everything fits.</p>	274520
<p>Unexpected result of a forest recovery operation: Some member servers may erroneously appear as domain controllers in Active Directory. This issue may occur if the backups you used for the recovery were made before the computers in subject were demoted from domain controllers to member servers.</p> <p>WORKAROUND 1: Run metadata cleanup to remove the unnecessary domain controllers from Active Directory.</p> <p>WORKAROUND 2: Recover your forest by using more recent backups that correctly reflect the forest topology.</p>	285237
<p>SYSVOL may not work correctly if a domain controller that was selected for the authoritative SYSVOL restore cannot be restored.</p>	RMADFE-1111
<p>Recovery Manager for Active Directory Disaster Recovery Edition does not check version of Forest Recovery Agent inside the ISO image file.</p>	RMADFE-2220
<p>The start type of Windows Defender Firewall service cannot be restored in Windows Server 2019.</p>	RMADFE-2228

Table 5: Active Directory Virtual Lab known issues

Known Issue	Issue ID
<p>Your attempt to install the SCVMM agent on a source computer by using the Active Directory Virtual Lab console may fail with the error "<ComputerName> has an unsupported version of the Virtual Machine Manager agent installed." This behavior may occur if a virtual machine was previously created from the source computer by using some other Microsoft SCVMM server, and the SCVMM agent remained on the source computer after that.</p> <p>WORKAROUND: Uninstall the SCVMM agent, and then install the agent by using the Active Directory Virtual Lab console.</p> <ol style="list-style-type: none">1. Log on to the source computer and uninstall the agent manually from the list of installed programs (appwiz.cpl).2. In the Active Directory Virtual Lab console, right-click the source computer, and then use the "Manage Agents Install SCVMM agent" command to install the agent.	315009
<p>The Active Directory Virtual Lab console may erroneously state that the SCVMM agent is installed on a source computer added to the virtual test lab project, when in fact the agent is not installed. This behavior may occur if a virtual machine was previously created from the source computer by using some other Microsoft SCVMM server.</p> <p>WORKAROUND: In the Active Directory Virtual Lab console, use the shortcut menu on the source computer to uninstall the SCVMM agent, and then install it back again.</p>	315349
<p>The "Select preferred DNS server" recovery step may fail with the error "The process terminated unexpectedly." This issue only occurs on domain controllers that:</p> <ul style="list-style-type: none">• Are being recovered with the "Restore from backup" method.• Had a pending reboot when you started the recovery. <p>WORKAROUND: Retry last operation on the target domain controller.</p>	315534
<p>Unexpected behavior: The Active Directory Virtual Lab may not automatically delete an unusable virtual machine whose creation has failed from the target virtual host.</p> <p>WORKAROUND: Delete the virtual machine manually. To do so, you can use the native tools supplied with the third-party virtualization software with which you attempted to create the virtual machine.</p>	318003
<p>When creating or opening a virtual lab project, you may encounter the error "Converter does not support agents of this version (<VersionNumber>)." This error shows up if any of the source computers in the virtual lab project have a VMware agent preinstalled and the agent version is earlier than the VMware vCenter Converter version you are using.</p> <p>WORKAROUND: Update the VMware agent on the source computer to the latest version:</p> <ol style="list-style-type: none">1. In the Active Directory Virtual Lab console, right-click the source computer in question.2. From the context menu, select "Manage Agent Install VMware agent".	335151
<p>The verify settings operation does not check whether the target virtual host supports the number of CPUs specified in the virtual lab project settings. As a result, if the number of CPUs is not supported, the virtual lab creation may fail with the error "The destination you selected does not support <Number> CPUs."</p>	338800

Known Issue	Issue ID
WORKAROUND: Before creating your virtual lab, ensure that the target virtual host supports the number of CPUs you have specified in the virtual lab project.	
Active Directory Virtual Lab on SCVMM 2012 R2 may fail on domain controllers running Windows Server 2008 R2 Core. WORKAROUND: This issue arises due to lack of vssapi.dll and vsstrace.dll in the %SystemRoot%\SysWOW64 folder. You should copy these DLL files from a machine running Windows Server 2008 Standard Edition.	134166335

Table 6: Recovery Manager for Active Directory known issues

Known Issue	Issue ID
Online Restore Wizard (agent-based restore) does not work on Windows Server 2019 with Local Security Authority (LSA) protection enabled.	RMADFE-2182
Online Restore Wizard (agent-based restore) does not work on Windows Server 2016 with Local Security Authority (LSA) protection and Secure Boot enabled.	RMADFE-1996
Cannot perform RMAD upgrade if the SQL Server Always On group is enabled for the reporting database.	RMADFE-1146
You may encounter the following unexpected behavior on the Backup Data Preparation step of the Online Restore Wizard: The wizard may not respond to any user action while it is processing a backup. WORKAROUND: Wait until the backup processing is finished.	167416
When you select the "Backup Agent Management" node in the Recovery Manager Console, you may observe the following issue: The Recovery Manager Console stops responding, showing the status "Discovering Backup Agent instances, please wait". WORKAROUND: Wait until the Backup Agent discovery completes.	183965
Unexpected behavior on the Reporting Options step in the Online Restore Wizard: When you select the "Include ChangeAuditor data in reports" check box, select a ChangeAuditor database, and click Next, you may encounter the error "Unable to connect to the ChangeAuditor database: <database>. Details: Login failed for user '<current user>'." This error shows up if the current user account does not have sufficient permissions to access the ChangeAuditor database. The expected behavior in the described situation is that the Online Restore Wizard should prompt you for credentials to access the ChangeAuditor database. WORKAROUND: Run the Online Restore Wizard under an account that has sufficient permissions to access the target ChangeAuditor database.	192269
You may encounter the following unexpected behavior while using the "Backup Agent Management" view in the Recovery Manager Console to view a list of Backup Agents: The list of Backup Agents may be incomplete. The cause of this behavior is that when you apply a filter on one or more columns in the "Backup Agent Management" view, there is no indication that the filter is applied. WORKAROUND: Check to see if a filter is applied on any columns in the "Backup Agent Management" view. Remove the filter if necessary.	200274

Known Issue	Issue ID
A compare operation performed in the Online Restore Wizard may take a significant time to complete (30+ minutes). Also, the compare operation may consume a significant amount of RAM. This issue only occurs if the number of objects being compared is 100,000+. WORKAROUND: Wait for the compare operation to complete.	340796
The Online Restore Wizard cannot find an object if the object name contains 1-9 digits when searching by the full object name, but can find it by the common mask, for example: 'u01' object can be found by 'u' and cannot by 'u01'. This issue may arise if the operating system version of a domain controller is greater or different from the RMAD Console machine operating system. WORKAROUND: Copy the esent.dll file from the domain controller where the backup was created to the product installation folder on the Recovery Manager Console machine.	88020172
You may receive the "ASR Error: Fail to exclude disk#1" error when performing the Backup or Restore operation on Windows Server 2008/2008R2-based domain controller. WORKAROUND: This error can be safely ignored because it does not affect the backup or restore process.	91020268
After the upgrade on the network isolated machine, the Recovery Manager Console is loaded too slowly. WORKAROUND: Uncheck the Check for publisher's certificate revocation option on the Advanced tab in the Internet Option dialog in Microsoft Internet Explorer.	92444398
Pre-installed Backup Agent can be upgraded during the backup creation. WORKAROUND: Do not upgrade Backup Agent if the backup operation is not finished.	91682822
When a user cancels the data replication process by Ctrl + C, by logoff, etc, the status of the replication session is stuck at "Running".	RMADFE-1271
Customer can add a few instances of the same RMAD console (by domain name and by IP).	RMADFE-1276
Cannot disable replication schedule when there is no replication console (the replication console was deleted).	RMADFE-1283
Group Policy restore might fail with the error "Network access is denied" if you run the RMAD console under a local account, and this account has the same username and password as the domain account you use to restore Group Policy in the domain.	RMADFE-2162

Table 7: Recovery Manager Portal known issues

Known Issue	Issue ID
Unexpected behavior when you use the Recovery Manager Portal to delegate restore or undelete permissions to a user or group that is not assigned any role in the Recovery Manager Portal: The delegation operation completes successfully. The expected behavior in this situation is that the Recovery Manager Portal should not allow you to delegate permissions to a user or group that has not been assigned any role in the portal. WORKAROUND: Before delegating restore or undelete permissions, ensure that the target	308044

Known Issue**Issue ID**

user or group is assigned the appropriate role in the Recovery Manager Portal. For more information about assigning roles to portal users, see the "Using Recovery Manager Portal" chapter in the User Guide.

The Recovery Manager Portal fails to show the result of a restore or undelete operation if while the restore or undelete is still running you switch to some other tab, and then return to the Recovery tab. 317314

WORKAROUND:

To ensure that all objects have been successfully restored or undeleted:

1. On the Recovery tab, click the button with the name of the operation you have just performed.
2. See the "Objects to restore" or "Objects to undelete" list. This list contains the objects whose restore has failed.

When selecting a backup the Recovery Manager Portal, you may encounter the error "No backup found for the last backup session." This issue occurs if the backup is located on the domain controller and in the Recovery Manager Console its storage location is specified using a UNC path. 340814

WORKAROUND: Select a backup stored locally on the Recovery Manager for Active Directory computer.

Cannot access the Recovery Manager Portal if the portal is installed in the child domain. 91616200

WORKAROUND: In the portal settings file C:\Program Files (x86)\Quest\Recovery Manager Portal\Enterprise.Portal.Console\bin\EnterprisePortalSettings.xml <add key="SimulateLogonForWebDelegation" value="false" /> (default = true)

System requirements

Before installing Recovery Manager for Active Directory Disaster Recovery Edition 10.0.1, ensure that your system meets the following minimum hardware and software requirements.

i **NOTE:**

- Recovery Manager for Active Directory Disaster Recovery Edition supports only IPv4 or mixed IPv4/IPv6 networks.
- Recovery Manager for Active Directory Disaster Recovery Edition can backup and restore domain controllers that are running on virtual machines in Amazon Web Services (AWS) or Microsoft Azure. Note that such domain controllers cannot be restored with the Bare Metal Active Directory Recovery method because there is no way to boot them from an ISO image.

Recovery Manager for Active Directory Disaster Recovery Edition requirements

Table 8: Recovery Manager for Active Directory Disaster Recovery Edition system requirements

Requirement	Details
Processor	Minimum: 1.4 GHz Recommended: 2.0 GHz or faster
Memory	Minimum: 1 GB Recommended: 2 GB These figures apply only if the Active Directory domains managed by Recovery Manager for Active Directory Disaster Recovery Edition include 1 million objects or less. Increase RAM size by 512 MB for every additional 1 million objects.
Hard disk space	x86 system Full installation including the prerequisite software: 1.5 GB of free disk space In case all the prerequisite software is already installed: 250 MB of free disk space x64 system Full installation including the prerequisite software: 2.7 GB of free disk space In case all the prerequisite software is already installed: 260 MB of free disk space NOTE: Additional storage space is required for a backup repository, at least the size of the backed-up Active Directory database file (Ntds.dit) and the SYSVOL folder plus 40MB for the transaction log files.

Requirement	Details
Display	SVGA at 1366 x 768 or higher
Operating system	<p data-bbox="588 311 1378 461">NOTE: Machine that hosts the Recovery Manager for Active Directory console must have same or higher version of Windows operating system than the processed domain controllers. Otherwise, the online compare and object search in a backup during the online restore operation may fail.</p> <p data-bbox="588 477 715 499">Installation</p> <ul data-bbox="643 533 1378 1111" style="list-style-type: none"> • Microsoft Windows Server 2019 • Microsoft Windows Server 2016 • Microsoft Windows Server 2012 R2 with or without any Service Pack • Microsoft Windows Server 2012 with or without any Service Pack • Microsoft Windows Server 2008 R2 without Service Pack or with Service Pack 1 • Microsoft Windows Server 2008 with Service Pack 1 or Service Pack 2 • Microsoft Windows 10 • Microsoft Windows 8.1 with or without any Service Pack • Microsoft Windows 8 with or without any Service Pack • Microsoft Windows 7 without Service Pack or with Service Pack 1 • Microsoft Windows Vista with Service Pack 2 <p data-bbox="588 1140 1177 1162">Targets for backup, restore, or compare operations</p> <ul data-bbox="643 1196 1378 1576" style="list-style-type: none"> • Microsoft Windows Server 2019 including Server Core installation • Microsoft Windows Server 2016 including Server Core installation • Microsoft Windows Server 2012 R2 with or without any Service Pack (including Server Core installation) • Microsoft Windows Server 2012 with or without any Service Pack (including Server Core installation) • Microsoft Windows Server 2008 R2 without Service Pack or with Service Pack 1 (including Server Core installation) • Microsoft Windows Server 2008 with Service Pack 1 or Service Pack 2 (including Server Core installation) <p data-bbox="588 1606 1362 1693">The Windows Server Backup feature is supported for Windows Server 2008 R2 or higher. Make sure that the feature is installed on all domain controllers in your environment.</p>
Microsoft .NET Framework	<ul style="list-style-type: none"> • Microsoft .NET Framework version 4.5.2 or higher
Microsoft SQL Server and its	Microsoft SQL Server versions

Requirement	Details
components	<p>One of the following version is required:</p> <ul style="list-style-type: none"> • Microsoft SQL Server 2016 with or without any Service Pack (Enterprise, Business Intelligence, Standard, Express, Web, or Developer Edition) • Microsoft SQL Server 2014 with or without any Service Pack (Enterprise, Business Intelligence, Standard, Express, Web, or Developer Edition) • Microsoft SQL Server 2012 with or without any Service Pack (Enterprise, Business Intelligence, Standard, Express, Web, or Developer Edition) <p>Microsoft SQL Server components Microsoft System CLR Types for SQL Server 2012 If this component is not installed, it will be installed automatically by the RMAD setup.</p> <p>Microsoft SQL Server Reporting Services To display reports, Recovery Manager for Active Directory Disaster Recovery Edition can integrate with Microsoft SQL Server Reporting Services (SRSS) 2012, 2014 and 2016.</p>
Microsoft Windows PowerShell	Microsoft Windows PowerShell version 3.0 or later
Microsoft Windows Installer	Microsoft Windows Installer 4.5
Microsoft Management Console	Microsoft Management Console 3.0
Integration with ChangeAuditor for Active Directory	To provide information on who modified particular Active Directory objects, Recovery Manager for Active Directory can integrate with ChangeAuditor for Active Directory from version 6.0 to 7.0.1.

If any prerequisite software is not installed, the Setup program automatically installs it for you before installing Recovery Manager for Active Directory Disaster Recovery Edition. If the prerequisite software to be installed is not included in this release package, it is automatically downloaded.

Forest Recovery Agent requirements

Table 9: Component requirements

Requirement	Details
Processor	450 MHz or faster
Memory	256 MB (1 GB recommended)
Hard disk space	<p>x86 system: 850 MB or more</p> <p>x64 system: 2 GB or more</p>

Requirement	Details
Display	50 MB or more
Operating system	One of the following operating systems: <ul style="list-style-type: none"> • Microsoft Windows Server 2019 including Server Core installation • Microsoft Windows Server 2016 including Server Core installation • Microsoft Windows Server 2012 R2 with or without any Service Pack (including Server Core installation) • Microsoft Windows Server 2012 with or without any Service Pack (including Server Core installation) • Microsoft Windows Server 2008 R2 without Service Pack or with Service Pack 1 (including Server Core installation) • Microsoft Windows Server 2008 with Service Pack 1 or Service Pack 2 (including Server Core installation)
Prerequisite software	Microsoft Windows Installer 4.5 or later must be installed.

Active Directory Virtual Lab requirements

NOTE: Microsoft Windows Server 2019 is not yet supported as an operating system for source computers.

Table 10: Component requirements

Supported virtualization infrastructure	Requirements
Microsoft System Center Virtual Machine Manager (SCVMM) 2012 without Service Pack or with Service Pack 1	<p>Software that must be installed on the Active Directory Virtual Lab computer:</p> <ul style="list-style-type: none"> • Microsoft SCVMM Console (supplied with the SCVMM version you plan to use) <p>Software that is installed on the source computer by Active Directory Virtual Lab console:</p> <ul style="list-style-type: none"> • Microsoft SCVMM Agent <p>Supported operating systems for the Hyper-V host:</p> <ul style="list-style-type: none"> • Microsoft Windows Server 2008/2008 R2
Microsoft System Center Virtual Machine Manager (SCVMM) 2012 R2 or 2016	<p>Software that must be installed on the Active Directory Virtual Lab computer:</p> <ul style="list-style-type: none"> • Microsoft SCVMM Console (supplied with the SCVMM version you plan to use) <p>Software that is installed on the source computer by Active Directory Virtual Lab console. For more details, see here:</p>

Supported virtualization infrastructure	Requirements
	<ul style="list-style-type: none"> Disk2vhd v2.01 utility <p>Supported operating systems for the Hyper-V host:</p> <ul style="list-style-type: none"> Microsoft Windows Server 2012 or higher.
VMware vCenter/ESX Server 5.0, 5.1, 5.5, 6.0 and 6.5.	<ul style="list-style-type: none"> vCenter Converter 6.2 must be installed in your environment using the Client-Server installation setup option. vCenter Converter must be accessible to the Active Directory Virtual Lab. If the TLS 1.0 protocol is disabled on vCenter Converter and vCenter servers, then switch to TLS 1.2 on the ADVL server. For more details, see the following KB articles: <ul style="list-style-type: none"> https://kb.vmware.com/s/article/2145796. https://docs.microsoft.com/en-us/security-updates/SecurityAdvisories/2015/2960358

Recovery Manager Portal requirements

Table 11: Component requirements

Requirement	Details
Processor	1 GHz or faster
Memory	512 MB or more
Hard disk space	x86 system: 850 MB or more x64 system: 2 GB or more
Display	SVGA at 1024 x 768 or higher
Operating system	<p>You can install the Recovery Manager Portal on a computer running one of the following operating systems (both x86 and x64 platforms are supported):</p> <ul style="list-style-type: none"> Microsoft Windows Server 2019 Microsoft Windows Server 2016 Microsoft Windows Server 2012 R2 with or without any Service Pack Microsoft Windows Server 2012 with or without any Service Pack Microsoft Windows Server 2008 R2 with Service Pack 1 or later Microsoft Windows Server 2008 with Service Pack 2 or later
Web browser	To access the Recovery Manager Portal, you can use Microsoft Internet Explorer 8 or higher.

Requirement	Details
Microsoft .NET Framework	Microsoft .NET Framework version 4.5.2 or higher
Microsoft Internet Information Server (IIS)	Microsoft Internet Information Services (IIS) 8.5, 8.0, 7.5, or 7.0.
Microsoft SQL Server and its components	<p data-bbox="588 394 943 416">Microsoft SQL Server versions</p> <p data-bbox="588 434 1034 456">One of the following versions is required:</p> <ul data-bbox="643 488 1350 797" style="list-style-type: none"> <li data-bbox="643 488 1350 577">• Microsoft SQL Server 2016 with or without any Service Pack (Enterprise, Business Intelligence, Standard, Express, Web, or Developer Edition) <li data-bbox="643 600 1350 689">• Microsoft SQL Server 2014 with or without any Service Pack (Enterprise, Business Intelligence, Standard, Express, Web, or Developer Edition) <li data-bbox="643 712 1350 797">• Microsoft SQL Server 2012 with or without any Service Pack (Enterprise, Business Intelligence, Standard, Express, Web, or Developer Edition) <p data-bbox="588 824 1094 846">Required Microsoft SQL Server components</p> <ul data-bbox="643 878 1350 967" style="list-style-type: none"> <li data-bbox="643 878 1350 967">• Microsoft System CLR Types for SQL Server 2012 If this component is not installed, it will be installed automatically by the RMAD setup.

Password and SIDHistory Recoverability Tool

You can only use the Password and SIDHistory Recoverability Tool if Microsoft's Active Directory Recycle Bin is not enabled in your environment.

Product licensing

The Recovery Manager for Active Directory Disaster Recovery Edition license specifies the licensed number of user accounts in the Active Directory domains protected with the product. If the actual number of user accounts exceeds the licensed number, Recovery Manager for Active Directory Disaster Recovery Edition does not stop functioning but displays a warning message each time you back up data. In this case, you need to purchase and install a new license key file allowing you to back up a greater number of user accounts or revoke licenses from the domains whose backups you no longer need.

To view information about and manage the installed license key file, you can use the License tab in the **About** dialog box: in the Recovery Manager Console, right-click the Recovery Manager for Active Directory console tree root, and then click **About**.

Installing license key file

You need to supply a valid license key file when installing Recovery Manager for Active Directory Disaster Recovery Edition.

To install a license key file

1. In the Setup Wizard, on the **User Information** page, click **Browse license** to display the **Select License File** dialog box.
2. Locate the Quest license file (*.dlv) and click **Open**.

Updating license key file

If you have purchased a new license key file, use the Recovery Manager Console to update the license key file.

To update the license key file

1. In the Recovery Manager Console, right-click the **Recovery Manager for Active Directory** console tree root, and then click **About**.
2. In the **About** dialog box, click the **License** tab, and then click **Install License File**.
3. In the **Update License** dialog box, enter the path and name of the license key file, and then click **OK**.

Revoking licenses

When the actual number of user accounts exceeds the licensed number, Recovery Manager for Active Directory Disaster Recovery Edition returns a warning message each time you back up data. In this case, you can revoke licenses from the domains whose backups you no longer need. The revoked licenses are returned to the pool of available licenses and you can allocate them to a different domain.

! **CAUTION:** When you revoke licenses from a domain, all backups created by Recovery Manager for Active Directory Disaster Recovery Edition for that domain get deleted. You should only revoke licenses from a domain if you no longer need backups created for that domain.

To revoke licenses from a domain

1. In the console tree, right-click the root node, and then click **About**.
2. In the About dialog box, click the **License** tab.
3. On the **License** tab, select the domain from the **License Usage** list, and then click **Revoke**.
4. In the confirmation message box, click **Yes**.

Getting started

Upgrade and installation instructions

Recovery Manager for Active Directory Disaster Recovery Edition 10.0.1 supports upgrade from version 8.6.1 or higher.

Starting from version 8.8, it is recommended to manually upgrade pre-installed Backup Agents to the latest version on every domain controller. For versions prior to 8.8, the upgrade of Backup Agents is required.

You have the option to perform the Forest Recovery operation using the latest product version together with Forest Recovery Agents version 8.8.1 without agents upgrade. To do this, take the following steps:

1. Set the **HKLM\SOFTWARE\Wow6432Node\Quest\Recovery Manager for Active Directory\DisableAgentVersionCheck (DWORD)** registry key to **1**.
2. Make sure that the NTLM authentication is enabled in your environment.
3. Switch the Forest Recovery Agents version 8.8.1 to the Negotiate authentication mode by removing the certificate (.pfx file) from the agent installation directory.
4. Restart the agents.

i **IMPORTANT:** Upgrade from Recovery Manager for Active Directory Disaster Recovery Edition version 8.6 is not supported due to specific installation and upgrade issues found in version 8.6. Those issues are resolved in versions since 8.6.1.

Therefore, if version 8.6 is installed, perform the following steps:

1. Export the necessary scheduled backup creation tasks.
2. Remove Recovery Manager for Active Directory Disaster Recovery Edition 8.6 from your computer.
Note that all you settings and data are preserved, except for scheduled backup creation tasks.
3. Install Recovery Manager for Active Directory Disaster Recovery Edition 10.0.1.
4. Create new or import existing scheduled backup creation tasks.

Recovery Manager for Active Directory Disaster Recovery Edition is fully compatible with FIPS-compliant algorithms: You can install the product on computers and use it to back up domain controllers that have FIPS-compliant algorithms enabled.

i **IMPORTANT:** Recovery Manager for Active Directory Disaster Recovery Edition 10.0.1 does not support encrypted backups of domain controllers that have FIPS algorithms enabled and were created by Recovery Manager for Active Directory Forest Edition version 8.5.2 or earlier. After upgrading to version 10.0.1, back up all such domain controllers again.

Additional resources

Additional information is available from the following:

- Online product documentation [Support Portal](#).
- Recovery Manager Community
<https://www.quest.com/community/products/recovery-manager/f/forum>

Globalization

This section contains information about installing and operating this product in non-English configurations, such as those needed by customers outside of North America. This section does not replace the materials about supported platforms and configurations found elsewhere in the product documentation.

This release is Unicode-enabled and supports any character set. In this release, all product components should be configured to use the same or compatible character encodings and should be installed to use the same locale and regional options. This release is targeted to support operations in the following regions: North America, Western Europe and Latin America, Central and Eastern Europe, Far-East Asia, Japan.

About us

Quest provides software solutions for the rapidly-changing world of enterprise IT. We help simplify the challenges caused by data explosion, cloud expansion, hybrid datacenters, security threats, and regulatory requirements. We are a global provider to 130,000 companies across 100 countries, including 95% of the Fortune 500 and 90% of the Global 1000. Since 1987, we have built a portfolio of solutions that now includes database management, data protection, identity and access management, Microsoft platform management, and unified endpoint management. With Quest, organizations spend less time on IT administration and more time on business innovation. For more information, visit www.quest.com.

Technical support resources

Technical support is available to Quest customers with a valid maintenance contract and customers who have trial versions. You can access the Quest Support Portal at <https://support.quest.com>.

The Support Portal provides self-help tools you can use to solve problems quickly and independently, 24 hours a day, 365 days a year. The Support Portal enables you to:

- Submit and manage a Service Request
- View Knowledge Base articles
- Sign up for product notifications
- Download software and technical documentation
- View how-to-videos
- Engage in community discussions
- Chat with support engineers online
- View services to assist you with your product

Third-party contributions

This product contains the third-party components listed below. For third-party license information, go to <http://quest.com/legal/license-agreements.aspx>. Source code for components marked with an asterisk (*) is available at <http://opensource.quest.com>.

Table 12: List of third-party contributions

Component	License or acknowledgment
7-ZIP 9.20	7-ZIP 9.20
Boost 1.34.1	Boost 1.0
Group Controls 1.5.3	Apache 2.0 Copyright Notice - Group Controls 1.5.3
MinHook 1.3.2.1	MinHook 1.0 Copyright 2009 Tsuda Kageyu All rights reserved.
Newtonsoft.Json.dll 5.0.8	MIT
RazorEngine 2.1	Apache 2.0
TaskScheduler 2.5.23	MIT
Task Scheduler Managed Wrapper 2.5.23	MIT
TimeSpan Helper Library 2.1.5	New BSD
ZLib 1.1.4	zlib 1.2.3

zlib 1.2.3 License

License

```
/* zlib.h -- interface of the 'zlib' general purpose compression library  
version 1.2.3, July 18th, 2005
```

Copyright (C) 1995-2005 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly jloup@gzip.org
Mark Adler madler@alumni.caltech.edu
*/

MinHook - The Minimalistic API Hooking Library for x64/x86

Copyright (C) 2009-2016 Tsuda Kageyu.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License.

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License.

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution.

You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

1. You must give any other recipients of the Work or Derivative Works a copy of this License; and
2. You must cause any modified files to carry prominent notices stating that You changed the files; and
3. You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
4. If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational

purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions.

Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks.

This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty.

Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability.

In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability.

While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

Copyright 2019 Quest Software Inc. ALL RIGHTS RESERVED.

This guide contains proprietary information protected by copyright. The software described in this guide is furnished under a software license or nondisclosure agreement. This software may be used or copied only in accordance with the terms of the applicable agreement. No part of this guide may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording for any purpose other than the purchaser's personal use without the written permission of Quest Software Inc.

The information in this document is provided in connection with Quest Software products. No license, express or implied, by estoppel or otherwise, to any intellectual property right is granted by this document or in connection with the sale of Quest Software products. EXCEPT AS SET FORTH IN THE TERMS AND CONDITIONS AS SPECIFIED IN THE LICENSE AGREEMENT FOR THIS PRODUCT, QUEST SOFTWARE ASSUMES NO LIABILITY WHATSOEVER AND DISCLAIMS ANY EXPRESS, IMPLIED OR STATUTORY WARRANTY RELATING TO ITS PRODUCTS INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. IN NO EVENT SHALL QUEST SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE, SPECIAL OR INCIDENTAL DAMAGES (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF PROFITS, BUSINESS INTERRUPTION OR LOSS OF INFORMATION) ARISING OUT OF THE USE OR INABILITY TO USE THIS DOCUMENT, EVEN IF QUEST SOFTWARE HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. Quest Software makes no representations or warranties with respect to the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and product descriptions at any time without notice. Quest Software does not make any commitment to update the information contained in this document.

If you have any questions regarding your potential use of this material, contact:

Quest Software Inc.

Attn: LEGAL Dept

4 Polaris Way

Aliso Viejo, CA 92656

Refer to our Web site (<https://www.quest.com>) for regional and international office information.

Patents

Quest Software is proud of our advanced technology. Patents and pending patents may apply to this product. For the most current information about applicable patents for this product, please visit our website at <https://www.quest.com/legal>.

Trademarks

Quest, and the Quest logo are trademarks and registered trademarks of Quest Software Inc. in the U.S.A. and other countries. For a complete list of Quest Software trademarks, please visit our website at <https://www.quest.com/legal>. All other trademarks, servicemarks, registered trademarks, and registered servicemarks are the property of their respective owners.

Legend

WARNING: A WARNING icon indicates a potential for property damage, personal injury, or death.

CAUTION: A CAUTION icon indicates potential damage to hardware or loss of data if instructions are not followed.

An information icon indicates supporting information.

Recovery Manager for Active Directory Disaster Recovery Edition Release Notes

Updated - December, 2019

Version - 10.0.1