



One Identity Manager 8.1.1

# Operations Support Web Portal User Guide

## Copyright 2019 One Identity LLC.

### ALL RIGHTS RESERVED.

This guide contains proprietary information protected by copyright. The software described in this guide is furnished under a software license or nondisclosure agreement. This software may be used or copied only in accordance with the terms of the applicable agreement. No part of this guide may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording for any purpose other than the purchaser's personal use without the written permission of One Identity LLC .

The information in this document is provided in connection with One Identity products. No license, express or implied, by estoppel or otherwise, to any intellectual property right is granted by this document or in connection with the sale of One Identity LLC products. EXCEPT AS SET FORTH IN THE TERMS AND CONDITIONS AS SPECIFIED IN THE LICENSE AGREEMENT FOR THIS PRODUCT, ONE IDENTITY ASSUMES NO LIABILITY WHATSOEVER AND DISCLAIMS ANY EXPRESS, IMPLIED OR STATUTORY WARRANTY RELATING TO ITS PRODUCTS INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. IN NO EVENT SHALL ONE IDENTITY BE LIABLE FOR ANY DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE, SPECIAL OR INCIDENTAL DAMAGES (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF PROFITS, BUSINESS INTERRUPTION OR LOSS OF INFORMATION) ARISING OUT OF THE USE OR INABILITY TO USE THIS DOCUMENT, EVEN IF ONE IDENTITY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. One Identity makes no representations or warranties with respect to the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and product descriptions at any time without notice. One Identity does not make any commitment to update the information contained in this document.

If you have any questions regarding your potential use of this material, contact:

One Identity LLC.  
Attn: LEGAL Dept  
4 Polaris Way  
Aliso Viejo, CA 92656

Refer to our Web site (<http://www.OneIdentity.com>) for regional and international office information.

### Patents

One Identity is proud of our advanced technology. Patents and pending patents may apply to this product. For the most current information about applicable patents for this product, please visit our website at <http://www.OneIdentity.com/legal/patents.aspx>.

### Trademarks

One Identity and the One Identity logo are trademarks and registered trademarks of One Identity LLC. in the U.S.A. and other countries. For a complete list of One Identity trademarks, please visit our website at [www.OneIdentity.com/legal](http://www.OneIdentity.com/legal). All other trademarks are the property of their respective owners.

### Legend

-  **WARNING:** A WARNING icon indicates a potential for property damage, personal injury, or death.
-  **CAUTION:** A CAUTION icon indicates potential damage to hardware or loss of data if instructions are not followed.
-  **IMPORTANT, NOTE, TIP, MOBILE, or VIDEO:** An information icon indicates supporting information.

# Contents

<b>Operations Support Web Portal</b> .....	<b>5</b>
<b>An overview of the functions</b> .....	<b>6</b>
<b>The user interface layout</b> .....	<b>7</b>
<b>Structure of the Operations Support Web Portal</b> .....	<b>8</b>
<b>Logging in and out</b> .....	<b>10</b>
<b>Search</b> .....	<b>11</b>
Running a search .....	12
<b>Object history</b> .....	<b>13</b>
Viewing object history .....	14
<b>Viewing job queue and DBQueue tasks</b> .....	<b>15</b>
<b>Creating a passcode for an employee</b> .....	<b>17</b>
<b>Status reports</b> .....	<b>18</b>
Availability check .....	18
Check service availability .....	19
<b>Manage processes</b> .....	<b>20</b>
Process overview .....	20
Process details .....	21
Viewing processes and details .....	22
Retry processes .....	22
Display failed Job queue processes .....	23
Process steps .....	23
Viewing process steps .....	24
Performance .....	24
Viewing performance .....	25
Synchronization .....	25
The synchronization project log .....	26
Viewing synchronization status and details .....	27
<b>Database log</b> .....	<b>28</b>

Viewing the database log .....	29
<b>Web applications</b> .....	<b>30</b>
Opening the web application overview .....	30
<b>System status</b> .....	<b>32</b>
Viewing system status .....	32
Stopping and starting the job queue .....	33
Stopping and starting the DBQueue .....	33
<b>About us</b> .....	<b>35</b>
Contacting us .....	35
Technical support resources .....	35
<b>Index</b> .....	<b>36</b>

# Operations Support Web Portal

The Operations Support Web Portal helps you to manage and use your web applications. For more information, see the [An overview of the functions](#) on page 6.

Employees that use the Operations Support Web Portal, must be assigned the application role **Base roles | Operations support**.

Users with this application role:

- Monitor handling of Job queue processes
- Monitor handling of the DBQueue
- Create access codes to enable employees to log on to Password Reset Portal

## An overview of the functions

This section will give you a rough overview of the different functions available in the Operations Support Web Portal.

With the Operations Support Web Portal, you can:

- Identify system problems ([view](#) and [rerun](#) frozen or faulty processes)
- [Manage](#) processes
- [View](#) the synchronization status of target systems
- [Check](#) the status of services
- [Gain](#) an overview of web applications
- Manage the job queue ([start and stop](#))
- Manage the DBQueue ([start and stop](#))
- [View](#) an object's change history
- [Create](#) passcodes to enable employees to log in to the Password Reset Portal
- [View](#) the database log

## The user interface layout

The user interface of the Operations Support Web Portal is divided into several sections:

### Top – header

The title bar shows the current user, the  **Log off** and the  **About buttons**.

### Top - navigation

You can navigate within the Operations Support Web Portal via the navigation to:

- open an overview
- [monitor and manage](#) processes
- [display](#) the database log
- [display](#) all web applications
- [gain](#) an overview of the system status, and to restart and stop the job queue and the DBQueue.

### Work area

The work area changes depending on the menu you have called via the navigation.

# Structure of the Operations Support Web Portal

The user interface is composed of the following main sections:

## Statistics

The overview is also divided into the following sections:

### Search

You can use search to

- [find](#) by database object
- [create](#) employee passcodes to enable employees to log in to the Password Reset Portal
- [display](#) job queue and DBQueue requests of an object

### Notifications

In the **Notifications** section, you can

- quickly recognize if, and to what extent, errors occurred when processing/running [processes](#)
- quickly recognize if, and to what extent, there are new [log entries](#)

### Service issues

In the **Service issues** section, you can

- Quickly recognize if and to what extent [Processes](#) failed or contained errors.
- Quickly recognize if and to what extent [Synchronization projects](#) failed or contained errors.
- quickly recognize if other errors were found in the system (such as incorrect compilation)

### Status reports

In the **Status reports** section, you can

- [check](#) service availability



## Processes

You can use the **Processes** tab to monitor processes. For more information, see [Manage processes](#) on page 20.

## Database log

You can use the **Database log** tab to display any information, warnings and error messages for different components in One Identity Manager. For more information, see [Viewing the database log](#) on page 29.

## Web applications

In the **Web applications** tab, you can monitor your HTML applications. For more information, see [Web applications](#) on page 30.

## System status

You can use the **System status** tab to gain a quick overview of the status of your system. For more information, see [System status](#) on page 32.

## Logging in and out

You are required to log in before you can start working with Operations Support Web Portal.

### **To log in**

1. In your Internet browser, call the address of the Operations Support Web Portal.
2. On the login page, select the authentication method you would like to use.
3. Enter your user name and password.
4. Click **Log in**.

### **To log out**

- In the navigation, click  **Log off**.

## Search

You can use the search function to find objects in the database.

**TIP:** You must also use search to create a passcode for an employee.

There are certain rules that make successful searching possible. The following table uses examples to describe these rules.

**Table 1: Rules with examples for searching**

Example	Description
John Doe	Finds John Doe but not John Donut. Search results must contain all of the separate terms in the query. A logical <b>AND</b> is used.
John OR Doe	Finds Jane Doe and John Donut. Placing <b>OR</b> between the search terms, acts as a logical OR operator. The results of this search contain at least one of the two search terms.
John NOT Doe	Finds John but not John Doe. The results of this search do not contain the term that comes after <b>NOT</b> .
J*	Finds John and Joanna. The * functions as a wildcard for any number of characters to complete the term.
Do?	Finds Doe but not Donut. The ? functions as a wildcard for a single character to complete the term.
"John Doe"	Provides results in which the search terms <b>John</b> and <b>Doe</b> follow one another. Results of this search contain the string in quotes as phrase.
John Doe~	Finds Jon Does but also other similar results. A tilde ~ after the search term indicates that the search should also find similar results. That means that incorrectly spelled terms can be found as well. You can specify the level of similarity by adding a number between <b>0</b> and <b>1</b> (with decimal point) after the tilde ~. The higher the number, the more similar the results.

## Related topics

- [Running a search](#) on page 12
- [Viewing job queue and DBQueue tasks](#) on page 15
- [Creating a passcode for an employee](#) on page 17

# Running a search

You can search for objects at any time.

## **To run a search**

1. In the navigation, click **Statistics**.
2. (Optional) In the overview, click **Search in** in the **Search** view and select the tables that you want to search in.
3. Enter a search term in the search field.
4. In the result list below the search field, click on the required result.

In the overview, processes in the Job queue associated with the object are displayed on the **Queues** tab under **Jobqueue** and the respective DBQueue tasks under **DBQueue**. You can also [view](#) the history of an object in a timeline or table. If the object is an employee, you can [create](#) a passcode for them.

## Related topics

- [Search](#) on page 11
- [Viewing job queue and DBQueue tasks](#) on page 15
- [Viewing object history](#) on page 14
- [Creating a passcode for an employee](#) on page 17

## Object history

The Operations Support Web Portal allows you to display any changes to an object (for example, an employee) in a timeline or table.

To find out how to display the page, see [Viewing object history](#) on page 14

You can view the following information in the change history table view.

**Table 2: Processes**

Column	Description
Change date	Shows the date of the change.
Type of modification	Shows the type of change.
Name	Shows the name of the modified object.
Long name	Shows the long name of the modified object.
Type	Shows the type of the modified object.
User	Shows the user that made the change.

**TIP:** You can use the elements beneath the table to:

- Specify how many entries you would like to display per page
- Navigate to other pages

### Related topics

- [Viewing object history](#) on page 14
- [Search](#) on page 11

# Viewing object history

## ***To view the history of an object***

1. In the navigation, click **Statistics**.
2. (Optional) In the overview, in the **Search** pane, click **Search in** and select the tables that you want to search in.
3. In the search field, enter the name of the object for which you want to view its history.
4. In the result list below the search field, click the required result.
5. In the overview, switch to the **History** tab.
6. Perform one of the following tasks:
  - To display the history graphically in a timeline, in the **View as** list, select the value **Timeline**.
  - To display the history in a table, select the value **Table** in the **View as** menu.

## **Related topics**

- [Object history](#) on page 13
- [Search](#) on page 11
- [Running a search](#) on page 12

## Viewing job queue and DBQueue tasks

You can view the Job queue of a DBQueue by starting with an object.

### To view Job queue and DBQueue tasks

1. In the navigation, click **Statistics**.
2. (Optional) In the overview, click **Search in** in the **Search** view and select the tables that you want to search in.
3. In the search field, enter the name of the object for which you would like to view the Job queue and DBQueue tasks.
4. In the result list below the search field, click on the required result.

In the overview, processes in the Job queue are displayed on the **Job queue** tab. In the **DBQueue** tab, DBQueue tasks for the object are displayed.

The following table lists the tasks that can be found for an object.

**Table 3: Overview of tasks for an object**

Object type	Task
<ul style="list-style-type: none"> <li>• Hierarchical roles</li> <li>• Organizations</li> <li>• Departments</li> <li>• Cost centers</li> <li>• Locations</li> <li>• Business roles</li> <li>• Application roles</li> </ul>	<ul style="list-style-type: none"> <li>• Tasks for the object</li> <li>• Tasks for assignment requests for the object</li> <li>• Tasks for attestation cases for the object</li> </ul>
Employee	<ul style="list-style-type: none"> <li>• Tasks for the employee</li> </ul>

Object type	Task
	<ul style="list-style-type: none"> <li>• Tasks for hierarchical roles of which the employee is a member</li> <li>• Tasks for requests received by the employee</li> <li>• Tasks for requests placed by the employee</li> <li>• Tasks for attestation cases for the employee</li> <li>• Tasks for groups to which an employee's user account is assigned</li> <li>• Tasks for the employee user account</li> </ul> <p>Shared and subidentity user accounts also belong to "Employee user accounts".</p>
User accounts	<ul style="list-style-type: none"> <li>• Tasks for the user account</li> <li>• Tasks for groups to which the user account is assigned</li> <li>• Tasks for attestation cases for the user account</li> </ul>
Groups	<ul style="list-style-type: none"> <li>• Tasks for the group</li> <li>• Tasks for attestation cases for the group</li> </ul>

### Related topics

- [Search](#) on page 11
- [Running a search](#) on page 12



## Creating a passcode for an employee

You can use search to find an employee and create a passcode for them.

### ***To create a passcode for an employee***

1. In the navigation, click **Statistics**.
2. In the overview, click **Search in** in the **Search** view and select the **Employee** table.
3. Enter the employee's name in the search field.
4. In the result list below the search field, select your desired search result (of type **Person**).
5. In the overview, switch to the **Passcode** tab.
6. On the **Passcode** tab, click **Create passcode**.  
The generated passcode and its validity are displayed in a dialog box.
7. Note or copy the code and send the it and the validity period to the employee.

### **Related topics**

- [Search](#) on page 11
- [Running a search](#) on page 12

## Status reports

Status reports give you a quick overview of your HTML applications and their status.

### Related topics

- [Availability check](#) on page 18
- [Check service availability](#) on page 19

## Availability check

The **Service availability check** page shows whether your services are available. For example, you should perform an availability check if you suspect that services are not functioning properly (for example, because the server is unavailable).

To find out how to display the page and check availability, see [Check service availability](#) on page 19.

You can view the following information on the **Service availability check** page.

**Table 4: Availability check**

Column	Description
Server	Shows the name of the server upon which the service runs.
Connection	Shows whether the server is connected.
Last fetch time	Shows the last time the server was called.
URL	Shows the URL used to access the service.
Executing server	Shows the server upon which the service is executed.
IP address (IPv4)	Shows the IPv4 address used to access the service.

**TIP:** You can use the elements beneath the table to:

- specify how many entries you want to display per page
- navigate to other pages

## Related topics

- [Check service availability](#) on page 19

# Check service availability

You can check the availability of your services at any time.

### *To check service availability*

1. In the navigation, click **Statistics**.
2. In the overview, click **Run** in the **Service availability check** tile in the **Status reports** section.
3. In **Service availability check**, click **Check all services**.
4. See the services/server details list.

## Related topics

- [Status reports](#) on page 18
- [Availability check](#) on page 18

## Manage processes

In the Operations Support Web Portal, you can use the following pages to manage processes at any time:

- [Process overview](#) on page 20
- [Process details](#) on page 21
- [Process steps](#) on page 23
- [Performance](#) on page 24
- [Synchronization](#) on page 25

### Process overview

The **Processes** page shows all processes running in the job queue and allows you to rerun failed processes.

To find out how to display the page, see [Viewing processes and details](#) on page 22 and how to rerun failed processes, see [Retry processes](#).

You can view the following information on the **Processes** page.

**Table 5: Processes**

Column	Description
Process name	Shows the name of the process.
Process task	Shows which process task is currently running.
Actions	<p>Actions that you can perform for the process:</p> <ul style="list-style-type: none"> <li>• <b>Retry:</b> Reruns the process. You can rerun processes that have the status <b>Frozen</b> or <b>Overlimit</b> only.</li> </ul> <p><b>NOTE:</b> Processes with the status <b>Frozen</b> or <b>Overlimit</b> are marked with a beetle icon.</p> <ul style="list-style-type: none"> <li>• <b>Details:</b> Shows the details view of a process.</li> </ul>

- i **TIP:** You can use the elements beneath the table to:
  - specify how many entries you want to display per page
  - navigate to other pages
  
- i **TIP:** Use the filter above the table to limit the number of processes displayed.

### Related topics

- [Viewing processes and details](#) on page 22
- [Process details](#) on page 21
- [Retry processes](#) on page 22

## Process details

You can access the **Process details** page via the **Processes** page. The page will provide you with detailed information about a specific process. Any steps belonging to the process and their dependencies are displayed.

To find out how to display process details, see [Viewing processes and details](#) on page 22.

You can view the following information on the **Process details** page.

**Table 6: Process details**

Column	Description
Process task	Shows the name of the process task that is currently running.
Created on	Shows when the process started.
Steps completed	Shows how many process steps have already been completed (status <b>Completed</b> ).
Progress state	Shows the process status. The following types of status may be shown: <ul style="list-style-type: none"> <li>• <b>True:</b> The process is currently running.</li> <li>• <b>False:</b> The process cannot run yet. The process is waiting for another process to end.</li> <li>• <b>Frozen:</b> The process cannot run. An error has occurred.</li> <li>• <b>Overlimit:</b> The process has been running for too long without changing to the status <b>Completed</b> or <b>Frozen</b>.</li> <li>• <b>Completed:</b> The process was successfully completed.</li> <li>• <b>Delete:</b> The process is being deleted (after completing successfully).</li> </ul>

- TIP:** You can use the elements beneath the table to:
- specify how many entries you want to display per page
  - navigate to other pages

### Related topics

- [Manage processes](#) on page 20
- [Viewing processes and details](#) on page 22

## Viewing processes and details

### To view processes

- In the navigation, click **Processes | Processes**.  
The **Processes** page is opened, displaying any ongoing processes.

**TIP:** Use the filter above the table to limit the number of processes displayed.

### To view process details

1. In the navigation, click **Processes | Processes**.
2. On the **Processes** page, click **Details** in the relevant process row in the **Actions** column.

The **Process details** page is opened, displaying the details of the relevant process (see [Process details](#) on page 21).

### Related topics

- [Manage processes](#) on page 20
- [Process details](#) on page 21

## Retry processes

You can rerun processes in the process overview that have the status **Frozen** or **Overlimit**. You can also rerun processes in the failed processes overview (see [Display failed Job queue processes](#) on page 23).

### To retry a process

1. In the navigation, click **Processes | Processes**.
2. In the **Processes** window, click **Retry** in the relevant process row in the **Actions** column.

### ***To retry several processes***

1. In the navigation, click **Processes | Processes**.
2. In the **Processes** window, enable the check box next to the processes that you would like to rerun.
3. Click **Actions | Retry**.

### **Related topics**

- [Manage processes](#) on page 20
- [Viewing processes and details](#) on page 22

## **Display failed Job queue processes**

On the page **Processes with status "Frozen" "<Job queue>"**, you can display failed job queue processes and their details (see [Viewing processes and details](#) on page 22) and rerun processes (see [Retry processes](#) on page 22). Unlike the normal process overview, only failed processes are displayed on this page.

### ***To display failed processes***

1. In the navigation, click **Statistics**.
2. On the overview page, click **Display** in the **Process issues** tile under **Service issues**.

The page **Processes with status "Frozen" "<Jobqueue>"** is opened.

### **Related topics**

- [Manage processes](#) on page 20
- [Process details](#) on page 21

## **Process steps**

The **Process steps** page shows any processes currently in the job queue and the number of process steps that must be run for the process.

To find out how to display process steps, see [Viewing process steps](#) on page 24.

You can view the following information on the **Process steps** page.

**Table 7: Process steps**

Column	Description
Process name	Shows the name of the process.
Count	Shows the number of process steps contained in the process.

- TIP:** You can use the elements beneath the table to:
- specify how many entries you want to display per page
  - navigate to other pages

### Related topics

- [Manage processes](#) on page 20
- [Viewing process steps](#) on page 24

## Viewing process steps

### *To view process steps*

- In the navigation, click **Processes | Process steps**.  
The **Process steps** page is opened.

### Related topics

- [Manage processes](#) on page 20

## Performance

The **Processing performance** page displays information about a Job queue's performance.

To find out how to display the page, see [Viewing performance](#) on page 25

You can view the following information on the **Processing performance** page.

**Table 8: Performance**

Column	Description
Process task	Shows the name of the process task.
Class	Shows the process component class that the process task belongs to.



Column	Description
Process steps / minute	Shows how many process steps can be handled per minute.

- TIP:** You can use the elements beneath the table to:
- specify how many entries you want to display per page
  - navigate to other pages

### Related topics

- [Manage processes](#) on page 20
- [Viewing performance](#) on page 25

## Viewing performance

### To view Job queue performance

- In the navigation, click **Processes | Performance**.  
The **Processing performance** page is opened.

### Related topics

- [Performance](#) on page 24
- [Manage processes](#) on page 20

## Synchronization

- NOTE:** You have to set up synchronization before you can view the synchronization status in the Operations Support Web Portal. For detailed information, see the *One Identity Manager Configuration Guide* and the *One Identity Manager Target System Synchronization Reference Guide*.

The **Synchronization** page shows you information about synchronizing your target systems with the database.

To find out how to display the synchronization status, see [Viewing synchronization status and details](#) on page 27

You can view the following information on the **Synchronization** page.

**Table 9: Synchronization**

Column	Description
Display name	Shows the name of the synchronization project.
Description	Shows the description of the synchronization project.
Next synchronization	Shows when the synchronization project will be run the next time.
Errors	Shows how many errors occurred the last time the synchronization project was run.
Affected objects	Shows the objects that had to be changed during synchronization, as they deviated from the database.

**TIP:** You can use the elements beneath the table to:

- Specify how many entries you would like to display per page
- Navigate to other pages

### Related topics

- [Manage processes](#) on page 20
- [Viewing synchronization status and details](#) on page 27

## The synchronization project log

From the **Synchronization** page you can navigate to the **Synchronization log: <name of synchronization project>** page. The page will provide you with detailed information about a specific synchronization project.

To find out how to display synchronization projects, see [Viewing synchronization status and details](#) on page 27

You can view the following information on the **Synchronization log: <name of synchronization project>** page.

**Table 10: Synchronization log**

Column	Description
Creation time	Shows when the synchronization project started.
Synchronization workflow	Shows the workflow used for this synchronization project.
Synchronization state	Shows the synchronization project's status.

Column	Description
Start configuration	Shows you the name of the start configuration used.

- TIP:** You can use the elements beneath the table to:
- specify how many entries you want to display per page
  - navigate to other pages

### Related topics

- [Synchronization](#) on page 25
- [Viewing synchronization status and details](#) on page 27

## Viewing synchronization status and details

### *To view the synchronization status of your target systems*

- In the navigation, click **Processes | Synchronization**.  
The **Synchronization** page is opened.

### *To view a synchronization project log*

1. In the navigation, click **Processes | Synchronization**.
2. On the **Synchronization** page, click **Details** in the relevant row in the synchronization project in the **Actions** column.

The **Synchronization log: <name of synchronization project>** opens, displaying the details of the relevant synchronization project (see [The synchronization project log](#) on page 26).

### Related topics

- [Synchronization](#) on page 25
- [The synchronization project log](#) on page 26

## Database log

The **Database log** tab displays any information, warnings and error messages for different components in One Identity Manager.

To learn how to display the page, see [Viewing the database log](#) on page 29.

You can view the following information on the **Database log** page.

**Table 11: Processes**

Column	Description
Date	Shows the date that the message appeared.
Application	Shows the name of the components that generated the message.
Message	Shows the message text.
Host	Shows the name of the host upon which the event occurred.
Logged in system user	Shows the name of the system user who ran the command.

**TIP:** You can use the elements beneath the table to:

- Specify how many entries you would like to display per page
- Navigate to other pages

**TIP:** Use the filter above the table to limit the number of messages displayed.

### Related topics

- [Viewing the database log](#) on page 29

# Viewing the database log

## *To view the database log*

- In the navigation, click **Database log**.  
The **Database log** page is opened.

## **Related topics**

- [Database log](#) on page 28

## Web applications

On the **Web applications** page, you can view running web applications at any time and see the details.

To find out how to display the page, see [Opening the web application overview](#) on page 30.

You can view the following information on the **Web applications** page.

**Table 12: Web applications**

Column	Description
URL	Shows the URL used to access the web application.
Web application	Shows the name of the web application.
Debug	Shows whether ( <b>Yes</b> ) or not ( <b>No</b> ) the web application runs in debug mode.
Private	Shows whether ( <b>Yes</b> ) or not ( <b>No</b> ) the web application runs in private mode (that means if it is generally accessible).
Auto update level	Shows whether ( <b>active</b> ) or not ( <b>inactive</b> ) automatic updates are enabled for the web application.

**TIP:** You can use the elements beneath the table to:

- specify how many entries you want to display per page
- navigate to other pages

### Related topics

- [Opening the web application overview](#) on page 30

## Opening the web application overview

You can open the web application overview at any time.

### ***To open the web application overview***

- In the navigation, click **Web applications**.  
The **Web applications** page is opened.

### **Related topics**

- [Web applications](#) on page 30

## System status

On the **System status** page, you can view the status of current DBQueues or Jobqueues at any time. You can also check whether the database is up-to-date or must be recompiled. You can also stop the DBQueue or Job queue, or restart them.

To find out how to display the page, see [Viewing system status](#) on page 32

On the **System status** page, you can see if:

- The DBQueue is running
- The Job queue is running
- The database is functioning properly
- The database is up-to-date

### Related topics

- [Viewing system status](#) on page 32
- [Stopping and starting the job queue](#) on page 33
- [Stopping and starting the DBQueue](#) on page 33

## Viewing system status

### *To display the system status*

- Click **System status** in the navigation.  
The **System status** page is opened.

### Related topics

- [System status](#) on page 32



# Stopping and starting the job queue

On the **System status** page, you can stop and restart the job queue.

In certain situations, you may have to use the One Identity Manager Service to stop processes immediately. Changes in One Identity Manager can, for example, cause the system to become overloaded by making bulk entries in the job queue.

## **To stop the job queue**

1. In the navigation, click **System status**.
2. On the **System status** page, click **Stop** in the **Jobqueue** tile.
3. In the **Stop job queue** dialog, confirm the prompt by clicking **Yes**.

## **To restart the job queue**

1. In the navigation, click **System status**.
2. On the **System status** page, click **Start** in the **Jobqueue** tile.
3. In the **Start job queue** dialog, confirm the prompt by clicking **Yes**.

## **Related topics**

- [System status](#) on page 32
- [Stopping and starting the DBQueue](#) on page 33

# Stopping and starting the DBQueue

On the **System status** page, you can stop and restart the DBQueue.

In certain situations, you may have to use the DBQueue Processor to stop processes immediately. Changes in One Identity Manager can, for example, cause the system to become overloaded by making bulk entries in the DBQueue.

## **To stop the DBQueue**

1. In the navigation, click **System status**.
2. On the **System status** page, click **Stop** in the **DBQueue** tile.
3. In the **Stop DBQueue** dialog, confirm the prompt by clicking **Yes**.

## **To restart the DBQueue**

1. In the navigation, click **System status**.
2. One the **System status** page, click **Stop** in the **DBQueue** tile.
3. In the **Start DBQueue** dialog, confirm the prompt by clicking **Yes**.

## Related topics

- [System status](#) on page 32
- [Stopping and starting the job queue](#) on page 33

One Identity solutions eliminate the complexities and time-consuming processes often required to govern identities, manage privileged accounts and control access. Our solutions enhance business agility while addressing your IAM challenges with on-premises, cloud and hybrid environments.

## Contacting us

For sales or other inquiries, visit <https://www.oneidentity.com/company/contact-us.aspx> or call +1-800-306-9329.

## Technical support resources

Technical support is available to One Identity customers with a valid maintenance contract and customers who have trial versions. You can access the Support Portal at <https://support.oneidentity.com/>.

The Support Portal provides self-help tools you can use to solve problems quickly and independently, 24 hours a day, 365 days a year. The Support Portal enables you to:

- Submit and manage a Service Request
- View Knowledge Base articles
- Sign up for product notifications
- Download software and technical documentation
- View how-to-videos at [www.YouTube.com/OneIdentity](http://www.YouTube.com/OneIdentity)
- Engage in community discussions
- Chat with support engineers online
- View services to assist you with your product

## A

availability check 18

## C

change history 13  
    display 14  
check  
    service availability 19  
component 8  
create  
    passcode 17

## D

database log 28  
    display 29  
DBQueue  
    starting 33  
    stop 33  
DBQueue query  
    display 15  
details  
    view 22  
display  
    change history 14  
    DBQueue query 15  
    failed process 23  
    frozen process 23  
    history 14  
    Job queue task 15  
    synchronization status 27  
    web application overview 30

web applications 30

## E

employees  
    passcode 17  
execute  
    search 12

## F

frozen 23  
functions 6

## H

history 13  
    display 14

## J

Job queue  
    starting 33  
    stop 33  
Job queue task  
    display 15  
journal 28  
    display 29

## L

log 28  
    display 29  
log out 10

login 10

## M

manage

    processes 20

monitor

    processes 20

    system status 32

    web application 30

## O

object history 13

open

    web application overview 30

overview 6

    processes 20

## P

passcode

    create 17

performance 24

    view 25

process details 21

    view 22

process overview 20

process step 23

process steps

    view 24

processes

    incorrect notification 23

    manage 20

    monitor 20

    overview 20

    rerun 22

    retry 22

    view 22

    view details 22

## R

rerun

    processes 22

retry 22

    processes 22

run

    DBQueue 33

    Job queue 33

## S

search

    execute 12

searching 11

service availability 18

    check 19

show frozen process 23

status report 18

stop

    DBQueue 33

    Job queue 33

structure 7-8

synchronization 25

    status display 27

synchronization log 26

system status

    monitor 32

    view 32

## T

target system 25  
    synchronizing 27

## U

user interface 7

## V

view

- details 22
- performance 25
- process details 22
- process steps 24
- processes 22
- system status 32

## W

web application  
    monitor 30

web application overview 30  
    display 30  
    open 30

web applications  
    display 30