

# syslog-ng Premium Edition 6 LTS

## Release Notes

### November 2019

These release notes provide information about the syslog-ng Premium Edition release.

## About this release

Welcome to syslog-ng Premium Edition (syslog-ng PE) version 6 LTS and thank you for choosing our product. This document describes the new features and most important changes since the latest release of syslog-ng PE. The main aim of this paper is to aid system administrators in planning the migration to the new version of syslog-ng PE. The following sections describe the news and highlights of syslog-ng PE 6 LTS.

This document covers the 6 LTS (long-term supported) release of the syslog-ng Premium Edition product.

The following release policy applies to syslog-ng Premium Edition:

- *Long Term Supported or LTS releases* (for example, syslog-ng Agent 4 LTS) are supported for 3 years after their original publication date and for 1 year after the next LTS release is published (whichever date is later). The second digit of the revisions of such releases is 0 (for example, syslog-ng PE 4.0.1). Maintenance releases to LTS releases contain only bugfixes and security updates.
- *Feature releases* (for example, syslog-ng Agent 4 F1) are supported for 6 months after their original publication date and for 2 months after succeeding Feature or LTS Release is published (whichever date is later). Feature releases contain enhancements and new features, presumably 1-3 new feature per release. Only the last of the feature releases is supported (for example when a new feature release comes out, the last one becomes unsupported).

For a full description on stable and feature releases, see the [Version policy](#).

 **CAUTION:**

**Downgrading from a feature release to an earlier (and thus unsupported) feature release, or to the previous LTS release is officially not supported, but usually works as long as your syslog-ng PE configuration file is appropriate for the old syslog-ng PE version. However, persistent data like the position of the last processed message in a file source will be probably lost.**

**Logstore files created with a newer version of syslog-ng PE might not be readable with an older version of syslog-ng PE.**

# Changes since syslog-ng PE 5 F6

## Parsing key=value pairs

The syslog-ng PE application can separate a message consisting of whitespace or comma-separated **key=value** pairs (for example, Postfix log messages) into name-value pairs. You can also specify other separator character instead of the equal sign, for example, colon (:) to parse MySQL log messages.

## Updated TLS ciphers, new parameters

The OpenSSL application used in syslog-ng PE has been updated to version 1.0.2, so you can use new, stronger ciphers to protect the communication between your syslog-ng PE clients and servers.

Also, you can now specify the curves that are permitted in the connection using the `list-curves()` option, and also import Diffie-Hellman parameters from a file using the `dhparam-file()` option.

## Other changes

- Starting from version 6 LTS, the syslog-ng PE installer packages (earlier called **client** and **server** package) are renamed. From now on, the package with the `compact` suffix does not include SQL support. If you do not use the `sql()` source or destination on the host, use the `compact` binaries. That way no unnecessary components are installed to your system. Earlier, the names of packages containing `sql()` support included the `server` suffix, this suffix has been removed from the package names.

## Changes in syslog-ng Agent for Windows

- The graphical interface of the syslog-ng Agent for Windows application now supports version 4.0 of the Microsoft .NET Framework.
- Group Policies can be configured directly from the syslog-ng Agent for Windows interface.
- When creating a filter based on Event Source names, the Windows Agent interface displayed a list of possible sources. However, the names of this list did not always match the actual name of the Event Source (as displayed in the Event Viewer). From now on, the Windows Agent does not list the possible Event Source names. To create a filter using Event Source names, first find the "Source:" field as shown on the General tab of the Event Viewer, and enter its value in the filter.

## Platform changes in syslog-ng PE 6 LTS

### **New platforms in syslog-ng PE 6 LTS:**

- Ubuntu 16.04 LTS (Xenial Xerus)
- Windows Server 2016 (in syslog-ng PE version 6.0.4)  
Windows Server 2019 (in syslog-ng PE version 6.0.16)

### **Platforms not supported in syslog-ng PE 6 LTS:**

- AIX 6.1
- FreeBSD 9
- HP-UX 11i v2
- Debian 7 (wheezy) and Ubuntu 12.04 LTS (Precise Pangolin) is supported only until version 6.0.15, and unsupported in 6.0.16 and later versions.

## Platform changes in syslog-ng Agent for Windows 6 LTS

### **New platforms in syslog-ng Agent for Windows 6 LTS:**

- Windows 10
- Windows Server 2012
- Windows Server 2016 (in syslog-ng PE version 6.0.4)  
Windows Server 2019 (in syslog-ng PE version 6.0.16)

### **Platforms not supported in syslog-ng Agent for Windows 6 LTS:**

- Microsoft Windows Server 2003
- Microsoft Windows XP SP3

# Changes between syslog-ng PE 5 LTS and 5 F6

## New destinations

### Elasticsearch 2.x and Shield support

Version 5 F6 of syslog-ng PE supports Elasticsearch version 2.0 and newer. Because of compatibility reasons, syslog-ng PE has a separate destination (`elasticsearch2()`) that you can use with Elasticsearch version 2.0 and newer.

[X-Pack security \(Elasticsearch Shield\)](#) is supported for both Elasticsearch 1.x and 2.x destinations, allowing you to authenticate your syslog-ng PE clients on the Elasticsearch server.

### Send messages directly to Elasticsearch

Version 5.4 of syslog-ng PE can directly send log messages to [Elasticsearch](#), allowing you to search and analyze your data in real time, and visualize it with [Kibana](#).

### Publish messages to Apache Kafka

The syslog-ng PE application allows you to publish your log data to your Apache Kafka message bus, where subscribers can access them, making it easy to integrate your log data into a big data solution.

### Hadoop Distributed File System (HDFS) support

Version 5.3 of syslog-ng PE can send plain-text log files to the [Hadoop Distributed File System \(HDFS\)](#), allowing you to store your log data on a distributed, scalable file system. This is especially useful if you have huge amount of log messages that would be difficult to store otherwise, or if you want to process your messages using Hadoop tools (for example, Apache Pig).

## Storing messages in MongoDB database

MongoDB is a schema-free, document-oriented database, ideal to collect log messages. Since it does not require a predetermined schema, it gives you much more flexibility than the SQL databases, making it it easy to store name-value pairs extracted from log messages. That way, you can conveniently store metadata received in a log message (for example, in the SDATA part of RFC5424-formatted log messages), or other data parsed from the body of the log messages (for example, usernames parsed from login/logout messages).

## Sending e-mail alerts

An important aspect of logging is alerting on important but rare events. A common way to do that is via e-mail, sent either to people or to services which process them further. The SMTP destination driver allows you to send e-mails based on incoming log messages to one or more addresses.

## Processing incoming messages

### Parsing JSON messages

JavaScript Object Notation (JSON) is a text-based open standard designed for human-readable data interchange. It is used primarily to transmit data between a server and web application, serving as an alternative to XML. The syslog-ng PE application can separate parts of JSON-encoded log messages to name-value pairs, allowing you to receive structured log messages from such applications, store them, and convert them to other format if needed.

## Reading messages from the systemd journal

The systemd journal is a new type of system log storage. This is used, or will be used on most Linux distributions, such as RHEL (from RHEL7), Fedora, CentOS, and so on. The journal can store name-value pairs instead of the traditional system log entries. syslog-ng PE 6 LTS can directly read log messages from the journal file of platforms using systemd.

## Formatting messages

### Formatting messages as Common Event Format extensions

syslog-ng PE version 5 F6 includes a new template function (*format-cef-extension*) to format name-value pairs as ArcSight Common Event Format extensions. Note that the template function only formats the selected name-value pairs, it does not provide any mapping. There is no special support for creating the prefix part of a Common Event Format message.

### Converting messages into JSON format

The syslog-ng PE application can convert messages or selected value-pairs into JavaScript Object Notation (JSON) format. Including the template function in a message template allows you to store selected information about a log message (that is, its content, macros, or other metadata) in JSON format, or to forward JSON messages to external applications.

### Selecting and using name-value pairs

The syslog-ng PE application allows you to select and construct name-value pairs from any information already available about the log message, or extracted from the message itself. You can directly use this structured information, for example, in the following places:

- *mongodb()* destination
- *format-welf()* template function
- or in other destinations using the *format-json()* template function.

### Rewriting multiple macros



Using the `groupset` rewrite rule, you can rewrite multiple macros at the same time, making it easy to modify the values of fields parsed using `patterndb` or from JSON. You can specify the list of macros manually, or also as a glob pattern.

## Comparing macro values to a list

The `syslog-ng` PE application can compare the value of a macro to a list of strings. Earlier, if a specific macro had several different values, filtering on the macro values required several filter statements. Now you can specify every expected value in a file, and use the contents of that file in a filter.

## Creating hashes from macro values

With the `hash` template function, you can create message digests from parts of the log message.

## Adding a unique ID to log messages

HOSTID is a 32-bit number generated by a cryptographically secure pseudorandom number generator. Its purpose is to identify the `syslog-ng` PE host, thus it is the same for every message of the host. It can be accessed via the `$HOSTID` macro (which cannot be rewritten).

When the global option `use-uniqid(yes)` is set, `syslog-ng` PE generates this practically unique id for every received or locally generated message. You can add this ID to your messages using the `$UNIQID` macro.

## Managing syslog-ng PE

### Displaying license-related information

The `syslog-ng` PE application uses a license in server mode to determine the maximum number of hosts that are allowed to connect. Use the `syslog-ng-ctl show-license-info` command to display license-related information the number of hosts currently logging to your server. This helps you to plan your capacity, to check your license usage, and to

detect client misconfiguration that can result in a license miscount anomaly. Note that in client or relay mode, syslog-ng PE does not require a license.

## Managing syslog-ng PE from Puppet

To simplify the management of large-scale syslog-ng PE deployments, you can now centrally manage your syslog-ng PE hosts from [Puppet](#). The syslog-ng Premium Edition Puppet module allows you to perform the following tasks.

- Install syslog-ng PE from a package repository.
- Upgrade syslog-ng PE to a newer version.
- Delete syslog-ng PE from a host.
- Update the syslog-ng PE configuration file of your hosts from a central repository.
- Create backup of your syslog-ng PE configuration files. You can redistribute these backups to your hosts if a rollback is needed.

The Puppet module supports the following platforms: Red Hat Enterprise Linux (RHEL), Oracle Linux, CentOS, Ubuntu, and Debian. Other Linux platforms based on `.deb` and `.rpm` packages might also work, but are not tested.

## New statistics framework

So far, you could access statistics only in unstructured format, using the **syslog-ng-ctl stats** command. Now you can query information from a running syslog-ng PE instance using the new **syslog-ng-query** utility. This tool allows you to access selected statistics in a controlled way, making it easy to process or monitor the results. This is a first step in a new statistics framework that aims to improve the how syslog-ng PE instances can be monitored.

Note that this new framework might decrease the performance of syslog-ng PE under very high load. If you experience any issues, contact the Balabit Support Team and let us know the details of your use case, so we can correct the problem.

## Improved SELinux support

In addition to Red Hat Enterprise Linux 6.5, syslog-ng PE now supports SELinux on Red Hat Enterprise Linux 5, as well as on 6.0-6.4. The CentOS platforms corresponding to the supported RHEL versions are supported as well.

## Supported platforms

## Other changes

- You can now specify the location where syslog-ng PE stores the disk-buffer files using the `dir()` option of `disk-buffer()`. Note that the `dir()` option overrides the settings of the `--qdisk-dir` command-line option.
- Value-pairs now have a new option to select every value-pair that has a name beginning with a specified prefix, but remove the prefix when formatting the message.
- The syslog-ng Agent on Windows application now searches for CA certificates also in the Intermediate Certification Authorities Store.
- So far, the largest message syslog-ng PE could handle was 64kbyte, because internally syslog-ng PE represented the messages in a 16-bit nhtable. From now on, syslog-ng PE uses a 32-bit nhtable, allowing you to receive and manipulate messages much larger than 64kbyte.
- The `sql()` source and destination driver on the HP-UX platform does not support the Oracle SQL database anymore.
- On other platforms where Oracle SQL database is supported, the `sql()` source and destination driver supports version 12 of the Oracle SQL database.
- CSV-parsers can use strings as delimiters. For details, see [Section `delimiters\(\)`](#).
- Multithreading is enabled by default (`threaded(yes)`).
- The **persist-tool** utility has a new `--rename-key` option to help solve troubleshooting the persist file.
- The **syslog-ng-ctl** utility has a new `stats --reset` option that resets all statistics counters to zero.
- A new utility called **syslog-debun** is available in syslog-ng PE 6 LTS. This tool can be used to collect information about your syslog-ng PE environment into a debug bundle to simplify troubleshooting and increase the speed of solving support tickets.
- When using the `program()` destination, the external application keeps on running when syslog-ng PE exits if the `keep-alive()` option is set.
- So far, you could create custom configuration blocks that had a fixed number of arguments. You can now create custom configuration blocks that can receive variable number of arguments, making the configuration of syslog-ng PE even more flexible. For example, this can be useful when passing arguments to a template, or optional arguments to an underlying driver.

# Resolved issues

The following is a list of issues addressed in this release.

**Table 1: Issues resolved in version 6.0.18**

<b>Resolved Issue</b>	<b>Issue ID</b>
OpenSSL upgraded to 1.0.2t	SYSLOGDEV-4980
RLTP over TLS compression fix	SYSLOGDEV-4969
Relay crashes when using RLTP and disk buffer	SYSLOGDEV-4991
Persist name collision caused crash	SYSLOGDEV-3919
Rename SSL encryption to TLS in the Windows Agent MMC GUI	SYSLOGDEV-5027
Logstore memory leak	SYSLOGDEV-5037

**Table 2: Issues resolved in version 6.0.17**

<b>Resolved Issue</b>	<b>Issue ID</b>
Memory leak when using several MsSQL sources	SYSLOGDEV-4762
Reliable disk queue file corruption	SYSLOGDEV-4811
OpenSSL upgraded to 1.0.2s	SYSLOGDEV-4830

**Table 3: Issues resolved in version 6.0.16**

<b>Resolved Issue</b>	<b>Issue ID</b>
OpenSSL has been upgraded to version 1.0.2r	SYSLOGDEV-4741
Mssql Latin2 to UTF8 conversion fix	SYSLOGDEV-4740
Crash during reverting back to old configuration on reload	SYSLOGDEV-4697
Special characters in SSL certificate prevent syslog-ng Agent for Windows from starting	SYSLOGDEV-4688
Crash when using SQL source	SYSLOGDEV-4685
Rare race condition causes a crash in sql destination	SYSLOGDEV-4662
Crash when stopping syslog-ng when the disk is full	SYSLOGDEV-

<b>Resolved Issue</b>	<b>Issue ID</b>
	4503
Empty disk queue truncate fix	SYSLOGDEV-4111

**Table 4: Issues resolved in version 6.0.15**

<b>Resolved Issue</b>	<b>Issue ID</b>
Fix debug logging path using Windows Agent	SYSLOGDEV-4698
Fix possible crash in Windows Agent	SYSLOGDEV-4691
Improved GPO debug logging in Windows Agent	SYSLOGDEV-4686
File destination fd leak after reload when time-reap elapsed	SYSLOGDEV-4661
OpenSSL upgraded to 1.0.2q	SYSLOGDEV-4649
File descriptor leak fix using HDFS destination	SYSLOGDEV-4630
Possible segfault accessing internal name-value pair structures	SYSLOGDEV-4583

**Table 5: Issues resolved in version 6.0.14**

<b>Resolved Issue</b>	<b>Issue ID</b>
Fix possible corrupt disk-queue creation	SYSLOGDEV-4588
Socket leak using udp destination with spoof_source enabled	SYSLOGDEV-4586
Logstore memory leak	SYSLOGDEV-4560
Updated syslog-ng-debun utility	SYSLOGDEV-4553
Reading kernel logs on AIX	SYSLOGDEV-4494
Processed counter negative value	SYSLOGDEV-4479
Failed reload logged later	SYSLOGDEV-4404

**Table 6: Issues resolved in version 6.0.13**

<b>Resolved Issue</b>	<b>Issue ID</b>
Windows Agent does not close all registry handles	SYSLOGDEV-4194
Crash in loggen when using the skip-tokens parameter	SYSLOGDEV-4328
Log message stuck in backlog using disk queue	SYSLOGDEV-4347

<b>Resolved Issue</b>	<b>Issue ID</b>
CAP_SYSLOG capability not detected correctly When syslog-ng was running with only user privileges but with CAP_CHOWN capability enabled, the owner of the logstore file was not set correctly. This issue has been fixed.	SYSLOGDEV-4462
RedHat package signature	SYSLOGDEV-4463
Crash when systemd journal is not readable	SYSLOGDEV-4384
OpenSSL upgraded to 1.0.2p	SYSLOGDEV-4492

**Table 7: Issues resolved in version 6.0.12**

<b>Resolved Issue</b>	<b>Issue ID</b>
Support cap_syslog capability	SYSLOGDEV-2848
New debug message when flow-control activates	SYSLOGDEV-3529
Logstore file owner not set correctly	SYSLOGDEV-3749
Incorrect file read using multi-line file source	SYSLOGDEV-3776
Fix include path on Windows platforms	SYSLOGDEV-3862
Crash when receiving too large message in debug mode	SYSLOGDEV-4074
Loggen crash when ssl is used with non-ssl RLTP server	SYSLOGDEV-4190
Crash when message is too long	SYSLOGDEV-4202
Template with file destination creates files instead of directories	SYSLOGDEV-4206
Minor fixes in SELinux installer script	SYSLOGDEV-4292
Log fd number on verbose level for program source/destination	SYSLOGDEV-4297
Messages from journald are not included in center statistics	SYSLOGDEV-4331
Core dump when trying to open a corrupt logstore	SYSLOGDEV-4337
Child process is not terminated with java destination	SYSLOGDEV-4338
JVM is not unloaded during syslog-ng reload	SYSLOGDEV-4339

# Known issues

The following is a list of issues, including those attributed to third-party products, known to exist at the time of release.

**Table 8: Known issues in version 6.0.16**

Known Issue	Issue ID
<p><b>mssql destination: If creating the index fails, table is not created</b></p> <p>When using the "text", "textn", or "image" data types, you must configure the "text size" parameter as described here, otherwise syslog-ng PE can consume huge amount of memory (2GB for each text, textn, and image column used), causing the insert operation to fail. Note that the "text", "textn" and "image" data types are obsolete.</p> <p>Complete the following steps:</p> <ol style="list-style-type: none"><li>1. Create a file called freetds.conf in &lt;syslog-ng-installation-directory&gt;/etc/</li><li>2. Enter the following into the file:</li></ol> <pre>[global] text size = 64512</pre> <ol style="list-style-type: none"><li>3. Reload syslog-ng</li></ol>	SYSLOGDEV-4783

**Table 9: [Category] known issues**

Known Issue	Issue ID
-------------	----------

**Table 10: Third-party known issues**

Known Issue	Issue ID
-------------	----------

# Product licensing

## ***To enable a trial license***

1. Apply for a trial license at the [syslog-ng website](#).
2. Download the license and the installation package for your platform, then follow the installation instructions in the Administration Guide.

## ***To enable a purchased commercial license***

1. Download the license and the installation package for your platform, then follow the installation instructions in the Administration Guide.



# Upgrade and installation instructions

To install or upgrade syslog-ng Premium Edition, follow the instructions in the syslog-ng Premium Edition Administration Guide, or the Administrator Guide for syslog-ng Agent for Windows.

# More resources

Additional information is available from the following:

- [Online product documentation](#)

# Globalization

This section contains information about installing and operating this product in non-English configurations, such as those needed by customers outside of North America. This section does not replace the materials about supported platforms and configurations found elsewhere in the product documentation.

This release is Unicode-enabled and supports any character set. In this release, all product components should be configured to use the same or compatible character encodings and should be installed to use the same locale and regional options. This release is targeted to support operations in the following regions: North America, Western Europe and Latin America, Central and Eastern Europe, Far-East Asia, Japan. It supports bidirectional writing (Arabic and Hebrew). The release supports Complex Script (Central Asia – India, Thailand).

## About us

One Identity solutions eliminate the complexities and time-consuming processes often required to govern identities, manage privileged accounts and control access. Our solutions enhance business agility while addressing your IAM challenges with on-premises, cloud and hybrid environments.

## Contacting us

For sales and other inquiries, such as licensing, support, and renewals, visit <https://www.oneidentity.com/company/contact-us.aspx>.

## Technical support resources

Technical support is available to One Identity customers with a valid maintenance contract and customers who have trial versions. You can access the Support Portal at <https://support.oneidentity.com/>.

The Support Portal provides self-help tools you can use to solve problems quickly and independently, 24 hours a day, 365 days a year. The Support Portal enables you to:

- Submit and manage a Service Request
- View Knowledge Base articles
- Sign up for product notifications
- Download software and technical documentation
- View how-to videos at [www.YouTube.com/OneIdentity](http://www.YouTube.com/OneIdentity)
- Engage in community discussions
- Chat with support engineers online
- View services to assist you with your product

## Third-party contributions

This appendix includes the open source licenses and attributions applicable to syslog-ng Premium Edition.

# GNU General Public License

Version 2, June 1991

1989, 1991 Free Software Foundation, Inc.

Free Software Foundation, Inc. 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Version 2, June 1991

## Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software - to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps:

1. copyright the software, and
2. offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in

effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

### Section 0

This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

### Section 1

You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

### Section 2

You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of [Section 1](#) above, provided that you also meet all of these conditions:

- a. You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b. You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a

whole at no charge to all third parties under the terms of this License.

- c. If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: If the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

## Section 3

You may copy and distribute the Program (or a work based on it, under [Section 2](#) in object code or executable form under the terms of [Section 1](#) and [Section 2](#) above provided that you also do one of the following:

- a. Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b. Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c. Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either

source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

## Section 4

You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

## Section 5

You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

## Section 6

Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

## Section 7

If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.



If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

## Section 8

If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

## Section 9

The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

## Section 10

If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY Section 11

BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE

STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

## Section 12

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

## How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.> Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type "show w". This is free software, and you are welcome to redistribute it under certain conditions; type "show c" for details.

The hypothetical commands "show w" and "show c" should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than "show w" and "show c" ; they could even be mouse-clicks or menu items-- whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program "Gnomovision" (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989 Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

## GNU Lesser General Public License

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.

Free Software Foundation, Inc. 51 Franklin Street, Fifth Floor Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.

### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute

copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method:

1. we copyright the library, and
2. we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the Lesser General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to

gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

## **TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION**

### **Section 0**

This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

## Section 1

You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

## Section 2

You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of [Section 1](#) above, provided that you also meet all of these conditions:

- a. The modified work must itself be a software library.
- b. You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c. You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d. If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, [Subsection 2d](#) requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

## Section 3

You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

## Section 4

You may copy and distribute the Library (or a portion or derivative of it, under [Section 2](#)) in object code or executable form under the terms of [Section 1](#) and [Section 2](#) above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of [Section 1](#) and [Section 2](#) above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

## Section 5

A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. [Section 6](#) states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative

work. (Executables containing this object code plus portions of the Library will still fall under [Section 6](#).)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of [Section 6](#). Any executables containing that work also fall under [Section 6](#), whether or not they are linked directly with the Library itself.

## Section 6

As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a. Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under [Section 1](#) and [Section 2](#) above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)
- b. Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.
- c. Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in [Subsection 6a](#), above, for a charge no more than the cost of performing this distribution.
- d. If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.
- e. Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel,



and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

## Section 7

You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

- a. Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.
- b. Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

## Section 8

You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

## Section 9

You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

## Section 10

Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further

restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

## Section 11

If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

## Section 12

If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

## Section 13

The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

## Section 14

If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY Section 15

BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

## NO WARRANTY Section 16

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

## How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.> Copyright (C)  
<year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990 Ty Coon, President of Vice

That's all there is to it!

## License attributions

This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (<https://www.openssl.org/>). This product includes cryptographic software written by Eric Young (eay@cryptsoft.com)

**Copyright 2019 One Identity LLC.**

**ALL RIGHTS RESERVED.**

This guide contains proprietary information protected by copyright. The software described in this guide is furnished under a software license or nondisclosure agreement. This software may be used or copied only in accordance with the terms of the applicable agreement. No part of this guide may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording for any purpose other than the purchaser's personal use without the written permission of One Identity LLC .

The information in this document is provided in connection with One Identity products. No license, express or implied, by estoppel or otherwise, to any intellectual property right is granted by this document or in connection with the sale of One Identity LLC products. EXCEPT AS SET FORTH IN THE TERMS AND CONDITIONS AS SPECIFIED IN THE LICENSE AGREEMENT FOR THIS PRODUCT, ONE IDENTITY ASSUMES NO LIABILITY WHATSOEVER AND DISCLAIMS ANY EXPRESS, IMPLIED OR STATUTORY WARRANTY RELATING TO ITS PRODUCTS INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. IN NO EVENT SHALL ONE IDENTITY BE LIABLE FOR ANY DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE, SPECIAL OR INCIDENTAL DAMAGES (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF PROFITS, BUSINESS INTERRUPTION OR LOSS OF INFORMATION) ARISING OUT OF THE USE OR INABILITY TO USE THIS DOCUMENT, EVEN IF ONE IDENTITY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. One Identity makes no representations or warranties with respect to the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and product descriptions at any time without notice. One Identity does not make any commitment to update the information contained in this document.

If you have any questions regarding your potential use of this material, contact:

One Identity LLC.  
Attn: LEGAL Dept  
4 Polaris Way  
Aliso Viejo, CA 92656

Refer to our Web site (<http://www.OneIdentity.com>) for regional and international office information.

**Patents**

One Identity is proud of our advanced technology. Patents and pending patents may apply to this product. For the most current information about applicable patents for this product, please visit our website at <http://www.OneIdentity.com/legal/patents.aspx>.

**Trademarks**

One Identity and the One Identity logo are trademarks and registered trademarks of One Identity LLC. in the U.S.A. and other countries. For a complete list of One Identity trademarks, please visit our website at [www.OneIdentity.com/legal](http://www.OneIdentity.com/legal). All other trademarks are the property of their respective owners.

**Legend**

-  **WARNING: A WARNING icon highlights a potential risk of bodily injury or property damage, for which industry-standard safety precautions are advised. This icon is often associated with electrical hazards related to hardware.**
  
-  **CAUTION: A CAUTION icon indicates potential damage to hardware or loss of data if instructions are not followed.**