



One Identity Manager 8.1.2

Chargeback Administration Guide

**Copyright 2020 One Identity LLC.**

**ALL RIGHTS RESERVED.**

This guide contains proprietary information protected by copyright. The software described in this guide is furnished under a software license or nondisclosure agreement. This software may be used or copied only in accordance with the terms of the applicable agreement. No part of this guide may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording for any purpose other than the purchaser's personal use without the written permission of One Identity LLC .

The information in this document is provided in connection with One Identity products. No license, express or implied, by estoppel or otherwise, to any intellectual property right is granted by this document or in connection with the sale of One Identity LLC products. EXCEPT AS SET FORTH IN THE TERMS AND CONDITIONS AS SPECIFIED IN THE LICENSE AGREEMENT FOR THIS PRODUCT, ONE IDENTITY ASSUMES NO LIABILITY WHATSOEVER AND DISCLAIMS ANY EXPRESS, IMPLIED OR STATUTORY WARRANTY RELATING TO ITS PRODUCTS INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. IN NO EVENT SHALL ONE IDENTITY BE LIABLE FOR ANY DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE, SPECIAL OR INCIDENTAL DAMAGES (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF PROFITS, BUSINESS INTERRUPTION OR LOSS OF INFORMATION) ARISING OUT OF THE USE OR INABILITY TO USE THIS DOCUMENT, EVEN IF ONE IDENTITY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. One Identity makes no representations or warranties with respect to the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and product descriptions at any time without notice. One Identity does not make any commitment to update the information contained in this document.

If you have any questions regarding your potential use of this material, contact:

One Identity LLC.  
Attn: LEGAL Dept  
4 Polaris Way  
Aliso Viejo, CA 92656

Refer to our Web site (<http://www.OneIdentity.com>) for regional and international office information.

**Patents**

One Identity is proud of our advanced technology. Patents and pending patents may apply to this product. For the most current information about applicable patents for this product, please visit our website at <http://www.OneIdentity.com/legal/patents.aspx>.

**Trademarks**

One Identity and the One Identity logo are trademarks and registered trademarks of One Identity LLC. in the U.S.A. and other countries. For a complete list of One Identity trademarks, please visit our website at [www.OneIdentity.com/legal](http://www.OneIdentity.com/legal). All other trademarks are the property of their respective owners.

**Legend**

 **WARNING:** A WARNING icon highlights a potential risk of bodily injury or property damage, for which industry-standard safety precautions are advised. This icon is often associated with electrical hazards related to hardware.

 **CAUTION:** A CAUTION icon indicates potential damage to hardware or loss of data if instructions are not followed.

# Contents

<b>Accounting data</b> .....	<b>5</b>
One Identity Manager Users for accounting .....	5
Prerequisites for accounting .....	6
Compiling price information .....	6
Basic accounting data .....	7
Voucher types .....	7
Business partners .....	8
Functional areas .....	9
Data sources .....	10
Accounting runs .....	11
Cost types .....	12
Additional tasks for costing types .....	13
Activities supplied .....	14
Additional tasks for activities supplied .....	14
Attestors .....	15
Entering service items .....	16
General master data for a service item .....	17
Pricing information .....	19
Extended master data for a service item .....	20
Default service items .....	20
Additional tasks for managing service items .....	20
Service item overview .....	20
Defining hierarchy for service items .....	20
Editing product dependencies for requests .....	22
Assigning a service item to departments, cost centers and locations .....	22
Assigning a service item to business roles .....	22
Assigning functional areas .....	23
Assigning extended properties .....	23
View documentation .....	24
Assign object-dependent references .....	24
Assigning tags .....	25

Changing products .....	25
Entering service categories .....	26
Service category master data .....	26
Default service categories .....	28
Additional tasks for managing service categories .....	28
Service category overview .....	28
Assigning service items .....	28
Assign object-dependent references .....	29
Vouchers and voucher items .....	29
Entering vouchers .....	30
General master data for vouchers .....	30
Invoice recipient .....	31
User-defined master data .....	31
Additional tasks for vouchers .....	31
Entering voucher items automatically .....	33
Entering voucher items manually .....	35
General master data for a voucher item .....	36
Pricing information .....	37
Miscellaneous master data .....	38
User-defined master data .....	38
Additional tasks for voucher items .....	38
<b>About us</b> .....	<b>40</b>
Contacting us .....	40
Technical support resources .....	40
<b>Index</b> .....	<b>41</b>

## Accounting data

One Identity Manager allows you to settle the costs incurred of all internal and external IT services rendered by a company. Not only physical devices and software, leasing or rental, but also storage space for repositories and mailboxes or time related factors such as accrued help desk calls can be entered and invoiced.

Accounting of IT expenditure is a very company specific procedure. Therefore, the One Identity Manager accounting module provides a basic structure for entering, evaluating and invoicing accrued costs. It is important to customize this to suit your the company's needs.

One Identity Manager supports you with your question:

Who, when, what and how much to whom at which price?

## One Identity Manager Users for accounting

The following users are used for setting up and administration of accounting.

**Table 1: User**

User	Tasks
One Identity Manager administrators	<ul style="list-style-type: none"> <li>• Create customized permissions groups for application roles for role-based login to administration tools in the Designer as required.</li> <li>• Create system users and permissions groups for non role-based login to administration tools in the Designer as required.</li> <li>• Enable or disable additional configuration parameters in the Designer as required.</li> <li>• Create custom processes in the Designer as required.</li> <li>• Create and configure schedules as required.</li> <li>• Create and configure password policies as required.</li> </ul>

User	Tasks
Attestors for requests	<p>Attestors must be assigned to the <b>Request &amp; Fulfillment   IT Shop   Attestors</b> application role.</p> <p>Users with this application role:</p> <ul style="list-style-type: none"> <li>• Attest correct assignment of company resource to IT Shop structures for which they are responsible.</li> <li>• Can view master data for these IT Shop structures but not edit them.</li> </ul> <p><b>NOTE:</b> This application role is available if the module Attestation Module is installed.</p>

## Prerequisites for accounting

One Identity Manager components are available for accounting if the **Accounting** configuration parameter is set.

- In the Designer, check if the configuration parameter is set. Otherwise, set the configuration parameter and compile the database.

Internal as well as external data sources can be used to invoice IT services supplies and their costs. All company resources stored in the One Identity Manager database and their assigned price information are available as internal data sources. You can use a CSV file as an external data source, for example.

Price information is entered in the One Identity Manager database for service items. Add a service item for every company resource to be invoiced. You can group individual service items into service categories.

The supplied services are grouped together in voucher for accounting. You can create voucher automatically or manually.

### Related topics

- [Entering service items](#) on page 16
- [Entering service categories](#) on page 26
- [Vouchers and voucher items](#) on page 29

## Compiling price information

All price information, whether purchase price, sales price, or internal transfer price, relates to one unit of the given goods or services. This applies to service items, service categories, and voucher items. In the case of voucher items, item prices are also

calculated from the amount and price. Item prices are rounded to 2 decimal places. The price supplies the voucher value for vouchers. This means they are the sum of the item prices of all the voucher's items.

Amounts are displayed by default to three decimal places, prices to two decimal places in Manager. The number of decimal places to enter can be modified in Designer. For more detailed information, see the *One Identity Manager Configuration Guide*.

## Basic accounting data


Various basic data are required for accounting.

- [Voucher types](#)
- [Business partners](#)
- [Functional areas](#)
- [Data sources](#)
- [Activities supplied](#)
- [Cost types](#)
- [Accounting runs](#)
- [Attestors](#)

## Voucher types

Voucher types are used to classify vouchers. The "Delivery" and "Receipt" voucher types are supplied by default.

### ***To edit a voucher type***

1. Select **Accounting | Basic configuration data | Voucher types**.
2. Select the voucher type in the result list. Select the **Change master data** task.  
- OR -  
Click  in the result list.
3. Edit the voucher type's master data.
4. Save the changes.

Enter the following properties for a voucher type.


**Table 2: General master data for voucher types**

Property	Description
Voucher type	Name of the voucher type
Description	Spare field for additional explanation.
Spare field no. 01 ... Spare field no. 10	Additional company-specific information. Use the Designer to customize display names, formats, and templates for the input fields.

## Business partners

You can enter a manufacturer for a service item. In One Identity Manager, you can enter the data for external businesses that might come into question as manufacturers, suppliers or partners.

### *To edit business partners*

1. Select **Accounting | Basic configuration data | Business partners**.
2. Select a business partner in the result list. Select the **Change master data** task.  
- OR -  
Click  in the result list.
3. Edit the business partner's master data.
4. Save the changes.

Enter the following data for a company.

**Table 3: General master data for a company**

Property	Description
Company	Short description of the company for the views in One Identity Manager tools.
Name	Full company name.
Surname prefix	Additional company name.
Short name	Company's short name.
Contact	Contact person for the company.
Partner	Specifies whether this is a partner company.
Customer number	Customer number at the partner company.
Supplier	Specifies whether this is a supplier.



Property	Description
Customer number	Customers number at supplier.
Leasing partner	Specifies whether this is a leasing provider or rental firm.
Manufacturer	Specifies whether this is a manufacturer.
Remarks	Spare field for additional explanation.

**Table 4: Company address**

Property	Description
Street	Street or road.
Building	Building
Zip code	Zip code.
City	City.
State	State.
Country	Country.
Phone	Company's telephone number.
Fax	Company's fax number.
Email address	Company's email address.
Website	Company's website. Click the <b>Browse</b> button to display the web page in the default web browser.

## Functional areas


To analyze rule checks for different areas of your company in the context of identity audit, you can set up functional areas. Functional areas can be assigned to hierarchical roles and service items. You can enter criteria that provide information about risks from rule violations for functional areas and hierarchical roles. To do this, you specify how many rule violations are permitted in a functional area or a role. You can enter separate assessment criteria for each role, such as a risk index or transparency index.

### Example for using functional areas are:

To assess the risk of rule violations for service items. Proceed as follows:

1. Set up functional areas.
2. Assign service items to the functional areas.
3. Specify the number of rule violations allowed for the functional area.
4. Assign compliance rules required for the analysis to the functional area.
5. Use the One Identity Manager report function to create a report that prepares the result of rule checking for the functional area by any criteria.

### **To edit functional areas**

1. In the Manager, select the **Accounting | Basic configuration data | Functional areas** category.
2. In the result list, select a function area and run the **Change master data** task.  
- OR -  
Click  in the result list.
3. Edit the function area master data.
4. Save the changes.

Enter the following data for a functional area.

**Table 5: Functional area properties**

<b>Property</b>	<b>Description</b>
Functional area	Description of the functional area
Parent Functional area	Parent functional area in a hierarchy. Select a parent functional area from the list in order to organize your functional areas hierarchically.
Max. number of rule violations	List of rule violation valid for this functional area. This value can be evaluated during the rule check.  <b>NOTE:</b> This input field is available if the Compliance Rules Module exists.
Description	Spare field for additional explanation.

### **Related topics**


- One Identity Manager Compliance Rules Administration Guide

## **Data sources**

You can store internal and external data source used to collect data for the accounting function. Data sources can, for example, be copied into resulting voucher items to retain transparency of the data origin. If the data is made available in a CSV file imported into the

One Identity Manager database, for example, internal data sources can be defined for this. If data is determined in One Identity Manager using the One Identity Manager Service's collector function, for example, you can define internal data sources for it.

### **To edit a data source**

1. Select **Accounting | Basic configuration data | Data sources**.
2. Select the data source in the result list. Select the **Change master data** task.  
- OR -  
Click  in the result list.
3. Edit the data source's master data.
4. Save the changes.

Enter the following properties for a data source.


**Table 6: General master data for data source**

<b>Property</b>	<b>Description</b>
Data source	Name of the data source.
Description	Spare field for additional explanation.
Spare field no. 01 ... Spare field no. 10	Additional company-specific information. Use the Designer to customize display names, formats, and templates for the input fields.

## **Accounting runs**

Accounting runs execute events required for automatic accounting, for example, data collection or data importing. These events are grouped together on a form and you can trigger them from there.

### **To edit events for accounting runs**

1. Select **Accounting | Basic configuration data | Accounting runs**.
2. Select an accounting run in the result list. Select the **Change master data** task.  
- OR -  
Click  in the result list.
3. Edit the accounting run's master data.
4. Save the changes.

Enter the following properties for an accounting run.

**Table 7: General master data for an accounting run**

Property	Description
Voucher type	Type of voucher for which to run the accounting.
Accounting run	Name of the event to call.
Sort order	Position of the event in the accounting run.
Description	Position of the event in the accounting run.


### Related topics

- [Entering voucher items automatically](#) on page 33

## Cost types

Here you can maintain costing types under which voucher items are booked. For example, Infrastructure vouchers or service items.

### To edit a costing type

1. Select **Accounting | Basic configuration data | Cost types**.
2. Select a costing type in the result list. Select the **Change master data** task.  
- OR -  
Click  in the result list.
3. Edit the costing type's master data.
4. Save the changes.

Enter the following properties for a costing type.

**Table 8: General master data for costing type**

Property	Description
Cost type	Name of the costing type
Cost type (number)	Bookkeeping account number.
Description	Spare field for additional explanation.
Spare field no. 01 ... Spare field no. 10	Additional company-specific information. Use the Designer to customize display names, formats, and templates for the input fields.

## Additional tasks for costing types

After you have entered the master data, you can run the following tasks.

### Overview of costing types

#### *To obtain an overview of a costing type*

1. Select **Accounting | Basic configuration data | Cost types**.
2. Select the costing type in the result list.
3. Select **Cost type overview** in the task view.

### Assigning service items

Assign service items to costing types to be able to invoice them.

#### *To assign service items to a costing type*

1. Select **Accounting | Basic configuration data | Cost types**.
2. Select the costing type in the result list.
3. Select **Assign service items** in the task view.
4. Assign service items in **Add assignments**.  
- OR -  
Delete the service items in **Remove assignments**.
5. Save the changes.

### Assigning service categories

Assign service categories to costing types to be able to invoice them.


#### *To assign service categories to a costing type*

1. Select **Accounting | Basic configuration data | Cost types**.
2. Select the costing type in the result list.
3. Select **Assign service categories** in the task view.
4. Assign service categories in **Add assignments**.  
- OR -  
In **Remove assignments**, remove the service categories.
5. Save the changes.

# Activities supplied

Activities supplied can be seen as cost units, for example, products or projects.

## **To edit a supplied activity**

1. Select **Accounting | Basic configuration data | Activities supplied**.
2. Select an activity in the result list. Select the **Change master data** task.  
- OR -  
Click  in the result list.
3. Edit the activity's master data.
4. Save the changes.

Enter the following properties for the activity supplied.

**Table 9: General master data for an activity supplied**

<b>Property</b>	<b>Description</b>
Activity supplied	Name of the activity supplied.
Description	Spare field for additional explanation.
Spare field no. 01 ... Spare field no. 10	Additional company-specific information. Use the Designer to customize display names, formats, and templates for the input fields.

## Additional tasks for activities supplied

After you have entered the master data, you can run the following tasks.

### Overview of activities supplied

#### **To obtain an overview of a supplied activity.**

1. Select **Accounting | Basic configuration data | Activities supplied**.
2. Select the activity in the result list.
3. Select **Activity supplied overview** in the task view.

### Assigning service items

Assign service items to activities supplied to be able to invoice them.

### ***To assign service items to an activity supplied***

1. Select **Accounting | Basic configuration data | Activities supplied**.
2. Select the activity in the result list.
3. Select **Assign service items** in the task view.
4. Assign service items in **Add assignments**.  
- OR -  
Delete the service items in **Remove assignments**.
5. Save the changes.

## **Assigning service categories**

Assign a service categories to activities supplied to be able to invoice them.

### ***To assign service categories to an activity supplied***

1. Select **Accounting | Basic configuration data | Activities supplied**.
2. Select the activity in the result list.
3. Select **Assign service categories** in the task view.
4. Assign service categories in **Add assignments**.  
- OR -  
In **Remove assignments**, remove the service categories.
5. Save the changes.

## **Attestors**

Installed modules: Attestation Module

In One Identity Manager, you can specify which employees are used as attestors for service items and service categories in attestation cases if the approval workflow is set up accordingly. To do this, assign a service item or a service category to an attestor's application role. Assign employees that are authorized to attest accounting data to this application role. A default application role for attestors is available in One Identity Manager. You may create other application roles as required.

For detailed information about implementing and editing application roles, see the *One Identity Manager Authorization and Authentication Guide*.

**Table 10: Default application roles for attestors**


User	Tasks
Attestors for IT Shop	<p>Attestors must be assigned to the <b>Request &amp; Fulfillment   IT Shop   Attestors</b> application role.</p> <p>Users with this application role:</p> <ul style="list-style-type: none"><li>• Attest correct assignment of company resource to IT Shop structures for which they are responsible.</li><li>• Can view master data for these IT Shop structures but not edit them.</li></ul> <p><b>NOTE:</b> This application role is available if the module Attestation Module is installed.</p>

### **To specify attestors**

1. Select **Accounting | Basic configuration data | Attestors**.
2. Select **Assign employees**.
3. Assign employees in **Add assignments**.

**TIP:** In **Remove assignments**, you can remove the assignment of employees.


#### **To remove an assignment**

- Select the employee and double-click .
4. Save the changes.

## Entering service items

In order to invoice company resources internally, a service item must be assigned to them. The price information is entered in the service item. Add a service item for every company resource to be invoiced. You can group individual service items into service categories.

### **To edit service items**



1. In the Manager, select the **Accounting | Service items** category.
2. In the result list, select the product's service item and select the **Change master data** task.  
- OR -  
Click  in the result list.
3. Enter the service item's master data.
4. Save the changes.



# General master data for a service item

Enter the following data on the **General** tab. If you add a new service item, you must fill out the required fields.

**Table 11: General master data for a service item**

Master data	Meaning
Service item	Service item name.
Special service item	If a product is used for a specific purpose, for example, for product collection, then mark it as a special service item.
Service category	Group individual products into a collection of products. Select an existing service category from the list or add a new one.  To create a new service category, click  . Enter at least one name for the service item.
Product owners	Assign a <b>Request &amp; Fulfillment   IT Shop   Product owner</b> application role.  This property is only available if the <b>QER   ITShop</b> configuration parameter is enabled.
Attestors	Assign a <b>Request &amp; Fulfillment   IT Shop   Attestor</b> application role.  The members of this application role can chosen as attestor in an attestation procedure.  To create a new application role, click  . Enter the application role name and assign a parent application role.  Attestors can only be assigned if the <b>QER   ITShop</b> configuration parameter is enabled.
Cost center	Cost center for booking the service item in the accounts.
Manufacturer	Manufacturer data.
Terms of use	Terms of use for the product. The product can only be requested if the requester has accepted the terms of use.  This property is only available if the <b>QER   ITShop</b> configuration parameter is enabled.
Request number, product code, product code (foreign).	Company-specific service item properties.
Activity supplied	Select a activity from the menu.

Master data	Meaning
Cost type	Select a costing type from the menu.
Functional area	Company-specific service item property.
Approval policies	Approval policy used to determine the approver when the service item is requested in the IT Shop.  This property is only available if the <b>QER   ITShop</b> configuration parameter is enabled.
Request property	Select the group for defining extended properties for a request. The request properties are displayed in the Web Portal depending on the configuration, requester, or approver.  This property is only available if the <b>QER   ITShop</b> configuration parameter is enabled.
Calculation info	Enter the calculation mode as accounting information.
Availability	Company-specific information about the service item's availability.
Sort order	Customer-specific criteria for sorting service items.
Website	Web page with more information about the service item.  This field allows you to link product descriptions in the internet or intranet to the service item. To open the website, select <b>Visit website</b> in the default web browser.
Validity period	Time period for limited assignments through IT Shop.  This property is only available if the <b>QER   ITShop</b> configuration parameter is enabled.
Description	Spare field for additional explanation.
Retain service item assignment on relocation	Specifies whether requests belonging to this service item remain intact when a customer or a product relocates..  This property is only available if the <b>QER   ITShop</b> configuration parameter is enabled.
Not available	Specifies whether the service item can still be requested in the IT Shop.  This property is only available if the <b>QER   ITShop</b> configuration parameter is enabled.
Request properties must be defined separately per recipient	Specifies whether additional request properties must be entered separately for each recipient of this product, if the product is requested for different recipients in one request procedure.  If this option is not set, the selected requested properties apply uniformly to all recipients of the product.

Master data	Meaning
	This property is only available if the <b>QER   ITShop</b> configuration parameter is enabled.
Approval by multi-factor authentication	The approval of requests with this service item requires multi-factor authentication.

### Detailed information about this topic

- [Entering service categories](#) on page 26
- [Attestors](#) on page 15
- [Business partners](#) on page 8
- [Activities supplied](#) on page 14
- [Cost types](#) on page 12
- [Functional areas](#) on page 9

### Related topics

- One Identity Manager IT Shop Administration Guide
- One Identity Manager Attestation Administration Guide

## Pricing information

Enter the required pricing information for booking the service item to the accounts on the **Calculation** tab.

**Table 12: Pricing for a service item**

Property	Description
Purchase price	Purchase price.
Sales price	Sales price.
Internal price	Internal transfer price.
Rental rate (purchasing)	Purchase price on product rental.
Rental rate (selling)	Sales price on product rental
Rental rate (internal)	Internal transfer price on product rental
Currency	Currency unit
Sales tax	Sale tax to apply in percent (%)

## Related topics

- [Compiling price information](#) on page 6

## Extended master data for a service item

On the **Picture** tab, you can import an image of the product into the data base. Select the path where the picture is stored.

Additional company-specific information. Use the Designer to customize display names, formats, and templates for the input fields.

## Default service items

One Identity Manager supplies service items by default.

### *To edit default service items*

- Select **Accounting | Service items | Predefined**.

## Additional tasks for managing service items

After you have entered the master data, you can run the following tasks.

## Service item overview

### *To obtain an overview of a service item*

1. Select the category **Accounting | Service items**.
2. Select the service item in the result list.
3. Select **Service item overview** in the task view.

## Defining hierarchy for service items

You can structure service items hierarchically. To do this, assign a service item below or above another service item.

## Example

The items "cabling", "service infrastructure", "hotline", and "backup system" are agreed upon by seller and purchaser and given prices. The collective products "service PC", "service notebook", and "service user accounts" are defined within the company. These comprise the single items listed above. The prices for the collective products can be taken from the prices for the single items assuming a corresponding processes have been implemented for this.

**Table 13: Example for grouping collective products**


<b>Collective Item</b>	<b>Single Item</b>
Service PC	cabling
	service infrastructure
	backup system
	hotline
Service notebook	cabling
	service infrastructure
	hotline
Service user accounts	hotline

### ***To structure service items hierarchically***

1. In the Manager, select the category **Accounting | Service items**.
2. In the result list, select a service item in the result list and run the task **Edit service item hierarchy**.
3. Select the **Child service items** tab.  
Add child service items in **Add assignments**.

**TIP:** In **Remove assignments**, you can remove service item assignments.

#### ***To remove an assignment***

- Select the service item and double-click .
4. Select the **Parent service items** tab.  
Add parent service items in **Add assignments**.
  5. Save the changes.

## Editing product dependencies for requests

Dependencies between products are taken into account by IT Shop requests. This task is only available if the configuration parameter **QER | ITShop** is activated. For more information, see the *One Identity Manager IT Shop Administration Guide*.

## Assigning a service item to departments, cost centers and locations

You can issue separate invoices according to the different company structures. To do this assign the service items to departments, cost centers, and locations.

### ***To assign a service item to departments, cost centers, and locations***


1. Select the **Accounting | Service items** category.
2. Select the service item in the result list.
3. Select the **Assign organizations** task.

Assign organizations in **Add assignments**.

- Assign departments on the **Departments** tab.
- Assign locations on the **Locations** tab.
- Assign cost centers on the **Cost centers** tab.

**TIP:** In **Remove assignments**, you can remove the assignment of organizations.

### ***To remove an assignment***

- Select the organization and double-click .
4. Save the changes.

## Assigning a service item to business roles

Installed modules: Business Roles Module

You can issue separate invoices according to the different company structures. Assign service items to business roles to do this.

### ***To assign service items to business roles***

1. Select the **Accounting | Service items** category.
2. Select the service item in the result list.
3. Select the **Assign business roles** task.

Assign business roles in **Add assignments**.

**TIP:** In **Remove assignments**, you can remove the assignment of business roles.

**To remove an assignment**

- Select the business role and double-click .

4. Save the changes.

## Assigning functional areas

You can use One Identity Manager to assess the risk of assignments. The assessments can be evaluated separately by functional area. To do this, service items must be assigned to functional areas. For more detailed information, see the *One Identity Manager Risk Assessment Administration Guide*.


**To assign functional areas to a service item**

1. Select the **Accounting | Service items** category.
2. Select the service item in the result list.
3. Select the **Assign functional areas** task.

Assign the functional areas in **Add assignments**.

**TIP:** In **Remove assignments**, you can remove functional area assignments.

**To remove an assignment**

- Select the functional area and double-click .

4. Save the changes.

## Assigning extended properties

Extended properties are meta objects that cannot be mapped directly in One Identity Manager, for example, operating codes, cost codes or cost accounting areas.


**To assign extended properties to a service item**

1. Select the **Accounting | Service items** category.
2. Select the service item in the result list.
3. Select the **Assign extended properties** task.

Assign extended properties in **Add assignments**.

**TIP:** In **Remove assignments**, you can remove the assignment of extended properties.

### **To remove an assignment**

- Select the extended property and double-click .
4. Save the changes.

## **View documentation**

You can link product descriptions in internet or intranet with the service item. For this, you enter the URL of a website in **Website** on the master data form.

### **To open the website in a standard browser**

1. Select the **Accounting | Service items** category.
2. Select the service item in the result list.
3. Select the **Visit website** task.

### **Related topics**

- [General master data for a service item](#) on page 17

## **Assign object-dependent references**

**NOTE:** This task is only available if **QER\ITShop** is set.

Object dependent references can be assigned to service items. Use object dependent references to configure your Web Portal with the Web Designer. All object dependent references whose type references the table AccProduct can be assigned.

### **To assign object dependent references to a service item**

1. Select the category **Accounting | Service items**.
2. Select the service item in the result list.
3. Select **Assign Object Dependent References** in the task view.
4. Assign object dependent references in **Add assignments**.  
- OR -  
Remove the object-dependent references in **Remove assignments**.
5. Save the changes.

### **Related topics**

- One Identity Manager Web Designer Reference Guide



## Assigning tags

Use this task to assign tags to service items and to add new tags. This task is only available if the configuration parameter **QER | ITShop** is activated.

### ***To assign a tag to a service item***

1. Select the category **Accounting | Service items**.
2. Select the service item in the result list.
3. Select **Assign tag** in the task view.
4. Double-click on the assignment form on the tag to assign to the service item.
5. Save the changes.

### ***To add a tag for a service item***

1. Select the category **Accounting | Service items**.
2. Select the service item in the result list.
3. Select **Assign tag** in the task view.
4. Select **Create tag** in the task view.
5. Enter the tag and a description for it.
6. Save the changes.  
The new tag is shown on the assignment form.
7. Double-click on the tag to assign it to the selected service item.
8. Save the changes.

## Changing products

A product can be replaced by another product at a specified time. This task is only available if the configuration parameter "QER\ITShop" is set.

### ***To replace a product with another one***

1. Select the category **Accounting | Service items**.
2. In the result list, select the product's service item to be replaced.
3. Select **Change product....**
4. Enter the following data:
  - Expiry date  
Date on which the product is replaced by a different product
  - Alternative product  
Service item that can be ordered instead

5. Click **OK**.

## Entering service categories

You can group individual service items into service categories to create a service catalog. Price information required or service category cost types and services types can be mapped to individual products using customized templates.


### **To edit service categories**

1. In the Manager, select the **Select Accounting | Service catalog** category.
2. In the result list, select the service category and run the **Change master data** task.
3. Edit the service category's master data.
4. Save the changes.

## Service category master data

Enter the following master data for a service category. If you add a new service category, you must fill out the required fields.

**Table 14: General master data for a service category**

<b>Master data</b>	<b>Meaning</b>
Service category	The service item's name.
Special service category	Specifies whether the service category has a special purpose.
Parent service category	If you want to have service categories in a hierarchical structure, select a parent service category from the list.
Product owners	Assign a <b>Request &amp; Fulfillment   IT Shop   Product owner</b> application role.  This property is only available if the <b>QER   ITShop</b> configuration parameter is enabled.
Attestors	Assign a <b>Request &amp; Fulfillment   IT Shop   Attestor</b> application role.  The members of this application role can chosen as attestor in an attestation procedure.  To create a new application role, click  . Enter the application role name and assign a parent application role.

Master data	Meaning
	<p>Attestors can only be assigned if the <b>QER   ITShop</b> configuration parameter is enabled.</p> <p>For more detailed information, see the <i>One Identity Manager Attestation Administration Guide</i>.</p>
Activity supplied	Select a activity from the menu.
Cost type	Select a costing type from the menu.
Approval policies	<p>Approval policies used to determine the approver when the service item is requested from a service category in the IT Shop.</p> <p>This property is only available if the <b>QER   ITShop</b> configuration parameter is enabled.</p>
Request property	<p>Select the group for defining extended properties for a request. The request properties are displayed in the Web Portal depending on the configuration, requester, or approver.</p> <p>This property is only available if the <b>QER   ITShop</b> configuration parameter is enabled.</p>
Purchase price, sales price, internal price, currency	Enter the required price information for the service category accounting.
Sort order	Customer specific criteria for sorting assigned service items.
Description	Spare field for additional explanation.
Image	Image for this service category. Select the path where the picture is stored.
Spare field no. 01 - spare field no. 10	Additional company-specific information. Use the Designer to customize display names, formats, and templates for the input fields.

## Detailed information about this topic

- [Attestors](#) on page 15
- [Activities supplied](#) on page 14
- [Cost types](#) on page 12

## Related topics

- One Identity Manager IT Shop Administration Guide
- One Identity Manager Attestation Administration Guide.

# Default service categories

One Identity Manager supplies service categories by default. These service categories make up the default service items in the service catalog.

## *To edit default service categories*

- Select **Accounting | Service catalog**.

# Additional tasks for managing service categories

After you have entered the master data, you can run the following tasks.

## Service category overview

### *To obtain an overview of a service category*

1. Select **Accounting | Service catalog**.
2. Select the service category in the result list.
3. Select **Service category overview** in the task view.

## Assigning service items

Use this task to assign any number of service items to the service category.

### *To assign service items to a service category*

1. In the Manager, select the **Select Accounting | Service catalog** category.
2. Select the service category in the result list.
3. Select the **Assign service items** task.

Assign service items in **Add assignments**.

**TIP:** In **Remove assignments**, you can remove service item assignments.

#### *To remove an assignment*

- Select the service item and double-click .
4. Save the changes.

## Assign object-dependent references

**| NOTE:** This task is only available if the configuration parameter "QER\ITShop" is set.

Object dependent references can be assigned to service categories. Use object dependent references to configure your Web Portal with the Web Designer. All object dependent references whose type references the table AccProductGroup can be assigned.

### ***To assign object dependent references to a service category***

1. Select **Accounting | Service categories**.  
- OR -  
Select **Accounting | Service catalog**.
2. Select the service category in the result list.
3. Select **Assign Object Dependent References** in the task view.
4. Assign object dependent references in **Add assignments**.  
- OR -  
Remove the object-dependent references in **Remove assignments**.
5. Save the changes.

### **Related topics**

- One Identity Manager Web Designer Reference Guide

## Vouchers and voucher items

Vouchers are overviews of bookable IT services. Each of the services are added as voucher items in a voucher. For example, applications assigned to an employee or scheduled measurement of mailbox sizes can be consolidated in one voucher item. It is also possible to include data from external data sources for making vouchers. Vouchers are initially merely entered in One Identity Manager because accounting methods and the bookable amounts vary between companies. One action which is independent of this and can be customized is grouping and evaluation of receipts or other vouchers.

You can group voucher items automatically using One Identity Manager. To do this, One Identity Manager Service offers a process component, which you can use to collect and process vouchers and voucher items. One Identity Manager also offers the option to link report generation into the accounting procedure.

### ***To make vouchers for bookable IT services***


1. Create vouchers in the Manager.
2. Define processes to put together the vouchers automatically.

## Related topics

- [Entering voucher items automatically](#) on page 33

# Entering vouchers

### To edit a voucher

1. Select **Accounting | Vouchers**.
2. Select the voucher in the result list.  
- OR -  
Click  in the result list.
3. Select the **Change master data** task.
4. Edit the voucher's master data.
5. Save the changes.

## General master data for vouchers

Enter the following properties on the **General** tab:

**Table 15: General Master Data for Vouchers**

Property	Description
Voucher number	Number or ID of the voucher.
Voucher date	Data of the voucher.
Voucher type	Select a voucher type from the menu.
Voucher number (external)	Customer or supplier's voucher number if the voucher was imported.
Contract	Supplier's contract reference number.
Purchase price	Purchase price.
Sales price	Sales price.
Internal price	Internal transfer price.
Currency	Currency unit
Comment	Spare field for additional explanation.
Booked	Specifies whether the voucher has been processed or not.

## Related topics

- [Voucher types](#) on page 7
- [Reactivating a voucher](#) on page 32

## Invoice recipient

Enter the address data for the invoice recipient on the **Invoice recipient** tab.

**Table 16: Voucher's invoice recipient data**

Property	Description
Name	Invoice recipient.
Surname prefix	Addition to recipients name.
Street	Street or road.
Zip code	Zip code.
City	City.
Desired delivery date.	Target date for delivery.
Received on	Date on which the voucher was received.
Date approved	Date on which the voucher was approved.

## User-defined master data

Additional company-specific information. Use the Designer to customize display names, formats, and templates for the input fields.

## Additional tasks for vouchers

After you have entered the master data, you can run the following tasks.

### Overview of the voucher

#### *To obtain an overview of a voucher*

1. Select **Accounting | Vouchers**.
2. Select the voucher in the result list.
3. Select **Voucher status overview** in the task view.

## Starting an accounting run

Use this task to start accounting for a voucher. For more information, see [Entering voucher items automatically](#) on page 33.

## Assigning devices

Use this task to assigned different devices items to a voucher.

### *To assign a device to a voucher*

1. Select **Accounting | Vouchers**.
2. Select the voucher in the result list.
3. Select the task **Assign devices**.
4. Assign the devices in **Add assignments**.
  - OR -
  - In the **Remove assignments** area, remove the devices.
5. Save the changes.

## Recalculating a voucher

The invoice date and price information provide further information about an invoice voucher. Prices are determined from the item prices of the active voucher items using the **Recalculate** task. For more information, see [Compiling price information](#) on page 6.

## Reactivating a voucher

If a voucher has already been processed, set the **Booked** option. This voucher can no longer be processed.

### *To reactivate a voucher for processing*

1. Select **Accounting | Vouchers**.
2. Select the voucher in the result list.
3. Select **Recalculate** in the task view.
4. Save the changes.

## Related topics

- [General master data for vouchers](#) on page 30



# Entering voucher items automatically

**Table 17: Configuration parameter for automatically entering voucher items**

Configuration parameter	Meaning
Accounting\SimpleCollector	Preprocessor relevant configuration parameter for controlling database model components, for automatically making vouchers for accounting. If the parameter is set, vouchers can be made automatically. Changes to this parameter require recompilation of the database.
Accounting\SimpleCollector\ReportDir	Configuration parameter containing the path for storing reports.

Enter separate voucher items into a voucher. One voucher item corresponds to a bookable IT service. For example, applications assigned to an employee or scheduled measurement of mailbox sizes can be consolidated in one voucher item. It is also possible to include data from external data sources for making vouchers. However, the methods used for this differ from company to company and, therefore, you should implement them to suit yours.

For the automatic creation of voucher items, you can use the collector functions of the One Identity Manager Service provided with the process component VI.JobService.JobComponents.InvoiceComponent. Using One Identity Manager reporting functionality, you can group vouchers in the form of an invoice and send them by email.

To simplify dealings with data imports and collection and if necessary to extend it, you can manage the accounting run using **Start accounting run**. All available events and the current processing status of a voucher are displayed on the form.

The executable events must be customized.

- Add the executable events for each voucher type in **Accounting | Basic configuration data | Accounting runs**. The order in which the events are displayed on the form is given by the sort order property. For more information, see [Accounting runs](#) on page 11.

The One Identity Manager default system contains examples of simple data collectors for voucher with the voucher type "Receipt" that can be controlled through the form. Use this to collect the data you want in the database, a new voucher item is created for each data set and linked to the voucher for which the event was triggered. There is also an example of how to generate an accounting report which can then be sent by email. Processes for the base object Invoice are defined for the events supplied. If you start an event from the form, it starts running the corresponding process.

**Table 18: Data collector in the default system**

Event	Description	Item
COLPERSONHASAPP	Collects application assignments for	0

Event	Description	Item
	employees.	
COLWORKDESKHASAPP	Collects application assignments for workdesks.	1
COLHARDWARE	Collects devices.	2
COLADSACCOUNT	Collects enabled Active Directory user accounts.	3
COLEX2KMAILBOX	Collects enabled mailboxes.	4
COLADSHOMESIZE	Collects home directory sizes.	5
COLEX2KMAILSIZE	Collects mailbox sizes.	6
GENERATE_PROFITCENTER_REPORTS	Generates reports for cost centers.	7

The processing state is stored in the Invoice table in the CollectorState column. At the same time, one character of this status string represents the current processing state of an event. The string's index is defined through the sort order of the associated event. The characters have the following meaning:

**Table 19: Permitted status and meaning**

Character	Name	Description
Blank space	New/unknown	Processing has not started. Initial state.
S	Started	This state is set by the form in order to immediately return a result to the user.
R	Running	This state is set by the process to signal that the import/-collector is running.
F	Complete	The process was ended successfully.
E	Error	The process ended in failure.

To set a status in the processes, you can use the SQL procedure VI\_Accounting\_SetCollectorState. This procedure expects the following parameters:

**Table 20: VI\_accounting\_SetCollectorState procedure parameters**

Parameter	Meaning
uid_invoice	Unique name of the voucher
eventname	Event name
state	Status

Calling example:

```
exec VI_Accounting_SetCollectorState '"&UID_Invoice$&"', 'COLHARDWARE', 'R'
```

The database views used in the data collection processes can be used as templates for customizing database view.


**Table 21: Database views for determining data**

<b>Name of the view</b>	<b>Usage</b>
vi_view_accColADSAccount	Collects accounting relevant information for all Active Directory user accounts that are connected with an employee and managed with account definitions.
vi_view_accColADSHomeSize	Collects accounting relevant information about the size of Active Directory user account homes. The price must be given in MB in the activity supplied. The view must be customized!
vi_view_accColEx2kMailbox	Collects accounting relevant information for all Microsoft Exchange mailboxes that are connected with an employee and managed with account definitions.
vi_view_accColEx2kMailSize	Collects accounting relevant information about the size of Microsoft Exchange mailboxes. The price must be given in MB in the activity supplied. The view must be customized!
vi_view_accColHardware	Collects accounting relevant information of each device with workdesk and a device model with an activity supplied.
vi_view_accColPersonHasApp	Collects accounting relevant information for all application assigned to employees and which have an activity supplied.
vi_view_accColWorkdeskHasApp	Collects accounting relevant information for all applications assigned to workdesks and which have an activity supplied.

## Entering voucher items manually

Voucher items cannot only be automatically entered but you can also enter and handle them manually in Manager. However, you should only do this if marginal modifications required.

### **To enter voucher items**

1. Select the category **Accounting | Items**.
2. Select the voucher item in the result list.  
- OR -  
Click  in the result list.
3. Select the **Change master data** task.

4. Enter the voucher item's master data.
5. Save the changes.

## General master data for a voucher item

Enter the following properties for the voucher.

**Table 22: General master data for a voucher item**

Property	Description
Name	Display name of the voucher item. In the standard installation of One Identity Manager, the name is formed from the service item and the comment.
Voucher	Voucher into which the voucher item is added.
Service item	Service item to be invoiced.
Description	Spare field for additional explanation.
Data source	Data source from which the voucher item comes.
Voucher date	Data of the voucher.
Delivery item	Specifies whether the voucher item is part of a delivery. This means that price entries on the <b>Calculation</b> tab are not mandatory. If this option is disabled, the <b>Amount</b> and <b>Voucher date</b> are required fields. On the <b>Calculation</b> tab, a price must be entered as a minimum requirement.
Delivery date	Delivery date for the IT service.
Desired delivery date.	Target date for delivery.
Supplier	Supplier ID.
Request number	Request number of the IT service for requesting from a supplier.
Product number (foreign)	External product number.
Voucher item (external)	Item information in imported voucher.
Voucher item (consolidated)	Voucher item for accumulating this item.

Property	Description
Quantity	Quantity to book.
Unit of measure	Unit of measure.
Remarks	Spare field for additional explanation.
Booked	Specifies whether the voucher item has already been processed or consolidate with another item. If this option is set, the voucher position cannot be processed again.
Denied	Specifies whether approval was granted to the voucher item or not.

### Related topics

- [Reactivating a voucher item](#) on page 39
- [Pricing information](#) on page 37

## Pricing information

Enter the required pricing information for booking the voucher item to the accounts on the **Calculation** tab. At least one price has to be entered as the voucher item value is calculated from the quantity and the price. Specify which available price information is being used to suit your company requirements.

**Table 23: Pricing for a voucher item**

Property	Description
Unit price (purchasing)	Unit price for purchasing the IT service.
Item price (purchasing)	Item price calculated from quantity and unit price (purchasing).
Unit price (sales)	Unit price for selling the IT service.
Item price (sales)	Item price calculated from quantity and unit price (sales).
Unit price (internal)	Internal booking price for the IT service.
Item price (internal)	Item price calculated from quantity and unit price (internal).
Currency	Currency unit
Sales tax (%)	Sale tax to apply in percent.

### Related topics

- [Compiling price information](#) on page 6

## Miscellaneous master data

You can enter more information required for booking the voucher item on the **Miscellaneous** tag. The recipient of the IT service must be entered. You must fill out at least one of the fields workdesk, device, employee, business role, location, cost center, department, or customer.

**Table 24: Miscellaneous master data for a voucher item**

Property	Description
Activity supplied	Select a activity from the menu. For more information, see <a href="#">Activities supplied</a> on page 14.
Cost type	Select a costing type from the menu. For more information, see <a href="#">Cost types</a> on page 12.
Workdesk	Workdesk that received the IT service.
Device	Device that received the IT service.
Employee	Employee that received the IT service.
Business role	Business role that received the IT service.
Location	Location that received the IT service.
Cost center	Cost center that received the IT service.
Department	Department that received the IT service.
Customer	Partner that received the IT service.
Received on	Date the IT service bill was received.
Approved on	Date of final approval.

## User-defined master data

Additional company-specific information. Use the Designer to customize display names, formats, and templates for the input fields.

## Additional tasks for voucher items

After you have entered the master data, you can run the following tasks.

## Overview of voucher items

### *To obtain an overview of a voucher item*

1. Select the category **Accounting | Items**.
2. Select the voucher item in the result list.
3. Select **Voucher item overview** in the task view.

## Reactivating a voucher item

If a voucher item has already been processed, set the **Booked** option. This voucher can no longer be processed.

### *To reactivate a voucher item for processing*

1. Select the category **Accounting | Items**.
2. Select the voucher item in the result list.
3. Select **Recalculate** in the task view.
4. Save the changes.

## Related topics

- [General master data for a voucher item](#) on page 36

One Identity solutions eliminate the complexities and time-consuming processes often required to govern identities, manage privileged accounts and control access. Our solutions enhance business agility while addressing your IAM challenges with on-premises, cloud and hybrid environments.

## Contacting us

For sales and other inquiries, such as licensing, support, and renewals, visit <https://www.oneidentity.com/company/contact-us.aspx>.

## Technical support resources

Technical support is available to One Identity customers with a valid maintenance contract and customers who have trial versions. You can access the Support Portal at <https://support.oneidentity.com/>.

The Support Portal provides self-help tools you can use to solve problems quickly and independently, 24 hours a day, 365 days a year. The Support Portal enables you to:

- Submit and manage a Service Request
- View Knowledge Base articles
- Sign up for product notifications
- Download software and technical documentation
- View how-to videos at [www.YouTube.com/OneIdentity](http://www.YouTube.com/OneIdentity)
- Engage in community discussions
- Chat with support engineers online
- View services to assist you with your product



## A

- accounting
  - data collector 33
- accounting run 11
- activity supplied 14
- activity type 7
- administrator 5
- application role
  - administrator 5
  - attestor 15
  - product owner 5
- attestor 7

## B

- business partner 8
- business role
  - assign service items 22

## C

- cost center
  - assign service item 22
  - assigning a service item 22
- cost type 7
  - assign service category 13, 15
  - assign service item 13-14
  - create 12
  - overview form 13
- currency 19

## D

- data collector 33
- data source 7, 10
- database view
  - vi\_view\_accColADSAccount 33
  - vi\_view\_accColADSHomeSize 33
  - vi\_view\_accColEx2kMailbox 33
  - vi\_view\_accColEx2kMailSize 33
  - vi\_view\_accColHardware 33
  - vi\_view\_accColPersonHasApp 33
  - vi\_view\_accColWorkdeskHasApp 33
- default service category 28
- default service item 20
- department
  - assign service item 22
  - assigning a service item 22

## E

- extended property
  - assign service item 23

## F

- functional area 9
  - assign service item 23

## I

- invoice recipient 31

## L

### location

- assign service item 22
- assigning a service item 22

## M

### manufacturer 8

## P

### price 19

- compiling 6

### procedure

- VI\_Accounting\_Set CollectorState 33

### product

- documentation 20
- replace 25

### product owner 5, 7

## R

### risk assessment

- functional area 9

## S

### service catalog 20, 28

### service category 26

- assign service items 28
- enter 26
- object-dependent reference 29
- overview form 28
- price information 26

### service item

- approval policy 17

### assign 20

- assign business role 22
- assign cost center 22
- assign department 22
- assign extended properties 23
- assign functional areas 23
- assign location 22
- assign tag 25

### assign to service category 28

### assigning a cost center 22

### assigning a department 22

### assigning a location 22

### attestor 17

### cost center 17

### documentation 20

### enter 16

### extended properties 20

### image 20

### manufacturer 17

### multi request 17

### object-dependent reference 24

### open website 24

### overview form 20

### parent 20

### product description 24

### product owner 17

### relocate 17

### replace 25

### request properties 17

### subordinate 20

### validity 17

### service type

- overview form 14

## T

### tag

- assign service item 25
- create 25

## V

### voucher

- calculate prices 32
- enter 30
- invoice recipient 31
- overview form 31
- price 30
- voucher type 30

### voucher item

- automatic 33
- enter 33
- enter manually 35
- overview form 39
- reactivate 35, 39

### voucher run

- start 33
- status 33

### voucher type 7, 30