



One Identity Manager 8.1.3

# Operations Support Web Portal User Guide

**Copyright 2020 One Identity LLC.**

**ALL RIGHTS RESERVED.**

This guide contains proprietary information protected by copyright. The software described in this guide is furnished under a software license or nondisclosure agreement. This software may be used or copied only in accordance with the terms of the applicable agreement. No part of this guide may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording for any purpose other than the purchaser's personal use without the written permission of One Identity LLC .

The information in this document is provided in connection with One Identity products. No license, express or implied, by estoppel or otherwise, to any intellectual property right is granted by this document or in connection with the sale of One Identity LLC products. EXCEPT AS SET FORTH IN THE TERMS AND CONDITIONS AS SPECIFIED IN THE LICENSE AGREEMENT FOR THIS PRODUCT, ONE IDENTITY ASSUMES NO LIABILITY WHATSOEVER AND DISCLAIMS ANY EXPRESS, IMPLIED OR STATUTORY WARRANTY RELATING TO ITS PRODUCTS INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. IN NO EVENT SHALL ONE IDENTITY BE LIABLE FOR ANY DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE, SPECIAL OR INCIDENTAL DAMAGES (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF PROFITS, BUSINESS INTERRUPTION OR LOSS OF INFORMATION) ARISING OUT OF THE USE OR INABILITY TO USE THIS DOCUMENT, EVEN IF ONE IDENTITY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. One Identity makes no representations or warranties with respect to the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and product descriptions at any time without notice. One Identity does not make any commitment to update the information contained in this document.

If you have any questions regarding your potential use of this material, contact:

One Identity LLC.  
Attn: LEGAL Dept  
4 Polaris Way  
Aliso Viejo, CA 92656

Refer to our Web site (<http://www.OneIdentity.com>) for regional and international office information.

**Patents**

One Identity is proud of our advanced technology. Patents and pending patents may apply to this product. For the most current information about applicable patents for this product, please visit our website at <http://www.OneIdentity.com/legal/patents.aspx>.

**Trademarks**

One Identity and the One Identity logo are trademarks and registered trademarks of One Identity LLC. in the U.S.A. and other countries. For a complete list of One Identity trademarks, please visit our website at [www.OneIdentity.com/legal](http://www.OneIdentity.com/legal). All other trademarks are the property of their respective owners.

**Legend**

 **WARNING:** A WARNING icon highlights a potential risk of bodily injury or property damage, for which industry-standard safety precautions are advised. This icon is often associated with electrical hazards related to hardware.

 **CAUTION:** A CAUTION icon indicates potential damage to hardware or loss of data if instructions are not followed.

# Contents

|   |           |
|---|-----------|
| <b>Operations Support Web Portal</b> .....                  | <b>5</b>  |
| <b>An overview of the functions</b> .....                   | <b>6</b>  |
| <b>The user interface layout</b> .....                      | <b>7</b>  |
| <b>Structure of the Operations Support Web Portal</b> ..... | <b>8</b>  |
| <b>Logging in and out</b> .....                             | <b>10</b> |
| <b>System information</b> .....                             | <b>11</b> |
| Displaying system data .....                                | 11        |
| <b>Searching</b> .....                                      | <b>13</b> |
| Running a search .....                                      | 14        |
| <b>Object history</b> .....                                 | <b>15</b> |
| Viewing object history .....                                | 16        |
| <b>Viewing job queue and DBQueue tasks</b> .....            | <b>17</b> |
| <b>Creating a passcode for an employee</b> .....            | <b>19</b> |
| <b>Status reports</b> .....                                 | <b>20</b> |
| Availability check .....                                    | 20        |
| Check service availability .....                            | 21        |
| <b>Manage processes</b> .....                               | <b>22</b> |
| Process overview .....                                      | 22        |
| Process details .....                                       | 23        |
| Viewing processes and details .....                         | 24        |
| Rerun processes .....                                       | 24        |
| Display failed job queue processes .....                    | 25        |
| Process steps .....   | 25        |
| Viewing process steps .....                                 | 26        |
| Performance .....   | 26        |
| Viewing performance .....                                   | 27        |
| Synchronization .....                                       | 27        |
| The synchronization project log .....                       | 28        |

|  |           |
|--|-----------|
| Viewing synchronization status and log ..... | 29        |
| Displaying a synchronization report .....    | 29        |
| <b>Database log .....</b>                    | <b>31</b> |
| Viewing the database log .....               | 32        |
| <b>Unresolved references .....</b>           | <b>33</b> |
| Displaying unresolved references .....       | 33        |
| <b>Web applications .....</b>                | <b>35</b> |
| Opening the web application overview .....   | 35        |
| <b>System status .....</b>                   | <b>37</b> |
| Viewing system status .....                  | 37        |
| Stopping and starting the job queue .....    | 38        |
| Stopping and starting the DBQueue .....      | 38        |
| <b>About us .....</b>                        | <b>40</b> |
| Contacting us .....                          | 40        |
| Technical support resources .....            | 40        |
| <b>Index .....</b>                           | <b>41</b> |

# Operations Support Web Portal

The Operations Support Web Portal helps you to manage and use your web applications. For more information, see the [An overview of the functions](#) on page 6.

Employees that use the Operations Support Web Portal, must be assigned the **Base roles | Operations support** application role.

Users with this application role:

- Monitor handling of Job queue processes
- Monitor handling of the DBQueue
- Create access codes to enable employees to log on to Password Reset Portal

## An overview of the functions

This section gives you an overview of the different functions available in the Operations Support Web Portal.

With the Operations Support Web Portal, you can:

- Identify system problems ([view](#) and [rerun](#) frozen or faulty processes)
- [Manage](#) processes
- [View](#) the synchronization status of target systems
- [Check](#) the status of services
- [Gain](#) an overview of web applications
- Manage the Job queue ([start and stop](#))
- Manage the DBQueue ([start and stop](#))
- [View](#) an object's change history
- [Create](#) passcodes to enable employees to log into the Password Reset Portal
- [View](#) the database log
- [View](#) unresolved object references
- [View](#) current (and recommended) system values for analyzing and troubleshooting.

## The user interface layout

The user interface of the Operations Support Web Portal is divided into several sections:

### Top - header

The title bar shows the current user, the  **Log off**, and the  **Info**.

### Top - navigation

You can navigate within the Operations Support Web Portal by using the navigation to:

- Open an overview.
- [Monitor and manage](#) processes.
- [Display](#) the database log.
- [Display](#) all web applications.
- [Gain](#) an overview of the system status, and to restart and stop the Job queue and the DBQueue.

### Work area

The work area changes depending on the menu you have called from the navigation.

# Structure of the Operations Support Web Portal

The user interface is composed of the following main sections.

## Statistics

The overview is also divided into the following sections:

### Search

You can use search to:

- [Search](#) by database object.
- [Create](#) employee passcodes to enable employees to log in to the Password Reset Portal.
- [Display](#) an object's Job queue and DBQueue tasks.

### Notifications

In the **Notifications** section, you can:

- Quickly recognize if, and to what extent, errors occurred when processing/running [processes](#).
- Quickly recognize if, and to what extent, there are new [log entries](#).

### Service issues

In the **Service issues** pane, you can:

- Quickly recognize if, and to what extent, [Processes](#) failed or contained errors.
- Quickly recognize if, and to what extent, [Synchronization projects](#) failed or contained errors.
- Quickly recognize if other errors were found in the system (such as incorrect compilation).

### Status reports

In the **Status reports** section, you can:

- [Check](#) service availability.



## Processes

You can use the **Processes** tab to monitor processes. For more information, see [Manage processes](#) on page 22.

## Database log

You can use the **Database log** tab to display any information, warnings, and error messages for different components in One Identity Manager. For more information, see [Viewing the database log](#) on page 32.

## Web applications

In the **Web applications** tab, you can monitor your HTML applications. For more information, see [Web applications](#) on page 35.

## System status

You can use the **System status** tab to gain a quick overview of the status of your system. For more information, see [System status](#) on page 37.

## Logging in and out

You are required to log in before you can start working with Operations Support Web Portal.

### **To log in**

1. In your internet browser, enter the address of the Operations Support Web Portal.
2. On the login page, select the authentication method you would like to use.
3. Enter your user name and password.
4. Click **Log in**.

### **To log out**

- In the navigation, click  **Log off**.

## System information

The Operations Support Web Portal keeps certain additional information about your system for diagnostics, analysis, and troubleshooting on the **System information** page. Use this information to collect general information about your system or to quickly identify problems in different categories and, if necessary, initiate prevention measures.

To find out how to display the page, see [Displaying system data](#) on page 11

On the **System information** page, you will see the following categories and recommended values:

**TIP:** For ease of use, values that have exceeded the recommended limit are highlighted in color. In addition, you can see your actual values and the values recommended by One Identity (in brackets).

- **Customer:** Information about the customer
- **DBServer:** Information about the database server
- **Database:** Information about the database
- **One Identity Manager:** Information about One Identity Manager (modules, version, and so on)

### Related topics

- [Displaying system data](#) on page 11

## Displaying system data

You can display information about your system at any time.

### *To display system information*

1. In the header, click **Info**.
2. In the dialog, click the **System information** tab.
3. On the **System information** tab, expand a category by clicking **▶** in front of the it.

This displays the values of the selected category.

4. If you use the data outside the Operations Support Web Portal, for example, for analysis, you can:
  - Click **Copy to clipboard**, to copy all your data to the clipboard and paste it somewhere else.
  - Click **Export as CSV**, to export the data to a comma delimited CSV file.

## Related topics

- [System information](#) on page 11

## Searching

You can use the search function to find objects in the database.

**TIP:** You must also use search to create a passcode for an employee.

There are certain rules that make successful searching possible. The following table uses examples to describe these rules.

**Table 1: Rules with examples for searching**

| Example      | Description   |
|--------------|---|
| John Doe     | Finds John Doe but not John Donut.<br>Search results must contain all of the separate terms in the query. A logical <b>AND</b> is used.   |
| John OR Doe  | Finds Jane Doe and John Donut.<br>Placing <b>OR</b> between the search terms acts as a logical OR operator. The results of this search contain at least one of the two search terms.  |
| John NOT Doe | Finds John but not John Doe.<br>The results of this search do not contain the term that comes after <b>NOT</b> .  |
| J*           | Finds John and Joanna.<br>The * functions as a wildcard for any number of characters to complete the term.  |
| Do?          | Finds Doe but not Donut.<br>The ? functions as a wildcard for a single character to complete the term.  |
| "John Doe"   | Provides results in which the search terms <b>John</b> and <b>Doe</b> follow one another.<br>Results of this search contain the string in quotes as phrase.   |
| John Doe~    | Finds Jon Doe and also other similar results. A tilde ~ after the search term indicates that the search should also find similar results. This means that incorrectly spelled terms can be found, as well.<br>You can specify the level of similarity by adding a number between <b>0</b> and <b>1</b> (with decimal point) after the tilde ~. The higher the number, the more similar the results. |

## Related topics

- [Running a search](#) on page 14
- [Viewing job queue and DBQueue tasks](#) on page 17
- [Creating a passcode for an employee](#) on page 19

# Running a search

You can search for objects at any time.

## *To run a search*

1. In the navigation, click **Statistics**.
2. (Optional) In the overview, click **Search in** in the **Search** section and select the tables that you want to search in.
3. In the search field, enter a search term.
4. In the result list below the search field, click the required result.

In the overview, processes in the Job queue associated with the object are displayed on the **Queues** tab under **Job queue** and the respective DBQueue tasks under **DBQueue**. You can also [view](#) the history of an object in a timeline or table. If the object is an employee, you can [create](#) a passcode for them.

## Related topics

- [Searching](#) on page 13
- [Viewing job queue and DBQueue tasks](#) on page 17
- [Viewing object history](#) on page 16
- [Creating a passcode for an employee](#) on page 19

## Object history

The Operations Support Web Portal allows you to display any changes to an object (for example, an employee) in a timeline or table.

To find out how to display the page, see [Viewing object history](#) on page 16.

You can view the following information in the change history table view.

**Table 2: Object history**

| Column            | Description                                 |
|-------------------|---|
| Modification date | Shows the date of the change.               |
| Change type       | Shows the type of change.                   |
| Name              | Shows the name of the modified object.      |
| Long name         | Shows the long name of the modified object. |
| Type              | Shows the type of the modified object.      |
| User              | Shows the user that made the change.        |

**TIP:** You can use the elements beneath the table to:

- Specify how many entries you want to display per page.
- Navigate to other pages.

### Related topics

- [Viewing object history](#) on page 16
- [Searching](#) on page 13

# Viewing object history

## *To view the history of an object*

1. In the navigation, click **Statistics**.
2. (Optional) In the overview, in the **Search** pane, click **Search in** and select the tables that you want to search in.
3. In the search field, enter the name of the object for which you would like to view its history.
4. In the result list below the search field, click the required result.
5. In the overview, switch to the **History** tab.
6. Perform one of the following tasks:
  - To display the history graphically in a timeline, in the **View as** list, select the value **Timeline**.
  - To display the history in a table, select the value **Table** in the **View as** menu.

## **Related topics**

- [Object history](#) on page 15
- [Searching](#) on page 13
- [Running a search](#) on page 14



## Viewing job queue and DBQueue tasks

You can view the Job queue of a DBQueue by starting with an object.

### To view Job queue and DBQueue tasks

1. In the navigation, click **Overview**.
2. (Optional) In the overview, click **Search in** in the **Search** section and select the tables that you want to search in.
3. In the search field, enter the name of the object for which you would like to view the Job queue and DBQueue tasks.
4. In the result list below the search field, click the required result.

In the overview, processes in the Job queue associated with the object are displayed on the **Job queues** tab. In the **DBQueue** tab, DBQueue tasks associated with the object are displayed.

The following table lists the tasks that can be found for an object.

**Table 3: Overview of tasks for an object**

| Object type  | Task   |
|--|--|
| <ul style="list-style-type: none"> <li>• Hierarchical roles</li> <li>• Organizations</li> <li>• Departments</li> <li>• Cost centers</li> <li>• Locations</li> <li>• Business roles</li> <li>• Application roles</li> </ul> | <ul style="list-style-type: none"> <li>• Tasks for the object</li> <li>• Tasks for assignment requests for the object</li> <li>• Tasks for attestation cases for the object</li> </ul> |

| Object type   | Task   |
|---------------|--|
| Employee      | <ul style="list-style-type: none"> <li>• Tasks for the employee</li> <li>• Tasks for hierarchical roles of which the employee is a member</li> <li>• Tasks for requests received by the employee</li> <li>• Tasks for requests placed by the employee</li> <li>• Tasks for attestation cases for the employee</li> <li>• Tasks for groups to which an employee's user account is assigned</li> <li>• Tasks for the employee user account</li> </ul> <p>Shared and subidentity user accounts also belong to "Employee user accounts".</p> |
| User accounts | <ul style="list-style-type: none"> <li>• Tasks for the user account</li> <li>• Tasks for groups to which the user account is assigned</li> <li>• Tasks for attestation cases for the user account</li> </ul>   |
| Groups        | <ul style="list-style-type: none"> <li>• Tasks for the group</li> <li>• Tasks for attestation cases for the group</li> </ul>   |

### Related topics

- [Searching](#) on page 13
- [Running a search](#) on page 14

## Creating a passcode for an employee

You can use search to find an employee and create a passcode for them.

### ***To create a passcode for an employee***

1. In the navigation, click **Overview**.
2. In the overview, click **Search in** in the **Search** section and select the **Employee** table.
3. Enter the employee's name in the search field.
4. In the result list below the search field, select your desired search result (of type **Person**).
5. In the overview, switch to the **Passcode** tab.
6. On the **Passcode** tab, click **Create passcode**.  
The generated passcode and its validity are displayed in a dialog.
7. Note or copy the code and send the it and the validity period to the employee.

**NOTE:** If the four-eye principle is active for your system, you will only obtain the first part of the code here. The second half is sent to the employee's manager. The employee must ask the manager for the second half of the passcode.

### **Related topics**

- [Searching](#) on page 13
- [Running a search](#) on page 14

## Status reports

Status reports give you a quick overview of your HTML applications and their status.

### Related topics

- [Availability check](#) on page 20
- [Check service availability](#) on page 21

## Availability check

The **Service availability check** page shows whether your services are available. For example, you should perform an availability check if you suspect that services are not functioning properly (for example, because the server is unavailable).

To find out how to display the page and check availability, see [Check service availability](#) on page 21.

You can view the following information on the **Service availability check** page.

**Table 4: Availability check**

| Column            | Description   |
|-------------------|---|
| Server            | Shows the name of the server upon which the service runs. |
| Connection        | Shows whether the server is connected.                    |
| Last fetch time   | Shows the last time the server was called.                |
| URL               | Shows the URL used to access the service.                 |
| Executing server  | Shows the server upon which the service is executed.      |
| IP address (IPv4) | Shows the IPv4 address used to access the service.        |

**TIP:** You can use the elements beneath the table to:

- Specify how many entries you want to display per page.
- Navigate to other pages.

### Related topics

- [Check service availability](#) on page 21

## Check service availability

You can check the availability of your services at any time.

### *To check service availability*

1. In the navigation, click **Statistics**.
2. In the overview, click **Run** in the **Service availability check** tile in the **Status reports** section.
3. In **Service availability check**, click **Check all services**.
4. See the services/server details list.

### Related topics

- [Status reports](#) on page 20
- [Availability check](#) on page 20

## Manage processes

In the Operations Support Web Portal, you can use the following pages to manage processes at any time:

- [Process overview](#) on page 22
- [Process details](#) on page 23
- [Process steps](#) on page 25
- [Performance](#) on page 26
- [Synchronization](#) on page 27

### Process overview

The **Processes** page shows all processes running in the Job queue and allows you to rerun failed processes.

To find out how to display the page, see [Viewing processes and details](#) on page 24 and how to rerun failed processes, see [Rerun processes](#) on page 24.

You can view the following information on the **Processes** page.

**Table 5: Processes**

| Column       | Description   |
|--------------|---|
| Process name | Shows the name of the process.  |
| Process task | Shows which process task is currently running.  |
| Actions      | <p>Actions that you can perform for the process:</p> <ul style="list-style-type: none"> <li>• <b>Retry:</b> Reruns the process. You can rerun processes that have the status <b>Frozen</b> or <b>Overlimit</b> only.</li> </ul> <p><b>NOTE:</b> Processes with the status <b>Frozen</b> or <b>Overlimit</b> are marked with a beetle icon.</p> <ul style="list-style-type: none"> <li>• <b>Details:</b> Shows the details view of a process.</li> </ul> |

**TIP:** Use the filter above the table to limit the number of processes displayed.

**TIP:** You can use the elements beneath the table to:

- Specify how many entries you want to display per page.
- Navigate to other pages.

## Related topics

- [Viewing processes and details](#) on page 24
- [Process details](#) on page 23
- [Rerun processes](#) on page 24

# Process details

You can access the **Process details** page through the **Processes** page. The page provides you with detailed information about a specific process. Any steps belonging to the process and their dependencies are displayed.

To find out how to display process details, see [Viewing processes and details](#) on page 24.

You can view the following information on the **Process details** page.

**Table 6: Process details**

| Column          | Description  |
|-----------------|--|
| Process task    | Shows the name of the process task that is currently running.  |
| Created on      | Shows when the process started.  |
| Steps completed | Shows how many process steps have already been completed (status <b>Completed</b> ).   |
| Progress state  | Shows the process status. The following types of status may be shown: <ul style="list-style-type: none"><li>• <b>True:</b> The process is currently running.</li><li>• <b>False:</b> The process cannot run yet. The process is waiting for another process to end.</li><li>• <b>Frozen:</b> The process cannot run. An error has occurred.</li><li>• <b>Overlimit:</b> The process has been running for too long without changing to the status <b>Completed</b> or <b>Frozen</b>.</li><li>• <b>Completed:</b> The process was successfully completed.</li><li>• <b>Delete:</b> The process is being deleted (after completing successfully).</li></ul> |

**TIP:** You can use the elements beneath the table to:

- Specify how many entries you want to display per page.
- Navigate to other pages.

### Related topics

- [Manage processes](#) on page 22
- [Viewing processes and details](#) on page 24

## Viewing processes and details

### *To view processes*

- In the navigation, click **Processes | Processes**.  
The **Processes** page is opened, displaying any ongoing processes.  
| **TIP:** Use the filter above the table to limit the number of processes displayed.

### *To view process details*

1. In the navigation, click **Processes | Processes**.
2. On the **Processes** page, click **Details** in the relevant process row in the **Actions** column.  
The **Process details** page is opened, displaying the details of the relevant process (see [Process details](#) on page 23).

### Related topics

- [Manage processes](#) on page 22
- [Process details](#) on page 23

## Rerun processes

You can rerun processes in the process overview that have the status **Frozen** or **Overlimit**. You can also rerun processes in the failed processes overview (see [Display failed job queue processes](#) on page 25).

### *To rerun a process*

1. In the navigation, click **Processes | Processes**.
2. In the **Processes** window, click **Retry** in the relevant process row in the **Actions** column.



### **To rerun several processes**

1. In the navigation, click **Processes | Processes**.
2. In the **Processes** window, enable the check box next to the processes that you would like to rerun.
3. Click **Actions | Retry**.

### **Related topics**

- [Manage processes](#) on page 22
- [Viewing processes and details](#) on page 24

## **Display failed job queue processes**

On the page **Processes with status "Frozen" "<Jobqueue>"**, you can display failed Job queue processes and their details (see [Viewing processes and details](#) on page 24) and rerun processes (see [Rerun processes](#) on page 24). Unlike the normal process overview, only failed processes are displayed on this page.

### **To display failed processes**

1. In the navigation, click **Overview**.
2. On the overview page, under **Service issues** in the **Process issues** tile, click **View**.

The page **Processes with status "Frozen" "<Jobqueue>"** is opened.

### **Related topics**

- [Manage processes](#) on page 22
- [Process details](#) on page 23

## **Process steps**

The **Process steps** page shows any processes currently in the job queue and the number of process steps that must be run for the process.

To find out how to display process steps, see [Viewing process steps](#) on page 26.

You can view the following information on the **Process steps** page.

**Table 7: Process steps**

| Column       | Description   |
|--------------|---|
| Process name | Shows the name of the process.                              |
| Count        | Shows the number of process steps contained in the process. |

**TIP:** You can use the elements beneath the table to:

- Specify how many entries you want to display per page.
- Navigate to other pages.

### Related topics

- [Manage processes](#) on page 22
- [Viewing process steps](#) on page 26

## Viewing process steps

### *To view process steps*

- In the navigation, click **Processes | Process steps**.  
The **Process steps** page opens.

### Related topics

- [Manage processes](#) on page 22

## Performance

The **Processing performance** page displays information about a Job queue's performance.

To find out how to display the page, see [Viewing performance](#) on page 27

You can view the following information on the **Processing performance** page.

**Table 8: Performance**

| Column               | Description   |
|----------------------|---|
| Process task         | Shows the name of the process task.                                 |
| Class                | Shows the process component class that the process task belongs to. |
| Process steps/minute | Shows how many process steps can be handled per minute.             |

**TIP:** You can use the elements beneath the table to:

- Specify how many entries you want to display per page.
- Navigate to other pages.

### Related topics

- [Manage processes](#) on page 22
- [Viewing performance](#) on page 27

## Viewing performance

### To view Job queue performance

- In the navigation, click **Processes | Performance**.  
The **Processing performance** page opens.

### Related topics

- [Performance](#) on page 26
- [Manage processes](#) on page 22

## Synchronization

**NOTE:** You have to set up synchronization before you can view the synchronization status in the Operations Support Web Portal. For detailed information, see the *One Identity Manager Configuration Guide* and the *One Identity Manager Target System Synchronization Reference Guide*.

The **Synchronization** page shows you information about synchronizing your target systems with the database.

To find out how to display the synchronization status, see [Viewing synchronization status and log](#) on page 29

You can view the following information on the **Synchronization** page.

**Table 9: Synchronization**

| Column       | Description   |
|--------------|---|
| Display name | Shows the name of the synchronization project.                    |
| Description  | Shows the description of the synchronization project.             |
| Next         | Shows when the synchronization project will be run the next time. |

| Column           | Description  |
|------------------|--|
| synchronization  |  |
| Errors           | Shows how many errors occurred the last time the synchronization project was run.                    |
| Affected objects | Shows the objects that had to be changed during synchronization, as they deviated from the database. |

**TIP:** You can use the elements beneath the table to:

- Specify how many entries you want to display per page.
- Navigate to other pages.

### Related topics

- [Manage processes](#) on page 22
- [Viewing synchronization status and log](#) on page 29

## The synchronization project log

From the **Synchronization** page, you can navigate to the **Synchronization log: <name of synchronization project>** page. This page provides you with detailed information about a specific synchronization project. In addition, you can [display a detailed report](#) of every synchronization run.

To find out how to display synchronization projects, see [Viewing synchronization status and log](#) on page 29.

You can view the following information on the **Synchronization log: <name of synchronization project>** page.

**Table 10: Synchronization log**

| Column                   | Description   |
|--------------------------|---|
| Creation time            | Shows when the synchronization project started.           |
| Synchronization workflow | Shows the workflow used for this synchronization project. |
| Synchronization state    | Shows the synchronization project's status.               |
| Start configuration      | Shows the name of the start configuration used.           |

**TIP:** You can use the elements beneath the table to:

- Specify how many entries you want to display per page.
- Navigate to other pages.

### Related topics

- [Synchronization](#) on page 27
- [Viewing synchronization status and log](#) on page 29
- [Displaying a synchronization report](#) on page 29

## Viewing synchronization status and log

### *To view the synchronization status of your target systems*

- In the navigation, click **Processes | Synchronization**.  
The **Synchronization** page is opened.

### *To view a synchronization project log*

1. In the navigation, click **Processes | Synchronization**.
2. On the **Synchronization** page, in the **Actions** column of the relevant synchronization project row, click **Details**.  
The **Synchronization log: <name of synchronization project>** opens, displaying the log of the relevant synchronization project (see [The synchronization project log](#) on page 28).

### Related topics

- [Synchronization](#) on page 27
- [The synchronization project log](#) on page 28

## Displaying a synchronization report

### *To view a detailed report about a synchronization project run through*

1. In the navigation, click **Processes | Synchronization**.
2. On the **Synchronization** page, in the **Actions** column, in the relevant synchronization project row, click **Details**.
3. On the **Synchronization log: <name of synchronization project>** page, in the **Actions** column, click **Show report** in the row corresponding to the synchronization run.

## Related topics

- [Synchronization](#) on page 27
- [The synchronization project log](#) on page 28

## Database log

The **Database log** tab displays any information, warnings, and error messages for different components in One Identity Manager.

To learn how to display the page, see [Viewing the database log](#) on page 32.

You can view the following information on the **Database log** page.

**Table 11: Database log**

| Column                | Description  |
|-----------------------|--|
| Date                  | Shows the date that the message appeared.                    |
| Program               | Shows the name of the components that generated the message. |
| Message               | Shows the message text.                                      |
| Host                  | Shows the name of the host on which the event occurred.      |
| Logged in system user | Shows the name of the system user who ran the command.       |

**TIP:** You can use the elements beneath the table to:

- Specify how many entries you want to display per page.
- Navigate to other pages.

**TIP:** Use the filter above the table to limit the number of messages displayed.

### Related topics

- [Viewing the database log](#) on page 32

# Viewing the database log

## *To view the database log*

- In the navigation, click **Database log**.  
The **Database log** page is opens.

## **Related topics**

- [Database log](#) on page 31



## Unresolved references

On the **Unresolved references** page, you can view unresolved references at any time. Use this function to quickly identify synchronization issues and to take any action as necessary. For more information, see the *One Identity Manager Target System Synchronization Reference Guide*.

To find out how to display the page, see [Displaying unresolved references](#) on page 33

You can view the following information on the **Unresolved references** page.

**Table 12: Unresolved references**

| Column                  | Description  |
|-------------------------|--|
| Display name            | Shows the name of the property whose value cannot be resolved.                 |
| Object                  | Shows the name of the object containing the reference that cannot be resolved. |
| Synchronization project | Shows the synchronization project in which the unresolved reference occurred.  |
| system                  | Shows the system in which the unresolved reference appeared.                   |
| Data                    | Shows the value of the property that cannot be resolved.                       |

**TIP:** You can use the elements beneath the table to:

- Specify how many entries you want to display per page.
- Navigate to other pages.

### Related topics

- [Displaying unresolved references](#) on page 33

## Displaying unresolved references

You can display unresolved references at any time.

### ***To display unresolved references***

- In the navigation, click **Unresolved references**.  
This opens the **Unresolved references** page.

### **Related topics**

- [Unresolved references](#) on page 33

## Web applications

On the **Web applications** page, you can view running web applications at any time and see the details.

To find out how to display the page, see [Opening the web application overview](#) on page 35

You can view the following information on the **Web applications** page.

**Table 13: Web applications**

| Column            | Description  |
|-------------------|--|
| URL               | Shows the URL used to access the web application.  |
| Web application   | Shows the name of the web application.   |
| Debug             | Shows whether ( <b>Yes</b> ) or not ( <b>No</b> ) the web application runs in debug mode.  |
| Private           | Shows whether ( <b>Yes</b> ) or not ( <b>No</b> ) the web application runs in private mode (that means if it is generally accessible). |
| Auto update level | Shows whether ( <b>active</b> ) or not ( <b>inactive</b> ) automatic updates are enabled for the web application.                      |

**TIP:** You can use the elements beneath the table to:

- Specify how many entries you want to display per page.
- Navigate to other pages.

### Related topics

- [Opening the web application overview](#) on page 35

## Opening the web application overview

You can open the web application overview at any time.

### ***To open the web application overview***

- In the navigation, click **Web applications**.  
The **Web applications** page is opened.

### **Related topics**

- [Web applications](#) on page 35

## System status

On the **System status** page, you can view the status of current DBQueues or Job queues at any time. You can also check whether the database is up-to-date or must be recompiled. You can also stop the DBQueue or Job queue, or restart them.

To find out how to display the page, see [Viewing system status](#) on page 37.

On the **System status** page, you can see if:

- The DBQueue is running.
- The Job queue is running.
- The database is functioning properly.
- The database is up-to-date.

### Related topics

- [Viewing system status](#) on page 37
- [Stopping and starting the job queue](#) on page 38
- [Stopping and starting the DBQueue](#) on page 38

## Viewing system status

### *To display the system status*

- In the navigation, click **System status**.  
The **System status** page opens.

### Related topics

- [System status](#) on page 37

# Stopping and starting the job queue

On the **System status** page, you can stop and restart the Job queue.

In certain situations, you may have to use the One Identity Manager Service to stop processes immediately. Changes in One Identity Manager can, for example, cause the system to become overloaded by making bulk entries in the Job queue.

## **To stop the Job queue**

1. In the navigation, click **System status**.
2. On the **System status** page, in the **Job queue** tile, click **Stop**.
3. In the **Stop job queue** dialog, confirm the prompt with **Yes**.

## **To restart the Job queue**

1. In the navigation, click **System status**.
2. On the **System status** page, in the **Job queue** tile, click **Start**.
3. In the **Start Job queue** dialog, confirm the prompt with **Yes**.

## **Related topics**

- [System status](#) on page 37
- [Stopping and starting the DBQueue](#) on page 38

# Stopping and starting the DBQueue

On the **System status** page, you can stop and restart the DBQueue.

In certain situations, you may have to use the DBQueue Processor to stop processes immediately. Changes in One Identity Manager can, for example, cause the system to become overloaded by making bulk entries in the DBQueue.

## **To stop the DBQueue**

1. In the navigation, click **System status**.
2. On the **System status** page, in the **DBQueue** tile, click **Stop**.
3. In the **Stop DBQueue** dialog, confirm the prompt by clicking **Yes**.

## **To restart the DBQueue**

1. In the navigation, click **System status**.
2. On the **System status** page, in the **DBQueue** tile, click **Stop**.
3. In the **Start DBQueue** dialog, confirm the prompt by clicking **Yes**.

## Related topics

- [System status](#) on page 37
- [Stopping and starting the job queue](#) on page 38

One Identity solutions eliminate the complexities and time-consuming processes often required to govern identities, manage privileged accounts and control access. Our solutions enhance business agility while addressing your IAM challenges with on-premises, cloud and hybrid environments.

## Contacting us

For sales and other inquiries, such as licensing, support, and renewals, visit <https://www.oneidentity.com/company/contact-us.aspx>.

## Technical support resources

Technical support is available to One Identity customers with a valid maintenance contract and customers who have trial versions. You can access the Support Portal at <https://support.oneidentity.com/>.

The Support Portal provides self-help tools you can use to solve problems quickly and independently, 24 hours a day, 365 days a year. The Support Portal enables you to:

- Submit and manage a Service Request
- View Knowledge Base articles
- Sign up for product notifications
- Download software and technical documentation
- View how-to videos at [www.YouTube.com/OneIdentity](http://www.YouTube.com/OneIdentity)
- Engage in community discussions
- Chat with support engineers online
- View services to assist you with your product



## A

- access code
  - create 19
- availability check 20

## C

- change history 15
  - display 16
- component 8
- create
  - access code 19

## D

- database 11
- database log 31
  - display 32
- DBQueue
  - start 38
  - stop 38
- DBQueue assignments
  - display 17
- DBServer 11
- details
  - display 24
- display
  - change history 16
  - DBQueue assignments 17
  - details 24
  - failed process 25
  - frozen process 25
  - history 16

- Job queue assignments 17
  - limit 11
  - performance 27
  - process details 24
  - process steps 26
  - processes 24
  - synchronization report 29
  - synchronization status 29
  - system information 11
  - system status 37
  - threshold value 11
  - unresolved references 33
  - web applications 35

## E

- employees
  - access code 19
- execute
  - searching 14
- execute again
  - processes 24

## F

- frozen 25
- functions 6

## H

- history 15
  - display 16

## J

- Job queue
  - start 38
  - stop 38
- Job queue assignments
  - display 17
- journal 31
  - display 32

## L

- limit 11
  - display 11
- log 31
  - display 32
- log in 10
- log out 10

## M

- manage
  - processes 22
- monitor
  - processes 22
  - system status 37
  - web applications 35

## O

- object history 15
- open
  - web applications 35
- overview 6
  - processes 22

## P

- performance 26
  - display 27
- process details 23
  - display 24
- process overview 22
- process steps 25
  - display 26
- processes
  - display 24
  - execute again 24
  - incorrect notification 25
  - manage 22
  - monitor 22
  - overview 22
  - repeat 24
  - viewing details 24

## R

- recommendation 11
- recommended values 11
- repeat
  - processes 24
- retry 24
- run
  - DBQueue 38
  - Job queue 38

## S

- searching 13
  - execute 14
- service availability 20
  - verify 21

- show frozen process 25
- status reports 20
- stop
  - DBQueue 38
  - Job queue 38
- structure 7-8
- synchronization 27
  - show report 29
  - status display 29
- synchronization log 28
- system 11
- system information 11
  - display 11
- system status
  - display 37
  - monitor 37

## T

- target system 27
- threshold value 11
  - display 11

## U

- unresolved references 33
  - display 33
- user interface 7

## V

- verify
  - service availability 21

## W

- web applications 35
  - display 35
  - monitor 35
  - open 35