

# ApexSQL Refactor

Version 2020.x

Release Notes and Requirements

## System requirements

<b>Hardware</b>	Dual Core 2.0 GHz CPU 4GB memory 91 MB disk space
<b>SQL Server</b>	SQL Server 2005 and higher <sup>[1]</sup> Azure SQL Database <sup>[1]</sup> Amazon RDS for SQL Server <sup>[1]</sup>
<b>Add-in integration</b>	SQL Server Management Studio 2012 and higher <sup>[2]</sup> Visual Studio 2010 and higher <sup>[1]</sup>
<b>OS</b>	Windows 7 SP1/Windows Server 2008 R2 SP1 and higher <sup>[1]</sup>
<b>Software</b>	<a href="#">.NET Framework 4.7.2</a> or higher
<b>Permissions and additional requirements</b>	Windows user account with administrative privileges See <a href="#">Minimum permissions required to install and use ApexSQL products</a> See <a href="#">Minimum SQL Server permissions for ApexSQL Developer tools</a> See <a href="#">Remote access for SQL Server instance</a>

<sup>[1]</sup> See [Supported systems](#) for exact version support

<sup>[2]</sup> You can use the latest full-featured backwards compatible SQL Server Management Studio for free. [Click here](#)

## Supported Software

## Windows version

Windows 7 SP1 & Windows Server 2008 R2 SP1	Windows Server 2012	Windows 8.1 & Windows Server 2012 R2	Windows 10 & Windows Server 2016	Windows Server 2019
✓	✓	✓	✓	✓

## SQL Server version <sup>[3]</sup>

	2005	2008	2012	2014	2016	2017		2019 CTP 3	
						Windows	Linux <sup>[2]</sup>	Windows	Linux <sup>[2]</sup>
<a href="#">ApexSQL Refactor</a>	✓	✓	✓	✓	✓	✓	✓	✓	✓

## SQL Server edition <sup>[3]</sup>

	Express	Standard	Enterprise	Azure SQL Database		Amazon RDS for SQL Server
				Single Database, Elastic Pool	Managed Instance	
<a href="#">ApexSQL Refactor</a>	✓	✓	✓	✓	✓	✓

## Visual Studio add-in integration

2010	2012	2013	2015	2017	2019

<a href="#">ApexSQL Refactor</a>	✓	✓	✓	✓	✓	✓
----------------------------------	---	---	---	---	---	---

SQL Server Management Studio add-in integration					
	2012	2014	2016	17	18
<a href="#">ApexSQL Refactor</a>	✓	✓	✓	✓	✓

<sup>[2]</sup> Tested on Ubuntu 16.04

<sup>[3]</sup> Including Amazon EC2, Google Compute Engine, and Azure Virtual Machine cloud computing SQL Server instances

## Getting Started

For further information about installation and getting started, please check the [Quest Knowledge Base](#) or [ApexSQL Getting Started](#).

## Release Notes [\(release history\)](#)

Release: 2020.04.0423  
Date: August 25, 2020

### Fixes:

- The Qualify object names feature generates an invalid SQL script when the Case expression is present in the Select statement

### Changes:

- [Error handling and send logs functionality has been modified](#)

Release: 2020.03.0414  
Date: June 09, 2020

### Fixes:

- "Unexpected error occurred. Object reference not set to an instance of an object" error is encountered when the Command line interface switches are used

Release: 2020.02.0413

Date: May 28, 2020

## Enhancements:

- [Application telemetry now collects anonymous data on the use and performance of applications and application component](#)
- [ApexSQL Updater is added for configuring advanced updating settings of all installed ApexSQL products](#)

## Fixes:

- The commented block of code cannot be uncommented when the Ctrl+K, Ctrl+U keyboard shortcut is used within SQL Server Management Studio
- The End keyword does not indent properly when the Indent Begin and End blocks option is checked under the Flow control tab of the Options window

Release: 2020.01.0406

Date: December 26, 2019

## Enhancements:

- [Active Directory support for:](#)
  - [Integrated authentication](#)
  - [Universal with MFA support authentication](#) for SQL Server Management Studio 18 and Visual Studio 2019
- SQL Server 2019 new syntax for SQL code formatting support for:
  - Resumable index operations
  - Edge constraint cascade delete actions
  - Register external languages
  - Hybrid buffer pool
  - Optimize\_for\_sequential\_key

## Fixes:

- "Object reference not set to an instance of an object" error is encountered when the Options command is initiated from add-in main menu in Visual Studio 2019
- The right-click context menu has a 3 seconds delay until is shown when used on a trigger in Object Explorer

- Visual Studio 2019 stops working when a new query editor is opened
- The Safe rename feature does not work when one table has several foreign key relationships
- The Availability database drop-down box cannot be highlighted when the Ctrl + U keyboard shortcut is used within SQL Server Management Studio 2016 and higher
- The default shortcut for the Edit.MakeUppercase command does not work when used within SQL Server Management Studio 2016 and higher
- "SQL syntax error" error is encountered when formatting code that has the Datetime2 data type
- "SQL syntax error" error is encountered when formatting code that has the Within group clause
- Incorrect formatting of the Case expression when either the When or Then expression have a negative value

Release: 2018.08.0364

Date: June 21, 2019

## Changes:

- Software Transaction Agreement is added as a new step in the installation wizard and updated in accordance with <https://www.quest.com/legal/sta.aspx>

Release: 2018.08.0360

Date: May 21, 2019

## Fixes:

- The add-in doesn't integrate with SQL Server Management Studio 18 GA version if the host application was not started at least once

Release: 2018.07.0359

Date: May 04, 2019

## Fixes:

- The add-in doesn't integrate with SQL Server Management Studio 18 GA version

Release: 2018.06.0356

Date: February 12, 2019

## Fixes:

- SQL scripts in the preview changes window of the Options dialog are obfuscated for all formatting tabs when the Obfuscation tab is clicked and the Save button is clicked to exit
- The application installer does not check if the .NET Framework 4.7.2 is installed on the operating system

## Changes:

- ApexSQL parent menu of the add-in is now located under the Extensions main menu in Visual Studio 2019

Release:	2018.05.0350
Date:	December 26, 2018

## Enhancements:

- CLI switches:
  - Code obfuscation [/obf]
  - Formatting script [/frs]
  - Specify profile for formatting [/pr]
  - Input script location [/is]
  - Output script location [/os]
  - Output script name [/on]
- [Visual Studio 2019 integration support](#)

## Fixes:

- The Indent BEGIN and END blocks option under the Flow control tab of the Options dialog add the extra BEGIN and END block when in stored procedure the begin atomic block exist
- The values in the Schema combo box of the Encapsulate code dialog can be entered
- The schemas in the Schema drop down box of the Encapsulate code dialog are missing when the connection is established to an Azure SQL Database
- A SQL syntax error occurs when in the SQL Odbc scalar function, the Truncate statement is present
- A SQL syntax error occurs when formatting a code that has the At time zone clause
- SQL Server Management Studio stops working when the Wrap lines longer than option under the Formatting tab of the Options dialog is used
- The Wildcard expansion feature does not work for the tables that have 'at' alias

## Changes:

- The application now requires Microsoft .NET Framework 4.7.2

Release: 2018.04.0337  
Date: November 05 , 2018

## Enhancements:

- SQL Server 2019 CTP 2.0 support
- [SQL Server Management Studio 18 integration support](#)

## Fixes:

- The "Remove unnecessary brackets" option under the Formatting tab of the Options dialog removes brackets around the SQL exit keyword
- The user defined profile name changes to ApexSQL predefined profile when click the Reset button of the Options dialog
- The "Indent BEGIN and END blocks" option under the Flow control tab of the Options dialog does not work
- The same SQL code with the same formatting profile formats differently when two times in a row is clicked on the Format SQL command
- The names of the hosts in the host integration step are cutoff on high DPI and 4K resolution
- Shortcuts key combination settings are not visible under the Shortcuts tab of the Options dialog on high DPI and 4K resolution
- SQL script becomes invalid after it has been formatted using the Obfuscate SQL command from the main add-in menu and the SQL script has 'GO' that signals the end of a batch
- A SQL syntax error occurs after formatting a code containing any of the following:
  - system\_time clause,
  - page,
  - uncommitted,
  - any
- The "Add spaces around operators" option under the Arithmetic tab of the Options dialog does not add spaces around + sign when it used as SQL string concatenation
- SQL Server Management Studio stops working after connecting to a SQL Server Analysis Services instance
- SQL Server Management Studio stops working after connecting to a SQL Server Reporting Services instance

Release: 2018.03.0331  
Date: September 21, 2018

## Enhancements:

- [New error handling and send logs functionality](#)
- [Improved application installer with a dark theme](#)
- [New application icon](#)

## Fixes:

- "An error occurred while showing the application updater" message is shown on SQL Server Management Studio startup when the add-in is installed alongside ApexSQL Search
- Replace one-to-many relationship dialog freezes for one second or longer when typing in the Associative table name text box
- The "Always use statement terminator" option under the Formatting tab of the Options dialog adds an extra semicolon after the SQL Return keyword
- The "System functions" option under the Capitalization tab of the Options dialog does not format the SQL Isnull function
- The Format SQL objects feature does not create a SQL script when in the object grid the stored procedure is selected and the Create script is pressed
- The SQL Json function is enclosed with square brackets when the "Enclose columns in brackets" option under the Formatting tab of the Options dialog is enabled
- The user-defined shortcuts under the Shortcuts tab of the Options dialog are set to the default values after restarting SQL Server Management Studio or Visual Studio

Release: 2018.02.0322

Date: June 29, 2018

## Enhancements:

- Active Directory – Password authentication support
- Azure SQL Database syntax support for format SQL:
  - maxsize,
  - edition,
  - service\_objective

## Fixes:

- The "Safe rename cannot be applied to the selected object" message is shown when Visual Studio SQL Server Object Explorer context menu Safe rename command is used to rename a column or a parameter
- The Unused variables and parameters command highlights the wrong part of the code when the cursor is placed in the middle of the SQL script
- The SQL xlock and rowlock keywords are enclosed in brackets when the "Enclose identifiers in brackets" option under the Formatting tab of the Options dialog is enabled
- The "Add spaces around operations" option under the Arithmetic tab of the Options dialog puts all code in one line when is checked
- The SQL nolock keyword is capitalized with the wrong option under the Capitalization tab of the Options dialog
- The "Keep empty lines before/after comments" option under the Formatting tab of the Options dialog remove empty line before line comment when checked



- The inline comments are always moved to the complete left in the SQL script when using any of the formatting profiles
- The "Remove empty lines" option under the Formatting tab of the Options dialog does not remove empty lines below line comments
- The "Don't format operations less than" option under the Logical tab of the Options dialog puts SQL code after inline comments
- The options under the Where in values tab do not work when in the SQL code a SQL Delete statement is used
- The "Formatting profiles with duplicate names exist" message is shown when adding a new profile or when saving changes to an existing one

Release: 2018.01.0300  
Date: March 29, 2018

## Enhancements:

- [High DPI and 4K resolution support](#)
- [Applied concepts of Visual Language Dictionary for Visual Studio for iconography, imagery, colors, menus, fonts, formatting and other GUI elements](#)
- [GUI themes:](#)
  - Light,
  - Blue,
  - Dark
- Azure SQL Database syntax support for format SQL:
  - add secondary,
  - data\_source,
  - elastic\_pool,
  - failover,
  - migration\_state

## Fixes:

- The "Insert empty line between each statement" option under the Formatting tab of the Options dialog does not work after If/End statement
- The SQL trim function is enclosed with brackets when the "Enclose identifiers in brackets" or "Enclose columns in brackets" option under the Formatting tab of the Options dialog is enabled
- An archive larger than 5 MB is attached to a default email client when the Send logs command is clicked under the Resource sub-menu of the application main menu
- A SQL syntax error occurs after formatting a code containing any of the following:
  - abort\_after\_wait,
  - buffer pool extension,
  - columnstore\_archive,
  - cryptographic provider,

- encrypted,
- firstrow,
- hadr cluster,
- history\_retention\_period,
- max\_iops\_per\_volume,
- max\_outstanding\_io\_per\_volume,
- min\_iops\_per\_volume,
- persist\_sample\_percent,
- rebuild partition,
- system\_time

## Changes:

- The application now requires Microsoft .NET Framework 4.7.1