

Binary Tree Migrator Pro for Exchange 20.11.0

Requirements



© 2022 Quest Software Inc.

ALL RIGHTS RESERVED.

This guide contains proprietary information protected by copyright. The software described in this guide is furnished under a software license or nondisclosure agreement. This software may be used or copied only in accordance with the terms of the applicable agreement. No part of this guide may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording for any purpose other than the purchaser's personal use without the written permission of Quest Software Inc.

The information in this document is provided in connection with Quest Software products. No license, express or implied, by estoppel or otherwise, to any intellectual property right is granted by this document or in connection with the sale of Quest Software products. EXCEPT AS SET FORTH IN THE TERMS AND CONDITIONS AS SPECIFIED IN THE LICENSE AGREEMENT FOR THIS PRODUCT, QUEST SOFTWARE ASSUMES NO LIABILITY WHATSOEVER AND DISCLAIMS ANY EXPRESS, IMPLIED OR STATUTORY WARRANTY RELATING TO ITS PRODUCTS INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. IN NO EVENT SHALL QUEST SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE, SPECIAL OR INCIDENTAL DAMAGES (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF PROFITS, BUSINESS INTERRUPTION OR LOSS OF INFORMATION) ARISING OUT OF THE USE OR INABILITY TO USE THIS DOCUMENT, EVEN IF QUEST SOFTWARE HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. Quest Software makes no representations or warranties with respect to the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and product descriptions at any time without notice. Quest Software does not make any commitment to update the information contained in this document.

If you have any questions regarding your potential use of this material, contact:

Quest Software Inc.

Attn: LEGAL Dept

4 Polaris Way

Aliso Viejo, CA 92656

Refer to our Web site (<https://www.quest.com>) for regional and international office information.

Patents

Quest Software is proud of our advanced technology. Patents and pending patents may apply to this product. For the most current information about applicable patents for this product, please visit our website at <https://www.quest.com/legal>.

Trademarks

Quest, the Quest logo, and Join the Innovation are trademarks and registered trademarks of Quest Software Inc. For a complete list of Quest marks, visit <https://www.quest.com/legal/trademark-information.aspx>. All other trademarks and registered trademarks are property of their respective owners.

Legend

 **CAUTION:** A CAUTION icon indicates potential damage to hardware or loss of data if instructions are not followed.

 **IMPORTANT, NOTE, TIP, MOBILE, or VIDEO:** An information icon indicates supporting information.

Table of Contents

| | |
|---|-----------|
| Hardware Prerequisites | 4 |
| Supported Migration Paths | 4 |
| Supported Mailbox Migration Paths | 4 |
| Software Prerequisites | 6 |
| General Installation Requirements | 6 |
| Networking Requirement..... | 6 |
| SQL Server Installation Requirements | 6 |
| Supported Outlook Versions | 6 |
| Additional Requirements | 7 |
| TLS 1.2 Certification | 7 |
| Certified Exchange versions | 7 |
| Other Requirements..... | 7 |
| Account Requirements | 8 |
| Account Services | 8 |
| Account Permissions | 8 |
| Inter-Org Public Folder Migration Requirements | 8 |
| Public Folder Migration to Office 365 using PowerShell Requirements | 8 |
| Mailbox Migration Service Account Requirements | 9 |
| Mailbox Migration to Office 365..... | 9 |
| Public Folder Migration to Office 365 Groups..... | 9 |
| SQL Accounts and Permissions..... | 9 |
| Migrator Pro for Exchange Worker Prerequisites | 10 |
| Hardware Requirements | 10 |
| Software Requirements..... | 10 |
| Migrator Pro for Exchange Network Requirements | 12 |

This document details the requirements for implementing Binary Tree Migrator Pro for Exchange.

Hardware Prerequisites



Migrator Pro for Exchange should not be installed on an Exchange server.


Migrator Pro for Exchange requires the use of a Windows Server 2012 R2, 2016, or 2019 to host the migration management software.


| Component | Requirement |
|-------------------------|---|
| Processor | Minimum: Intel Xeon quad core 1.8 Ghz (x64) or AMD equivalent |
| Memory | Minimum: 8 GB 8GB of RAM on the Migrator Pro for Exchange server should be sufficient for an environment containing 15,000 mailboxes or less. But for larger environments, or for environments containing large Public Folder hierarchies, increasing the memory to 16GB is recommended. |
| Disk Space Requirements | Minimum: 100 MB for application installation and 4 GB for database storage. |
| Display | 1280 x 768 or higher resolution monitor |
| Other | Keyboard and Microsoft Mouse (or compatible pointing device), Internet access |

Supported Migration Paths

Supported Mailbox Migration Paths


The current release of *Migrator Pro for Exchange* supports mailbox migration for these source/target scenarios:





Supported Public Folder Migration Paths

Migrator Pro for Exchange supports inter-org (only) Public Folders migration for these source/target scenarios:



Software Prerequisites

General Installation Requirements

- Windows Server 2012 R2, 2016, or 2019
- PowerShell 2.0, 3.0, or 4.0
- IIS (included with Windows Server 2012 R2, 2016, and 2019).
- .NET 4.8 Framework (if not already installed, it will be downloaded and installed automatically if there is an Internet connection)
- Internet Explorer 8 or later or Firefox



When running Migrator Pro for Exchange with PowerShell 3.0 or 4.0 installed, you may experience a small increase in memory usage of the MCP service compared with environments which use PowerShell 2.0.



Migrator Pro for Exchange cannot rationalize Office 365 mailboxes when the *WhenChanged DateTime* format is *ddMMyyyy*, due to a remote PowerShell error claiming invalid date time format. Changing the date-time format of the operating system to *mmddyyyy* resolves the issue.

Networking Requirement

During installation, any prerequisites missing will be downloaded automatically and thus require an internet connection.

SQL Server Installation Requirements

- SQL Server 2014 SP2 CU13, 2016 SP2 CU3, or 2017 CU11.

OR


- SQL Server 2012 Express SP2 with Advanced Services. Migrator Pro for Exchange's *Default Install* option will install SQL Server 2012 Express SP2 with Advanced Services if a local instance of SQL is not detected.
 - Note that SQL browsing service does not run by default. Please ensure this service is running.
 - Refer to the [SQL Server \(or Express\) Setup](#) Knowledge Base article for additional set up information.
- Network connectivity to SQL Server.

Supported Outlook Versions

The following Outlook versions are supported on the Migrator Pro for Exchange Migration Server:

- Outlook 2016 32-bit
- Outlook 2019

Public Folder migration to Office 365 Groups requires Outlook 2019 be installed on the Migrator Pro for Exchange and/or Migrator Pro for Exchange Worker machines. Note also:



- The Outlook profiles on the Migrator Pro for Exchange migration server and migration Worker machines must have Cached Mode disabled for the migration to proceed. But note that end users' Outlook profiles must be in Cached Mode to permit end-user viewing of O365 Groups by the Outlook client.
- If using Outlook profiles for Public Folder migration, and if *Use Cached Exchange Mode* is enabled, Migrator Pro for Exchange will automatically disable this mode when the profile is selected.

Additional Requirements

TLS 1.2 Certification

- Migrator Pro for Exchange supports TLS 1.2

Certified Exchange versions

Migrator Pro for Exchange has been tested and certified for these versions of Microsoft Exchange:

- Exchange Server 2019 CU1
- Exchange Server 2016: CU10
- Exchange Server 2013: CU21
- Exchange Server 2010: SP3 Update Rollup 22



Customers running later cumulative updates of the supported Exchange versions of what is listed above are supported, however, the above is what has been tested and certified as of this GA release.

Other Requirements

- Migrator Pro for Exchange utilizes the remote capabilities of PowerShell 2.0 to communicate with Exchange 2010 or 2013. Therefore, **provide a Fully Qualified Domain Name (FQDN) of the Exchange 2010 or Exchange 2013 server** that would communicate remotely through PowerShell. Ensure that PowerShell Remoting is enabled on the Exchange Server.
- FQDN of SQL server.
- Internet Explorer Enhanced Security Configuration (IE ESC) must be disabled.
- Public Folder migration to Exchange 2013 requires Exchange 2013 CU5+.
- The registry must be modified to disable User Account Control (UAC). In the registry, navigate to `HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\policies\system`, set `DWORD EnableLUA` to 0, and then reboot.

Account Requirements

Account Services

Administrative accounts are needed for the following:

- Migrator Pro for Exchange MCP Windows service
- Active Directory access
- Exchange 2010/2013/2016/2019 access (PowerShell)
- Public folder access (MAPI)
- SMTP notifications
- SQL Server database

Account Permissions

Administrative accounts require the following permissions:

- Member of the “Exchange Organization Administrators” and “Organization Management” group
- Local administrator on the Migrator Pro for Exchange server
- Read & List Contents rights to "Deleted Objects" container. You may follow these steps if your account is not a Domain Administrator or equivalent (see KB892806):

Using a domain admin account, open a command prompt and confirm the successful execution of the following commands:

```
dscls "CN=Deleted Objects,DC=domain,DC=com" /takeownership
dscls "CN=Deleted Objects,DC=domain,DC=com" /g
Domain\ServiceAccount:LCRP
```

Inter-Org Public Folder Migration Requirements

- The Target/Home account must be mailbox enabled and added to the Exchange “Public Folder Management” security group in the target forest.
- The Source account must be mailbox enabled and added to the Exchange “Public Folder Management” security group in the source forest.



Both the Source and Target mailbox enabled accounts for Public Folder migration should be logged into first, to avoid a warning during Migrator Pro for Exchange Configuration.

Public Folder Migration to Office 365 using PowerShell Requirements

The Public Folder account used for Office 365 must be a member of the *PublicFolders* and *MailEnabledPublicFolders* role groups (in Office 365 EAC, Permissions > Admin roles).

Mailbox Migration Service Account Requirements

A mailbox-enabled service account is required to gather the required mailbox statistics via PowerShell. Migrator Pro for Exchange requires a mailbox-enabled user with Organization Management and Recipient Management permissions for both on-premises and Office 365 mailbox move migrations. This only pertains to Exchange 2010 and above.

Mailbox Migration to Office 365

Mailbox migration to Office 365 requires **either** Global Admin, **or** Billing, Exchange and User Admin roles.

Public Folder Migration to Office 365 Groups

- Public Folder migration to Office 365 Groups requires the admin be designated an Office 365 global administrator.
- The MAPI account configured within Migrator Pro for Exchange, in *Forests | Accounts | Exchange (MAPI)*, should be using a mailbox that was created in Office 365 and not one that was migrated to Office 365 from on-premises.

SQL Accounts and Permissions

The following accounts must be created with the respective permissions in SQL before commencing installation of Migrator Pro for Exchange.

If you are using a **single** account to connect to your database, and Active Directory and Exchange connectivity, you must grant these database permissions to the account:

- **Migrator Pro for Exchange MCP Service Identity** - Only requires a SQL Login Account unless the account is also used as the SQL setup account, then it must have the following server role assigned: *dbcreator*

After the database has been created, you can remove *dbcreator* and assign the following specific permissions:

- *db_datareader*
- *db_datawriter*
- *db_ddladmin*

If you are using **multiple** accounts to connect to your database, and Active Directory and Exchange connectivity, you must grant the following database permissions:

- **Setup SQL Account** – This allows the SQL server administrator to retain accounts for Migrator Pro for Exchange that require the least amount of privileges when the application is running in a production environment. The setup login must exist prior to the configuration and requires at a minimum *dbcreator* rights, and can either be a Windows or SQL Login.
 - *dbcreator* rights
 - Windows (Current User)
 - SQL Login
- **Application SQL Account**
 - *db_datareader*
 - *db_datawriter*
 - *db_ddladmin*

- **Migrator Pro for Exchange MCP Service Identity:** public
- **Public Folders Identity** - The “Migrator Pro for Exchange Worker” runs in the context of the currently logged on user. This user must have read/write access to the Migrator Pro for Exchange database if SQL Server authentication is not being used.



As stated, the SQL login account(s) must already exist in order for the mapping to be established to the database account using these rights. This is important as these database accounts and rights are established when the database is created. If you are using a single SQL account for application access, it will need *db_datareader/db_datawriter/db_ddladmin*.

The Migrator Pro for Exchange MCP account requires *db_ddladmin* to control the schema (identity values and constraints) when using bulk copy operations as part of the data population.

Migrator Pro for Exchange Worker Prerequisites

The Migrator Pro for Exchange Worker is utilized to distribute the provisioning and migration of Public Folders. There can be multiple Migrator Pro for Exchange Workers installed for this purpose, and the following operating systems are supported:

- Windows Server 2012
- Windows Server 2012 R2
- Windows Server 2016
- Windows Server 2019

Migrator Pro for Exchange Worker requires a 64-Bit Operating System to run.

Hardware Requirements

- **Processor:** Minimum 4 cores for server OS's.
- **Memory:** Minimum 6GB.
- **Disk Space Requirements:** Minimum 4GB free disk space.

Software Requirements

- The Migrator Pro for Exchange Worker requires Microsoft .NET 4.8 framework. The Migrator Pro for Exchange Worker installer will download this framework from Microsoft if not already installed. If the end user network environment does not allow the workstations to access the internet, the end user must acquire and install this.
- We recommend all Microsoft updates and service packs be installed before using the Migrator Pro for Exchange Worker.
- The Migrator Pro for Exchange Worker requires Outlook 2016 32-bit or Outlook 2019.
- The worker computers should be joined to the same domain as the main Migrator Pro for Exchange server and logged into with the <domain>\ExchangeProServiceAccount. This account should be a member of the worker computer's Local Administrators group.

- The registry must be modified to disable User Account Control (UAC). In the registry, navigate to *HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\policies\system*, set *DWORD EnableLUA* to 0, and then reboot.

Migrator Pro for Exchange Network Requirements

These general guidelines outline the firewall ports that should be opened for a fully functioning Migrator Pro for Exchange project. We assume that the messaging and Active Directory environments in both the source and target are configured according to Microsoft's published guidance. For example, these guidelines assume that on-premises Exchange servers can freely communicate with global catalog servers within the same environment, and network isolation boundaries do not exist.

This table should be considered as a reference, but ultimately the ports are those required by Microsoft technologies, so they are the authoritative source on what is needed. Please refer to the Microsoft documentation if there are questions about which ports are required for Migrator Pro for Exchange to communicate or utilize these technologies.

<https://docs.microsoft.com/en-us/exchange/plan-and-deploy/deployment-ref/network-ports?view=exchserver-2019>

<https://docs.microsoft.com/en-us/exchange/network-ports-for-clients-and-mail-flow-in-exchange-2013-exchange-2013-help>

| From | To | Component | Protocol | Port (Default) | Remark |
|---------------------------|------------------------------|---------------------------------------|----------|----------------|--------------------------|
| Migrator Pro for Exchange | Source Domain Controller | Profile Outlook | TCP | 25 | Profile Outlook |
| Migrator Pro for Exchange | Target SMTP messaging server | Migrator Pro for Exchange MCP Service | TCP | 25 | Send email notifications |
| Source Messaging servers | Target messaging servers | Coexistence | TCP | 25 | Mail redirection |
| Target Messaging servers | Source messaging servers | Coexistence | TCP | 25 | Mail redirection |
| Migrator Pro for Exchange | Source DNS servers | Migrator Pro for Exchange MCP Service | TCP/IP | 53 | DNS lookups |
| Migrator Pro for Exchange | Target DNS servers | Lookup | TCP | 53 | DNS |
| Migrator Pro for Exchange | Source Domain Controllers | Outlook RPC over HTTP(S) | TCP | 80 | Profile Outlook |
| Migrator Pro for Exchange | Target Domain Controllers | Outlook RPC over HTTP(S) | TCP | 80 | Profile Outlook |
| Migrator Pro for Exchange | Source messaging servers | Outlook RPC over HTTP(S) | TCP | 80 | Profile Outlook |

| | | | | | |
|-------------------------------|---------------------------|---------------------------------------|---------|-----|-----------------------------------|
| Migrator Pro for Exchange | Target messaging servers | Outlook RPC over HTTP(S) | TCP | 80 | Profile Outlook |
| Source Domain Controllers | Target messaging servers | Authentication | TCP | 88 | Kerberos |
| Target messaging servers | Source Domain Controllers | Authentication | TCP | 88 | Kerberos |
| Migrator Pro for Exchange | Target Domain Controllers | Authentication | TCP/UDP | 88 | Kerberos |
| Migrator Pro for Exchange SQL | Target Domain Controllers | Authentication | TCP/UDP | 88 | Kerberos |
| Migrator Pro for Exchange | Source Domain Controllers | Authentication | TCP | 88 | Kerberos |
| Migrator Pro for Exchange | Source Domain Controllers | POP3 | TCP | 110 | Profile Outlook |
| Migrator Pro for Exchange | Target Domain Controllers | Windows Time | TCP | 123 | Windows Time |
| Migrator Pro for Exchange SQL | Target Domain Controllers | Windows Time | TCP | 123 | Windows Time |
| Migrator Pro for Exchange | Target messaging servers | Migrator Pro for Exchange MCP Service | TCP | 135 | RPC locator |
| Migrator Pro for Exchange | Source Domain Controllers | Migrator Pro for Exchange MCP Service | TCP | 135 | RPC locator |
| Source messaging servers | Target messaging servers | RPC End Point | TCP | 135 | RPC Endpoint |
| Target messaging servers | Source messaging servers | RPC End Point | TCP | 135 | RPC Endpoint |
| Migrator Pro for Exchange | Source messaging servers | RPC End Point | TCP | 135 | RPC Endpoint |
| Migrator Pro for Exchange | Target Domain Controllers | RPC End Point | TCP | 135 | RPC Endpoint (domain integration) |

| | | | | | |
|-------------------------------|---------------------------|---------------------------------------|---------|-----|-----------------------------------|
| Migrator Pro for Exchange SQL | Target Domain Controllers | RPC End Point | TCP | 135 | RPC Endpoint (domain integration) |
| Migrator Pro for Exchange | Target messaging servers | Migrator Pro for Exchange MCP Service | TCP | 137 | NetBIOS Queries for domain binds |
| Migrator Pro for Exchange | Source Domain Controllers | Migrator Pro for Exchange MCP Service | TCP | 137 | NetBIOS Queries for domain binds |
| Source Domain Controllers | Target Domain Controllers | NetBIOS Queries for domain binds | TCP | 137 | NetBIOS Queries for domain binds |
| Migrator Pro for Exchange | Target messaging servers | Migrator Pro for Exchange MCP Service | TCP | 138 | NetBIOS Queries for domain binds |
| Migrator Pro for Exchange | Source Domain Controllers | Migrator Pro for Exchange MCP Service | TCP | 138 | NetBIOS Queries for domain binds |
| Migrator Pro for Exchange | Target messaging servers | Migrator Pro for Exchange MCP Service | TCP | 139 | NetBIOS Queries for domain binds |
| Migrator Pro for Exchange | Source Domain Controller | Migrator Pro for Exchange MCP Service | TCP | 139 | NetBIOS Queries for domain binds |
| Migrator Pro for Exchange | Target messaging servers | Migrator Pro for Exchange MCP Service | TCP | 389 | LDAP for object discovery |
| Migrator Pro for Exchange | Source Domain Controllers | Migrator Pro for Exchange MCP Service | TCP | 389 | LDAP for object discovery |
| Migrator Pro for Exchange | Source Domain Controllers | LDAP | UDP | 389 | LDAP for object discovery |
| Source Domain Controllers | Target messaging servers | LDAP | TCP | 389 | LDAP |
| Target messaging servers | Source Domain Controllers | LDAP | TCP | 389 | LDAP |
| Migrator Pro for Exchange | Target Domain Controllers | LDAP | TCP/UDP | 389 | LDAP (domain integration) |

| | | | | | |
|-------------------------------|------------------------------|---------------------------------------|---------|-----|---|
| Migrator Pro for Exchange SQL | Target Domain Controllers | LDAP | TCP/UDP | 389 | LDAP (domain integration) |
| Migrator Pro for Exchange | Target CAS messaging servers | Migrator Pro for Exchange MCP Service | TCP | 443 | PowerShell remoting |
| Source messaging servers | Target messaging servers | Replication Proxy | TCP | 443 | Mailbox Replication Proxy service uses port 443 to communicate with other Exchange 2010 client access server via HTTPS. |
| Target messaging servers | Source messaging servers | Replication Proxy | TCP | 443 | Mailbox Replication Proxy service uses port 443 to communicate with other Exchange 2010 client access server via HTTPS. |
| Migrator Pro for Exchange | Target Domain Controller | SSL | TCP | 443 | Outlook profile configuration |
| Migrator Pro for Exchange | Source Domain Controllers | SSL | TCP | 443 | Outlook profile configuration |
| Target messaging servers | Source Domain Controllers | SSL | TCP | 443 | SSL |
| Target messaging servers | Source messaging servers | SSL | TCP | 443 | SSL |
| Target messaging servers | Source Domain Controllers | SSL | TCP | 443 | SSL |
| Migrator Pro for Exchange | Target messaging servers | SSL | TCP | 443 | SSL |
| Source messaging servers | Target Domain Controllers | SSL | TCP | 443 | SSL |

| | | | | | |
|-------------------------------|---------------------------|---------------------------------------|---------|-----|--|
| Migrator Pro for Exchange | Target messaging servers | Migrator Pro for Exchange MCP Service | TCP | 445 | Active Directory Authentication |
| Migrator Pro for Exchange | Source Domain Controllers | Migrator Pro for Exchange MCP Service | TCP | 445 | Active Directory Authentication |
| Migrator Pro for Exchange SQL | Target Domain Controllers | AD | TCP/UDP | 445 | Replication, User and Computer Authentication, Group Policy, Trusts (Domain integration) |
| Migrator Pro for Exchange | Target Domain Controllers | AD | TCP/UDP | 445 | Replication, User and Computer Authentication, Group Policy, Trusts (Domain integration) |
| Source messaging servers | Target Domain controllers | DS Service | TCP | 445 | Microsoft-DS Service |
| Target messaging servers | Source Domain Controllers | DS Service | TCP | 445 | Microsoft-DS Service |
| Source messaging servers | Target messaging servers | DS Service | TCP | 445 | Microsoft-DS Service |
| Target messaging servers | Source messaging servers | DS Service | TCP | 445 | Microsoft-DS Service |
| Migrator Pro for Exchange SQL | Target Domain Controllers | AD | TCP/UDP | 445 | Kerberos Change/set Password (Domain integration) |
| Migrator Pro for Exchange | Target Domain Controllers | AD | TCP/UDP | 445 | Kerberos Change/set Password (Domain integration) |
| Migrator Pro for Exchange | Source messaging servers | Outgoing email port Outlook | TCP | 587 | Outgoing email port Outlook |
| Migrator Pro for Exchange SQL | Target Domain Controllers | LDAP SSL | TCP | 636 | LDAP SSL (Domain integration) |

| | | | | | |
|-------------------------------|---------------------------|-------------------------------|-----|------|---|
| Migrator Pro for Exchange | Target Domain Controllers | LDAP SSL | TCP | 636 | LDAP SSL (Domain integration) |
| Source messaging servers | Target messaging servers | Mailbox Move | TCP | 808 | Mailbox Replication Service uses to communicate |
| Target messaging servers | Source messaging servers | Mailbox Move | TCP | 808 | Mailbox Replication Service uses to communicate |
| Migrator Pro for Exchange | Source Domain Controllers | Pop3 | TCP | 993 | Profile Outlook |
| Migrator Pro for Exchange | Source Domain Controllers | Imap4 | TCP | 995 | Profile Outlook |
| Migrator Pro for Exchange SQL | Target Domain Controllers | LDAP GC | TCP | 3268 | LDAP GC Domain integration |
| Migrator Pro for Exchange | Target Domain Controllers | LDAP GC | TCP | 3268 | LDAP GC Domain integration |
| Migrator Pro for Exchange | Source Domain Controllers | Migrator Pro for Exchange MCP | TCP | 3268 | Update Forest |
| Source Domain Controller | Target messaging servers | LDAP | TCP | 3268 | LDAP |
| Target messaging servers | Source Domain Controllers | LDAP | TCP | 3268 | LDAP |
| Migrator Pro for Exchange SQL | Target Domain Controllers | LDAP GC SSL | TCP | 3269 | LDAP GC SSL Domain integration |
| Migrator Pro for Exchange | Target Domain Controllers | LDAP GC SSL | TCP | 3269 | LDAP GC SSL Domain integration |
| Migrator Pro for Exchange SQL | Target Domain Controllers | RPC, DFSR (SYSVOL) | TCP | 5722 | RPC, DFSR (SYSVOL) Domain integration |
| Migrator Pro for Exchange | Target Domain Controllers | RPC, DFSR (SYSVOL) | TCP | 5722 | RPC, DFSR (SYSVOL) Domain integration |

| | | | | | |
|-------------------------------|---------------------------|---|--------------------|-------------|-------------------------|
| Migrator Pro for Exchange SQL | Target Domain Controllers | SOAP | TCP | 9389 | SOAP Domain integration |
| Migrator Pro for Exchange | Target Domain Controllers | SOAP | TCP | 9389 | SOAP Domain integration |
| Source messaging servers | Target messaging servers | Mailbox Store | TCP Dynamic | 1024>65535 | Mailbox Store |
| Target messaging servers | Source messaging servers | Mailbox Store | TCP Dynamic | 1024>65535 | Mailbox Store |
| Migrator Pro for Exchange SQL | Target Domain Controllers | RPC, DCOM, EPM, DRSUAPI, NetLogonR, SamR, FRS | TCP/UDP Dynamic | 49152>65535 | Domain integration |
| Migrator Pro for Exchange | Target Domain Controllers | RPC, DCOM, EPM, DRSUAPI, NetLogonR, SamR, FRS | TCP/UDP Dynamic | 49152>65535 | Domain integration |
| Migrator Pro for Exchange | Source Domain Controllers | Migrator Pro for Exchange MCP | TCP Dynamic | 49152>65535 | Update Forest |