

SharePlex® 10.2

Installation and Setup Guide for an Oracle Source



© 2023 Quest Software Inc. ALL RIGHTS RESERVED.

This guide contains proprietary information protected by copyright. The software described in this guide is furnished under a software license or nondisclosure agreement. This software may be used or copied only in accordance with the terms of the applicable agreement. No part of this guide may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording for any purpose other than the purchaser's personal use without the written permission of Quest Software Inc.

The information in this document is provided in connection with Quest Software products. No license, express or implied, by estoppel or otherwise, to any intellectual property right is granted by this document or in connection with the sale of Quest Software products. EXCEPT AS SET FORTH IN THE TERMS AND CONDITIONS AS SPECIFIED IN THE LICENSE AGREEMENT FOR THIS PRODUCT, QUEST SOFTWARE ASSUMES NO LIABILITY WHATSOEVER AND DISCLAIMS ANY EXPRESS, IMPLIED OR STATUTORY WARRANTY RELATING TO ITS PRODUCTS INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. IN NO EVENT SHALL QUEST SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE, SPECIAL OR INCIDENTAL DAMAGES (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF PROFITS, BUSINESS INTERRUPTION OR LOSS OF INFORMATION) ARISING OUT OF THE USE OR INABILITY TO USE THIS DOCUMENT, EVEN IF QUEST SOFTWARE HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. Quest Software makes no representations or warranties with respect to the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and product descriptions at any time without notice. Quest Software does not make any commitment to update the information contained in this document.

If you have any questions regarding your potential use of this material, contact:

Quest Software Inc.

Attn: LEGAL Dept

4 Polaris Way

Aliso Viejo, CA 92656

Refer to our Web site (<https://www.quest.com>) for regional and international office information.

Patents

Quest Software is proud of our advanced technology. Patents and pending patents may apply to this product. For the most current information about applicable patents for this product, please visit our website at <https://www.quest.com/legal>.

Trademarks

Quest, the Quest logo, SharePlex, and Join the Innovation are trademarks and registered trademarks of Quest Software Inc. For a complete list of Quest marks, visit <https://www.quest.com/legal/trademark-information.aspx>. All other trademarks and registered trademarks are property of their respective owners.

SharePlex Installation and Setup Guide for an Oracle Source

Updated - 2/9/2023

Version - 10.2

Contents

About this Guide	11
Conventions used in this guide	12
SharePlex preinstallation checklist	13
Overview	13
Network checklist	13
Installer checklist	15
Unix/Linux system checklist	17
Windows system checklist	20
Oracle checklist	21
Open Target checklist	24
Amazon EC2 checklist	27
Download the SharePlex installer	29
About the SharePlex installers	29
Linux and Unix	29
Windows	30
Where to get SharePlex installers	30
Installation and setup for Oracle cluster	31
Overview of SharePlex Oracle cluster support	31
Set up SharePlex in an Oracle cluster	32
Configure the cluster	32
Install SharePlex on the cluster	35
Run Database Setup	35
Persist the SharePlex licenses	35
Set the SharePlex environment parameters	37
Configure SharePlex	38
Activate replication	39
Add SharePlex to the cluster software	39
System maintenance	39
Installation and Setup for Remote Capture	40
Install SharePlex on Linux and UNIX	42
Install SharePlex on Linux/Unix for Oracle Database	42
Run the installer in interactive mode	42
Next steps	45

Install SharePlex on Linux/Unix for Open Target Databases	45
Run the Installer in Interactive Mode	46
Next Steps	47
Install SharePlex on Windows	49
Install SharePlex on Windows	49
Assign SharePlex users to security groups	52
Overview	52
About the SharePlex security groups	52
Description of the SharePlex security groups	52
Create and populate SharePlex groups on Unix and Linux	53
Create and populate SharePlex groups on Windows	54
Set up an Oracle environment for replication	55
Overview	55
Set up Oracle logging to support SharePlex	55
Enable archive logging	55
Configure the online logs	56
Set the appropriate logging level	57
Set up Oracle database objects for replication	58
Ensure row uniqueness	58
The role of keys	58
Ensure that the correct key is logged	58
Tables without a key or unique index	59
Keys with nulls	59
Changes to key values	59
Indexes	60
Bitmap indexes	61
Prevent triggers from firing on the target	61
Configure integrity constraints	62
Foreign key constraints	62
ON DELETE CASCADE constraints	62
Check constraints	63
Prevent access to target objects	63
Configure sequences	63
Set up an Oracle database to support SharePlex	64
Adjust OPEN_CURSORS to support Post cursors	64
Adjust the PROCESSES parameter to support connections	65
Adjust the log buffer size to improve posting	65
Adjust the SharePlex transaction table based on user volume	66
Control conversion of character sets	66
Replication between an Oracle source and Oracle targets	66
Replication between an Oracle source and non-Oracle targets	67

Set up SharePlex to support Oracle data	68
LOBs, LONGs, VARRAYs, and XML	68
Set system process priority	69
Enable Oracle direct path loads	69
Use compression	69
Configure support of Data Pump exports	70
Set up TDE Support	70
Required privilege to capture TDE-protected data	70
Configure SharePlex to capture TDE-protected data	70
Set up replication from Oracle to a different target type	72
About these instructions	72
Set up replication from Oracle to MySQL or Aurora	73
Overview	73
Install SharePlex	73
Review column names	73
Configure SharePlex on the Source	73
Make keys available to SharePlex	73
Configure replication	74
Configure SharePlex on the target	74
Set up replication from Oracle to SQL Server	75
Overview	75
Review column names	75
Configure SharePlex on the Source	75
Make keys available to SharePlex	75
Configure replication	76
Configure SharePlex on the target	76
Set up replication from Oracle to PostgreSQL	77
Overview	77
Review column names	77
Configure SharePlex on the Source	77
Make keys available to SharePlex	77
Configure replication	78
Configure SharePlex on the target	78
Set up replication from Oracle to SAP HANA	79
Overview	79
Review column names	79
Configure SharePlex on the Source	79
Make keys available to SharePlex	79
Configure replication	80
Configure SharePlex on the target	80
Set up replication from Oracle to other Open Targets	81
Overview	81
Review column names	81

Configure SharePlex on the Source	81
Make keys available to SharePlex	81
Configure replication	82
Configure SharePlex on the target	82
Install the ODBC driver	82
Set up ODBC	83
Set connection information with the connection command	83
Map data types	85
Set up replication from Oracle to JMS	86
Overview	86
Configure SharePlex on the source	86
Enable supplemental logging	86
Set SP_OCT_USE_SUPP_KEYS parameter	86
Configure replication	86
Configure SharePlex on the target	87
Prerequisites	87
Configure SharePlex on the JMS target	87
Enable Logs for JMS Replication	90
View and Change JMS Settings	91
Set recovery options	93
Control memory settings	93
Configure debugging	94
View the XML format	94
Set up Replication from Oracle to Kafka	95
Overview	95
Guidelines for Posting to Kafka	95
Configure SharePlex on the Source	95
Enable supplemental logging	95
Set SP_OCT_USE_SUPP_KEYS parameter	95
Configure replication	96
Configure SharePlex on the Target	96
Set the Kafka Record Format	97
View and Change Kafka Settings	97
Set recovery options	99
Set up replication from Oracle to a SQL or XML file	100
Overview	100
Configure SharePlex on the source	100
Configure SharePlex on the target	101
View and change target settings	101
File storage and aging	101
Basic SharePlex demonstration - all platforms	103
Overview	103
What you will learn	104
Prewrite for the demonstrations	104

Tables used in the demonstrations	104
INSERT scripts	104
Start SharePlex	104
Create and activate a configuration	105
Create a configuration file	105
Configuration templates	106
Activate the configuration	106
Troubleshooting Tips	107
Demonstration of replication	107
Verify replication startup	107
Verify replication of large data volumes	107
Verify queuing and continuity of replication	108
Verify SharePlex capture recovery	108
Demonstration of data compare and repair	109
Demonstration of named post queues	110
Clean up the replication environment	110
Create a configuration file	110
Configuration templates	111
Activate the configuration	111
Generate data	112
View the post queues	112
Advanced SharePlex demonstrations for Oracle	113
Overview	113
Prework for the demonstrations	114
Verify that DDL replication is enabled	114
Install the demonstration objects	114
Start SharePlex	116
Configure, activate, and verify replication	116
Create a configuration file	116
Activate the configuration	117
Generate transactions to the source table	118
Compare source and target tables	118
Repair an out-of-sync condition	118
Demonstration of horizontally partitioned replication	119
Prepare the tables	119
Configure the row partition	120
Specify the partition scheme in the configuration file	120
Activate the configuration	121
Replicate data	121
Demonstration of vertically partitioned replication	121
Prepare the tables	122
Configure the column partition	122

Activate the configuration	123
Replicate data	124
Demonstration of transformation	124
Prepare the objects	124
Configure SharePlex	125
Activate and start replication	126
View the transformed data	126
Demonstration of conflict resolution	126
Prepare the objects	127
Configure SharePlex	128
Activate and start replication	128
Demonstrate trusted-source priority	129
Demonstrate timestamp priority	129
View the conflict resolution results	130
Demonstration of Oracle DDL replication	131
Verify that DDL replication is enabled	131
Test DDL replication	131
Solve installation problems	133
Overview	133
Solve license utility problems	133
Solve installer problems	134
Solve Database Setup problems	135
Oracle setup issues	135
Solve database connection problems	136
Solve SharePlex startup problems	137
Solve sp_ctrl problems	137
Solve host connection problems	138
How to find the ORACLE_SID and ORACLE_HOME	138
Database Setup Utilities	140
Database Setup for HANA	140
Overview	140
Supported databases	140
Guidelines for use	140
Required privileges	141
Run Database Setup for HANA	141
Grant privileges to SharePlex	143
Database Setup for MySQL	143
Overview	143
Supported databases	143
Guidelines for use	143

Required privileges	144
Run Database Setup for MySQL	144
Configure SharePlex to support MySQL database on Azure platform	145
Database Setup for Oracle	147
Overview	147
Supported Databases	147
When to Run Oracle Setup	147
Supported Oracle Connections	148
Required Run Privileges	148
Privileges Granted to SharePlex	149
Requirements	150
SharePlex Schema Storage Requirements	151
Run Database Setup for Oracle	152
Run Database Setup for Oracle Remote Capture	156
Run Database Setup for Oracle in Silent Mode	159
Database Setup for PostgreSQL	159
Overview	159
Supported databases	160
Fujitsu Enterprise Postgres Prerequisite	160
Guidelines for use	160
Required privileges	161
Run Database Setup for PostgreSQL	162
Configure SharePlex to support PostgreSQL database on Azure platform	163
Database Setup for SQL Server	164
Overview	164
Supported databases	164
Guidelines for use	165
Required privileges	165
Run Database Setup for SQL Server	165
Configure Remote Posting from a Linux to a SQL Server Database	167
General SharePlex Utilities	168
SharePlex license utilities	168
Description	168
License utilities on Unix and Linux	168
License utility on Windows	170
Install the SharePlex service	171
Remove SharePlex from a system	172
Overview	172
Remove SharePlex from Unix/Linux	172
Remove SharePlex from Windows	173
Files removed by the uninstall program	173

Files not removed by the uninstall program	173
Remove SharePlex from the system	173
Advanced SharePlex installer options	176
Install SharePlex as Root	178
Run the installer in unattended mode	179
Enter responses in the file	179
Next Steps	180
SharePlex installed items	181
SharePlex Directories	181
SharePlex Installed Objects	182
MKS Toolkit	184
SharePlex Registry Entries	184
About us	185
Contacting Quest	185
Technical support resources	185

About this Guide

This manual provides instructions for installing and setting up SharePlex on an Oracle source database and all supported target types.

This manual also contains some demonstration tutorials that show how certain features of SharePlex work.

Other SharePlex documentation

For the complete SharePlex documentation set, go to <https://support.quest.com/shareplex/technical-documents>.

Conventions used in this guide

Conventions used in this manual

The following typographic conventions are used in this guide.

- **Bold** represents required components of a command or option that must be typed as shown.
- *Italics* represent variables defined, named or entered by the user.
- {Braces} enclose required arguments.
- [Brackets] represent optional command components and may also be used in example command strings to emphasize required user defined variables in long strings.

Example:

reconcile queue {*queue*name} for {*datasource-datadest*} [**on** *host*]

- A vertical bar, or “pipe” character, (|) within brackets or braces indicates that you can use only one of the enclosed components.

Example:

abort service {*service* | **all**}

Names of commands, programs, directories and files are expressed in **Bold**.

Other names are expressed in capital letters using the default font.

Examples:

The **sp_ctrl** program is located in the **bin** directory.

Open the **oramsglst** file.

Find the value for ORACLE_HOME.

Click **Apply**.

System displays, such as prompts and command output, are expressed in a `monofaced` (fixed-space) font.

Examples:

```
sp_ctrl(sysA) >  
User is a viewer (level=3)
```

Windows menu items, dialog boxes, and options within dialog boxes are expressed in **Bold**.

Example:

From the **File** menu, select **Print**.

System names are expressed generically or fictitiously. When necessary, the source system (or primary system) is referred to as *SysA*. Target systems (or secondary systems) are referred to as *SysB*, *SysC*, *SysD*, and so forth.

SharePlex preinstallation checklist

Contents

- [Overview](#)
- [Network checklist](#)
- [Installer checklist](#)
- [Unix/Linux system checklist](#)
- [Windows system checklist](#)
- [Oracle checklist](#)
- [Open Target checklist](#)
- [Amazon EC2 checklist](#)

Overview

Review and satisfy all of the requirements in this checklist before installing SharePlex.

NOTE: The requirements in this checklist apply to all source and target systems where SharePlex will be installed unless otherwise noted.

Network checklist

Requirement	Completed? (Y/N)
<p>Add SharePlex users and groups to the nameserver.</p> <p>If you are installing SharePlex in a network managed by a nameserver such as NIS or NISPLUS, do the following before you install SharePlex:</p> <ul style="list-style-type: none"> • Add SharePlex users to the nameserver. • Add the SharePlex groups to the nameserver. 	

Requirement	Completed? (Y/N)
<p>The SharePlex security groups spadmin (administrator), spopr (operator), and spview (viewer) control access to SharePlex processes. Add each SharePlex user to one of these groups on the nameserver. For more information, see Assign SharePlex users to security groups on page 52.</p> <p>To add the user groups:</p> <ol style="list-style-type: none"> 1. For NIS add the groups to the group.byname and group.bygid maps. For NISPLUS, add them to the group.org_dir table. 2. Add the SharePlex Administrator user to the spadmin group on the nameserver. 3. Create the spadmin group in the /etc/group file (on Unix and Linux) or the User Accounts control panel (Windows), and then add the SharePlex Administrator user to the group. <p>To add SharePlex groups to the local system after you install SharePlex, see Assign SharePlex users to security groups on page 52.</p>	
<p>Ensure that SharePlex can resolve host names.</p> <p>If you find that SharePlex cannot connect to a host, try mapping the host name to an alphanumeric alias in the following locations:</p> <ul style="list-style-type: none"> • Network: The NIS and DNS servers • Unix and Linux: Local /etc/hosts file • Windows: Local hosts file <p>In these files, put each entry on an individual line. The following is an example, where sysA and sysB are aliases:</p> <pre>111.22.33.44 sysA.company.com sysA # source system 55.66.77.88 sysB.company.com sysB # target system</pre>	
<p>Resolve to the right network card</p> <p>If you have multiple network cards on Windows, you must set the SP_SYS_HOST_NAME environment variable to the network card name or IP address that you want SharePlex to use as the local host. Otherwise, if the server reboots after the SharePlex configuration is activated, the IP address may bind to a different network card from the one that is bound in the replication configuration.</p> <p>For more information about SharePlex environment parameters and how to set them, see the SharePlex Reference Guide.</p>	
<p>Allow access to Amazon EC2 instance</p> <p>For an EC2 instance, make certain that the appropriate network group is set up to allow access to EC2 instances.</p>	
<p>Verify the SharePlex port number.</p> <p>By default SharePlex uses the port number 2100 (hex equivalent is 834) for both TCP/IP and</p>	

Requirement	Completed? (Y/N)
<p>UDP. If port 2100 is available to SharePlex, no further action is needed. You will need to enter the SharePlex port number during the installation procedure, at which time you can specify a different port number if needed.</p> <p>IMPORTANT! The SharePlex port number must be the same one on all machines in the replication configuration so that they can communicate through TCP/IP connections. Make certain the SharePlex port number is open for TCP/IP on the firewall.</p>	
<p>Verify TCP/IP settings</p> <p>SharePlex replicates over any TCP/IP network connection. Typically, if all of the tables in a database are being replicated, SharePlex replicates about 33 percent of the redo log volume, the remainder being mostly maintenance data used by the Oracle software. The following is a formula for determining bandwidth.</p> <p style="text-align: center;"><i>(size of a redo log) x (number of log switches in 1 hour) x 1/3 = volume of data per hour</i></p> <p>For example, if the redo logs are 20 MB in size, and they switch six times an hour, SharePlex will replicate approximately 40 MB each hour:</p> <p style="text-align: center;">$20 \times 6 \times 1/3 = 40 \text{ MB/hour}$</p>	
<p>VerifyTCP protocol</p> <p>SharePlex has been tested on IP v6 networks, but it is impossible to test all scenarios. See the System Requirements in the SharePlex Release Notes for more informationon.</p>	

Installer checklist

Requirement	Completed? (Y/N)
<p>Assign a directory to store the downloaded SharePlex installation package.</p> <p>This directory requires approximately the following disk space:</p> <ul style="list-style-type: none"> • Unix and Linux: 200 MB • Windows: 60 MB plus 400 MB of temporary disk space <p>It can be removed after SharePlex is installed.</p>	
<p>Plan the SharePlex product directory.</p> <p>You can create a directory for the SharePlex software files or let the SharePlex installer create it. This directory requires approximately the following disk space:</p> <ul style="list-style-type: none"> • Unix and Linux: 120 MB • Windows: 600 MB plus 20 MB for the MKS Toolkit® <p>Install this directory on the following:</p>	

Requirement	Completed? (Y/N)
<ul style="list-style-type: none"> • Unix and Linux: a separate filesystem from the one that contains the database. • Windows: a separate internal hard drive or partition from the one that contains the database. <p>Do not install SharePlex on a raw device.</p>	
<p>Plan the SharePlex variable-data (working) directory.</p> <p>This directory is installed by the SharePlex installer with a name of your choosing. It contains the working data and varies greatly in size in correlation to the volume of data being generated. Install this directory on a separate filesystem from the one that contains the database, but not on a raw device.</p> <p>To estimate the required disk space:</p> <ol style="list-style-type: none"> 1. Estimate the longest time that a replication outage can be tolerated. 2. Use the following formula to estimate the amount of data SharePlex would replicate during that amount of time. $[\text{size of a redo log}] \times [\text{number of log switches per hour}] \times .333 \times [\text{number of hours downtime}] = \text{required disk space}$ <p>For example: $[500 \text{ MB redo log}] \times [5 \text{ switches per hour}] \times [.333] \times [8 \text{ hours}] = 6.5 \text{ GB disk space}$</p> <p>To replicate data from more than one database on a system, use a variable-data directory for each one. Ideally they should be on different filesystems.</p> <p>Do not install the variable-data directory within the SharePlex product directory. Both directories contain identically named files, and SharePlex utilities that clean up the environment (if this becomes necessary) could remove the wrong files. You can install both directories under one parent directory if desired.</p> <p>NOTE: Always monitor disk usage when there is an active SharePlex configuration, especially when there are peaks in transaction activity.</p>	
<p>Install in a cluster (including Oracle RAC)</p> <p>Most shared storage solutions can be used to house SharePlex. Such file systems include, but are not limited to:</p> <ul style="list-style-type: none"> • Oracle Cluster File System (OCFS2) • Oracle Automatic Storage Management (ASM) Cluster File System (ACFS) • Oracle DataBase File System (DBFS) • OCFS2 NOTE: This file system must be mounted nointr. Both SharePlex and Oracle report interrupt errors if nointr is not specified. • Most general purpose cluster file systems <p>See Installation and setup for Oracle cluster on page 31 for SharePlex installation requirements in a cluster. Many of those steps must be performed before you install SharePlex, while others are performed after installation.</p>	

Requirement	Completed? (Y/N)
<p>Create the SharePlex security groups.</p> <p>SharePlex provides three security groups to enable access control through sp_ctrl. On Unix and Linux, unless you install SharePlex as a root user, the SharePlex Administrator user and the SharePlex admin group must exist prior to installation. For more information, see Assign SharePlex users to security groups on page 52.</p> <p>NOTE: If you install as root, you are prompted by the installer to create these groups.</p>	
<p>Choose a DBA-privileged operating system group to own SharePlex.</p> <p>The SharePlex Administrator user must be in the Oracle dba group. For Oracle RAC and ASM 11gR2 and above, the user must also be in the Oracle Inventory group. For example: \$ useradd -g spadmin -G dba,oinstall. The membership in Oracle Inventory group must be listed explicitly in the etc/group file.</p>	
<p>Get a valid SharePlex license key.</p> <p>You must have a valid permanent or trial license key from Quest to run SharePlex. The installer prompts for the license key and the text string in the Site Message that Quest Software provides with the license.</p> <p>SharePlex licensing information can be found in the Quest Software Product Guide. Please contact your account manager if you have questions.</p>	

Unix/Linux system checklist

Requirement	Completed? (Y/N)
<p>Confirm that the platform is supported.</p> <p>Review the SharePlex Release Notes to make certain your operating system is supported.</p>	
<p>Allocate at least 4 GB of memory for SharePlex processes.</p> <p>Plan for per-process memory up to 256 MB. This recommendation enables the Post and Read processes to allocate larger sets of memory when necessary.</p>	
<p>Disable the disk cache option.</p> <p>(Source system) Place the redo logs, archive logs, and SharePlex files on a file system that does not have a cache option. Disk caching may interfere with the capture process. For more information, see the SharePlex Knowledge Base article 30895.</p>	
<p>Set the number of semaphores per process.</p> <p>Semaphores help ensure the stability of the SharePlex processes. The required SharePlex settings depend on the platform, as follows:</p>	

Requirement	Completed? (Y/N)
<p>Oracle Solaris:</p> <ul style="list-style-type: none"> • semmni: 70 • semmns: 255 • semmnu: 255 • semmsl: 128 • semume: 255 • shmmax: 60 MB • shmmni: 100 <p>Red Hat Linux:</p> <ul style="list-style-type: none"> • semmni*: 70 • semmns*: 255 • semmnu: 255 • semmsl: 128 • semopm: 64 • semume: 255 • shmmax: 60 MB • shmmin: 1MB • shmmni: 100 • shmseg: 26 <p>*These are additive. Add the database minimum values to the SharePlex minimum values to determine the correct setting.</p> <p>An alternative is to set the value to the number of queues you will be using plus 2. For more information about SharePlex queues, see the SharePlex Administrator Guide.</p>	
<p>Set the ulimit (number of system file descriptors) to as close to 1024 as possible. The ulimit can be set either as a system <i>hard limit</i> or a session-based <i>soft limit</i>, as follows:</p> <ul style="list-style-type: none"> • Set a hard limit: (Recommended) A root user and system restart are required to change the hard limit, but the value remains fixed at the correct level to support SharePlex. Consult your System Administrator for assistance. • Set a soft limit: A soft limit setting stays in effect only for the duration of the sp_cop session for which it was set, and then it reverts back to a default value that may be lower than the hard limit and too low for SharePlex. 	
<p>Set soft and hard limits for the SharePlex user Set a soft limit and a hard limit for nproc and nofile for the SharePlex O/S user in the</p>	

Requirement	Completed? (Y/N)
<p>/etc/security/limits.conf file.</p> <ul style="list-style-type: none"> • shareplex O/S user soft nproc 2048 • shareplex O/S user hard nproc 16384 • shareplex O/S user soft nofile 1024 • shareplex O/S user hard nofile 65536 <p>As an alternative, you can simply use the setting for the Oracle O/S user.</p>	
<p>Set core file parameters.</p> <ul style="list-style-type: none"> • Set the system core dump block size as large as system resources can accommodate, at minimum 1.5 million blocks. The default is usually 0. Core files help Quest support representatives resolve SharePlex support cases. Higher size settings ensure that enough data is captured to be useful. • Set the core file output location to the dump sub-directory of the SharePlex variable-data directory. • Set the naming convention of core files to either core or core.pid. NOTE: SharePlex renames all core files named core to core.pid, except for those generated by sp_cop. <p>If these requirements are not met, the SharePlex event log might report that a core file was not generated, even though a file exists.</p>	
<p>Install the ksh shell.</p> <p>Install the ksh shell before you install SharePlex. The SharePlex monitoring scripts and other features required this shell.</p> <p>A version of ksh called pdksh is included with the Red Hat Linux builds. Refer to the Red Hat Linux documentation for more information.</p>	
<p>Install Native POSIX Threading Library (NPTL)</p> <p>Quest recommends using the Native POSIX Threading Library (NPTL) on Linux. NPTL is faster and behaves more like other Unix operating systems than LinuxThreads. Although LinuxThreads can be enabled per process by using the LD_ASSUME_KERNEL environment variable, setting that variable adversely affects the performance of SharePlex. If LD_ASSUME_KERNEL is employed, use a setting of 2.4.21.</p>	
<p>Set the UNIX account that installs SharePlex to -rwsr-s--x using set-user-id.</p> <p>The value of -rwsr-s--x enables the Database Setup utility to connect to an Oracle database through SQL*Plus to install the SharePlex database account and objects during installation. The UNIX account that installs SharePlex owns this program.</p>	
<p>(Debian Linux)</p> <p>Create a symbolic link to the /lib64/libc.so.6 library path.</p>	

Requirement	Completed? (Y/N)
On Debian Linux, the /libc.so.6 library files are not in the /lib64/libc.so.6 location that SharePlex expects. Before installing SharePlex on Debian Linux, create a symbolic link to /lib64/libc.so.6 .	
<p>Configure the oratab file.</p> <p>Make sure that the correct ORACLE_SID and ORACLE_HOME values are explicitly listed in the oratab file. SharePlex refers to this file to set its environment.</p> <p>On Sun machines, SharePlex only uses the oratab file that is in the /var/opt/oracle directory. If there is a copy of the oratab file in the /etc directory ensure that this file is identical to the one in the /var/opt/oracle directory.</p>	

Windows system checklist

Requirement	Completed? (Y/N)
<p>Confirm that the Windows version is supported.</p> <p>Review the SharePlex Release Notes to make certain your operating system is supported.</p>	
<p>Be prepared to restart the system.</p> <p>On the Windows platform, SharePlex installs the MKS Toolkit® operating environment from Parametric Technology Corporation (PTC). The default folder for the MKS Toolkit® is C:\Program Files\MKS Toolkit.</p> <p>Set system permissions so that the MKS Toolkit files cannot be moved or removed after they are installed.</p> <p>If this is a first-time MKS Toolkit installation, you will be prompted to restart the system.</p>	
<p>Adjust the page size.</p> <p>SharePlex needs an additional 200 MB of page file size if more than 80 percent of the current total page file size is being used. Greater page size enables SharePlex to process large transactions more quickly.</p>	
<p>Assign a user who will own the SharePlex directories.</p> <p>Assign a member of the Windows Administrator group to own the SharePlex installation and variable-data directories. This user must exist before you run the SharePlex installer and must have system privileges to read the Oracle redo logs.</p>	
<p>(Oracle) Verify the Oracle Registry entries.</p> <p>(Test machines only) On machines where Oracle has been installed and uninstalled many times, the Oracle entries in the Registry may be corrupted. Before you install SharePlex on a test machine, uninstall all Oracle software and delete all Oracle Registry entries. Then, re-</p>	

Requirement	Completed? (Y/N)
install Oracle by using the Oracle installation program, which creates Registry entries correctly. SharePlex relies on these entries to obtain database environment information.	
<p>(Oracle) Set ORACLE_HOME as the first entry in the PATH variable.</p> <p>SharePlex expects the path to the Oracle binaries to be the first entry in the Windows PATH system variable. Change the variable, if needed, and verify that the path is correct.</p>	

Oracle checklist

Requirement	Completed? (Y/N)
<p>Perform any required database upgrades.</p> <p>Perform any required database upgrades before you install SharePlex. This ensures that SharePlex gets the most current object definitions when you run Database setup during the installation and setup steps.</p>	
<p>Confirm the Oracle release version and processor type. (source and target databases)</p> <p>Verify that the Oracle release version is supported by SharePlex.</p> <p>NOTE: SharePlex does not support 32-bit Oracle versions.</p>	
<p>Set up Oracle online and archive logging. (source databases)</p> <ul style="list-style-type: none"> • Enable archive logging to avoid the need to resynchronize data after a log wrap. • Enable minimum supplemental logging. • Enable supplemental logging of primary and unique keys. • Configure the logs to support replication. <p>For more information, see Set up Oracle logging to support SharePlex on page 55.</p>	
<p>Set up database objects to support replication.</p> <p>Set up Oracle objects to support replication properly, including:</p> <ul style="list-style-type: none"> • Log primary and unique keys (source database only). • Handle tables that do not have keys. • Handle indexes, triggers, constraints, and sequences. <p>For more information, see Set up Oracle database objects for replication on page 58.</p>	

Requirement	Completed? (Y/N)
<p>Configure database properties to support replication (source databases)</p> <p>Make the recommended database settings to support SharePlex processes:</p> <ul style="list-style-type: none"> • Verify character sets are compatible with SharePlex. • Adjust log buffer size. • Adjust open cursors and processes parameters. • Adjust initrans setting of SHAREPLEX_TRANS table. <p>For more information, see Set up an Oracle database to support SharePlex on page 64.</p>	
<p>Set privileges to capture TDE-protected data. (source databases)</p> <p>To decrypt TDE-protected data from the redo log, the SharePlex Administrator must open the Oracle Wallet with the wallet password. By default, only the Oracle Wallet owner-user has read and write permissions for this file. To enable SharePlex to open the wallet, you can either of the following:</p> <p>Grant read permission to the wallet file to the dba group, because the SharePlex Administrator user is a member of that group.</p> <p>Or...</p> <p>Have the owner of the wallet start SharePlex.</p> <p>For more information, see Set up TDE Support on page 70.</p>	
<p>Plan the SharePlex Oracle account. (source and target databases)</p> <p>During SharePlex installation, you will run the Database Setup utility to create a database account (user and schema) for SharePlex. The following is a list of privileges required for the database user who runs the this utility:</p> <p>Non-multitenant (standard) database</p> <p>The user who runs the setup utility must have DBA privileges.</p> <p>Multitenant database</p> <p>The user who runs the setup utility should have SYSDBA privileges (recommended), but at minimum the user should be a DBA user with privileges for sys.users\$ and sys.enc\$. The minimum following grants are required for the SharePlex user:</p> <pre>create user c##sp_admin identified by sp_admin; grant dba to c##sp_admin container=ALL; grant select on sys.user\$ to c##sp_admin with grant option container=ALL;</pre>	

Requirement	Completed? (Y/N)
<p>Plan the SharePlex objects tablespace. (source and target databases)</p> <p>The Database Setup utility installs some tables into a tablespace of your choosing. All but the SHAREPLEX_LOBMAP table use the default storage settings of the tablespace.</p> <p>The SHAREPLEX_LOBMAP table contains entries for LOBs stored out-of-row. It is created with a 1 MB INITIAL extent, 1 MB NEXT extent, and PCTINCREASE of 10. The MAXEXTENTS is 120, allowing the table to grow to 120 MB.</p> <p>Preferred action: If you enable supplemental logging for primary and unique keys, you can set the SP_OCT_ENABLE_LOBMAP parameter to 0, and nothing will be stored in the SHAREPLEX_LOBMAP table. In this case, you do not have to consider its size growth. It is recommended that you enable supplemental logging for primary and unique keys to maximize the performance of the Read process.</p> <p>Alternate action: The default storage usually is sufficient for SHAREPLEX_LOBMAP, permitting more than 4 million LOB entries. If the Oracle tables to be replicated have numerous LOB columns that are inserted or updated frequently, consider increasing the size the SharePlex tablespace accordingly. Take into account that this table shares the tablespace with other SharePlex tables.</p> <p>If the database uses the cost-based optimizer (CBO) and the tables that SharePlex processes include numerous LOBs, incorporate the SHAREPLEX_LOBMAP table into the analysis schedule.</p> <p>NOTE: A new installation of SharePlex does not change storage parameters from a previous installation.</p>	
<p>Plan the SharePlex temporary tablespace. (source and target databases)</p> <p>The Database Setup utility prompts for a temporary tablespace for SharePlex to use for sorts and other operations, including sorts performed by the compare commands. The default temporary tablespace is the one where the SharePlex objects are installed. If you plan to use the compare commands to compare large tables, especially those without a primary or unique key, specify a dedicated temporary tablespace for SharePlex.</p>	
<p>Plan for theSharePlex index tablespace. (source and target databases)</p> <p>The Database Setup utility prompts for a tablespace to store the indexes for the SharePlex tables. The default index tablespace is the one where the SharePlex objects are installed. To minimize I/O contention, specify a different index tablespace from the one where the tables are installed.</p> <p>NOTE: If indexes from a previous version of SharePlex are installed in the SharePlex objects tablespace, you can move them to a different tablespace and then specify that tablespace when you run the setup utility.</p>	
<p>Plan for required queue space</p> <p>SharePlex stores replicated data that is being processed in queues on the local system. There must be enough disk space for these queues to grow in the event that a SharePlex</p>	

Requirement	Completed? (Y/N)
<p>process stops (for example, a target system is down) and replicated data accumulates in the queues.</p> <p>To determine the amount of queue space on each system</p> <ol style="list-style-type: none"> 1. Use a worst-case scenario and estimate the length of downtime to be tolerated. 2. Determine how much data is replicated in that time, using the following formula as a guide. This formula multiplies the redo log value by one-third because only about one-third of the redo log is actually data that is replicated. The rest is data used by Oracle to maintain and operate the instance itself. <p><i>[size of a redo log x number of log switches in 1 hour] x 1/3 x [number of hours downtime] = amount of disk space needed for the queues on each system</i></p> <p>Example: Suppose you expect to recover from 8 hours of downtime and your redo logs are 60 MB. They switch five times an hour. According to the formula, you need 800 MB of space on the source machine and on the target machine for the SharePlex queues. $[60 \text{ MB redo log}] \times [5 \text{ switches/hour}] \times [1/3] \times [8 \text{ hours}] = 800 \text{ MB disk space}$</p>	
<p>Install the Oracle client. (on-premises databases)</p> <p>The Oracle client libraries are needed both for installation and setup as well as for the operation of SharePlex.</p>	
<p>Consider Case if replicating to an Open Target database</p> <p>To support replication between a source of one database type and a target of another type, the letter case of the names of the source and target columns must be the same, for example the column names on both sides in lower case or both sides in upper case. If the case differs between the source and target column names, use the column mapping feature to map the column names in the configuration file.</p>	

Open Target checklist

All Open Targets

Requirement	Completed? (Y/N)
<p>Perform any required database upgrades.</p> <p>Perform any required database upgrades before you install SharePlex. This ensures that SharePlex gets the most current object definitions when you run Database setup during the installation and setup steps.</p>	

Requirement	Completed? (Y/N)
<p>Confirm the database release version. Verify that the release version of the database is supported by SharePlex.</p>	
<p>Consider character sets When replicating to an Open Target target (non-Oracle target), SharePlex supports replication from any Oracle Unicode character set and the US7ASCII character set. SharePlex posts data to Open Target in the Unicode character set, and therefore if the source data is Unicode or US7ASCII, no conversion on the target is required. However, if the following are true, conversion is required on the target:</p> <ul style="list-style-type: none"> • If the character set of the source data is anything other than Oracle Unicode or US7ASCII, you must install an Oracle client on the target to perform the conversion to Unicode for posting to the target. • If the data must be posted to the target database in any character set other than Unicode, you must install an Oracle client on the target to perform the conversion and use the target command to identify the target character set for Post to use. • If you are replicating LOB data, conversion is required regardless of what the source character set is. <p>To perform conversion with an Oracle client on Linux</p> <ol style="list-style-type: none"> 1. Install an Oracle <i>Administrator</i> client on the target system. The client must be the Administrator installation type. The Instant Client and Runtime installation types are not supported. 2. Set ORACLE_HOME to the client installation. Set ORACLE_SID to an alias or a non-existing SID. SharePlex does not use them and a database does not have to be running. 3. Install SharePlex using the Linux/Unix installer for your operating system. 4. Make certain the SP_OPX-NLS_CONVERSION parameter is set to the default of 1. <p>To perform conversion with an Oracle client on Windows</p> <ol style="list-style-type: none"> 1. Install an Oracle <i>Administrator</i> client on the target system. The client must be the Administrator installation type. The Instant Client and Runtime installation types are not supported. 2. In the SharePlex Registry key <code>\HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\QuestSoftware\SharePlex\port_number</code>, set ORACLE_HOME to the Oracle client installation location, and set ORACLE_SID to an alias or a non-existing SID. No Oracle database is required. SharePlex only needs to use the client libraries. 3. Install SharePlex using the Windows installer. 4. Make certain the SP_OPX-NLS_CONVERSION parameter is set to the default of 1. <p>To apply Unicode and US7ASCII data without conversion</p>	

Requirement	Completed? (Y/N)
<p>If the source data is Unicode or US7ASCII and you are not replicating LOB data, no conversion or Oracle client is needed. Set the SP_OPX-NLS_CONVERSION parameter to 0 to disable conversion, and then restart Post if it is running.</p>	
<p>Consider Case</p> <p>To support replication between a source of one database type and a target of another type, the letter case of the names of the source and target columns must be the same, for example the column names on both sides in lower case or both sides in upper case. If the case differs between the source and target column names, use the column mapping feature to map the column names in the configuration file.</p>	
<p>Install the appropriate ODBC driver.</p> <p>Verify that the appropriate ODBC driver is installed for your target, and install one if there is not one present.</p> <p>To test a driver with SharePlex you can use the OTS utility. You can use a standalone version of this utility before you install SharePlex, or you can run the utility from the installation directory after you install SharePlex. See the OTS documentation in the SharePlex Reference Guide for more information.</p>	
<p>Enable case sensitivity on key columns</p> <p>Enable case-sensitivity for the data of any character-based primary key columns or columns that form a unique index. This ensures that Post compares the correct source and target key values so that it updates the correct target row and prevents unique constraint errors. Unless the key values are case sensitive, cases like the following can happen:</p> <pre> Create table Sales (CustName varchar(20) primary key); insert into Sales values ('abc company'); (Succeeds) insert into Sales values ('ABC Company'); (Fails with unique constraint violation error) </pre>	
<p>Disable triggers, cascade deletes, and foreign keys on the target tables.</p> <p>Triggers, cascaded DELETES, and foreign keys must be disabled on Open Target tables. DML changes resulting from triggers, cascaded DELETES, and foreign keys on the source system enter the transaction log and are replicated to the target database by SharePlex. If the same mechanisms are allowed to occur on the target parent table, they initiate changes to the child tables that are duplicated through replication. These duplicate operations cause out-of-sync errors.</p> <p>All tables with foreign keys to one another must all be included in the replication configuration for accurate replication of the source foreign key results. All tables with referential constraints must exist in the target database. If you leave one or more out, the referential integrity could become corrupted.</p>	

SQL Server Target

Requirement	Completed? (Y/N)
<p>Configure a System Data Source Name</p> <p>Create a System (not User) Data Source Name (DSN) for the SQL Server database on the Windows system. The DSN can use either Windows NT authentication or SQL Server authentication. If you configure the DSN to use NT authentication and are using SQL Server 2012 or later, grant the NTAuthority\SYSTEM user the sysadmin fixed server role. (For earlier versions of SQL Server, sysadmin is granted to the NT Authority\SYSTEM user by default.)</p> <p>Test connection to the database through this DSN.</p> <p>IMPORTANT!</p> <p>If you are using SharePlex for multiple databases that are in different SQL Server instances on the same system, each of those databases must have a unique name. Because SharePlex identifies a database by its name, if two or more databases have the same name, SharePlex will only connect to one of them.</p> <p>If databases in different SQL Server instances have the same name but you are only using SharePlex for one of them, the names can remain identical without causing connection conflicts.</p>	

Postgres Target

Requirement	Completed? (Y/N)
<p>Configure a System Data Source Name (Windows installations)</p> <p>If you are replicating data to a Postgres target on Windows, you must use a DSN (data source name) as the connection method. This DSN must exist before you install SharePlex.</p>	
<p>Add a source entry to the PostgreSQL pg_hba.conf file</p> <p>For a PostgreSQL target (non-cloud), make certain that the PostgreSQL pg_hba.conf file has an entry for the SharePlex source server IP address, which gives that server access to PostgreSQL target server and its databases.</p> <p>Example entry:</p> <pre>host all all sourceip md5</pre>	

Amazon EC2 checklist

Requirement	Completed? (Y/N)
Install on multiple EBS volumes	

Requirement	Completed? (Y/N)
<ul style="list-style-type: none"> • Install the database and SharePlex on Amazon Elastic Block Storage (EBS). An EBS volume is persistent storage, whereas the default Amazon storage is non-persistent and data is lost when the instance shuts down. EBS volumes also provide better performance. Minimum size for a volume is 1GB. • To optimize disk performance, create multiple EBS volumes and combine them by using software RAID. According to benchmarks, the optimal number of EBS volumes is 8. 	
<p>Assign Elastic IP addresses</p> <p>Amazon Elastic IP addresses are static, which satisfy SharePlex requirements. An Elastic IP must be created and assigned to both the source and target machines that will be used with SharePlex.</p>	

Download the SharePlex installer

Contents

[About the SharePlex installers](#)

[Where to get SharePlex installers](#)

About the SharePlex installers

There are different installers for SharePlex based on the type of operating system. This topic helps you understand the differences and the naming conventions used.

Linux and Unix

The SharePlex installer on Linux and Unix is a self-extracting installation file with the extension **.tpm**.

Oracle and Open Target:

There is a separate SharePlex installer build for each supported platform.

SharePlex-release#-build#-platform-chipset.tpm

For Oracle Solaris (Sun), there is a separate SharePlex installer build for each supported operating system version. If the operating system version that you have is not listed, choose the highest number that is *below* your version.

SharePlex-release#-build#-platform-version-chipset.tpm

The installer creates a temporary target directory, within the current directory, for extraction. This temporary target directory is removed upon installation completion. You can extract the files to a file system that is separate from the SharePlex installation location by using the **-t** option when running the **.tpm** file. For additional options, see [Advanced SharePlex installer options](#) on page 176.

Windows

On Windows, the SharePlex installer is named **sp_setup_version.exe**. It is a bundle that contains SharePlex binaries for all of the supported databases and versions.

The installer installs the following items:

- The SharePlex binaries and files
- The **SharePlex for *database*** program
- The **MKS Platform Components** program from Parametric Technology Corporation (default **C:\Program Files\MKS Toolkit**)
- Windows registry entries under \HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432node.
- One or more **SharePlex *port_number*** Windows services (depending on the installed configuration)

Do not remove or modify any of these components while SharePlex is in production, including **SharePlex Installer**. These components all support SharePlex operation or upgrade.

Where to get SharePlex installers

Download the SharePlex installation package that matches the operating system you are using.

Additionally, download any SharePlex patches, so that you can install them after you install the base software.

1. Go to the Quest Software Support page: <http://support.quest.com/>
2. Click **Download Software**.
3. In the search box, type **SharePlex** and press **Go**.
4. Click the arrow in the **Download** column for the version you need. You can also click the file name for access to more information and to download the file(s).
5. Transfer the file to system where you are installing SharePlex.
6. You are ready to begin the installation process. Be sure to thoroughly read the version specific Release Notes *prior* to running the installer.

Installation and setup for Oracle cluster

Contents

- Overview of SharePlex Oracle cluster support
- Set up SharePlex in an Oracle cluster
 - Configure the cluster
 - Install SharePlex on the cluster
 - Run Database Setup
 - Persist the SharePlex licenses
 - Set the SharePlex environment parameters
 - Configure SharePlex
 - Activate replication
 - Add SharePlex to the cluster software
 - System maintenance

Overview of SharePlex Oracle cluster support

SharePlex integrates with Oracle Clusterware cluster hardware and software to maintain the high availability of data capture and uninterrupted replication to your targets. If the node where SharePlex is running fails or must be taken out of the cluster for maintenance, SharePlex can be started on another server by the cluster software. SharePlex start and stop is controlled through the cluster.

These instructions assume that the cluster solution is already installed according to the cluster documentation, tested, and is functioning, and they are not a substitute for the documentation. Additional steps that are specific to your cluster installation may be required.

The following diagram shows SharePlex installed into an Oracle RAC cluster:


SharePlex Configuration with Clustered Source Oracle Database

Normal operations

SharePlex replicates from the primary instance of a clustered database to the primary instance of a target clustered database or to a non-clustered database.

Or...

SharePlex replicates from a non-clustered database to the primary instance of a target clustered database.



After failover

SharePlex connects to the secondary instance in the cluster and resumes processing.

Set up SharePlex in an Oracle cluster

These instructions are for setting up SharePlex in an Oracle cluster. The setup is similar for the Windows and UNIX or Linux platforms. Differences are noted. UNIX is used in the examples.

IMPORTANT! These instructions cover the parts of installing and setting up a cluster that pertain to the setup of SharePlex in the cluster. See the Oracle documentation for complete instructions for the platform that you are using.

The setup has the following phases:

- Configure the cluster
- Install SharePlex on the cluster
- Run Database Setup
- Persist the SharePlex licenses
- Set the SharePlex environment parameters
- Configure SharePlex
- Activate replication
- Add SharePlex to the cluster software
- System maintenance

Configure the cluster

Perform these steps on a source cluster and a target cluster, if applicable.

1. On one node of the cluster, create a static application Virtual IP (VIP) address for SharePlex. This VIP must point to the node where SharePlex will run and fail over to the secondary node if the primary node fails.

NOTES:

See the Oracle documentation for more information about creating a Virtual IP address on your specific platform.

The VIP establishes a consistent host name across all nodes.

The cluster software maps the VIP to the SharePlex server and migrates it during a failover.

Alternatively, this mapping can be done as a host alias in the `/etc/hosts` file (on Unix and Linux) or the `hosts` file (on Windows) on both nodes. The alias is exported in the SharePlex user profile and used in the SharePlex configuration parameters.

Example:

```
123.456.0.78 splex
```

2. Create a **TNS alias** for SharePlex to use to connect to the database on each node. **Use the same alias on each node of a cluster.** Set load balance to **off** and set failover to **on**. For example:

Node 1:

```
ora_a_sp =
    (DESCRIPTION =
      (ADDRESS_LIST =
        (ADDRESS = (PROTOCOL = TCP) (HOST = RAC1) (PORT =
1521))
        (ADDRESS = (PROTOCOL = TCP) (HOST = RAC2) (PORT =
1521))
      )
      (LOAD_BALANCE = OFF)
      (FAILOVER = ON)
      (CONNECT_DATA =
        (SERVER = DEDICATED)
        (SERVICE_NAME = ora_a)
        (INSTANCE_NAME = ora_a1)
      )
    )
```

Node 2:

```
ora_a_sp =
    (DESCRIPTION =
      (ADDRESS_LIST =
        (ADDRESS = (PROTOCOL = TCP) (HOST = RAC2) (PORT =
1521))
        (ADDRESS = (PROTOCOL = TCP) (HOST = RAC1) (PORT =
1521))
      )
      (LOAD_BALANCE = OFF)
      (FAILOVER = ON)
      (CONNECT_DATA =
        (SERVER = DEDICATED)
        (SERVICE_NAME = ora_a)
        (INSTANCE_NAME = ora_a2)
      )
    )
```

NOTE: A **TNS alias** establishes global connection information that supercedes local instance names and enables SharePlex to connect to the failover instance without requiring a configuration reactivation. SharePlex identifies the correct Oracle instance from the configuration file.

3. (UNIX and Linux only) Add the **TNS alias** to the **oratab** file on each node that SharePlex is expected to start on during a failover.

Example (all nodes):

```
ora_a:/u01/app/oracle/product/11.2.0/dbhome_1:N
ora_a_sp:/u01/app/oracle/product/11.2.0/dbhome_1:N
```

4. If the Oracle instances in the cluster have different ORACLE_HOMEs, edit the **oratab** file on each node and on the DNS nameserver, if applicable, to use a symbolic link in place of the actual ORACLE_HOME path:
SID:/path_to_symbolic_link:N

Install SharePlex on the cluster

In a cluster, SharePlex is installed differently on Unix and Linux versus Windows.

To install on Unix and Linux

On Linux and Unix, the best practice is to install both the SharePlex variable-data and product directories on a shared drive, rather than on each node. This configuration enables more efficient failover and faster upgrades of SharePlex. If you do install these directories locally on both nodes of the cluster, do the following:

- Install each SharePlex instance on the same port number, with identical path names. When installing on the secondary node, specify a temporary variable-data directory and then remove it after installation. Alternatively, you can use a shared drive for the variable-data directory, and then specify that directory when installing SharePlex on each node. You will configure SharePlex to use the correct variable-data directory in this procedure.
- When prompted by the installer for the ORACLE_SID, specify the **TNS alias**.
- For more information, see [Install SharePlex on Linux/Unix for Oracle Database](#) on page 42.

To install on Windows

- On Windows, you must install the SharePlex product directory on each node of the cluster in order to make the binaries and the required MKS Toolkit components available to all nodes, and to establish Registry entries. Install each SharePlex instance on the same port number, with identical path names.
- It is best practice to install the SharePlex variable-data directory on a shared drive to enable more efficient failover. If you do install this directory locally on both nodes of the cluster, specify a temporary variable-data directory on the secondary node and remove it after installation. You will configure SharePlex to use the correct variable-data directory in this procedure.
- For more information, see [Install SharePlex on Windows](#) on page 49.

Run Database Setup

After you install SharePlex, run the Database Setup utility. The following applies in a cluster:

- **Source cluster:** Run Database Setup and specify the **TNS alias** as the connection type.
- **Target system or target cluster:** Run Database Setup and specify the **TNS alias** as the connection type, *except if you are populating the target with a hot backup*. If you are populating the target with a hot backup, *do not* run Database Setup now. You will run Database Setup during the activation procedure.
- For more information, see [Database Setup for Oracle](#) on page 147.

Persist the SharePlex licenses

Perform these steps on a source cluster and on a target cluster, if applicable.

SharePlex will not run without a license key for each node of the cluster. This license key must be persisted in the SharePlex environment.

To add licenses on Unix and Linux

1. On the secondary node, determine the host ID of the secondary node of the cluster by running the following command from the **util** subdirectory of the SharePlex product directory.

```
/home/shareplex/util/splex_uname
```

Look for the HostID line and record the value:

```
HostID = 1234567890
```

2. On the primary node, run the **splex_add_key** utility from the **install** sub-directory of the SharePlex product directory.

```
/home/shareplex/install/splex_add_key
```

3. Select **3) Add license key for alternate host**.
4. Enter the machine ID of the secondary host that you recorded from the **splex_uname** output.
5. Select **2) Enter license key manually**.
6. Enter the license key exactly as you received it from Quest, including the **SPLEXKEY=** string if one prepends the key, any spaces, and any capitalization. Press **Enter** when finished typing the key.
7. Enter the customer name text string that is provided with the license key.
8. Quit the license utility.
9. Repeat the licensing steps for any additional secondary nodes in the cluster.

To add licenses on Windows

Run the license utility on each node of the cluster.

1. Log on to Windows as the SharePlex Administrator.
2. If SharePlex is running, do the following:
 - a. Select the **SharePlex Services** tab.
 - b. Select the port number of the SharePlex instance for which you want to add a license key.
 - c. Click **Stop**.
 - d. Wait for **Current State** to display a message that the service stopped.
3. Select the **License Keys** tab.
4. Select the SharePlex port number from the **Port** list.
5. Click **Add License**, then type or paste the information exactly as you received it from Quest, as follows:
 - a. **License Key**: The license key, including any spaces. The key is case-sensitive.
 - b. **Customer Name**: The text string that was included with the license. The name is case-sensitive.
6. (Windows Cluster) To add a license for another node in a cluster, select the **Add Alternate Host Id** check box, then select the machine ID from the CPU ID list box. Repeat this step to add a license to all secondary nodes in the cluster.

7. Click **OK to close the utility**.
8. To start SharePlex, do the following:
 - a. Select the **SharePlex Services** tab.
 - b. Select the port number of the SharePlex instance that you licensed.
 - c. Click **Start**.
 - d. Wait for **Current State** to display a message that the service started.

Set the SharePlex environment parameters

Perform these steps on a source cluster and on a target cluster, if applicable.

Set the SharePlex environment to point to the VIP alias and SharePlex variable-data directory.

- `SP_SYS_HOST_NAME` directs SharePlex to use the VIP alias when any of its processes issues a name lookup, superseding the local system name. It ensures that `sp_ctrl` commands are directed to the correct host, in this case the cluster name, and it enables SharePlex to migrate properly during failover.
- `SP_SYS_VARDIR` points to the variable-data directory that you installed on the shared disk. This is the active variable-data directory. Setting `SP_SYS_VARDIR` ensures that the current replication environment continues to be used by SharePlex after failover.

To set the environment on UNIX and Linux

```
EXPORT SP_SYS_HOST_NAME="splex"
```

```
SP_SYS_PRODDIR=/home/shareplex
```

```
SP_SYS_VARDIR="/app/shareplex/varidir"
```

To set the environment on Windows


IMPORTANT! Do not set these parameters as environment variables, and do not set them on any systems outside the cluster, even if those systems are running SharePlex.

1. On the primary node of the cluster, run the **regedit** program.
2. Locate the following SharePlex entry:


```
HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\QuestSoftware\SharePlex.
```

3. Expand the **SharePlex** node, then highlight the port number of the SharePlex instance you are configuring.
4. In the **Name** column in the pane to the right, right-click the `SP_SYS_VARDIR` variable, then select **Modify**.

5. Type the full path name of the shared variable-data directory in the **Value Data** field, then click **OK**.



6. Right click the SharePlex port number, then click **New** and select **String Value**.
7. Rename the new string to **SP_SYS_HOST_NAME**. Use all capital letters.
8. Click outside the name box to set the new name of **SP_SYS_HOST_NAME**.
9. Right-click **SP_SYS_HOST_NAME**, then select **Modify**.
10. Type the VIP alias in the **Value Data** field, then click **OK**.



11. Close the Registry Editor.
12. Restart the SharePlex service for the changes to take effect.

Configure SharePlex

When you create the configuration file that directs SharePlex replication, you specify the **TNS alias** rather than an actual ORACLE_SID, as follows.

To capture from a source cluster

Specify the **TNS alias** on the `o.datasource` line of the file. This is the first line of the configuration file.

For example:

```
datasource:o.ora_a_sp
```

To post to a target cluster

Specify the **TNS alias** as the destination in the routing map.

For example (assumes the use of wildcards to specify objects):

```
expand hr.%      hr.%      inst_c@ora_b_sp
```

Activate replication

Once a source and target cluster (if applicable) are configured, you can populate a standalone or clustered target with a copy of the source data, while replication keeps track of transactional changes made by users on the source database. Use any of the Oracle-specific copy methods for activating replication from an active source. See the procedures listed in [Activate replication in your production environment](#) in the SharePlex [Administration Guide](#) for more information.

Add SharePlex to the cluster software

Incorporate SharePlex as a resource in the cluster software, and include it in the cluster failover routines so that it migrates with the other applications during failover. This ensures that the **sp_cop** process is started on the adoptive node by the cluster software. At minimum, this includes creating a startup script for SharePlex and a cluster script for SharePlex to handle failover. **Note the following:**

- The **sp_cop** program is the *only* process that the cluster software should start. The **sp_cop** process must be allowed to start the other SharePlex processes. All SharePlex processes, except **sp_cop**, can be controlled through the **sp_ctrl** interface.
- Do not attempt to start or stop **sp_cop** yourself through the command interface; otherwise the cluster software will attempt to restart it. If you need to stop **sp_cop**, use the cluster software commands.
- If possible, configure SharePlex and Oracle into a single global cluster package. The combination of SharePlex and Oracle in the same package allows the cluster software to start and stop SharePlex and Oracle in the proper sequence if any component of the package fails. Configure Oracle to start before SharePlex.
- Assistance for creating startup and cluster scripts is available through SharePlex Professional (PSO) Services.

System maintenance

Make certain your systems administrators understand that any changes or upgrades they perform to the operating system on any node in the cluster must be implemented on all nodes in the cluster so that SharePlex fails over to an identical environment.

Installation and Setup for Remote Capture

SharePlex can capture from an Oracle database that is running on a system other than the system where SharePlex is running.

This support covers Oracle databases running on Linux and Windows. This support applies only when SharePlex and the remote capture database are running on the same operating system type (i.e., if SharePlex is on Linux, the remote database must be on Linux). For more information about the supported Oracle database versions, see [SharePlex Release Notes](#).

SharePlex does not support remote capture from Oracle on RAC unless the database is running on ASM.

NOTE: These instructions apply to on-premises installations. If configuring SharePlex to capture from a remote database that is on Amazon AWS, see the *SharePlex Installation and Setup Guide for Oracle on RDS*.

NOTE: Remote capture using more than one SharePlex instance to the same Oracle instance is not supported.

To set up SharePlex for remote capture

1. Install an Oracle client on the system where SharePlex is running. No database is required on this system.
2. Set the ORACLE_HOME system variable on the SharePlex system to the Oracle client installation folder.
3. Set the ORACLE_SID to a dummy value, as a placeholder for the non-existent local database.
4. Create a **tnsnames.ora** file on the SharePlex system and make an entry for the remote source database. Place the file in the path specified in the TNS_ADMIN environment variable.
5. Install SharePlex on the remote system in the normal manner.
6. Run Oracle Setup on the SharePlex system according to the directions in [Database Setup for Oracle](#).
 - Reply **NO** to "Will SharePlex install be using a BEQUEATH connection?"
 - Reply **NO** to "Are you setting up SharePlex for an RDS database?"
 - Reply **YES** to "Will the current setup for sid: *SID* be used as a source (including cases as source for failover or primary-primary setups)?"
7. Complete all other installation and setup tasks according to the this document.
8. After setup is complete, start **sp_cop** and **sp_ctrl**.

9. Set the SP_OCT_OLOG_USE_OCI parameter to 1 to enable it. When capturing from a remote database, Capture must read the redo logs through OCI calls because it does not have access to the log files on disk.
10. See the SharePlex [Administration Guide](#) for help with configuring and starting replication.

Install SharePlex on Linux and UNIX

Contents

- [Install SharePlex on Linux/Unix for Oracle Database](#)
- [Install SharePlex on Linux/Unix for Open Target Databases](#)

Install SharePlex on Linux/Unix for Oracle Database

Read this before you begin:

- These instructions assume that you understand and satisfied all requirements in the [SharePlex preinstallation checklist](#) on page 13.
- Perform the installation steps on all Unix and Linux machines involved in SharePlex replication. In a cluster, install on the primary node, which is the one to which the shared disk is mounted.
- These instructions assume installation as non-root. To install as root, see [Install SharePlex as Root](#) on page 178.
- The SharePlex security groups and SharePlex Administrator must exist on the system prior to installation. See [Installer checklist](#) on page 15 for more information.
- You can run the installer in either of the following ways:
 - [Run the installer in interactive mode](#) on page 42
 - [Run the installer in unattended mode](#) on page 179

Run the installer in interactive mode

In interactive mode, you are prompted for each part of the installation information.

1. Log in to the system as the user that will be named as the SharePlex Administrator during this installation. This user will own the installation files and binaries.
2. If **sp_cop** is running, shut it down.

```
sp_ctrl> shutdown
```
3. Copy the installation file to a temporary directory where you have write permissions.
4. Grant executable permissions to the file.

```
#chmod 555installation_file
```
5. Run the .tpm file. If installing SharePlex in a cluster, run the installer from the primary node (the one to which the shared disk is mounted)

```
# .installation_file
```
6. Verify that the information shown on the first screen corresponds to the Oracle version and platform you are upgrading.

7. You are prompted for the following:

Prompt	Input
Installation type	Select <New Installation> .
Product directory location (path)	Enter the path to the SharePlex installation directory. If the specified directory does not exist, the installer creates it. If the directory exists, it must be empty. The installer quits if the directory contains prior SharePlex installations or other files. In a cluster, install on the shared disk. For more information, see Installation and setup for Oracle cluster on page 31.
Variable data directory location	Specify an empty directory. The installer creates the specified directory if it does not exist. IMPORTANT! Do not install this directory into the SharePlex product directory. In a cluster, install the variable-data directory on the shared disk. For more information, see Installation and setup for Oracle cluster on page 31.
SharePlex Admin group	Enter the DBA-privileged group to which the SharePlex Administrator user belongs, which will own the SharePlex binaries. If the default group of the SharePlex Administrator is oinstall , select any option, and make certain this user is listed under oinstall in the etc/group file. For more information, see Installer checklist on page 15.
TCP/IP port for SharePlex	Enter the port number to use for SharePlex TCP/IP communications.
License key (do you have?)	Press Enter to accept the default of Y (yes). If you do not have a license, enter no . For licensing on a cluster, see Installation and setup for Oracle cluster on page 31 At any point before you run SharePlex you can add the license key with the splex_add_key utility. For more information, see SharePlex license utilities on page 168.
License key	Enter the license key you received from Quest.
Customer name	Enter the SiteMessage text string provided by Quest with the license key.

The installer displays the location of the install log file and then quits.

See [Next steps](#).

Next steps

Task	Description
Patch SharePlex	If you downloaded patches for this version of SharePlex, apply them now.
Run sp_security	Run "sp_security –setup" to specify whether or not to enable SSL/TLS for all network traffic. When enabled, SSL/TLS is used for network communications between the SharePlex instances on the source and target systems.
Run Database Setup	Run the Database Setup utility for Oracle (ora_setup) to establish a database account and connection information for SharePlex. For more information, see Database Setup for Oracle on page 147.
(Heterogeneous replication)	Install SharePlex on the Open Target system and perform database setup operations. See: <ul style="list-style-type: none">• Install SharePlex on Linux/Unix for Open Target Databases on page 45• Install SharePlex on Windows on page 49• Set up replication from Oracle to a different target type on page 72
Assign users to security groups	For more information, see Assign SharePlex users to security groups on page 52.
Multi-instance configurations	To install multiple instances of SharePlex on this system, such as to support consolidated replication, see Run SharePlex in the SharePlex Administrator's Guide .

Install SharePlex on Linux/Unix for Open Target Databases

Read this before you begin:

- **These instructions assume that you understand and satisfied all preinstallation requirements that apply to your environment. See the [SharePlex preinstallation checklist](#) on page 13.**
- For preinstallation information about installing SharePlex for target databases hosted on Amazon cloud services, see [Installation and setup for cloud-hosted databases](#)
- These instructions assume installation as non-root. To install as root, see [Install SharePlex as Root](#) on page 178.
- The SharePlex security groups and SharePlex Administrator must exist on the system prior to installation. See [Installer checklist](#) on page 15 for more information.
- You can run the installer in either of the following ways:
 - [Run the Installer in Interactive Mode](#) on page 46
 - [Run the installer in unattended mode](#) on page 179

Run the Installer in Interactive Mode

In interactive mode, you are prompted for each part of the installation information.

1. Log in to the system as the user that will be named as the SharePlex Administrator during this installation. This user will own the installation files and binaries.
2. (Reinstallations) If **sp_cop** is running, shut it down.
3. Copy the installation file to a temporary directory where you have write permissions.
4. Grant executable permissions to the file.
chmod 555 *installation_file*
5. Run the .tpm file. If installing SharePlex in a cluster, run the installer from the primary node (the one to which the shared disk is mounted)

.installation_file

6. You are prompted for the following:

Prompt for:	Input
Installation type	Select <New Installation>.
Product directory location (path)	Enter the path to the SharePlex installation directory. If the specified directory does not exist, the installer creates it. If the directory exists, it must be empty. The installer quits if the directory contains prior SharePlex installations or other files.
Variable data directory location	Specify an empty directory. The installer creates the specified directory if it does not exist. IMPORTANT! Do not install this directory into the SharePlex product directory.
SharePlex Admin group	Enter the DBA-privileged group to which the SharePlex Administrator user belongs, which will own the SharePlex binaries. If the default group of the SharePlex Administrator is oinstall , select any option, and make certain this user is listed under oinstall in the etc/group file. For more information, see Installer checklist on page 15.
TCP/IP port for SharePlex	Enter the port number to use for SharePlex TCP/IP communications.
License key (do you have?)	Press Enter to accept the default of Y (yes). If you do not have a license, enter no . At any point before you run SharePlex you can add the license key with the splex_add_key utility. For more information, see SharePlex license utilities on page 168.
License key	Enter the license key you received from Quest.
Customer name	Enter the SiteMessage text string provided by Quest with the license key.

The installer displays the location of the install log file and then quits.

See [Next Steps](#).

Next Steps

Task	Description
Patch SharePlex	If you downloaded patches for this version of SharePlex, apply them now.

Task	Description
Run sp_security	Run “sp_security –setup” to specify whether or not to enable SSL/TLS for all network traffic. When enabled, SSL/TLS is used for network communications between the SharePlex instances on the source and target systems.
Assign users to security groups	For more information, see Assign SharePlex users to security groups on page 52.
Perform Database Setup and other setup tasks	See: Set up replication from Oracle to a different target type on page 72
Repeat	Repeat all of the installation procedures for all Unix and Linux machines that will be involved in SharePlex replication.
Multi-instance configurations	To install multiple instances of SharePlex on this system, such as to support consolidated replication, see the SharePlex Administrator's Guide for the correct setup.

Install SharePlex on Windows

Contents

[Install SharePlex on Windows](#)

Install SharePlex on Windows

Read this before you begin:

- **These instructions assume that you understand and satisfied all requirements in the [SharePlex SharePlex preinstallation checklist](#) on page 13.**
- Perform the installation steps on all Windows machines involved in SharePlex replication. On Windows, install SharePlex on **all nodes** of each cluster, on the same port number, with identical path names. This is required to make the binaries and the required MKS Toolkit components available to all nodes, and to establish Registry entries.

To run the installer

1. Log in to Windows as the SharePlex Administrator.
2. (Reinstallation only)
 - a. Run **SpUtils** from the shortcut on the Windows desktop. If the system is running Windows 2008 or higher, run **SpUtils** as an Administrator.
 - b. Select the **SharePlex Services** tab.
 - c. Select the correct port, and then stop the SharePlex service.

- d. Close the utility.
3. Run the **sp_setup** installation program and follow the prompts:

Prompt	Input
Destination folder	SharePlex installation directory (known as the <i>product</i> directory). Specify an empty existing directory or a new one to be created.
Port number	The port number on which this instance of SharePlex will run. The default is 2100. Do not use port 2101. That port is reserved for the SpRemote utility.
Variable Data directory	The directory where SharePlex stores its working files and data. Specify an empty existing directory or a new one to be created. To avoid permissions errors during runtime, do not install the variable-data directory in the Program Files directory.
Program Manager group	The folder in the Programs menu where SharePlex programs will be launched.
MKS Platform Components	Appears if SharePlex was never installed on the system or if this is a reinstallation. Accept the default Program Files location or specify a different one. If prompted to restart your system, you can postpone the restart until after you finish this installation.
Confirm installation	Confirm the installation information.
SharePlex license	Click Add License . Type or paste the following exactly as received from Quest Software, including any spaces: <ul style="list-style-type: none"> a. License Key: The license key, which is case sensitive. b. Customer Name: The Site Message text that was included with the license. The name is case-sensitive. c. Click OK. <p>If you do not have a license, click Cancel. The installation succeeds without a license, but SharePlex cannot be started. You can add the license later from the License Key tab of the SpUtils utility, which is installed on the Windows desktop.</p>
Finish	If you were prompted to restart the system after you installed the MKS Toolkit files, you may do so after exiting the installer. Proceed to Next Steps .

Next steps:

The following setup tasks must be finished before you start up replication.

Task	Description
Install the SharePlex service	For more information, see Install the SharePlex service on page

Task	Description
Patch SharePlex	<p data-bbox="691 259 738 280">171.</p> <p data-bbox="691 309 1347 360">If you downloaded patches for this version of SharePlex, apply them now.</p>
Run sp_security	<p data-bbox="691 387 1394 510">Run “sp_security –setup” to specify whether or not to enable SSL/TLS for all network traffic. When enabled, SSL/TLS is used for network communications between the SharePlex instances on the source and target systems.</p>
Perform Database Setup and other setup tasks	<p data-bbox="691 544 1326 607">If installing SharePlex for an Open Target database, perform required additional setup:</p> <p data-bbox="691 618 1385 645">Set up replication from Oracle to a different target type on page 72</p>
Set up in a cluster	<p data-bbox="691 685 1382 741">For more information, see Installation and setup for Oracle cluster on page 31.</p>
Assign users to security groups	<p data-bbox="691 775 1337 824">For more information, see Assign SharePlex users to security groups on page 52.</p>
Repeat	<p data-bbox="691 851 1382 907">Repeat all of the installation procedures for all Windows machines that will be involved in SharePlex replication.</p>
Multi-instance configurations	<p data-bbox="691 925 1378 1048">To install multiple instances of SharePlex on this system, such as to support consolidated replication, see Run multiple instances of SharePlex in the SharePlex Administrator’s Guide. Each instance of SharePlex must be installed on a different port number.</p>

Assign SharePlex users to security groups

Contents

- [Overview](#)
- [About the SharePlex security groups](#)
- [Create and populate SharePlex groups on Unix and Linux](#)
- [Create and populate SharePlex groups on Windows](#)

Overview

The SharePlex security groups provide access control to the SharePlex command and control system. Without proper configuration of these groups, anyone with permissions on the system can use the commands that view, configure, and control data replication.

About the SharePlex security groups

To monitor, control, or change SharePlex replication, a person must be assigned to one of the SharePlex security groups on the systems where he or she will be issuing commands. Each group corresponds to an authorization level, which determines which SharePlex commands a person can issue. To execute a command, a user must have that command's authorization level or higher.

Use the **authlevel** command to determine your authorization level for issuing SharePlex commands on a system.

Description of the SharePlex security groups

Refer to the following table to determine the group and authorization level that you want to grant each SharePlex user.

User Authorization Levels and Roles

Auth level	User type	User group	User roles
1	Administration	spadmin*	<p>You need at least one user with Administrator rights on each source and target system.</p> <p>Can issue all SharePlex commands. Commands that can <i>only</i> be issued by a SharePlex Administrator are:</p> <ul style="list-style-type: none">• startup, shutdown• all configuration commands relating to an active configuration• all parameter commands except list param• start capture• stop capture• abort capture• truncate log <p>The SharePlex Administrator user must be in the Oracle dba group. For Oracle RAC and ASM 11gR2 and above, the user must also be in the Oracle Inventory group. For example: \$ useradd -g spadmin -G dba,oinstall. The membership in Oracle Inventory group must be listed explicitly in the etc/group file.</p> <p>On Unix and Linux, unless you install SharePlex as a root user, the SharePlex Administrator user and the SharePlex admin group must exist prior to installation.</p>
2	Operator	spopr	Can issue all SharePlex commands except those listed above.
3	Viewer	spview	Can view lists, status screens, and logs to monitor replication only.

NOTE: The default name for the SharePlex administrator group is **spadmin**, but you can designate any group or specify any name for that group during installation.

Create and populate SharePlex groups on Unix and Linux

Where and when to create the SharePlex groups on Unix and Linux depends on whether you install SharePlex as a root or non-root user.

- If you install as non-root, create the groups in the **/etc/group** file before you run the SharePlex installer. In a cluster, create them on all nodes.*
- If you install SharePlex as a root user, you can direct the installer to create the groups in the **/etc/group** file. If you install in a cluster, the installer creates the groups on the primary node, but you must create them yourself on the other nodes.

* The groups must exist because the installer adds the SharePlex Administrator user to the **spadmin** group during the installation process. In a cluster, this user is only added to the primary node. You must add the SharePlex Administrator user to the other nodes.

To create the groups in `/etc/group`

```
# groupadd spadmin  
# groupadd spopr  
# groupadd spview
```

To assign a user to a group

1. Open the `/etc/group` file.
2. Add the Unix or Linux user name to the appropriate group. To assign a list of user names to a group, use a comma-separated list (see the following example).

```
spadmin:*:102:spadmin,root,jim,jane,joyce,jerry
```

If the password field is null, no password is associated with the group. In the example, the asterisk (*) represents the password, "102" represents the numerical group ID, and **spadmin** is the group. The group ID must be unique.

3. Save the file.

Users can verify their authorization levels by issuing the **authlevel** command in **sp_ctrl**.

Create and populate SharePlex groups on Windows

On Windows, the SharePlex groups are created in the Windows **User Accounts** control panel by the SharePlex installer. To assign users to these groups, use that control panel after you install SharePlex.

Users can verify their authorization levels by issuing the **authlevel** command in **sp_ctrl**.

Set up an Oracle environment for replication

Contents

- Overview
- Set up Oracle logging to support SharePlex
- Set up Oracle database objects for replication
- Set up an Oracle database to support SharePlex
- Set up SharePlex to support Oracle data
- Set up TDE Support

Overview

This chapter contains instructions for preparing an Oracle source or target database environment for replication. The tasks outlined in this chapter must be performed before you perform initial synchronization to start replication in your environment. Perform all tasks that apply to your data and to your replication objectives.

Set up Oracle logging to support SharePlex

SharePlex captures from the online and archived Oracle redo logs. SharePlex supports redo logs and datafiles that are stored on raw devices, on filesystem devices, and ASM instances.

Enable archive logging

If the Capture process stops (or is stopped by a SharePlex user) while replication is active, Capture records its location in the redo log and continues from that point when started again. However, Capture may need to read the

archive logs instead of the redo logs if the following conditions occur:

- There is a long delay between when Capture stops and starts again, and the redo logs wrap during that time. When the archive logs are available, Capture reads through them to locate the records rHR it missed.
- Capture loses pace with Oracle transaction activity, and the redo logs wrap before Capture catches up to Oracle.

To support uninterrupted capture when an online log is not available, archive logging must be enabled on the source system and any other system from which SharePlex will capture data, such as an intermediate system in a cascading replication strategy. Otherwise, if the online logs wrap before Capture is finished processing them, a resynchronization of the source and target data will be necessary.

To avoid Capture issues, configure archive logging to support faster and uninterrupted replication as follows:

Requirement	Description
Time compression and removal properly	Do not compress or remove the archive logs until SharePlex is finished processing them. Otherwise, SharePlex returns a "log wrap detected" message and will stop because it cannot process the data. To determine the current log for SharePlex, issue the show capture command with the detail option in sp_ctrl on the source system. You can compress any logs that were generated before the current one.
Specify a non-default archive location	If you are storing the archive logs in a location other than the Oracle default, set the SP_OCT_ARCH_LOC parameter to the full path name of the directory where the archive logs are located. If the redo logs wrap, SharePlex searches for the archive logs in Oracle's archive log list. If SharePlex does not find the archive log there, it searches the directory or directories specified by the SP_OCT_ARCH_LOC parameter. To have Capture go directly to the SP_OCT_ARCH_LOC location and skip the read of the Oracle log list, set the SP_OCT_CHK_LOC_FIRST to 1.
Configure Capture to wait for log-management processes	If using SP_OCT_ARCH_LOC and you are using an automated method to move the logs to that location, you can configure Capture to wait a certain amount of time for the move to be completed. This prevents Capture from stopping because a log it needs is not yet available. Capture waits, checks for the logs, stops if they are not yet available, and continues checking and stopping until the logs are available. To configure Capture to wait, set the SP_OCT_LOGWRAP_RESTART parameter to the number of seconds that you want Capture to wait. Monitor these processes regularly to prevent replication latency.
Disable archive logging on the target	You can disable archive logging on the target systems to eliminate unnecessary Oracle activity on that system, except for high availability or peer-to-peer strategies.
Do not place logs at the root ASM location	If the database uses ASM, the Oracle redo logs (online and archive) cannot be located under the ASM root directory. SharePlex will not be able to read them at that location.
ASM raw device permission	The ASM 'oracle' user must have permission to access the raw device. For example, when the raw device permission default is u:root g:disk add the 'oracle' user group 'disk'. Giving permission only to the 'grid' user is insufficient.

Configure the online logs

Ideally, the redo logs should be configured so that SharePlex can avoid reading the archive logs. In most cases, reading the online logs is faster than reading the archives. Ensure that the online redo logs are large and numerous enough to minimize processing from the archive logs. At minimum, there should be enough redo log capacity to hold several hours worth of data without wrapping.

To test an appropriate online log configuration

In pre-production testing, you can determine if Capture is reading the archive logs by doing the following:

1. Determine the log that SharePlex is processing by querying the SHAREPLEX_ACTID table.
`SQL> select seqno from splex.shareplex_actid`
2. Determine the log that Oracle is writing to by querying Oracle's V\$LOG table.
`SQL> select sequence# from v$log where status='CURRENT'`
3. Subtract the **seqno** value from the **sequence#** value. This reveals how many logs Capture lags behind Oracle.
4. Subtract the number of online redo logs from that value. If the number is negative, SharePlex is processing archive logs. For example, if you have 10 redo logs and SharePlex is 11 logs behind, it is processing archive logs. You can then use this result to adjust the online logging configuration.

IMPORTANT: If Capture falls behind the pace at which Oracle generates redo volume, the following may apply:

- It might be more practical to resynchronize the data instead of waiting for SharePlex to restore parity by capturing from the archive logs.
- It is possible to run out of disk space on the source system while Capture processes and queues the operations that it missed.
- There is the potential for SharePlex to lose information needed for Post to construct SQL statements, especially if the needed archive logs no longer are available. Always monitor disk space and latency while SharePlex is running.

Set the appropriate logging level

- Minimal supplemental logging must be set before you activate the SharePlex replication configuration.
- In addition to minimal supplemental logging, it is strongly recommended that you enable both primary key and unique key supplemental logging, or that you create a supplemental log group on unique columns for every table in replication. When the key column values for a row update are in the redo log, SharePlex does not have to fetch them from the database. On a busy system, this greatly improves the performance of the Read process. Some SharePlex features require primary key and unique key logging to be enabled.

NOTE:

ALTER TABLE DDL commands that change the rowid of a table can affect subsequent DML operations if the primary or unique keys of the tables in replication are not being logged. When the keys are not logged, SharePlex fetches their values based on the rowid. Any operation that changes the rowid, such as ALTER TABLE...MOVE, can cause the wrong key values to be used for subsequent DML operations.

- If you are using vertically partitioned replication for any table, you can use table-level logging to log only the columns that you want to replicate, plus any other columns that may be referenced by them, such as foreign keys. If you are using horizontally partitioned replication for the same table, make certain that you log the columns that you specified as the filters.

Set up Oracle database objects for replication

This topic provides information about how to configure certain characteristics of Oracle database objects that you will be replicating with SharePlex.

Ensure row uniqueness

SharePlex must have a way to ensure that the row it is changing on the target is the correct one that matches the source row. This is accomplished by ensuring a one-to-one relationship through the use of keys and indexes.

The role of keys

SharePlex works fastest when there is a primary key or a unique key on all source and target tables being replicated, especially large tables and tables containing LONG columns. When choosing a key to use, SharePlex uses the best available key column in the following order of priority.

- Primary key
- Unique key with the fewest columns, where at least one of the columns is NOT NULL
- Unique key with the fewest columns.

For best performance, it is recommended that you enable primary and unique key supplemental logging.

If a table does not have a primary or unique key, or if Oracle logs the wrong unique key for SharePlex, you can specify columns for SharePlex to use as a key when you create the configuration file. This is known as a *key definition* and is specified in the configuration file. For more information, see [Define a unique key](#) in the [SharePlex Administration Guide](#).

An alternative to a key definition is to create or use a unique index based on one or more columns that establish uniqueness.

Ensure that the correct key is logged

When primary and unique key supplemental logging is enabled and a table does not have a primary key, Oracle has to decide what type of unique key to log. If the table has multiple unique keys, Oracle determines the best key to use and logs those column values for every UPDATE. If a table does not have any type of key, Oracle logs all columns that are not a LONG or a LOB.

SharePlex must also identify a key to use to replicate data. Like Oracle, SharePlex chooses a key in this order:

- primary key if there is one
- the best (or only) unique key if there is one
- all the columns

If a table being replicated by SharePlex does not have a primary key, but does have multiple unique keys, it is possible that the key columns that Oracle logs are not those that SharePlex requires.

Tables without a key or unique index

If SharePlex cannot detect a key or unique index on a table, it constructs a key using all of the columns except LONGs and LOBs. This key is maintained internally and is not created on the table itself.

This is not a desirable option, because the resultant WHERE clause causes Oracle to perform a full table scan on the target table to find the row, and that significantly slows replication. Additionally, row uniqueness cannot be enforced.

For example, if there is a possibility that non-LONG columns in different rows could contain identical values, but the LONG columns could have different values, the table can be out of synchronization without being detected by you or SharePlex. The following example illustrates the problem. The rows in the table are identical except for the LONG columns, and there is no primary or unique key.

COLUMN A	COLUMN B	COLUMN C (LONG)
10	20	100
10	20	200
10	20	300

Suppose a user on the source system changes Column A to 15 in the first row. When constructing the SQL statement to apply the change to the target table, SharePlex constructs a key using Columns A and B (`UPDATE tablename SET Column A to 15 WHERE Column A = 10 and Column B = 20`) to locate the row to change. There are three rows that meet this criteria, so SharePlex could post the change to the wrong row.

Keys with nulls

If a key permits NULLs, SharePlex cannot ensure the uniqueness of a row for UPDATES and DELETES, so there is a possibility it could change the wrong row on the target system. To control how SharePlex addresses keys that permit NULLs, set the `SP_SYS_IN_SYNC` parameter. See the SharePlex [Reference Guide](#) for more information.

Changes to key values

SharePlex handles changes to the value of a key column without any special settings. However, if sequences are used for keys and if there is a possibility that those values will be updated, create the sequences so that the updates cannot result in a duplication of keys on the target system. Otherwise, if a new value is used to apply an operation, and that value already exists as a key in another row in the target table, SharePlex will return unique-key constraint violations and out-of-sync errors. This type of error can happen when you update values using an “ $x + n$ ” formula, where n is an incremental increase. It is possible for one of the “ $x + n$ ” values to equal an existing value.

The following is an example, where the values in the key column are increased by 1:

```
Key_Col
```

```
1
```

```
4
```

```
5
```

```
7
```

```
SQL> update table X set a=a+1; commit
```

The new values become the following, and they are replicated to the target system:

Key_Col

2

5

6

8

SharePlex performs the update in the order that the operations enter the redo log:

```
update x set a=2 where a=1; (Succeeds)
```

```
update x set a=5 where a=4; (Fails because a value of 5 already exists.)
```

```
update x set a=6 where a=5; (Succeeds)
```

```
update x set a=8 where a=7; (Succeeds)
```

The pre-image value that Post uses for the target sequence is the same as the increased value replicated from the source. Oracle rejects the operation as a unique constraint violation. Another example would be a transaction that updates A to B and then updates B to C.

IMPORTANT! If you plan to use peer-to-peer replication, there are additional requirements for keys. For more information, see [Configure replication to maintain multiple peer databases](#) in the [SharePlex Administration Guide](#).

Indexes

The correct use of indexes is important in a replication environment. An index maintains the integrity of the target data.

- When replicating a source table that has a unique index, the target table also should have a unique index.
- All large tables should have a unique index on the target system. If there is no unique index, Oracle scans the entire table in order to locate the rows to be changed by Post.
- Some applications do not use primary key constraints, and therefore a unique index is not created by default. Often, however, there will be an index that was created, but not named, as a unique index (not using CREATE UNIQUE INDEX command), although it was created on one or more columns populated with unique values, such as a person's name and employee identification number. If no unique index exists for a table, it is recommended that you create one or specify a user-defined key when you create the configuration file. For more information, see [Define a unique key](#) in the [SharePlex Administration Guide](#).
- Once you have identified or created a unique index, you can ensure that Oracle uses it by employing the hints feature of SharePlex. For more information, see [Use Oracle INDEX hints](#) in the [SharePlex Administration Guide](#).
- If tables have foreign keys, make sure the appropriate columns are indexed so that modifications to the foreign keys do not cause full table scans.
- Keep your indexes up-to-date, or it can slow the Post process. Rebuild the ones that are fragmented.

If there are too many indexes on a target table, Oracle must update them all as rows are added and deleted. This slows the entire system, including replication. Consider limiting the number of indexes to the ones that have the most utility.

For applications that perform mostly one type of DML, consider the following:

- INSERTs: Use just a few indexes, to limit their maintenance.
- UPDATEs: Use an index on a column that does not change after an INSERT statement.

- DELETES: Remove as many indexes as you can.

If you run large batch jobs that do millions of SQL operations, remove unnecessary indexes before the batch job, then rebuild them at the end. This makes SharePlex run faster, and you will have more organized indexes afterward.

Bitmap indexes

For performance purposes, avoid the use of bitmap indexes while the Post process is applying the data. These indexes can adversely affect the performance of the Post process.

If you must use bitmap indexes on target tables, weigh their benefit for queries against the their impact on the transactions applied by Post:

- When Oracle adds, updates or deletes a bitmap entry, it effectively locks all the rows associated with the bitmap segment.
- A bitmap segment can contain references to hundreds of rows. As a result, changes made by different Post sessions (there is a Post session for every session on the source system) can block each other if their work updates bitmap entries in the same bitmap segment.
- To proceed, Post must detect and resolve the blocking, which delays posting significantly if the number of locks is high.
- In general, frequent inserts by multiple concurrent sessions into a table with bitmap indexes will incur lock conflicts, but random update and delete activity on such a table will not. SharePlex follows the Oracle recommendation to have a bitmap index on a more static table.

NOTE: Replicating bitmap indexes is not recommended. Every time you change a table with a bitmap index, the index is rebuilt. This associated cost (Oracle time and resources) to rebuild is added to your SQL UPDATE statement.

Prevent triggers from firing on the target

DML changes resulting from a trigger firing on the source system enter the redo log and are replicated to the target database by SharePlex. Consequently, if the same trigger fires on the target system and initiates the same DML changes (which already were made through replication) there will be out-of-sync errors.

For example, if an INSERT to TableA on the source system triggers an INSERT into TableB, SharePlex replicates both INSERTs to the target system. The Post process applies the first INSERT to TableA on the target system, triggering an INSERT into TableB. Thus, when Post attempts to post the replicated INSERT to TableB, there will be a unique-key violation. The row already exists because the trigger fired for TableA.

Triggers can be handled as follows, depending on your replication strategy:

Replication strategy	How to handle triggers on the target
High availability and Peer-to-peer	<ol style="list-style-type: none"> 1. Enable triggers for users other than SharePlex, either in preparation for failover or because transactions are performed on multiple source systems. 2. Disable triggers for the SharePlex user by running the sp_add_trigger.sql script. This script puts a WHEN clause into each trigger's procedural statement that tells it to ignore operations posted by the SharePlex user.

Replication strategy

How to handle triggers on the target

Reporting, data sharing, other basic one-way replication

Either disable triggers entirely on the target system or run the `sp_add_trigger.sql` script to ignore operations posted by the SharePlex user.

Triggers on objects not in the replication configuration can remain active.

For important information about how to use the trigger scripts, see the SharePlex [Reference Guide](#).

Configure integrity constraints

Integrity constraints have a effect on replication. Follow these guidelines to ensure that they are handled.

Foreign key constraints

Foreign key constraints must be disabled on the target tables. SharePlex replicates the results of the source foreign key constraints. Tables with foreign keys to one another must all be included in the replication configuration for accurate replication of the source foreign key results. All tables with referential constraints must exist in the target database. If you leave one or more out, the referential integrity could become corrupted.

NOTE: If constraints are DEFERRED on the target tables, the Post transaction can fail on the constraint validation. To work around this problem, enable the `SP_OPO_DISABLE_OBJNUM` parameter to allow the transaction to succeed. The underlying target table still remains out-of-sync until it is resynchronized.

ON DELETE CASCADE constraints

SharePlex provides a feature that allows ON DELETE CASCADE constraints to remain enabled on the target tables, but it must be enabled explicitly through a parameter setting. Post detects the ON DELETE CASCADE dependencies and suppresses the posting of any replicated cascaded deletes to the child tables.

If you do not enable this support through SharePlex you must disable these constraints manually on the target. Otherwise SharePlex replicates both the primary delete and the cascaded deletes, which results in conflicts and errors when the deletes cascade on the target.

To enable ON DELETE CASCADE support

- Enable the logging of primary keys, unique index columns, and foreign key columns on the source.
- Set the following SharePlex parameters:
 - `SP_OPO_DEPENDENCY_CHECK` parameter to 2
 - `SP_OCT_REDUCED_KEY` parameter to 0
 - `SP_OPO_REDUCED_KEY` parameter to 0, 1 or 2

NOTE: In peer-to-peer replication, `SP_OPO_REDUCED_KEY` must be set to 0.

Check constraints

Disable check constraints on the target system. They add unnecessary overhead. These checks are redundant in a well maintained, synchronized replication environment because they are satisfied on the source system. For high-availability purposes, you can build a script that re-enables the constraints as part of the failover procedure.

Prevent access to target objects

In all scenarios except peer-to-peer replication, the SharePlex database user must be the only user allowed to perform DML or DDL on the target objects. If DML or DDL changes are made to target objects by other individuals, jobs or applications, the target data may no longer reflect the state of the data on the source system. For more information, see [Understand the concept of synchronization](#) in the SharePlex [Administration Guide](#).

Configure sequences

SharePlex replicates changes to Oracle sequences that are made in an ALTER SEQUENCE and DROP SEQUENCE commands and during DML transactions. It may not be necessary to replicate sequences in certain replication strategies.

- **High availability: Yes**
The way that SharePlex replicates sequences allows users to begin using the failover database immediately without worrying about incrementing the sequences or reusing one.
- **Reporting, data sharing, other basic one-way replication: No**
If sequences are unnecessary on the target system, do not replicate them. It can slow down replication. Even if a sequence is used to generate keys in a source table, the sequence values are part of the key columns when the replicated rows are inserted on the target system. The sequence itself does not have to be replicated.
- **Peer-to-peer: No**
SharePlex does not support peer-to-peer replication of identical sequences. For more information, see [Configure replication to maintain multiple peer databases](#) in the SharePlex [Administration Guide](#).

To configure sequences for replication

- To replicate sequences, the supplemental logging of primary and unique keys must be enabled at the database level, or you must enable supplemental logging for primary keys on the **sys.seq\$** table.
- Use caching and set the cache to increments of at least 20. When sequences are cached, SharePlex can replicate the values as a group. When sequences are not cached, SharePlex must go to disk every time a value is obtained from the sequence, which slows replication of more critical data.
- To ensure the uniqueness of sequences on the target system, the start value of the target sequence must be larger than the start value of the source sequence. Use the following formula to determine the target START_WITH value:

$$\text{source_current_value} + (\text{source_INCREMENT_BY_value} \times \text{source_CACHE_value}) = \text{target_START_WITH_value}$$

IMPORTANT! (*source_INCREMENT_BY_value* x *source_CACHE_value*) should not exceed 2 GB, or replication of sequences will fail.

- Specify sequences in the configuration by owner and name, as you would a table.
- Because changes to sequences are DDL commands, the Post process pauses all posting until the sequence update is finished. For that reason, it is recommended that you process sequences through a separate post queue from the tables, especially if the sequences are not cached. For more information, see [Configure SharePlex to replicate data](#) in the [SharePlex Administration Guide](#).

SharePlex uses the ALTER SEQUENCE command to update sequences in a target database as follows:

- Change the increment value to:
`source_INCREMENT_BY_value`
`source_CACHE_value`
- Set to NOCACHE.
- UPDATE the sequence(s).
- ALTER the sequence(s) again by setting the following values:
`Increment_value=source_INCREMENT_BY_value`
`Cache_value=source_CACHE_value`

SharePlex treats ALTER SEQUENCE operations like a simple SELECT (UPDATE) to a sequence because the redo log records make no distinctions between the two operations.

Set up an Oracle database to support SharePlex

Certain Oracle database settings have an affect on replication and must be set appropriately.

Adjust OPEN_CURSORS to support Post cursors

SharePlex requires the value of the Oracle OPEN_CURSORS parameter to be set correctly on the target database. To view the OPEN_CURSORS value, query the database using the following SQL statement:

```
select value from V$PARAMETER where name = 'open_cursors';
```

The Post process reserves 10 cursors for routine calls that are closed once they finish, plus a minimum of 50 cursors per transaction when the SQL Cache feature is enabled (this is the default). For more information, see [Tune SQL Caching](#) in the [SharePlex Administration Guide](#).

If you intend to disable SQL caching, then estimate the peak number of concurrent updating transactions (sessions) that your applications generate, and follow this formula:

$$10 + (\text{peak number of concurrent transactions} \times 2) = \text{minimum open cursors needed}$$

The OPEN_CURSORS value can be modified or added if absent. Consult the Oracle documentation prior to making changes to Oracle parameters.

Adjust the PROCESSES parameter to support connections

For the PROCESSES and SESSIONS parameters, 65 is the minimum value required by the SharePlex Post process so that it can open enough SQL connections to the target database to handle current transaction volume. This value is determined by the default setting of the SP_OPO_THREADS_MAX parameter, plus one for the main Post thread.

The PROCESSES parameter in the **init.ora** file must be set to accommodate connections created by SharePlex and the database users. Its value depends on whether a database is a source database, a target database, or one that serves as both a source and target database.

Database is a source only

If a database serves only as a source, the following formula takes into account logins made by the Read process.
 $(\text{peak number of source database sessions}) + (\text{background Oracle processes}) + (\text{value of SP_ORD_LDA_ARRAY_SIZE parameter} + 3) = \text{setting for PROCESSES}$

Database is a target only

The Post process creates as many connections on the target system as there are sessions on the source system in order to maintain transaction consistency. The PROCESSES parameter on the target system must be set high enough to accommodate all of those connections, plus:

- The background Oracle processes those connections generate
- The peak number of users expected to access the target database for queries

Use the following formula as a guide:

$(\text{peak number of source database sessions}) + (\text{peak number of target database sessions}) + (\text{background Oracle processes}) = \text{setting for PROCESSES}$

Database is a source and target

If a database serves as both a source and a target, the following formula takes into account connections made by:

- The Read process
- The Post process
- Background Oracle processes
- User connections

$(\text{peak number of source database sessions}) + (\text{peak number of target database sessions}) + (\text{background Oracle processes}) + (\text{value of SP_ORD_LDA_ARRAY_SIZE parameter} + 3) = \text{setting for PROCESSES}$

Adjust the log buffer size to improve posting

The number of database writers has an impact on replication, especially when there are numerous concurrent transactions. Whenever a transaction is committed, its buffered data is flushed to disk. If most transactions are small, but the buffer is large, this can cause slow posting. When a large transaction is committed while another,

more normal-sized transaction is committed, the second COMMIT must wait while the entire buffer is flushed to disk.

Reducing the size of the buffer that is flushed to disk can speed the Post process. Try decreasing the size of the log buffer to 1024 KB, or even 512 KB if possible.

Adjust the SharePlex transaction table based on user volume

SharePlex updates the SHAREPLEX_TRANS table to maintain read consistency for the target database. You might need to adjust the **initrans** setting of this table to improve replication performance and reduce contention on that table:

- If the production database has between 500 and 1,000 concurrent users, rebuild the SHAREPLEX_TRANS table to have an initrans of 30.
- If the production database has more than 1,000 concurrent users, rebuild the SHAREPLEX_TRANS table to have an initrans value of 40.

Control conversion of character sets

This topic explains how SharePlex handles character set conversion between an Oracle source and target, and between an Oracle source and a non-Oracle target.

Replication between an Oracle source and Oracle targets

For SharePlex to replicate all characters within the Oracle character sets that you are using, one of the following must be true:

- The character sets are identical on the source and target
- The character set of the source database is a subset of the character set of the target database (all characters contained on the source exist in the character set of the target)

The following character sets are tested and supported for SharePlex:

US7ASCII
UTF8
WE8ISO8859P1
AL16UTF16
AL32UTF8
KO16KSC5601

By default, SharePlex allows an Oracle target database to perform character conversion. Post notifies Oracle of the character encoding of the source data and Oracle performs any required conversion.

Depending on the character sets involved, the Oracle conversion might lead to data loss. For example:

Example 1: The Japanese character for 'rice' in the JA16SJIS character set has no corresponding symbol in the US7ASCII character set. If you attempt to replicate this symbol into a US7ASCII database, Oracle converts it to a '?' character.

Example 2: According to Oracle, the WE8ISO8859P1 character set is a superset of the US7ASCII character set, so it is logical to assume that any character in US7ASCII is posted unconverted into a WE8ISO8859P1 target

database. This is true for characters in the range 0x00 to 0x7F. However, Oracle strips off the top bit of characters in the range 0x80 to 0xFF. This "conversion" may result in data loss while replicating to a character set that is a superset of the source.

NOTE: Oracle does not convert characters if the character sets are identical. Thus, posting WE8ISO8859P1 data to a database with a character set of WE8ISO8859P1 bypasses the Oracle conversion process.

To apply data without conversion

Set the SP_OPO-NLS_CONVERSION parameter to 1 to apply the data with conversion.

NOTE: SharePlex will always convert NVARCHAR and NCLOB data if the NLS_NCHAR_CHARACTERSET of the source database is not the same as that of the target database.

Replication between an Oracle source and non-Oracle targets

When replicating to an Open Target target (non-Oracle target), SharePlex supports replication from any Oracle Unicode character set and the US7ASCII character set. SharePlex posts data to Open Target in the Unicode character set, and therefore if the source data is Unicode or US7ASCII, no conversion on the target is required. However, if the following are true, conversion is required on the target:

- If the character set of the source data is anything other than Oracle Unicode or US7ASCII, you must install an Oracle client on the target to perform the conversion to Unicode for posting to the target.
- If the data must be posted to the target database in any character set other than Unicode, you must install an Oracle client on the target to perform the conversion and use the **target** command to identify the target character set for Post to use.
- If you are replicating LOB data, conversion is required regardless of what the source character set is.

To perform conversion with an Oracle client on Linux

1. Install an Oracle *Administrator* client on the target system. The client must be the Administrator installation type. The Instant Client and Runtime installation types are not supported.
2. Set ORACLE_HOME to the client installation. Set ORACLE_SID to an alias or a non-existing SID. SharePlex does not use them and a database does not have to be running.
3. Install SharePlex using the Linux/Unix installer for your operating system.
4. Make certain the SP_OPX-NLS_CONVERSION parameter is set to the default of 1.

To perform conversion with an Oracle client on Windows

1. Install an Oracle *Administrator* client on the target system. The client must be the Administrator installation type. The Instant Client and Runtime installation types are not supported.
2. In the SharePlex Registry key `HKKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\QuestSoftware\SharePlex\port_number`, set ORACLE_HOME to the Oracle client installation location, and set ORACLE_SID to an alias or a non-existing SID. No Oracle database is required. SharePlex only needs to use the client libraries.
3. Install SharePlex using the Windows installer.
4. Make certain the SP_OPX-NLS_CONVERSION parameter is set to the default of 1.

To apply Unicode and US7ASCII data without conversion

If the source data is Unicode or US7ASCII and you are not replicating LOB data, no conversion or Oracle client is needed. Set the SP_OPX-NLS_CONVERSION parameter to 0 to disable conversion, and then restart Post if it is running.

Set up SharePlex to support Oracle data

This topic contains setup guidelines that apply to specific Oracle data types. These guidelines should be addressed before you start replication for the first time.

LOBs, LONGs, VARRAYs, and XML

- Tables that contain a LOB or LONG should have a primary key or unique key defined on them. If a table does not have a key, SharePlex builds its own key from all of the columns except LONGs or LOBs. If a LOB or LONG is the only difference between two rows that otherwise satisfy the Post WHERE clause, then Post may update the wrong row.
- Dedicate one or more named export queues to tables that contain LOBs. This automatically creates separate Export processes and named post queues with their own Post processes. By separating the processing of LOB data types from that of other data, you can improve the overall speed of replication. For more information, see [Configure named export queues](#) in the SharePlex [Administration Guide](#).
- To ensure that SharePlex has enough shared memory when replicating LOBs, increase the SP_QUE_POST_SHMSIZE parameter to an initial setting of 60 MB. If SharePlex generates shared memory segment errors such as "Error: sp_cop process sp_mport/sp_opst_mt killed due to SIGSEGV," increase the setting. **NOTE:** A larger shared memory segment can result in a large amount of swap space being used on the system, so make sure enough disk space is available.

Manage SharePlex LOB storage

The Database Setup utility installs some tables into a tablespace of your choosing. All but the SHAREPLEX_LOBMAP table use the default storage settings of the tablespace.

The SHAREPLEX_LOBMAP table contains entries for LOBs stored out-of-row. It is created with a 1 MB INITIAL extent, 1 MB NEXT extent, and PCTINCREASE of 10. The MAXEXTENTS is 120, allowing the table to grow to 120 MB.

Preferred action: If you enable supplemental logging for primary and unique keys, you can set the SP_OCT_ENABLE_LOBMAP parameter to 0, and nothing will be stored in the SHAREPLEX_LOBMAP table. In this case, you do not have to consider its size growth. It is recommended that you enable supplemental logging for primary and unique keys to maximize the performance of the Read process.

Alternate action: The default storage usually is sufficient for SHAREPLEX_LOBMAP, permitting more than 4 million LOB entries. If the Oracle tables to be replicated have numerous LOB columns that are inserted or updated frequently, consider increasing the size the SharePlex tablespace accordingly. Take into account that this table shares the tablespace with other SharePlex tables.

If the database uses the cost-based optimizer (CBO) and the tables that SharePlex processes include numerous LOBs, incorporate the SHAREPLEX_LOBMAP table into the analysis schedule.

NOTE: A new installation of SharePlex does not change storage parameters from a previous installation.

Set system process priority

If Oracle or other processes are assigned resource priority, SharePlex can be left with a default setting and little resource allocation. Oracle increases its CPU utilization during peak processing. If SharePlex loses pace with Oracle, you can try increasing its process priority.

To set process priority on Unix

Use the **nice** command. Consult with the System Administrator to select an appropriate value based on the requirements of all software running on the system. A root user can modify the niceness value of any process. The SharePlex Administrator user can adjust the niceness value of SharePlex.

To set process priority on Windows

1. Run **SpUtils**.
2. Select the **TaskMgr** tab.
3. Right click the SharePlex instance that you want to prioritize.
4. Select **Set Priority**, then select the desired priority level.

Enable Oracle direct path loads

By default SharePlex replicates changes made to tables through a SQL*Loader direct-path load (DIRECT=TRUE keyword parameter). There can be only one load per table (PARALLEL=FALSE), although there can be simultaneous loads on different tables. The database must be in archive mode, and table logging must be enabled.

If you expect the direct-path load to be sustained for a long time on the source system, it might be more efficient to load the data to the target database directly, instead of relying on replication. A large direct-path load can cause Capture to lose pace with changes that enter the redo logs from user application activity.

After the load, you should disable check constraints. You can leave ON DELETE CASCADE constraints enabled.

The SP_OCT_REPLICATE_DLOAD parameter controls whether or not direct-path loads are replicated. To disable replication of direct-path loads, change this parameter to 0. For more information, see the [SharePlex Reference Guide](#).

Use compression

You can enable compression to reduce the amount of data that SharePlex sends across the network. SharePlex uses LZIP lossless compression. Enabling compression on the source SharePlex instance automatically enables compression to all targets of the source SharePlex instance.

By default compression is disabled. You can enable compression by itself or in conjunction with encryption. For more information about encryption, see the [SharePlex Administration Guide](#).

To enable compression

Set the SP_XPT_ENABLE_COMPRESSION parameter to 1.

```
sp_ctrl> set param SP_XPT_ENABLE_COMPRESSION 1
```

To activate the parameter after you set it, stop and start Export.

Configure support of Data Pump exports

When replicating Oracle Data Pump export operations, set the `SP_OCT_ALLOW_DP_DDL` parameter to 1, and then restart Capture.

This parameter can be enabled if SharePlex fails to replicate DDL operations that occur when running an Oracle Data Pump export/import. Occasionally, SharePlex identifies DDL in a Data Pump load as recursive DDL that should be ignored. This parameter directs SharePlex to capture that DDL.

A setting of 1 enables this parameter. After the load is finished, set this parameter back to 0 and then restart Capture.

Set up TDE Support

SharePlex uses the TDE primary Encryption Key to decrypt TDE-protected data that must be replicated. SharePlex uses the Oracle wallet password to access the TDE primary Encryption Key.

If the wallet opens successfully, Capture connects to the decryption module and processes the data. If the wallet does not open, Capture remains in the initialization state until either the wallet is opened or the process is stopped. The initialization state that is displayed in the `show capture` command is "Capture state: Waiting for open wallet."

NOTE: The SharePlex `copy/append` command does not support TDE. For full information on the Oracle features that SharePlex supports, see the SharePlex [Release Notes](#).

Required privilege to capture TDE-protected data

To decrypt TDE-protected data from the redo log, the SharePlex Administrator must open Oracle Wallet using the wallet password. By default, only the Oracle Wallet owner-user has read and write permissions for this file. You can either start as the owner of the wallet, or you can grant read permission to the file to the `dba` group, because the SharePlex Administrator user is a member of that group.

Configure SharePlex to capture TDE-protected data

To configure SharePlex to support TDE-protected data, two setup tools must be run:

- (If this was not done during installation) Run Database Setup. When prompted to enable TDE replication, type "y" and then enter the fully qualified path to the TDE wallet file, including the wallet file name, when prompted. For more information, see [Database Setup Utilities](#) on page 140.
- Run the `sp_wallet` utility to provide the Oracle Wallet password to SharePlex. This utility can be run in manual or auto-open mode.

To run `sp_wallet` and manually supply the password

1. On the source system, start SharePlex from the SharePlex product directory. You are prompted to run `sp_wallet`.

```
*** To enable TDE replication, run sp_wallet and provide the wallet
password ***
```

2. Run `sp_wallet`.

```
./sp_wallet [-r port_number]
```

IMPORTANT! On Windows, if you installed SharePlex on any port other than the default of 2100, use the `-r` option to specify the port number. For example, in the following command the port number is 9400:

```
./sp_wallet -r 9400
```

```
wallet password: walletpw
```

```
Wallet loaded into SharePlex
```

To run `sp_wallet` in auto-open mode

If you are using an auto-open wallet, you can configure SharePlex to open the TDE wallet automatically. This eliminates the need to run `sp_wallet` manually at SharePlex startup. The syntax is:

```
./sp_wallet --auto-open [-r port_number]
```

IMPORTANT! Using the auto-open wallet feature has additional security considerations. See the Oracle documentation for more information. In addition, do not back up the SharePlex variable-data directory together with the Oracle wallet and the Oracle data files.

To cancel auto-open mode

```
./sp_wallet --no-auto-open [-r port_number]
```

To change the TDE primary encryption key

If you need to change the TDE primary Encryption Key while a SharePlex configuration is active, take the following steps to ensure that SharePlex continues to replicate the TDE-protected data after the changes.

1. Quiesce the source database.
2. Make sure that Capture finishes processing the remaining data in the redo log.
3. Shut down SharePlex.
4. Change the TDE primary Encryption Key.
5. Restart SharePlex.
6. Run the `sp_wallet` utility to provide SharePlex with the new TDE primary Encryption Key.

```
./sp_wallet [-r port_number]
```

Set up replication from Oracle to a different target type

Contents

- [About these instructions](#)
- [Set up replication from Oracle to MySQL or Aurora](#)
- [Set up replication from Oracle to SQL Server](#)
- [Set up replication from Oracle to PostgreSQL](#)
- [Set up replication from Oracle to SAP HANA](#)
- [Set up replication from Oracle to other Open Targets](#)
- [Set up replication from Oracle to JMS](#)
- [Set up Replication from Oracle to Kafka](#)
- [Set up replication from Oracle to a SQL or XML file](#)

About these instructions

This chapter contains instructions for configuring SharePlex to replicate from Oracle to a different type of target. This is known as heterogeneous replication.

These instructions highlight specific tasks that are pertinent to the flow of data between source and target. Refer to other topics in the SharePlex documentation as needed to complete the configuration, deploy any optional features that apply, and monitor and maintain the environment.

For additional information, see:

- For the SharePlex-supported datastores, data types and operations that are supported by SharePlex, see the "System Requirements — Oracle Capture" section of the *SharePlex Release Notes*.
- For additional configuration options, activation steps, and monitoring information, see the [SharePlex Administration Guide](#).
- For reference documentation on SharePlex commands, parameters and utilities, see the [SharePlex Reference Guide](#).

Set up replication from Oracle to MySQL or Aurora

Overview

SharePlex can post replicated Oracle data to a MySQL or Aurora target database through an Open Database Connectivity (ODBC) interface.

These instructions contain setup instructions that are specific to this target. Install SharePlex on the source and target according to the appropriate directions in this manual before performing these setup steps.

For the versions, data types and operations that are supported when using SharePlex to replicate to this target, see the [SharePlex Release Notes](#).

Install SharePlex

IMPORTANT! If replicating to MySQL or Aurora on a PaaS cloud server (no access to the operating system), see the installation instructions in [Installation and setup for cloud-hosted databases](#) on page 1.

Review column names

To support replication between a source of one database type and a target of another type, the letter case of the names of the source and target columns must be the same, for example the column names on both sides in lower case or both sides in upper case. If the case differs between the source and target column names, use the column mapping feature to map the column names in the configuration file.

See the SharePlex [Administration Guide](#) for more information about column mapping with SharePlex.

Configure SharePlex on the Source

Set up SharePlex and the database on the Oracle source system as follows.

Make keys available to SharePlex

To replicate from an Oracle source to an Open Target target, you must make key information available to SharePlex.

Enable Oracle supplemental logging

Enable PK/UK supplemental logging in the Oracle source database. SharePlex must have the Oracle key information to build an appropriate key on the target.

Set SP_OCT_USE_SUPP_KEYS parameter

Set the SP_OCT_USE_SUPP_KEYS parameter to a value of 1. This parameter directs SharePlex to use the columns set by Oracle's supplemental logging as the key columns when a row is updated or deleted. When both

supplemental logging and this parameter are set, it ensures that SharePlex can always build a key and that the SharePlex key will match the Oracle key.

See the [SharePlex Reference Guide](#) for more information about this parameter.

Configure replication

On the source, create a SharePlex configuration file that specifies capture and routing information.

```
Datasource:o.SID
```

```
src_owner.table          tgt_owner.table          host@r.database_name
```

where:

- *SID* is the Oracle SID of the source Oracle database..
- *src_owner.table* is the owner and name of the source table.
- *tgt_owner.table* is the owner and name of the target table.*
- *host* is the name of the target system.
- *database_name* is the name of the target database.

* IMPORTANT!

If target owner or table name is defined in the database as anything other than UPPERCASE, be certain to:

- Type the name in the correct case.
- Enclose the name in quotation marks, for example "MySchema"."MyTable".
- To support replication between a source of one database type and a target of another type, the letter case of the names of the source and target columns must be the same, for example the column names on both sides in lower case or both sides in upper case. If the case differs between the source and target column names, use the column mapping feature to map the column names in the configuration file.

NOTE: This is a basic one-source, one-target configuration using no additional SharePlex configuration features. See "Configure SharePlex to replicate data" in the SharePlex [Administration Guide](#) for important information about creating a configuration file and for additional setup instructions for more complex replication scenarios.

Source configuration example

The following configuration file replicates table `HR.Emp` from Oracle instance `ora112` to target table `region1.emp` in database `mydb` on target system `sysprod`. The source table is case-sensitive.

```
Datasource:o.ora112  
  
HR."Emp"  region1.emp  sysprod@r.mydb
```

Configure SharePlex on the target

1. Make certain that the database setup meets all of the requirements in [Open Target checklist](#) on page 24 .
2. Run Database Setup for MySQL ([mysql_setup](#)) to establish a database account and connection information for SharePlex. For more information, see [Database Setup for MySQL](#) on page 143.

Set up replication from Oracle to SQL Server

Overview

SharePlex can post replicated source data to a Microsoft SQL Server target database through an Open Database Connectivity (ODBC) interface.

These instructions contain setup instructions that are specific to this target. Install SharePlex on the source and target according to the appropriate directions in this manual before performing these setup steps.

For the versions, data types and operations that are supported when using SharePlex to replicate to this target, see the [SharePlex Release Notes](#).

Review column names

To support replication between a source of one database type and a target of another type, the letter case of the names of the source and target columns must be the same, for example the column names on both sides in lower case or both sides in upper case. If the case differs between the source and target column names, use the column mapping feature to map the column names in the configuration file.

See the SharePlex [Administration Guide](#) for more information about column mapping with SharePlex.

Configure SharePlex on the Source

Set up SharePlex and the database on the Oracle source system as follows.

Make keys available to SharePlex

To replicate from an Oracle source to an Open Target target, you must make key information available to SharePlex.

Enable Oracle supplemental logging

Enable PK/UK supplemental logging in the Oracle source database. SharePlex must have the Oracle key information to build an appropriate key on the target.

Set SP_OCT_USE_SUPP_KEYS parameter

Set the SP_OCT_USE_SUPP_KEYS parameter to a value of 1. This parameter directs SharePlex to use the columns set by Oracle's supplemental logging as the key columns when a row is updated or deleted. When both supplemental logging and this parameter are set, it ensures that SharePlex can always build a key and that the SharePlex key will match the Oracle key.

See the [SharePlex Reference Guide](#) for more information about this parameter.

Configure replication

On the source, create a SharePlex configuration file that specifies capture and routing information.

```
Datasource:o.SID
```

```
src_owner.table
```

```
tgt_owner.table
```

```
host@r.database_name
```

where:

- *SID* is the Oracle SID of the source Oracle database..
- *src_owner.table* is the owner and name of the source table.
- *tgt_owner.table* is the owner and name of the target table.*
- *host* is the name of the target system.
- *database_name* is the name of the target database.

* IMPORTANT!

If target owner or table name is defined in the database as anything other than UPPERCASE, be certain to:

- Type the name in the correct case.
- Enclose the name in quotation marks, for example "MySchema"."MyTable".
- To support replication between a source of one database type and a target of another type, the letter case of the names of the source and target columns must be the same, for example the column names on both sides in lower case or both sides in upper case. If the case differs between the source and target column names, use the column mapping feature to map the column names in the configuration file.

NOTE: This is a basic one-source, one-target configuration using no additional SharePlex configuration features. See "Configure SharePlex to replicate data" in the SharePlex [Administration Guide](#) for important information about creating a configuration file and for additional setup instructions for more complex replication scenarios.

Source configuration example

The following configuration file replicates table `HR.Emp` from Oracle instance `ora112` to target table `region1.emp` in database `mydb` on target system `sysprod`. The source table is case-sensitive.

```
Datasource:o.ora112
```

```
HR."Emp" region1.emp sysprod@r.mydb
```

Configure SharePlex on the target

1. Make certain that the database setup meets all of the requirements in [Open Target checklist](#) on page 24 .
2. Run Database Setup for SQL Server (**mss_setup**) to establish a database account and connection information for SharePlex. For more information, see [Database Setup for SQL Server](#) on page 164.

Set up replication from Oracle to PostgreSQL

NOTE: These instructions apply to all implementations of PostgreSQL unless otherwise noted.

Overview

SharePlex can post replicated Oracle data to a PostgreSQL target database through an Open Database Connectivity (ODBC) interface. SharePlex supports all implementations of the PostgreSQL open-source database.

These instructions contain setup instructions that are specific to this target. Install SharePlex on the source and target according to the appropriate directions in this manual before performing these setup steps.

For the versions, data types and operations that are supported when using SharePlex to replicate to this target, see the [SharePlex Release Notes](#).

Review column names

To support replication between a source of one database type and a target of another type, the letter case of the names of the source and target columns must be the same, for example the column names on both sides in lower case or both sides in upper case. If the case differs between the source and target column names, use the column mapping feature to map the column names in the configuration file.

See the SharePlex [Administration Guide](#) for more information about column mapping with SharePlex.

Configure SharePlex on the Source

Set up SharePlex and the database on the Oracle source system as follows.

Make keys available to SharePlex

To replicate from an Oracle source to an Open Target target, you must make key information available to SharePlex.

Enable Oracle supplemental logging

Enable PK/UK supplemental logging in the Oracle source database. SharePlex must have the Oracle key information to build an appropriate key on the target.

Set SP_OCT_USE_SUPP_KEYS parameter

Set the SP_OCT_USE_SUPP_KEYS parameter to a value of 1. This parameter directs SharePlex to use the columns set by Oracle's supplemental logging as the key columns when a row is updated or deleted. When both supplemental logging and this parameter are set, it ensures that SharePlex can always build a key and that the SharePlex key will match the Oracle key.

See the [SharePlex Reference Guide](#) for more information about this parameter.

Configure replication

On the source, create a SharePlex configuration file that specifies capture and routing information.

```
Datasource:o.SID
```

```
src_owner.table
```

```
tgt_owner.table
```

```
host@r.database_name
```

where:

- *SID* is the Oracle SID of the source Oracle database..
- *src_owner.table* is the owner and name of the source table.
- *tgt_owner.table* is the owner and name of the target table.*
- *host* is the name of the target system.
- *database_name* is the name of the target database.

* IMPORTANT!

If target owner or table name is defined in the database as anything other than UPPERCASE, be certain to:

- Type the name in the correct case.
- Enclose the name in quotation marks, for example "MySchema"."MyTable".
- To support replication between a source of one database type and a target of another type, the letter case of the names of the source and target columns must be the same, for example the column names on both sides in lower case or both sides in upper case. If the case differs between the source and target column names, use the column mapping feature to map the column names in the configuration file.

NOTE: This is a basic one-source, one-target configuration using no additional SharePlex configuration features. See "Configure SharePlex to replicate data" in the SharePlex [Administration Guide](#) for important information about creating a configuration file and for additional setup instructions for more complex replication scenarios.

Source configuration example

The following configuration file replicates table `HR.Emp` from Oracle instance `ora112` to target table `region1.emp` in database `mydb` on target system `sysprod`. The source table is case-sensitive.

```
Datasource:o.ora112
```

```
HR."Emp" region1.emp sysprod@r.mydb
```

Configure SharePlex on the target

1. Make certain that the database setup meets all of the requirements in [Open Target checklist](#) on page 24 .
2. Run Database Setup for PostgreSQL (**pg_setup**) to establish a database account and connection information for SharePlex. For more information, see [Database Setup for PostgreSQL](#) on page 159.

Set up replication from Oracle to SAP HANA

Overview

SharePlex can post replicated Oracle data to a HANA target database through an Open Database Connectivity (ODBC) interface.

These instructions contain setup instructions that are specific to this target. Install SharePlex on the source and target according to the appropriate directions in this manual before performing these setup steps.

For the versions, data types and operations that are supported when using SharePlex to replicate to this target, see the [SharePlex Release Notes](#).

Review column names

To support replication between a source of one database type and a target of another type, the letter case of the names of the source and target columns must be the same, for example the column names on both sides in lower case or both sides in upper case. If the case differs between the source and target column names, use the column mapping feature to map the column names in the configuration file.

See the SharePlex [Administration Guide](#) for more information about column mapping with SharePlex.

Configure SharePlex on the Source

Set up SharePlex and the database on the Oracle source system as follows.

Make keys available to SharePlex

To replicate from an Oracle source to an Open Target target, you must make key information available to SharePlex.

Enable Oracle supplemental logging

Enable PK/UK supplemental logging in the Oracle source database. SharePlex must have the Oracle key information to build an appropriate key on the target.

Set SP_OCT_USE_SUPP_KEYS parameter

Set the SP_OCT_USE_SUPP_KEYS parameter to a value of 1. This parameter directs SharePlex to use the columns set by Oracle's supplemental logging as the key columns when a row is updated or deleted. When both supplemental logging and this parameter are set, it ensures that SharePlex can always build a key and that the SharePlex key will match the Oracle key.

See the [SharePlex Reference Guide](#) for more information about this parameter.

Configure replication

On the source, create a SharePlex configuration file that specifies capture and routing information.

```
Datasource:o.SID
```

```
src_owner.table
```

```
tgt_owner.table
```

```
host@r.database_name
```

where:

- *SID* is the Oracle SID of the source Oracle database..
- *src_owner.table* is the owner and name of the source table.
- *tgt_owner.table* is the owner and name of the target table.*
- *host* is the name of the target system.
- *database_name* is the name of the target database.

* IMPORTANT!

If target owner or table name is defined in the database as anything other than UPPERCASE, be certain to:

- Type the name in the correct case.
- Enclose the name in quotation marks, for example "MySchema"."MyTable".
- To support replication between a source of one database type and a target of another type, the letter case of the names of the source and target columns must be the same, for example the column names on both sides in lower case or both sides in upper case. If the case differs between the source and target column names, use the column mapping feature to map the column names in the configuration file.

NOTE: This is a basic one-source, one-target configuration using no additional SharePlex configuration features. See "Configure SharePlex to replicate data" in the SharePlex [Administration Guide](#) for important information about creating a configuration file and for additional setup instructions for more complex replication scenarios.

Source configuration example

The following configuration file replicates table `HR.Emp` from Oracle instance `ora112` to target table `region1.emp` in database `mydb` on target system `sysprod`. The source table is case-sensitive.

```
Datasource:o.ora112
```

```
HR."Emp" region1.emp sysprod@r.mydb
```

Configure SharePlex on the target

1. Make certain that the database setup meets all of the requirements in [Open Target checklist](#) on page 24 .
2. Run Database Setup for HANA (**hana_setup**) to establish a database account and connection information for SharePlex. See [Database Setup for HANA](#) on page 140
3. See the **target** and **typemap** commands for additional configuration options.

Set up replication from Oracle to other Open Targets

Overview

SharePlex can connect to a database that supports Open Database Connectivity (ODBC).

These instructions contain setup instructions that are specific to this target. Install SharePlex on the source and target according to the appropriate directions in this manual before performing these setup steps.

For the versions, data types and operations that are supported when using SharePlex to replicate to this target, see the [SharePlex Release Notes](#).

Review column names

To support replication between a source of one database type and a target of another type, the letter case of the names of the source and target columns must be the same, for example the column names on both sides in lower case or both sides in upper case. If the case differs between the source and target column names, use the column mapping feature to map the column names in the configuration file.

See the SharePlex [Administration Guide](#) for more information about column mapping with SharePlex.

Configure SharePlex on the Source

Set up SharePlex and the database on the Oracle source system as follows.

Make keys available to SharePlex

To replicate from an Oracle source to an Open Target target, you must make key information available to SharePlex.

Enable Oracle supplemental logging

Enable PK/UK supplemental logging in the Oracle source database. SharePlex must have the Oracle key information to build an appropriate key on the target.

Set SP_OCT_USE_SUPP_KEYS parameter

Set the SP_OCT_USE_SUPP_KEYS parameter to a value of 1. This parameter directs SharePlex to use the columns set by Oracle's supplemental logging as the key columns when a row is updated or deleted. When both supplemental logging and this parameter are set, it ensures that SharePlex can always build a key and that the SharePlex key will match the Oracle key.

See the [SharePlex Reference Guide](#) for more information about this parameter.

Configure replication

On the source, create a SharePlex configuration file that specifies capture and routing information.

```
Datasource:o.SID
```

```
src_owner.table
```

```
tgt_owner.table
```

```
host@r.database_name
```

where:

- *SID* is the Oracle SID of the source Oracle database..
- *src_owner.table* is the owner and name of the source table.
- *tgt_owner.table* is the owner and name of the target table.*
- *host* is the name of the target system.
- *database_name* is the name of the target database.

* IMPORTANT!

If target owner or table name is defined in the database as anything other than UPPERCASE, be certain to:

- Type the name in the correct case.
- Enclose the name in quotation marks, for example "MySchema"."MyTable".
- To support replication between a source of one database type and a target of another type, the letter case of the names of the source and target columns must be the same, for example the column names on both sides in lower case or both sides in upper case. If the case differs between the source and target column names, use the column mapping feature to map the column names in the configuration file.

NOTE: This is a basic one-source, one-target configuration using no additional SharePlex configuration features. See "Configure SharePlex to replicate data" in the SharePlex [Administration Guide](#) for important information about creating a configuration file and for additional setup instructions for more complex replication scenarios.

Source configuration example

The following configuration file replicates table `HR.Emp` from Oracle instance `ora112` to target table `region1.emp` in database `mydb` on target system `sysprod`. The source table is case-sensitive.

```
Datasource:o.ora112
```

```
HR."Emp" region1.emp sysprod@r.mydb
```

Configure SharePlex on the target

Configure SharePlex and the database on the target system as follows.

NOTE: Make certain that the database setup meets all of the requirements in [Open Target checklist](#) on page 24 .

Install the ODBC driver

Make certain to download the correct ODBC driver for your database.

Set up ODBC

1. Install and test the ODBC driver that is appropriate for your target database. SharePlex provides the OTS utility for testing the ability of SharePlex to connect to and post through ODBC. For more information, see the OTS documentation in the SharePlex [Reference Guide](#).
2. On the target system, configure ODBC connection information for use by Post to connect to the target database. You have the following options for configuring this connection information:
 - On Windows, create a user or system DSN (Data Source Name) by using **Data Sources (ODBC)** in the Administrative Tools section of the Windows control panel. See the Windows documentation or your system administrator. If using a DSN, you must set the Post user name and password for the target database with the **connection** command. See [Set connection information with the connection command](#).
 - On Unix and Linux, you can do either of the following:
 - Configure a user or system DSN on the target system according to the instructions provided with the database. Test the DSN by using it to connect to the target database. If the connection is successful, copy the ODBC configuration files to the **odbc** subdirectory of the SharePlex variable-data directory. Set the LD_LIBRARY_PATH environment variable to the location of the database ODBC driver.
or...
 - Set the ODBC connection information in the Post configuration. See [Set connection information with the connection command](#).

Set connection information with the connection command

Use the **connection** command to:

- Set the Post user name and password if you created a DSN.
- Set all of the ODBC connection information if a DSN does not exist.

To set connection information

1. Create a user account for SharePlex in the target database. This account must be granted the privileges to connect, query the metadata structures of the database, create and update tables in the SharePlex database or schema, and perform full DML and supported DDL operations. Make certain that this user can connect successfully to the database through ODBC outside SharePlex.
2. Run **sp_ctrl**.
3. Execute the **connection** command with the **set** option, once for each keyword.

```
connection r.database_name set keyword=value
```

Option1: Input when a DSN exists

Keyword	Value to enter
user	The database user assigned to SharePlex

Keyword	Value to enter
password	The password for the SharePlex user
dsn	The DSN of the database. IMPORTANT! user , password , and dsn are the only required keywords if a DSN exists.

Option 2: Input when a DSN does not exist (Unix and Linux)

Keyword	Value to enter
user	The database user assigned to SharePlex
password	The password for the SharePlex user
port	The database port number.
server	The name or IP address of the database server.
driver	The full path to the ODBC driver on the database server.

Option 3: Connect string when a DSN does not exist (Unix and Linux)

Keyword	Value to enter
user	The database user assigned to SharePlex
password	The password for the SharePlex user
connect_string	A user-defined connection string. When using your own connection string, make certain it includes all of the required elements to make a successful ODBC connection, <i>but</i> omit the user name and password. Use the connection command with the user and password options to supply user information.

Connection command examples

DSN exists

```
connection r.mydb set user=myuser
connection r.mydb set password=mypassword
connection r.mydb set dsn=mydsn
```

DSN does not exist

```
connection r.mydb set user=myuser
connection r.mydb set password=mypassword
```

```
connection r.mydb set port=1234
connection r.mydb set server=server1
connection r.mydb set driver=/database/ODBC/lib/databasedriver.so
```

DSN does not exist, use connection string

```
connection r.mydb set user=myuser
connection r.mydb set password=mypassword
connection r.mydb set connect_
string="driver=/database/ODBC/lib/databasedriver.so;server=server1;port=1234;uid=myuser;pwd=
mypassword"
```

Remove a connection value

Use `connection` with the `reset` option to remove SharePlex connection settings.

To remove a specific connection value

```
connection r.database_name reset keyword
```

To remove all connection values

```
connection r.database_name reset
```

Examples

```
connection r.mydb reset port
connection r.mydb reset
```

View connection values

Use `connection` with the `show` option to view SharePlex connection settings.

To view connection values for a database

```
connection r.database_name show
```

To view connection settings for all local databases

```
connection show all
```

Map data types

To support the accurate posting of replicated Oracle ALTER TABLE commands to the correct data types in an Open Target target, SharePlex maps Oracle data types to default data types for the target database. To view and change this mapping, use the `typemap` command.

NOTE: For DML operations, SharePlex queries the target database to determine the appropriate data type mapping for replicated data.

For more information about the `typemap` command, see the SharePlex [Reference Guide](#).

Set up replication from Oracle to JMS

Overview

The SharePlex Post process can connect and write to a JMS (Java Messaging Service) queue or topic. The data is written as XML records that include the data definitions, the operation type, and the changed column values. This data is written as a sequential series of operations as they occurred on the source, which can then be posted in sequential order to a target database or consumed by an external process or program.

These instructions contain setup instructions that are specific to this target. Install SharePlex on the source and target according to the appropriate directions in this manual before performing these setup steps.

For the versions, data types and operations that are supported when using SharePlex to replicate to this target, see the [SharePlex Release Notes](#).

Configure SharePlex on the source

When replicating data to JMS, configure the source database and SharePlex on the source system as follows.

Enable supplemental logging

On the source system, enable PK/UK supplemental logging in the Oracle source database. SharePlex must have the Oracle key information to build an appropriate key on the target.

```
SQL> ALTER DATABASE ADD SUPPLEMENTAL LOG DATA (PRIMARY KEY, UNIQUE) COLUMNS;
```

Set SP_OCT_USE_SUPP_KEYS parameter

On the source system, set the SP_OCT_USE_SUPP_KEYS parameter to a value of 1. This parameter directs SharePlex to use the columns set by Oracle's supplemental logging as the key columns when a row is updated or deleted. When both supplemental logging and this parameter are set, it ensures that SharePlex can always build a key and that the SharePlex key will match the Oracle key.

See the SharePlex [Reference Guide](#) for more information about this parameter.

Configure replication

On the source, create a SharePlex configuration file that specifies capture and routing information. The structure that is required in a configuration file varies, depending on your replication strategy, but this shows you the required syntax for routing data through a JMS queue or topic.

```
Datasource:o.SID
```

```
src_owner.table
```

```
!jms[:tgt_owner.table]
```

```
host
```

where:

- *SID* is the Oracle SID of the source Oracle database.
- *src_owner.table* is the owner and name of the source table.
- **!jms** is a required keyword indicating SharePlex is posting to JMS.
- *:tgt_owner.table* is optional and specifies the owner and name of the target table. Use if either component is different from that of the source table. Allow no spaces between **!jms** and *:tgt_owner.table*. Type case-sensitive names in the correct case and enclose them within double quotes, as in "MySchema"."MyTable"
- *host* is the name of the target system.

NOTE: For more information, see [Configure SharePlex to replicate data](#) in the [SharePlex Administration Guide](#).

Source configuration example

```
Datasource:o.ora112
MY_SCHEMA.MY_TABLE !jms:"MySchema2"."MyTable2" sysprod
```

Configure SharePlex on the target

These instructions establish the Java provider on the target and configure the SharePlex Post process to connect to a JMS provider.

Prerequisites

Java Runtime Environment 1.8 or later. JRE 1.8 (or later) is required and installed along with SharePlex except on the following operating systems:

- CentOS Linux 5.x
- Oracle Linux 5.x
- RHEL Linux 5.x

Prior to installing SharePlex on one of these systems, ensure JRE 1.8 (or later) is installed. Then after installing SharePlex, modify the **bridge** configuration file to point to the JRE binary. See the "Custom JRE" steps in each of the following procedures.

Using a JRE version later than 1.8. If you are using JMS Provider libraries compiled with a version of JRE later than 1.8, use that later version of JRE and modify the **bridge** (Linux/Unix) or **bridge.ini** (Windows) configuration file to point to that JRE binary. See the "Custom JRE" steps in each of the following procedures.

Configure SharePlex on the JMS target

These instructions configure the SharePlex Post process to post to a JMS queue or topic.

NOTES:

- The JMS Provider does not necessarily need to be installed on the same machine where SharePlex is running, but you will need to copy the Provider's JMS libraries to a location in the SharePlex installation directory according to these instructions.
- Ensure that you are using a compatible version of client libraries for your JMS Provider.

- SharePlex is distributed with JRE 1.8. If the JMS libraries for the JMS Provider you are using are compiled with a JRE version later than 1.8, modify the bridge (or bridge.ini) configuration file as described here. Otherwise, SharePlex returns an error similar to one of the following.

```
INFO 2016-05-10 01:43:42.000860 [x.jms+jsd-olinux-01]
com.quest.shareplex.openbridge.stomp.internal.Connector - Connector x.jms+jsd-
olinux-01 at tcp://localhost:61613 stopped.
ERROR 2016-05-10 01:43:42.000861 [x.jms+jsd-olinux-01]
com.quest.shareplex.openbridge.stomp.internal.Connector -
org/apache/activemq/jndi/ActiveMQInitialContextFactory : Unsupported
major.minor version 51.0
java.lang.UnsupportedClassVersionError:
org/apache/activemq/jndi/ActiveMQInitialContextFactory : Unsupported
major.minor version 51.0
```

The following directory naming conventions are used in the examples in this procedure:

Name	Directory
<i>SharePlex</i>	The SharePlex installation directory

To configure post to the JMS target

1. Create a directory for your Provider under *SharePlex/lib/providers*. For example:


```
shareplex/lib/providers/provider_name
```

 If your Provider is Active MQ, the path may look similar to the following:


```
shareplex/lib/providers/amq
```
2. Copy the client library files you require to the *provider_name* directory.
 For example, if your Provider is Active MQ, you might copy the following JAR files to the *amq* directory.


```
shareplex/lib/providers/amq/activemq-all.jar
shareplex/lib/providers/amq/slf4j.jar
```
3. (Custom JRE) If you are using a JRE version later than 1.8, set the `JAVA_HOME` and `JRE_HOME` variable values to the path to your JRE home directory. In addition, add the `JAVA_HOME` path to the `PATH` variable.

4. (Custom JRE) If you are using a JRE other than the one installed with SharePlex which is 1.8.0_312 (e.g., SharePlex did not install JRE on your operating system or you must use a JRE version later than 1.8), modify the **bridge.ini** or **bridge** file to point to the JRE binary you intend to use.

Use one of the following methods:

- On Windows:
 - a. The **bridge.ini** file is located in the following directory:
`SharePlex/bin/openbridge`
 - b. If a JRE was installed during the SharePlex installation, it is located in the following directory:
`SharePlex/bin/openbridge/jre`
 - c. In the **bridge.ini** file, locate the line containing the "-vmargs" option. On a separate line before "-vmargs" add the "-vm" option and use it to specify the full path to the JRE you intend to use. For example:

```
-vm  
C:\Java\JDK\1.8\bin\javaw.exe  
-vmargs
```

You must specify the absolute path to your JRE, not the relative path.

- On Linux or Unix:
 - a. The **bridge** file is located in the following directory:
`SharePlex/.app-modules/openbridge`
 - b. If a JRE was installed during the SharePlex installation, it is located in the following directory:
`SharePlex/.app-modules/openbridge/jre`
 - c. In the **bridge** file, locate the `_jvm` option (for example `<_jvm = "jre/bin/java"`) and replace the current path with the full path to the JRE you intend to use. You must specify the absolute path to your JRE, not the relative path.

5. Start **sp_cop**. (Do not activate the configuration yet.)

6. Run **sp_ctrl**.

7. Issue the **target** command to configure Post to post to the JMS queue or topic. The values you set using the target command tell SharePlex how to instantiate on the target. In the following examples, user-defined values are shown in italics. Replace these with values specific to your JMS Provider and your provider-specific JMS libraries.

Issue the following commands, as necessary. For detailed descriptions of the properties and values, see [View and Change JMS Settings](#). For more information about the **target** command, see the *SharePlex Reference Guide*.

If posting to a JMS queue:

```
sp_ctrl> target x.jms set jms factory_class=factory_class
sp_ctrl> target x.jms set jms provider_url=url
sp_ctrl> target x.jms set jms lib_location=path
```

For example, if using Active MQ you might set the following:

```
sp_ctrl> target x.jms set jms lib_location=shareplex/lib/providers/amq
sp_ctrl> target x.jms set jms queueName=JMS_topic_queueName
```

If posting to a JMS topic:

```
sp_ctrl> target x.jms set jms factory_class=factory_class
sp_ctrl> target x.jms set jms provider_url=url
sp_ctrl> target x.jms set jms lib_location=path
```

For example, if using Active MQ you might set the following:

```
sp_ctrl> target x.jms set jms lib_location=shareplex/lib/providers/amq
sp_ctrl> target x.jms set jms destination=topic
sp_ctrl> target x.jms set jms queueName=JMS_topic_queueName
```

Enable Logs for JMS Replication

We need to implement the logging mechanism with a different approach than the one we used earlier for legacy framework. In the current version, we have removed the `-OB_debugToLog`, `-OB_debugToConsole` parameters. Now, users get more control to generate and retain the log details by resetting properties inside the `log4j2.properties` file.

To enable the logs for JMS, follow the below steps:

1. Navigate to `<Prod/Opt_Directory>/ .app-modules/openbridge/configuration/ location` and update the required parameters in the `log4j2.properties` file.
2. Restart SharePlex.
3. To enable full debug, set `rootLogger.level` to **All**. There are other possible values for `rootLogger.level` which are mentioned in the form of comments in the `log4j2.properties` file.
4. To enable console logging, set `appender.console.filter.threshold.level` to **All**. There are other possible values for `appender.console.filter.threshold.level` which are mentioned in the form of comments in the `log4j2.properties` file.

NOTE: You can change other parameters as per standard `log4j2.properties` syntax. Refer to the below link for information.

<https://logging.apache.org/log4j/2.x/manual/configuration.html#Properties>

View and Change JMS Settings

To view current property settings for output to JMS, use the following command:

target x.jms show

To change a property setting, use the following command.

target x.jms [queue queueName] set jms property=value

where:

- queue queueName is the name of a Post queue. Use this option if there are multiple Post processes.
- property and value are shown in the following table.

Table 1: JMS target properties

Property	Input Value	Default
factory_class= <i>factory_class</i>	<i>Required</i> Fully qualified class name of the factory class. Sets the JNDI environmental property java.naming.factory.initial to specify the class name of the initial context factory for the provider.	None
provider_url= <i>url</i>	<i>Required</i> RMI URL with no object name component. This sets the JNDI environmental property java.naming.provider.url to specify the location of the registry that is being used as the initial context. Use the correct format depending your JMS Provider and type of URL. For example, if using LDAP your URL might be similar to the following: ldap://hostname.company.com/contextName Ask your JMS Provider Administrator for the JMS Provider URL.	None
lib_location= <i>path</i>	<i>Required</i> Path to the directory where you installed the client library files.	None
destination= {queue topic}	Messaging domain. Valid values are queue (port-to-port) or topic (publisher-subscriber model).	queue
factory_name= <i>factory_name</i>	Name of a JNDI connection factory lookup. You can specify multiple names with a comma-separated list, for example: (jndi.name1, jndi.name2).	None
user= <i>user</i>	Name of the user that is attaching to JMS. If authentication is not required, omit this and the password option.	None
password= <i>password</i>	Password of the JMS user.	None
queueName= <i>JMS_topic_queueName</i>	Name of the JMS queue or topic.	OpenTarget

Property	Input Value	Default
persistent = <code>{yes no}</code>	yes logs messages to disk storage as part of send operations. no prevents logging.	yes
session_transacted = <code>{yes no}</code>	no directs Post to issue a JMS commit for every replicated message, making each one immediately visible and consumable. This is the default. yes directs Post to operate in a transactional manner. In this mode, Post issues a JMS commit (to make messages visible and consumable) at intervals based on the following: <ul style="list-style-type: none"> Issue a commit before the data is read-released from the Post queue, as controlled by the value set for the <code>SP_OPX_READRELEASE_INTERVAL</code> parameter. Issue a commit every JMS write, as controlled by the value set for the <code>SP_OPX_CHECKPOINT_FREQ</code> parameter, until the <code>SP_OPX_READRELEASE_INTERVAL</code> is reached. 	no
properties	Use this option if the JMS provider that you are using cannot consume messages that contain the default set of properties supplied by SharePlex. It enables you to remove or add properties. Supply the properties as a comma-delimited list. <ul style="list-style-type: none"> To add a property, specify it as <i>name=value</i>. To remove a SharePlex property, prefix the name with a dash. For example this string removes two SharePlex properties: <code>-JMSXDeliveryCount,-JMSXGroupSeq</code>. 	None
client_id	Use this option if the JMS provider that you are using cannot consume messages that contain the default SharePlex client ID. Set this value to the client ID that your provider accepts.	None
commit_frequency	Use this option when Post is configured to post to a JMS server in <i>transactional</i> style (issue a JMS commit at intervals, rather than after every message as directed by the session_transacted property). This parameter specifies the interval between JMS commits. It works in conjunction with the <code>SP_OPX_READRELEASE_INTERVAL</code> parameter. Valid values are 1 to any positive integer.	1500

Set recovery options

If the JMS process aborts suddenly, or if the machine that it is running on aborts, row changes may be written twice to the JMS target. The consumer must manage this by detecting and discarding duplicates.

Every record of every row-change operation in a transaction has the same transaction ID and is also marked with a sequence ID. These attributes are **id** and **msgIdx**, respectively, under the **txn** element in the XML output (see [View the XML format](#)).

The transaction ID is the SCN at the time the transaction was committed and the sequence ID is the index of the row change in the transaction. These two values are guaranteed to be the same if they are re-written to the JMS queue in a recovery situation.

If desired, you can configure the target to include additional metadata with every row-change record by using the following command:

```
target target [queue queueName] set metadata property[, property]
```

Table 2: Optional JMS metadata properties

Property	Description
time	The time the operation was applied on the source.
userid	The ID of the database user that performed the operation.
trans	The ID of the transaction that included the operation.
size	The number of operations in the transaction.

Example

```
target x.jms set metadata time, userid, trans, size
```

To reset the metadata

```
target x.jms [queue queueName] reset metadata
```

To view the metadata

```
target x.jms [queue queueName] show metadata
```

Control memory settings

If you configured Post to process large amounts of transactions to JMS through multiple named Post queues, you may need to allocate more memory to the Post JMS bridge. The default settings are 256MB and 512MB.

To increase the JMS bridge memory

Open the **openbridge.ini** file and set the following parameters in the format shown:

```
-Xms=512m
```

```
-Xmx=1024m
```

```
-XX:PermSize=512m
```

```
-XX:MaxPermSize=1024m
```

Configure debugging

You can configure Post to log whether each write to a queue or topic succeeded or failed. This is controlled with the debugging setting.

To enable debugging

Open the **openbridge.ini** file and set the **-OB_debugToLog** parameter to true.

```
-OB_debugToLog=true
```

View the XML format

To view the XML formatting of the records that SharePlex sends to JMS, see the **format** category of the **target** command documentation in the SharePlex [Reference Guide](#).

Set up Replication from Oracle to Kafka

Prerequisite: When replicating data to the Kafka (Apache and Confluent) target, target SharePlex should be installed only on the Linux platform.

Overview

The SharePlex Post process can connect and write to a Kafka broker. The data can be written in JSON or XML output as a sequential series of operations as they occurred on the source, which can then be consumed by a Kafka consumer.

These instructions contain setup instructions that are specific to this target. Install SharePlex on the source and target according to the appropriate directions in this manual before performing these setup steps.

For the versions, data types and operations that are supported when using SharePlex to replicate to this target, see the [SharePlex Release Notes](#).

Guidelines for Posting to Kafka

- A SharePlex Post process acts as a Kafka producer. A SharePlex Post process can write to one or more topics that have one or more partitions.
- The SharePlex Post process does not create a topic itself, but you can configure the Kafka broker to auto-create topics.

Configure SharePlex on the Source

When replicating data to Kafka, configure the source database and SharePlex on the source system as follows.

Enable supplemental logging

On the source system, enable PK/UK supplemental logging in the Oracle source database. SharePlex must have the Oracle key information to build an appropriate key on the target.

```
SQL> ALTER DATABASE ADD SUPPLEMENTAL LOG DATA (PRIMARY KEY, UNIQUE) COLUMNS;
```

Set SP_OCT_USE_SUPP_KEYS parameter

On the source system, set the SP_OCT_USE_SUPP_KEYS parameter to a value of 1. This parameter directs SharePlex to use the columns set by Oracle's supplemental logging as the key columns when a row is updated or deleted. When both supplemental logging and this parameter are set, it ensures that SharePlex can always build a key and that the SharePlex key will match the Oracle key.

See the SharePlex [Reference Guide](#) for more information about this parameter.

Configure replication

On the source, create a SharePlex configuration file that specifies capture and routing information. The structure that is required in a configuration file varies, depending on your replication strategy, but this shows you the required syntax for routing data to Kafka.

```
Datasource:o.SID
src_owner.table          !kafka[:tgt_owner.table]      host
```

where:

- *SID* is the Oracle SID of the source Oracle database.
- *src_owner.table* is the owner and name of the source table.
- **!kafka** is a required keyword indicating SharePlex is posting to Kafka.
- *:tgt_owner.table* is optional and specifies the owner and name of a target table. Use this feature if you want the data to appear as if it came from a table other than the source table. Allow no spaces between **!kafka** and *:tgt_owner.table*. Type case-sensitive names in the correct case and enclose them within double quotes, as in "MySchema"."MyTable"
- *host* is the name of the target system.

NOTE: See [Configure SharePlex to replicate data](#) in the [SharePlex Administration Guide](#).

Source configuration example

```
Datasource:o.ora112
MY_SCHEMA.MY_TABLE  !kafka  sysprod
```

Configure SharePlex on the Target

These instructions configure the SharePlex Post process to connect to Kafka. You must have a running Kafka broker.

To configure post to Kafka

1. Create a Kafka topic.
2. Start **sp_cop**. (Do not activate the configuration yet.)
3. Run **sp_ctrl**.
4. Issue the **target** command to configure posting to a Kafka broker and topic. The following are example commands.

```
sp_ctrl> target x.kafka set kafka broker=host1:9092,host2:9092,host3:9092
sp_ctrl> target x.kafka set kafka topic=shareplex
```

See [View and Change Kafka Settings](#) for command explanations and options.

NOTE: Specify more than one broker so that SharePlex will attempt to connect to the other brokers in the list if any one of them is down.

Set the Kafka Record Format

SharePlex can output to either XML or JSON format as input to Kafka. XML is the default. To set the input format and specify format options, use one of the following **target** commands:

target x.kafka set format record=json

or:

target x.kafka set format record=xml

To view samples of these formats, see the **format** category of the **target** command documentation in the [SharePlex Reference Guide](#).

View and Change Kafka Settings

To view current property settings for output to Kafka, use the following **target** command:

target x.kafka show

To change a property setting, use the following command.

target x.kafka [queue *queuename*] set kafka property=*value*

where:

- queue *queuename* is the name of a Post queue. Use this option if there are multiple Post processes.
- *property* and *value* are shown in the following table.

Table 3: Kafka target properties

Property	Input Value	Default
broker=<i>broker</i>	Required. The host and port number of the Kafka broker, or a comma delimited list of multiple brokers. This list is the bootstrap into the Kafka cluster. So long as Post can connect to one of these brokers, it will discover any other brokers in the cluster.	localhost:9092
client_id=<i>ID</i>	Optional. A user-defined string that Post will send in each request to help trace calls.	None
compression.code={<i>none</i>, <i>gzip</i>, <i>snappy</i>}	Optional. Controls whether data is compressed in Kafka. Options are none , gzip or snappy .	None
partition={<i>number</i> <i>rotate</i> <i>rotate trans</i>}	Required. One of the following: <ul style="list-style-type: none">• A fixed partition number: Directs Post to post messages only to the specified partition number. For example, setting it to 0 directs Post to post only to partition 0. This option is suitable for use in testing or if the target has multiple channels of data posting to the same Kafka topic.	0

Property	Input Value	Default
	<ul style="list-style-type: none"> The keyword rotate: Directs Post to apply messages to all of the partitions of a topic in a round-robin fashion. The partition changes with each new message. For example if a topic has three partitions, the messages are posted to partitions 0,1,2,0,1,2, and so on in that order. The keyword rotate trans: This is similar to the rotate option, except that the partition is incremented with each transaction rather than with each message. For example, if a topic has three partitions, the messages are posted to partition 0 until the commit, then to partition 1 until the commit, and so on in that order. This option is suitable if you are replicating multiple tables to a single topic. It allows you to distribute data across several partitions, while still preserving all of the operations of a transaction together in a single partition. This enables a consumer that reads from a single partition to receive a stream of complete transactions. 	
request.required.acks= <i>value</i>	Optional. This is a Kafka client parameter. By default it is set to a value of -1, which means all . Consult the Kafka documentation about this subject, because all really means <i>all in-sync replicas</i> . This parameter can be used in conjunction with the min.insync.replicas broker parameter to tune behavior between availability and data consistency. IMPORTANT : It is possible for data to be lost between a Kafka producer (SharePlex in this case) and a Kafka cluster, depending on these settings.	-1
topic= <i>topic_name</i>	<p>Required. The name of the target Kafka topic.</p> <p>This string may contain the special sequences %o or %t. The %o sequence is replaced by the owner name of the table that is being replicated. The %t sequence is replaced by the table name of the table that is being replicated. This feature may be used in conjunction with a Kafka server setting of auto.create.topics.enabled set to 'true'. Also view your server settings for default.replication.factor and num.partitions because these are used as defaults when topics are auto created.</p> <p>IMPORTANT! If using multiple topics, you must also set the following properties with the target command:</p> <ul style="list-style-type: none"> The output must be in JSON. Set the record property of the format category to json: target x.kafka set format record=json Commits must be disabled. Set the commit property of the json category to no: target x.kafka set json commit=no 	shareplex

* To avoid latency, if Post detects no more incoming messages, it sends the packet to Kafka immediately without waiting for the threshold to be satisfied.

Set recovery options

If the Kafka process aborts suddenly, or if the machine that it is running on aborts, row changes may be written twice to the Kafka topic. The consumer must manage this by detecting and discarding duplicates.

Every record of every row-change operation in a transaction has the same transaction ID and is also marked with a sequence ID. These attributes are **id** and **msgIdx**, respectively, under the **txn** element in the XML output (see [Set up Replication from Oracle to Kafka](#)).

The transaction ID is the SCN at the time the transaction was committed, and the sequence ID is the index of the row change in the transaction. These two values are guaranteed to be the same if they are re-written to the Kafka topic in a recovery situation.

If desired, you can configure Post to include additional metadata with every row-change record by using the following command:

```
target x.kafka [queue queuename] set metadata property [, property]
```

Table 4: Optional metadata properties

Property	Description
time	The time the operation was applied on the source.
userid	The ID of the database user that performed the operation.
trans	The ID of the transaction that included the operation.
size	The number of operations in the transaction.

Example

```
target x.kafka set metadata time, userid, trans, size
```

To reset the metadata

```
target x.kafka [queue queuename] reset metadata
```

To view the metadata

```
target x.kafka [queue queuename] show metadata
```

Set up replication from Oracle to a SQL or XML file

Overview

SharePlex can post replicated Oracle data to a file formatted as SQL or XML. This data is written as a sequential series of operations as they occurred on the source, which can then be posted in sequential order to a target database or consumed by an external process or program.

These instructions contain setup instructions that are specific to this target. Install SharePlex on the source and target according to the appropriate directions in this manual before performing these setup steps.

For the versions, data types and operations that are supported when using SharePlex to replicate to this target, see the [SharePlex Release Notes](#).

Configure SharePlex on the source

On the source, create a SharePlex configuration file that specifies capture and routing information. The structure that is required in a configuration file varies, depending on your replication strategy, but this shows you the required syntax for routing data to a SQL or XML file.

```
Datasource:o.SID
```

```
src_owner.table
```

```
!file[:tgt_owner.table]
```

```
host
```

where:

- *SID* is the Oracle SID of the source Oracle database.
- *src_owner.table* is the owner and name of the source table.
- **!file** is a required keyword that directs Post to write to a file.
- *tgt_owner.table* is optional and specifies the owner and name of the target table. Use if either component is different from that of the source table.
- *host* is the name of the target system.

NOTE: For more information, see [Configure SharePlex to replicate data](#) in the [SharePlex Administration Guide](#).

Source configuration example:

The following example replicates the `parts` table in schema `PROD` from Oracle instance `ora112` to a file on target system `sysprod`.

```
Datasource:o.ora112
```

```
PROD.parts !file sysprod
```

Configure SharePlex on the target

By default, SharePlex formats data to a file in **XML** format, and there is no target setup required unless you want to change properties of the output file (see [Set up replication from Oracle to a SQL or XML file.](#)) To output in SQL format, use the **target** command to specify the SQL output as follows.

To output data in SQL format

1. Start **sp_cop**.
2. Start **sp_ctrl**.
3. Issue the following required **target** commands to output the records in SQL. **NOTE:** Use all lower-case characters.

```
target x.file [queue queue_name] set format record=sql
```

```
target x.file [queue queue_name] set sql legacy=yes
```

where: **queue queue_name** constrains the action of the command to the SharePlex Post process that is associated with the specified queue.

See [Set up replication from Oracle to a SQL or XML file](#) for descriptions of these settings and other optional properties that you can set.

To view samples of the SQL and XML formats, see the **target** command documentation in the SharePlex [Reference Guide](#).

View and change target settings

To view current property settings for output to a file, use the following command:

```
target x.file show
```

To change a setting, use the following **target** command.

```
target x.file [queue queue_name] set [category] property=value
```

For more information, see the [target](#) command in the SharePlex [Reference Guide](#).

File storage and aging

Post writes to a series of files. The active working file is prepended with the label of **current_** and is stored in the **opx/current** subdirectory of the variable-data directory.

Output Format	Name of Current File
SQL	current_legacy.sql
XML	current_prodsys.XML

IMPORTANT: Do not open or edit the **current_** file.

Post uses the **max_records**, **max_size** and **max_time** parameters to determine the point at which to start a new active file. When this switch occurs, Post moves the processed data to a sequenced file in the **opx** subdirectory of

the variable-data directory. The file names include the name of the post queue, the time and date, and an incrementing ID.

SQL files:

```
/installed/vardir> ls -l opx  
  
0000000000_20140305130858_legacy.sql  
0000000001_20140305131130_legacy.sql  
0000000002_20140305131212_legacy.sql  
0000000003_20140305133835_legacy.sql  
0000000004_20140305134028_legacy.sql
```

XML files:

```
/installed/vardir> ls -l opx  
  
0000000000_20140305130858_prodsys.XML  
0000000001_20140305131130_prodsys.XML  
0000000002_20140305131212_prodsys.XML  
0000000003_20140305133835_prodsys.XML  
0000000004_20140305134028_prodsys.XML
```

To force a file switch

The **current** file cannot be viewed or consumed without stopping Post. To access the data in the current file, you can use the **target** command with the **switch** option to move the data to a sequenced file, from which it can then be consumed or viewed. After issuing this command, the switch occurs after Post processes a new record.

target x.file [queue *queuename*] switch

Basic SharePlex demonstration - all platforms

Contents

- Overview
- Pework for the demonstrations
- Start SharePlex
- Create and activate a configuration
- Demonstration of replication
- Demonstration of data compare and repair
- Demonstration of named post queues

Overview

This chapter demonstrates the basics of SharePlex replication. This demonstration can be run on Unix, Linux, or Windows systems for any of the supported SharePlex source and target databases.

NOTES:

- These demonstrations are for use with databases. They do not support replication to a file or a messaging container.
- These are only demonstrations. Do not use them as the basis for deployment in a production environment. To properly implement replication in your environment, follow the instructions in the SharePlex [Installation and Setup Guide](#) and the SharePlex [Administration Guide](#).
- For more information about the commands used in the demonstrations, see the SharePlex [Reference Guide](#).
- The demonstrations assume that SharePlex is fully installed on a source system and one target system, and that any pre- and post-installation setup steps were performed.

What you will learn

- How to activate a configuration
- How SharePlex replicates smoothly from source to target systems
- How SharePlex quickly and accurately replicates large transactions
- How SharePlex queues the data if the target system is unavailable
- How SharePlex resumes from its stopping point when the target system is recovered
- How SharePlex recovers after a primary instance interruption
- How SharePlex replicates an Oracle TRUNCATE command
- How SharePlex verifies synchronization and repairs out-of-sync rows
- How to use named queues to spread the processing of different tables across parallel Post processes

Pework for the demonstrations

Before you run the basic demonstrations, have the following items available.

Tables used in the demonstrations

You will replicate **splex.demo_src** from the source system to **splex.demo_dest** on the target system. These tables are installed by default into the SharePlex schema, which in these demonstrations is "splex." Your SharePlex schema may be different. Verify that these tables exist.

Description of the demo tables.

Column Name	Data Type	Null?
NAME	varchar2(30)	
ADDRESS	verchar2(60)	
PHONE	varchar2(12)	

INSERT scripts

- Create a SQL script named **insert_demo_src** that inserts and commits 500 rows into the **splex.demo_src** table. You will run this script during some of the demonstrations.
- If you will be using the demonstration of named post queues, create a SQL script named **insert_demo_dest** that inserts and commits 500 rows into the **splex.demo_dest** table. You will run this script during some of the demonstrations.

Start SharePlex

The following are instructions for starting SharePlex and the **sp_ctrl** command-line interface on Unix, Linux, and Windows systems. Start SharePlex on the source and target systems.

To start SharePlex on Unix and Linux systems

1. Log onto the system as a SharePlex Administrator (a member of the **SharePlex Admin group**).
2. From the **bin** sub-directory of the SharePlex product directory (*productdir* in the following syntax), run **sp_cop** and **sp_ctrl**.

```
$cd /productdir/bin
$./sp_cop &
$./sp_ctrl
```

To start SharePlex on Windows systems

1. Log onto the system as a SharePlex Administrator (a member of the **SharePlex Admin group**).
2. From the **Quest Software | SharePlex** program menu, select **SpUtils**.
3. Select the **SharePlex Services** tab.
4. Under **Port**, select the SharePlex port number, then click **Start**.
5. When **Current State** shows that the service is running, close the dialog box.
6. From the **Quest Software | SharePlex** program menu, select **sp_ctrl** to run the SharePlex command line.

Create and activate a configuration

SharePlex gets its replication instructions from a configuration file, which defines the objects that are to be replicated. The file specifies following:

- The *datasource* (source database) — the identifier of the source database.
- The *source* objects — the names of the objects that contain the data to be replicated.
- The *target* objects — the names of the target objects that will receive the replicated data.
- The *routing map* — the name of the target system and, if the target is a database, its identifier.

NOTE: This demonstration demonstrates replication from one database to another. It does not cover replication to a file or a messaging container.

Create a configuration file

Perform these steps on the **source** system. The demonstration objects are assumed to be in the schema named **splex**.

1. Run **sp_ctrl**.
2. Issue the following command to create a configuration file named **sample_config** in the default text editor.

```
sp_ctrl(source)> create config sample_config
```

3. In the text editor, build your configuration file based on the appropriate template, as shown in the [Configuration templates](#). Allow no spaces between the characters in a component (source specification, target specification, routing map), and place at least one space between each component.

4. Save the file, then exit the editor. SharePlex automatically saves the file in the **config** sub-directory of the variable-data directory.
5. In **sp_ctrl**, verify that the configuration file will activate successfully.


```
sp_ctrl(source)>verify config sample_config
```

Configuration templates

Oracle source to Oracle target

```
datasource:o.source_SID
splex.demo_src      splex.demo_dest      target_system@o.target_SID
```

where:

- *source_SID* is the ORACLE_SID of the source database.
- *target_system* is the name or IP address of the target system.
- *target_SID* is the ORACLE_SID of the target database.

Oracle source to Open Target

```
datasource:o.source_SID
splex.demo_src      splex.demo_dest      target_system@r.database_name
```

where:

- *source_SID* is the ORACLE_SID of the source database.
- *target_system* is the name or IP address of the target system.
- *database_name* is the name of the Open Target database.

Activate the configuration

Perform these steps on the **source** system. When you activate a configuration, SharePlex is ready to capture transactional changes that are made to the specified source data.

1. Activate the configuration.


```
sp_ctrl(source)> activate config sample_config
```

NOTE: Configuration names are case-sensitive.
2. Confirm that the configuration activated successfully. The name **sample_config** should appear under **File Name**, and the word **Active** should appear under **State**.


```
sp_ctrl(source)> list config
```

Troubleshooting Tips

If your configuration activation fails, issue the **view config sample_config** command to view the file. Compare it to the template and make sure all of the information you entered is correct. Make certain you specified the correct database identifier. Check your syntax for extra spaces or missing components.

Because the configuration file is not active, you can edit it directly with the following command:

```
sp_ctrl(source)> edit config sample_config
```

Save the changes, then re-try the activation.

NOTE: To change an active configuration, you must copy it to a new file first, and then edit and activate the copy. For more information, see [Add or change table specifications in an active configuration](#) in the *SharePlex Installation and Setup Guide*.

Demonstration of replication

This section demonstrates the speed and accuracy of SharePlex replication. It can also be used to verify that SharePlex was installed and configured correctly.

Verify replication startup

This test verifies that replication is working properly.

Perform these steps in the native SQL interface of the database.

1. On the **source**, TRUNCATE **splex.demo_src** to make certain it is empty. SharePlex replicates the TRUNCATE to the target.

```
truncate table splex.demo_src;
```

2. Insert and commit a record into **splex.demo_src**:

```
insert into splex.demo_src values ('Jim', '123 Main Street', '123-456-7890');  
commit;
```

3. Verify that the record exists in **splex.demo_dest** on the target system:

```
select * from splex.demo_dest;
```

The query should show the replicated record, and only that record.

Verify replication of large data volumes

This test verifies that SharePlex replicates large volumes of data quickly and accurately.

Perform these steps in the native SQL interface of the database.

1. On the **source**, TRUNCATE **splex.demo_src** to make certain it is empty. SharePlex replicates the TRUNCATE to the target.

```
truncate table splex.demo_src;
```

2. Run the **insert_demo_src** script to insert 500 rows into the **splex.demo_src** table.

3. Verify that all of the record exist in **splex.demo_dest** on the target system:
select count (*) from splex.demo_dest;
The count should match the number of records inserted by the **Inserts** script.

Verify queuing and continuity of replication

This test shows you how:

- SharePlex queues replicated data on the source system if the target system is unavailable.
 - SharePlex resumes replication from where it left off when the target becomes available.
1. On the **source**, TRUNCATE **splex.demo_src** to make certain it is empty. SharePlex replicates the TRUNCATE to the target.
truncate table splex.demo_src;
 2. On the **target**, shut down SharePlex to simulate that this system is unavailable.
`sp_ctrl (source) > shutdown`
 3. On the **source**, run the **insert_demo_src** script to insert records into **splex.demo_src**.
 4. On the **source**, issue the following command to show the status of the local SharePlex queues.

```
sp_ctrl (source) > qstatus
```

The output should show a backlog of messages.

NOTES:

- If SharePlex on the target were running instead of stopped, there would be no messages in the queue. Replication of 500 rows (and the clearing of the queues) would typically happen faster than the time it took to run the script and then issue the **qstatus** command. To confirm that the queues are storing the records, continue to issue the command. The backlog value should be the same each time.
 - If your environment permits it, you can perform the same test with the same results by unplugging the network connection to the source system before you run the script.
5. On the **target**, start **sp_cop** to allow replication to resume.
 6. On the **target**, run **sp_ctrl**.
 7. On the **target**, verify that the SharePlex processes started.
`sp_ctrl (target) > status`
 8. On the **target**, verify that the records inserted by the script on the source system now exist in the target database.
select count (*) from splex.demo_dest;
The count should match the number of records inserted by the **Inserts** script.

Verify SharePlex capture recovery

This test shows how SharePlex recovers after an interruption to data capture.

1. On the **source**, TRUNCATE **splex.demo_src** to make certain it is empty. SharePlex replicates the TRUNCATE to the target.
truncate table splex.demo_src;
2. On the **source**, stop the Capture process.
`sp_ctrl (source) > stop capture`
3. On the **source**, run the **Insert** script to generate a transaction to **splex.demo_src**.
4. On the **source**, start the Capture process.
`sp_ctrl (source) > start capture`
5. On the **source**, verify that Capture is running and that it processed the data. Look at **Capture state** and **Operations captured**.
`sp_ctrl (source) > status`
6. On the **target**, use the native SQL interface to verify that all records inserted by the script on the source now exist in the target database.
select count (*) from splex.demo_dest;

Demonstration of data compare and repair

This demonstration shows you how to use the SharePlex **compare** command to compare the source and target data, and then repair rows that are out of synchronization.

1. On the **source**, TRUNCATE **splex.demo_src** to make certain it is empty. SharePlex replicates the TRUNCATE to the target.
truncate table splex.demo_src;
2. On the **source**, use the **insert_demo_src** script to insert rows into **splex.demo_src**.
3. On the **target**, verify that all of the data posted to **splex.demo_dest**. If the command shows that data is still in the queue, issue the command again.
`sp_ctrl (target) > qstatus`
4. On the **source**, issue the **compare** command in **sp_ctrl**.
`sp_ctrl (source) > compare splex.demo_src`
Note: The command determines the correct target table from the configuration file.
5. On the **source**, view the results of the comparison. There should be no rows out of synchronization.
`sp_ctrl (source) > compare status`
6. On the **target**, UPDATE **splex.demo_dest** to change the values of the NAME column in two or more rows. The UPDATE causes the source and target tables to be out of synchronization.
7. On the **source**, issue the **compare** command again. It should show that the rows you updated in **splex.demo_dest** are out of synchronization.
`sp_ctrl (source) > compare splex.demo_src`

8. On the **source**, issue the **repair** command to repair the rows that are out of synchronization.

```
sp_ctrl (source) > repair splex.demo_src
```
9. On the **source**, verify that the repair was performed.

```
sp_ctrl (source) > repair status
```
10. On the **target**, you can manually verify that the repair was accurate by using a SELECT statement to view all rows in both tables.

```
select * from splex.demo_src;  
select * from splex.demo_dest;
```

Demonstration of named post queues

This demonstration shows you how to use named post queues to process different tables through different, parallel Post processes to improve performance.

Clean up the replication environment

NOTE: The demonstration objects are assumed to be in the schema named **splex**.

1. If you ran previous demonstrations, do the following:
 - a. On the **source** and **target**, run **sp_ctrl** and issue the following command to shut down **sp_cop**.

```
sp_ctrl (source) shutdown  
sp_ctrl (target) shutdown
```
 - b. On the **source** and **target**, run the **ora_cleansp** or **mss_cleansp** utility according to the instructions in [SharePlex utilities](#) on page 1. This removes the queues from the previous demonstrations and deactivates the previous configuration.
2. On the **source**, TRUNCATE the **splex.demo_src**. SharePlex replicates the TRUNCATE to the target.

```
truncate table splex.demo_src;
```

Create a configuration file

Perform these steps on the **source** system. The demonstration objects are assumed to be in the schema named **splex**.

You will configure the following:

- **demo_src** on the source replicates through a post queue named **q1** to target **demo_dest**.
 - **demo_dest** on the source replicates through a post queue named **q2** to target **demo_src**.
1. Run **sp_ctrl**.
 2. Issue the following command to create a configuration file named **postq_config** in the default text editor.

```
sp_ctrl (source) > create config postq_config
```

3. In the text editor, build your configuration file based on the appropriate template, as shown in the [Configuration templates](#). Allow no spaces between the characters in a component (source specification, target specification, routing map), and place at least one space between each component.
4. Save the file, then exit the editor. SharePlex automatically saves the file in the **config** sub-directory of the variable-data directory.
5. In **sp_ctrl**, verify that the configuration file will activate successfully.

```
sp_ctrl(source)>verify config postq_config
```

Configuration templates

Oracle source to Oracle target

```
datasource:o.source_SID
splex.demo_src          splex.demo_dest          target_system:q1@o.target_SID
splex.demo_dest         splex.demo_src           target_system:q2@o.target_SID
```

where:

- *source_SID* is the ORACLE_SID of the source database.
- *target_system* is the name or IP address of the target system.
- *target_SID* is the ORACLE_SID of the target database.

Oracle source to Open Target

```
datasource:o.source_SID
splex.demo_src          splex.demo_dest          target_system:q1@r.database_name
splex.demo_dest         splex.demo_src           target_system:q2@r.database_name
```

where:

- *source_SID* is the ORACLE_SID of the source database.
- *target_system* is the name or IP address of the target system.
- *database_name* is the name of the Open Target database.

Activate the configuration

IMPORTANT! Make certain you created the scripts described in [Prework for the demonstrations](#) on page 104.

Perform these steps on the **source** system. When you activate a configuration, SharePlex is ready to capture transactional changes that are made to the specified source data.

1. Activate the configuration.

```
sp_ctrl(source)>activate config postq_config
```

NOTE: Configuration names are case-sensitive.

2. Confirm that the configuration activated successfully. The name **postq_config** should appear under **File Name**, and the word **Active** should appear under **State**.

```
sp_ctrl(source)>list config
```

Generate data

On the **source**, run the following scripts to insert data into the two local demonstration tables (in this demonstration, the **demo_dest** table is used as a source):

- Run the **insert_demo_src** script to insert 500 rows into the **splex.demo_src** table.
- Run the **insert_demo_dest** script to insert 500 rows into the **splex.demo_dest** table.

View the post queues

1. On the **target**, run **sp_ctrl**.
2. On the **target**, issue the show post command with the detail option. This command shows statistics about the number of messages processed and the queues that were used.

```
sp_ctrl(target)> show post detail
```

In the output, the **Queue** field shows the name of each post queue, in this case **q1** and **q2**, and the **Operations Posted** field shows the number of operations that were posted. Each queue should show 500 operations posted.

Advanced SharePlex demonstrations for Oracle

Contents

- Overview
- Pework for the demonstrations
- Start SharePlex
- Configure, activate, and verify replication
- Demonstration of horizontally partitioned replication
- Demonstration of vertically partitioned replication
- Demonstration of transformation
- Demonstration of conflict resolution

Overview

This chapter demonstrates selected features of SharePlex. These exercises can be run on Unix and Linux and Windows systems to demonstrate:

- How to build and verify a replication configuration
- How to use the **compare** command to verify synchronization
- How to use partitioned replication to replicate subsets of data
- How to use transformation to manipulate replicated data
- How to use generic conflict resolution in peer-to-peer replication

NOTES:

- These are only demonstrations. Do not use them as the basis for deployment in a production environment. To properly implement replication in your environment, follow the instructions in the SharePlex [Installation and Setup Guide](#) and the SharePlex [Administration Guide](#).

- For more information about the commands used in the demonstrations, see the [SharePlex Reference Guide](#).
- The demonstrations assume that SharePlex is installed on a source system and one target system, and that any pre- and post-installation setup steps were performed. For more information, see the [SharePlex Installation and Setup Guide](#).

Prework for the demonstrations

Perform these tasks before you start the demonstrations.

Verify that DDL replication is enabled

On the **source**, verify that the `SP_OCT_REPLICATE_DDL` parameter is set to the default of 3. This parameter controls basic DDL replication, including the TRUNCATE command.

```
sp_ctrl (source) > list param modified capture
```

The `SP_OCT_REPLICATE_DDL` parameter should not be listed in the output. If it is, issue the following command:

```
sp_ctrl (source) > reset param SP_OCT_REPLICATE_DDL
```

Install the demonstration objects

The **p2p.sql** and **od.sql** scripts install the demonstration objects that you will use during these demonstrations. These scripts are stored in the **util** sub-directory of the SharePlex product directory.

To run the scripts

- Run **od.sql** first, then run **p2p.sql**.
- Run the scripts on the source and target systems that you will be using for the demonstrations.
- Run them in SQL*Plus as an existing user with the DBA role and SELECT ANY TABLE privileges.

The scripts prompt for the following items:

- The schema where you want the demonstration objects to be installed.
- The tablespace for the demonstration objects.
- Whether or not you want old demonstration objects from a previous version of SharePlex to be removed. To remove the old objects, supply the name of their schema.

Description of the demonstration objects

od_employee

Name	Null?	Type
-----	-----	-----
EMP_NO	NOT NULL	NUMBER
EMP_FIRST_NAME		VARCHAR2
EMP_LAST_NAME		VARCHAR2

od_employee

EMP_DOB		DATE
EMP_DEPT_NO		NUMBER
EMP_TIMESTAMP		DATE

od_timesheet

Name	Null?	Type
-----	-----	-----
TS_EMP_NO		NUMBER
TS_IN_TIME		DATE
TS_OUT_TIME		DATE
TS_MOD_TIME		DATE

od_department

Name	Null?	Type
-----	-----	-----
DEPT_NO	NOT NULL	NUMBER
DEPT_NAME		VARCHAR2
DEPT_CODE		VARCHAR2

od_salary

Name	Null?	Type
-----	-----	-----
SALE_EMP_NO		NUMBER
SAL_VALUE		NUMBER
SAL_CHANGED		DATE

od_sales_emp_data

Name	Null?	Type
-----	-----	-----
EMP_NO_KEY	NOT NULL	NUMBER
EMPLOYEE_NAME		VARCHAR2 (70)
SALARY		NUMBER
DEPARTMENT		VARCHAR2 (50)

oxc_table

Name	Null?	Type
-----	-----	-----
EXC_NO	NOT NULL	NUMBER
EXC_TYPE		VARCHAR2 (6)
EXC_TARGET_TABLE		VARCHAR2 (66)
EXC_FIXED		VARCHAR2 (3)
EXC_INFO		VARCHAR2 (500)
EXC_TIMESTAMP		DATE

Start SharePlex

The following are instructions for starting SharePlex and the **sp_ctrl** command-line interface on Unix, Linux, and Windows systems. Start SharePlex on the source and target systems.

To start SharePlex on Unix and Linux systems

1. Log onto the system as a SharePlex Administrator (a member of the **SharePlex Admin group**).
2. From the **bin** sub-directory of the SharePlex product directory (*productdir* in the following syntax), run **sp_cop** and **sp_ctrl**.

```
$cd /productdir/bin
```

```
$. /sp_cop &
```

```
$. /sp_ctrl
```

To start SharePlex on Windows systems

1. Log onto the system as a SharePlex Administrator (a member of the **SharePlex Admin group**).
2. From the **Quest Software | SharePlex** program menu, select **SpUtils**.
3. Select the **SharePlex Services** tab.
4. Under **Port**, select the SharePlex port number, then click **Start**.
5. When **Current State** shows that the service is running, close the dialog box.
6. From the **Quest Software | SharePlex** program menu, select **sp_ctrl** to run the SharePlex command line.

Configure, activate, and verify replication

NOTE: Before proceeding, make certain the SharePlex demonstration objects are installed. See [Prework for the demonstrations](#) on page 114.

In this demonstration, you will create and activate a replication configuration, load data to the source table, and then confirm that the data was replicated successfully to the target table. You will also repair a table that is out of synchronization.

Create a configuration file

NOTE: In this demonstration, the demonstration objects are assumed to be in the schema named **demo**. Substitute the actual schema, if different.

Perform these steps on the **source** system.

1. Run `sp_ctrl` .
2. Issue the following command to create a configuration file named `od_config` that replicates the `od_department`, `od_salary`, `od_timesheet`, and `od_employee` tables to target tables of the same names on the target system..

```
sp_ctrl (source) > create config od_config
```

3. In the text editor, build your configuration file based on the following template. Allow no spaces between the characters in a component (source specification, target specification, routing map), and place at least one space between each component.

```
# od_config configuration file

datasource:o.source_SID

demo.od_department      demo.od_department      target_system@o.target_SID
demo.od_salary           demo.od_salary          target_system@o.target_SID
demo.od_timesheet        demo.od_timesheet       target_system@o.target_SID
demo.od_employee         demo.od_employee        target_system@o.target_SID
```

where:

- # denotes a comment.
 - `source_SID` is the ORACLE_SID of the source database.
 - `target_system` is the name or IP address of the target system.
 - `target_SID` is the ORACLE_SID of the target database.
4. Save the file, then exit the editor. SharePlex automatically saves the file in the `config` sub-directory.
 5. In `sp_ctrl`, verify that the configuration file will activate successfully.

```
sp_ctrl (source) > verify config sample_config
```

Activate the configuration

Perform these steps on the **source** system. When you activate a configuration, SharePlex is ready to capture transactional changes that are made to the specified source data.

1. Activate the configuration.

```
sp_ctrl (source) > activate config od_config
```

NOTE: Configuration names are case-sensitive.

2. Confirm that the configuration activated successfully. The name `config od_config` should appear under **File Name**, and the word **Active** should appear under **State**.

```
sp_ctrl (source) > list config
```

NOTE: If you ran the basic SharePlex demonstration using the same `datasource`, this activation deactivates the configuration file that you used for that demonstration.

Generate transactions to the source table

On the **source**, log in as the demo schema owner and execute the **od_add_emps** procedure to populate the **od_employee** and **od_salary** tables. This procedure has one IN parameter that specifies the number of employees to insert per department:

- The default number of departments is 5.
- Use an IN parameter of 100 to create 500 new employees in the **od_employee** table and 500 entries in the **od_salary** table.

```
SQL> exec od_add_emps(100);
```

Compare source and target tables

In this section, you will compare the source and target tables to verify that the data is synchronized.

1. On the **source**, run **sp_ctrl**.
2. On the **source**, compare the **od_employee** and **od_salary** tables to their targets.

```
sp_ctrl(source)> compare demo.od_employee
```

```
sp_ctrl(source)> compare demo.od_salary
```

Note: The command determines the correct target table from the configuration file.

3. On the **source**, view the results of the comparisons.

```
sp_ctrl(source)> compare status
```

Continue issuing this command until both compare processes have completed their work. The command output should show no out-of-sync rows.

Repair an out-of-sync condition

In this section, you will repair an out-of-sync condition to restore data synchronization.

1. On the **target**, run SQL*Plus and delete some rows from **od_employee**. This causes that table to go out of synchronization with its source table.
2. On the **source**, compare the **od_employee** tables.

```
sp_ctrl(source)> compare demo.od_employee
```

3. On the **source**, view the results of the comparisons.

```
sp_ctrl(source)>compare status
```

The command output should show out-of-sync rows, the number of which should equal the number of rows you deleted from **od_employee** on the target.

4. On the source, repair the **od_employee** table.

```
sp_ctrl(source)>repair demo.od_employee
```

5. On the **source**, view the results of the repair.

```
sp_ctrl (source) > repair status
```

The command output should show no out-of-sync rows, because the **repair** command inserted the rows that that you deleted, because they were still present in the source table.

Demonstration of horizontally partitioned replication

NOTE: Before proceeding, make certain the SharePlex demonstration objects are installed. See [Prework for the demonstrations](#) on page 114.

In this demonstration you will:

1. Define a *partition scheme* and one or more *row partitions* for the partition scheme.
 - A row partition is a defined subset of the rows in a source table that you want to replicate to the target table.
 - A partition scheme is a logical container for row partitions.
2. Specify the name of the partition scheme in the SharePlex configuration file to include the partitions in replication.
3. Activate the configuration.
4. Load data into the source table and verify replication of the specified rows to the target.

Prepare the tables

NOTE: In this demonstration, the demonstration objects are assumed to be in the schema named **demo**. Substitute the actual schema, if different.

1. If you ran previous demonstrations, do the following:
 - a. On the **source** and **target**, run **sp_ctrl** and issue the following command to shut down **sp_cop**.

```
sp_ctrl (source) shutdown
sp_ctrl (target) shutdown
```
 - b. On the **source** and **target**, run the **ora_cleansp** utility according to the instructions in "ora_cleansp" in the *SharePlex Reference Guide*. This removes the queues from the previous demonstrations and deactivates the previous configuration.
2. On the **source** and **target**, TRUNCATE the **od_employee** and **od_salary** tables.

```
SQL> truncate table demo.od_employee;
SQL> truncate table demo.od_salary;
```

Configure the row partition

1. On the **source**, run **sp_ctrl**.
2. On the source, create a row partition that specifies the rows to replicate from the source **od_employee** table, in this case only the rows where the employee department is 1.

NOTE: The partition only specifies rows. The names of the source and target tables are specified in the configuration file.

```
sp_ctrl> add partition to scheme1 set condition = 'EMP_DEPT_NO=1' and route = target_sys@o.ora_SID
```

where:

- **scheme1** is the name of the partition scheme.
- **condition = 'EMP_DEPT_NO=1'** is the column condition
- **route = target_sys@o.ora_SID** is the routing that consists of the name of your target system and the ORACLE_SID of the target database.

Specify the partition scheme in the configuration file

Perform these steps on the **source** system.

1. In **sp_ctrl**, open the **od_config** configuration file for editing.

```
sp_ctrl (source)>edit config od_config
```
2. In the text editor, edit the configuration file to change the entry for the **od_employee** table so that it uses the partition scheme that you created.

```
# od_config configuration file

datasource:o.source_SID

demo.od_department      demo.od_department      target_system@o.target_SID
demo.od_salary          demo.od_salary          target_system@o.target_SID
demo.od_timesheet       demo.od_timesheet       target_system@o.target_SID
demo.od_employee        demo.od_employee        !scheme1
```

Where:

- *source_SID* is the ORACLE_SID of the source database.
 - *target_system* is the name or IP address of the target system.
 - *target_SID* is the ORACLE_SID of the target database.
 - **!scheme1** is the syntax for listing the partition scheme.
3. Save the file, then exit the editor. SharePlex automatically saves the file in the **config** sub-directory.

Activate the configuration

Perform these steps on the **source** system. When you activate a configuration, SharePlex is ready to capture transactional changes that are made to the specified source data.

1. Activate the configuration.

```
sp_ctrl (source) > activate config od_config
```

NOTE: Configuration names are case-sensitive.

2. Confirm that the configuration activated successfully. The name **config od_config** should appear under **File Name**, and the word **Active** should appear under **State**.

```
sp_ctrl (source) > list config
```

Replicate data

1. On the **source**, log in as the demo schema owner and execute the **od_add_emps** procedure to populate the **od_employee** and **od_salary** tables. This procedure has one IN parameter that specifies the number of employees to insert per department:

- The default number of departments is 5.
- Use an IN parameter of 100 to create 500 new employees in the **od_employee** table and 500 entries in the **od_salary** table.

```
SQL> exec od_add_emps(100);
```

2. On the **source**, select all rows from the source **od_employee** table.

```
SQL> select * from od_employee;
```

The value for the EMP_DEPT_NO column should range from '1' to '5' across the rows.

3. On the **target**, select all rows from the target **od_employee** table.

```
SQL> select * from od_employee;
```

The value for the EMP_DEPT_NO column should be '1' for all rows. Rows where the value for this column is a value other than "1" were not replicated.

Demonstration of vertically partitioned replication

NOTE: Before proceeding, make certain the SharePlex demonstration objects are installed. See [Prework for the demonstrations](#) on page 114.

In this demonstration you will :

1. Specify a *column partition* in the configuration file. A column partition replicates only the data changes that are made to the specified columns.
2. Activate the configuration.
3. Load data into the source table and verify replication of the specified columns to the target.

Prepare the tables

NOTE: In this demonstration, the demonstration objects are assumed to be in the schema named **demo**. Substitute the actual schema, if different.

1. If you ran previous demonstrations, do the following:
 - a. On the **source** and **target**, run **sp_ctrl** and issue the following command to shut down **sp_cop**.

```
sp_ctrl (source) shutdown
sp_ctrl (target) shutdown
```
 - b. On the **source** and **target**, run the **ora_cleansp** utility according to the instructions in "ora_cleansp" in the *SharePlex Reference Guide*. This removes the queues from the previous demonstrations and deactivates the previous configuration.
2. On the **source** and **target**, TRUNCATE the **od_employee** and **od_salary** tables.

```
SQL> truncate table demo.od_employee;
SQL> truncate table demo.od_salary;
```

Configure the column partition

Perform these steps on the **source** system.

1. In **sp_ctrl**, deactivate the **od_config** configuration.

```
sp_ctrl (source)>deactivate config od_config
```
2. Confirm that the configuration deactivated successfully. The name **od_config** should appear under **File Name**, and the **State** column should show that it is inactive.

```
sp_ctrl (source)>list config
```
3. In **sp_ctrl**, open the **od_config** configuration file for editing.

```
sp_ctrl (source)>edit config od_config
```

- In the text editor, edit the configuration file to change the entry for the **od_employee** table so that it uses a column partition.

```
# od_config configuration file
datasource:o.source_SID

demo.od_department          demo.od_department          target_system@o.target_SID

demo.od_salary !(SAL_VALUE) demo.od_salary              target_system@o.target_SID

demo.od_timesheet          demo.od_timesheet          target_system@o.target_SID

demo.od_employee (EMP_NO,
EMP_FIRST_NAME, EMP_
LAST_NAME)                 demo.od_employee          target_system@o.target_SID
```

Where:

- source_SID* is the ORACLE_SID of the source database.
- target_system* is the name or IP address of the target system.
- target_SID* is the ORACLE_SID of the target database.
- !(SAL_VALUE) is the syntax for an excluded column partition. All columns except the one listed are replicated.
- (EMP_NO, EMP_FIRST_NAME, EMP_LAST_NAME) is the syntax for a column partition. Only the listed columns are replicated.

NOTES:

- This configuration file template is set up in table form to show the source, target, and routing elements clearly. In a real configuration file, the **source** (including the column partition), **target**, and **routing map** should be in that order, all on one line.
- Any columns that are defined as NOT NULL must be included in the column partition, because SharePlex replicates a NULL into columns that are not in the column partition.

- Save the file, then exit the editor. SharePlex automatically saves the file in the **config** sub-directory.

Activate the configuration

Perform these steps on the **source** system. When you activate a configuration, SharePlex is ready to capture transactional changes that are made to the specified source data.

- Activate the configuration.

```
sp_ctrl(source)>activate config od_config
```

NOTE: Configuration names are case-sensitive.

- Confirm that the configuration activated successfully. The name **config od_config** should appear under **File Name**, and the word **Active** should appear under **State**.

```
sp_ctrl(source)>list config
```

Replicate data

1. On the **source**, log in as the demo schema owner and execute the **od_add_emps** procedure to populate the **od_employee** and **od_salary** tables. This procedure has one IN parameter that specifies the number of employees to insert per department:

- The default number of departments is 5.
- Use an IN parameter of 100 to create 500 new employees in the **od_employee** table and 500 entries in the **od_salary** table.

```
SQL>exec od_add_emps(100);
```

2. On the **source**, select all rows from the source **od_employee** table.

```
SQL> select * from od_employee;
```

There should be values in all of the columns of the table.

3. On the **target**, select all rows from the target **od_employee** table.

```
SQL> select * from od_employee;
```

There should only be values in the EMP_NO, EMP_FIRST_NAME, and EMP_LAST_NAME columns. The other columns should contain null values.

4. On the **target**, select all rows from the target **od_salary** table.

```
SQL> select * from od_salary;
```

There should only be values in the SALE_EMP_NO and SAL_CHANGED columns. The SAL_VALUE column should contain only nulls.

Demonstration of transformation

NOTE: Before proceeding, make certain the SharePlex demonstration objects are installed. See [Prewrite for the demonstrations](#) on page 114.

In this demonstration, you will use a supplied transformation procedure to have SharePlex replicate data from two separate source tables and apply it to one target table.

Prepare the objects

NOTE: In this demonstration, the demonstration objects are assumed to be in the schema named **demo**. Substitute the actual schema, if different.

1. If you ran previous demonstrations, do the following:
 - a. On the **source** and **target**, run **sp_ctrl** and issue the following command to shut down **sp_cop**.

```
sp_ctrl (source) shutdown  
sp_ctrl (target) shutdown
```
 - b. On the **source** and **target**, run the **ora_cleansp** utility according to the instructions in [ora_cleansp](#) on page 1. This removes the queues from the previous demonstrations and deactivates the previous configuration.

2. On the **source** and **target**, TRUNCATE the **od_employee** and **od_salary** tables.


```
SQL> truncate table demo.od_employee;
SQL> truncate table demo.od_salary;
```
3. On the **target**, grant the user who owns the demonstration objects the system privilege to execute the **sp_cr** package, which was installed in the SharePlex schema when SharePlex was first installed.


```
SQL> grant execute on sp_cr to user_name
```
4. On the **target**, log into SQL*Plus as the user who owns the SharePlex demonstration objects, then run the **transform.sql** script from the **util** sub-directory of the SharePlex product directory. This installs transformation routines named **od_transform_employee_insert** and **od_transform_employee_update**. You are prompted for:
 - a schema and tablespace
 - the name of the SharePlex database user

Configure SharePlex

1. On the **target**, open the **transformation.SID** file (where *SID* is the ORACLE_SID of the target database) in a text editor. This file is located in the **data** sub-directory in the SharePlex variable-data directory.

NOTE: Post checks this file to determine if there is a transformation procedure that it must call instead of posting the operation to the database.
2. Create the following entries in the **transformation.SID** file. Separate each column with at least a few spaces or a tab character.

demo.od_employee	I	demo.od_transform_employee_insert
demo.od_employee	U	demo.od_transform_employee_update
demo.od_salary	I	demo.od_transform_employee_insert
demo.od_salary	U	demo.od_transform_employee_update

NOTE: The components of each entry are as follows, in the order they must appear:

- The target table to which a transformation procedure is assigned.
 - The operation type for which the specified transformation procedure will be called.
 - The name of the assigned transformation procedure to use. Multiple entries can be used to assign different procedures to different operation types for the same table.
3. On the **target**, enable the following parameter.


```
sp_ctrl(target)> set param SP_OPO_XFORM_EXCLUDE_ROWID 1
```
 4. On the **source**, create a configuration file named **od.transform** that replicates the **od_salary** and **od_employee** tables.


```
sp_ctrl(source)> create config od_transform
```

5. In the text editor, build your configuration file based on the following template.

```
datasource:o.source_SID

demo.od_salary          demo.od_salary          target_system@o.target_SID
demo.od_employee        demo.od_employee        target_system@o.target_SID
```

6. Save the file, then exit the editor. SharePlex automatically saves the file in the **config** sub-directory.

Activate and start replication

1. On the **source**, activate the configuration.

```
sp_ctrl(source)> activate config od_transform
```

2. Confirm that the configuration activated successfully. The name **od_transform** should appear under **File Name**, and the word **Active** should appear under **State**.

```
sp_ctrl(source)>list config
```

3. On the **source**, log in as the demo schema owner, then execute the **od_add_emps** procedure to populate the **od_employee** and **od_salary** tables. Use an IN parameter of 10 to create 50 new employees in the **od_sales_emp_data** table.

```
SQL> exec od_add_emps(10);
```

View the transformed data

1. **On the target**, run SQL*Plus.
2. In SQL*Plus, select all rows from **od_sales_emp_data**.
3. View the transformed data. You should see the following results:
 - The EMPLOYEE_NAME column contains the first and last name of the employee. Compare this to the source **od_employee** table, where the first and last names are in separate columns.
 - The DEPARTMENT column contains the department name. Compare this to the source **od_employee** table, where the EMP_DEPT_NO column contains a number. The transformation procedure transformed the replicated department number into the department name by referencing the **od_department** table.
 - The SALARY column contains the salary from the **od_salary** table.
4. [OPTIONAL] To see how transformation works for UPDATEs, you can update the **od_employee** table manually. The **od_transform_employee_update** procedure will make the transformation. To further this demonstration, you may construct a transformation procedure for DELETEs.

Demonstration of conflict resolution

NOTE: Before proceeding, make certain the SharePlex demonstration objects are installed. See [Prework for the demonstrations](#) on page 114.

In this demonstration, you will configure SharePlex to use generic conflict resolution procedures to resolve a replication conflict. Generic conflict resolution allows you to use one PL/SQL procedure to resolve conflicts for multiple tables.

The following conflict-resolution strategies are demonstrated:

- **Timestamp priority** – This demonstration is based on UPDATES. Whichever row was updated LAST takes priority when there is a conflict.
- **Trusted-source priority** – In the following steps, you will define one system as the “trusted” source that takes priority in the event of a conflict. This demonstration is based on INSERTs. All INSERTs that originate on the trusted source will override INSERTs from the other system. In this demonstration, the trusted source is **peer1** and the other system is **peer2**.

IMPORTANT! Peer-to-peer replication is not compatible with all business applications. When suitable for an environment, it requires careful analysis and execution, including the creation of custom conflict resolution procedures that are typically more complex than those in this demonstration. Do not use this demonstration as the foundation of a production peer-to-peer deployment. For more information about peer-to-peer replication, see the SharePlex [Administration Guide](#).

Prepare the objects

NOTE: In this demonstration, the demonstration objects are assumed to be in the schema named **demo**. Substitute the actual schema, if different.

Perform these steps on both systems (for both databases).

1. Run **sp_ctrl**.
2. Shut down SharePlex.

```
sp_ctrl(peer1) > shutdown
```
3. Run the **ora_cleansp** utility according to the instructions in [ora_cleansp](#) on page 1. This removes the queues from the previous demonstrations and deactivates the previous configuration.
4. TRUNCATE the **od_employee** tables.
5. Grant the user who owns the demonstration objects the system privilege to execute the **sp_cr** package, which was installed in the SharePlex schema when SharePlex was first installed.

```
SQL> grant execute on sp_cr to user_name
```
6. Log into SQL*Plus as the user who owns the SharePlex demonstration objects.
7. Run the **p2p.sql** script from the **util** sub-directory of the SharePlex product directory. This installs the **od_employee_gen** demonstration conflict resolution routine. You are prompted for the following:
 - A schema and tablespace for the procedure
 - The name of the SharePlex database user.
 - The name of the system that will be the *trusted source* of accurate data. As in a production deployment, operations the trusted source take priority during a conflict. This system is known as **peer1** in this demonstration. The other system is known as **peer2** in this demonstration.

Configure SharePlex

1. On each system, open the **conflict_resolution.SID** file (where *SID* is the ORACLE_SID of the local database) in a text editor. This file is located in the **data** sub-directory of the SharePlex variable-data directory.

NOTE: Post checks this file when there is a replication conflict to determine if there is a resolution procedure to call.

2. On each system, create the following entries in the **conflict_resolution.SID** file. Separate each column with at least a few spaces or a tab character.

demo.od_employee	IUD	demo.od_employee_gen
-------------------------	------------	-----------------------------

NOTE: The first component is a table, the second specifies the operation types for which a resolution routine will be called if there is a conflict on that table, and the third is the name of the resolution routine that will be used.

3. On each system, start **sp_cop**.
4. On each system, start **sp_ctrl**.
5. On **peer1** (the trusted source), create a configuration file named **od_peer1** that replicates the **od_employee** table to the **od_employee** table on **peer2**.

```
sp_ctrl(peer1)> create config od_peer1
```

demo.od_employee	demo.od_employee	peer2@o.SID
-------------------------	-------------------------	--------------------

6. On **peer2** (the secondary source), create a configuration file named **od_peer2** that replicates the **od_employee** table to the **od_employee** table on **peer1**.

```
sp_ctrl(peer2)> create config od_peer2
```

demo.od_employee	demo.od_employee	peer1@o.SID
-------------------------	-------------------------	--------------------

NOTE: In order for post to detect out-of-sync inserts where all columns are identical, set **SP_OPO_SUPPRESSED_OOS** to 0. Issue this command from **sp_ctrl**: **set param SP_OPO_SUPPRESSED_OOS 0** and verify the parameter is set by using **LIST PARAM MODIFIED**.

Activate and start replication

1. On **peer1**, activate the **od_peer1** configuration.

```
sp_ctrl(peer1)> activate od_peer1
```
2. On **peer2**, activate the **od_peer2** configuration.

```
sp_ctrl(peer2)> activate od_peer2
```
3. On each system, confirm that the configuration activated successfully. The name **od_peer1** or **od_peer2** (depending on the system) should appear under **File Name**, and the word **Active** should appear under **State**.

```
sp_ctrl(source)>list config
```


Demonstrate trusted-source priority

In this demonstration, an INSERT that originates on **peer1** will override a conflicting INSERT that is replicated from **peer2**.

1. On **both systems**, stop the Post process.
2. On **both systems**, log in to SQL*Plus as **demo** (the owner of the demonstration objects).
3. On **peer2**, insert a row into **od_employee** but do not issue a COMMIT.
SQL (peer2) > INSERT INTO OD_EMPLOYEE VALUES (1,'John','Doe',to_date('04/01/1949','MM/DD/RRRR'),1,to_date('01/01/2017','MM/DD/RRRR'));
4. On **peer1**, insert the same row (same values) but do not issue a COMMIT.
SQL (peer1) > INSERT INTO OD_EMPLOYEE VALUES (1,'John','Doe',to_date('04/01/1949','MM/DD/RRRR'),1,to_date('01/01/2017','MM/DD/RRRR'));
5. On **both systems**, restart the Post processes.
6. On **peer2**, issue the COMMIT.
7. On **peer1**, issue the COMMIT. This operation should generate a conflict, which Post resolves automatically based on instructions in the **conflict_resolution.SID** file.
8. On **both systems**, view the **demo.exc_table** to verify that the conflict was resolved. See [View the conflict resolution results](#).

Demonstrate timestamp priority

In this demonstration, whichever row was updated LAST takes priority when there is a conflict.

1. On **both systems**, stop the Post process.
2. On **both systems**, log in to SQL*Plus as **demo** (the owner of the demonstration objects).
3. On **peer1**, UPDATE the EMP_TIMESTAMP column of the **od_employee** table as follows.
SQL (peer1) > UPDATE OD_EMPLOYEE SET EMP_TIMESTAMP = to_date('01/01/2017','MM/DD/RRRR') WHERE EMP_NO = 1;
4. On **peer2**, UPDATE the same column using a different update value. but the same key value.
SQL (peer2) > UPDATE OD_EMPLOYEE SET EMP_TIMESTAMP = to_date('02/02/2017','MM/DD/RRRR') WHERE EMP_NO = 1;
5. On **both systems**, issue COMMITs at the same time.
6. On **both systems**, view the post queue to make sure the update operation is in the queue. You will see a message in each queue.
sp_ctrl(peer1)>qstatus
sp_ctrl(peer2)>qstatus
7. On **both systems**, start the Post process.
8. On **both systems**, select the row that you updated to verify that it contains the more recent EMP_TIMESTAMP value.

View the conflict resolution results

A table named **exc_table** was installed in the schema that you specified when you installed the demonstration objects. You can view it through SQL*Plus to view information about each conflict. The following is the table description.

Column	Description
EXC_NO	The exception number of the conflict.
EXC_TYPE	The type of SQL statement, whether INSERT, UPDATE or DELETE.
EXC_TARGET_TABLE	The table on which the conflict occurred.
EXC_FIXED	The results of the conflict resolution routine. YES means that the routine was successful. NO means that the routine failed and the row needs to be manually changed to the correct value.
EXC_INFO	The cause of the conflict.
EXC_TIMESTAMP	The time that the conflict occurred on this machine.

Demonstration of Oracle DDL replication

This demonstration shows the default DDL replication support that is enabled when SharePlex is installed. You can enable other DDL replication with parameters, as needed.

NOTE: This demonstration supports Oracle source and targets only.

Verify that DDL replication is enabled

On the **source**, verify that the `SP_OCT_REPLICATE_DDL` parameter is set to the default of 3. This parameter controls basic DDL replication.

```
sp_ctrl(source)>list param modified capture
```

The `SP_OCT_REPLICATE_DDL` parameter should not be listed in the output. If it is, issue the following command:

```
sp_ctrl(source)>reset param SP_OCT_REPLICATE_DDL
```

Test DDL replication

1. On the **source**, TRUNCATE `splex.demo_src` to make certain it is empty.

```
SQL> truncate table splex.demo_src;
```

SharePlex replicates the TRUNCATE command to the target.
2. On the **source**, add a column to `splex.demo_src`.

```
SQL> alter table splex.demo_src add (department varchar2(30) not null default 'unknown');
```
3. On the **target**, describe the `splex.demo_dest` table.

```
SQL> describe splex.demo_src;
```

The table should now contain four columns, including the new **department** column.
4. On the **source**, insert a row into `splex.demo_src`.

```
SQL> insert into splex.demo_src values ('Jane', '1 Oak Street', '123-123-1234', sales);
```

```
SQL> commit;
```
5. On the **target**, select the new row from `splex.demo_dest`.

```
SQL> select * from splex.demo_dest where department = 'sales';
```

The query should return one record, the one you inserted where the department name is *sales*.

6. On the **source**, drop the **department** column.

```
SQL> alter table splex.demo_src drop column department;
```
7. On the **target**, describe the **splex.demo_dest** table.

```
SQL> describe splex.demo_src;
```

The table should now contain only the original three columns.
8. On the **source**, insert an invalid row into **splex.demo_src**.

```
SQL> insert into splex.demo_src values ('Tom', '2 State Street', '555-444-3333',  
accounting);
```

```
SQL> commit;
```

The target should return "ORA-00913: too many values" indicating that the **department** column was dropped.
9. On the **source**, insert a valid row into **splex.demo_src**.

```
SQL> insert into splex.demo_src values ('Mary', '3 Elm Street', '555-555-5555');
```

```
SQL> commit;
```
10. On the **target**, select the new row from **splex.demo_dest**.

```
SQL> select * from splex.demo_dest where name = 'Mary';
```

The query should return the record, which was replicated successfully.
11. On the **source**, TRUNCATE **splex.demo_src**.

```
SQL> TRUNCATE TABLE splex.demo_src;
```
12. On the **target**, verify that **splex.demo_dest** is empty.

```
SQL> select * from splex.demo_dest;
```

Solve installation problems

Contents

- Overview
- Solve license utility problems
- Solve installer problems
- Solve Database Setup problems
- Solve database connection problems
- Solve SharePlex startup problems
- Solve sp_ctrl problems
- Solve host connection problems
- How to find the ORACLE_SID and ORACLE_HOME

Overview

This chapter reviews some common problems that you could experience when installing or running SharePlex for the first time after installation.

Sometimes there are special installation instructions that supersede or supplement certain instructions in this manual. In addition, there can be known issues for this version that you should be aware of during or after installation. Please read the Release Notes for the version of SharePlex that you are installing before you begin the installation process.

Solve license utility problems

Are all machines connected to the network?

The inability of SharePlex components to perform initial TCP operations can sometimes appear to be license key or license utility errors. If you know you entered the correct key and machine IDs, verify that all systems on which you are loading SharePlex are connected to the network. The network node name and IP address of each system must

be established sufficiently to allow SharePlex to perform TCP operations, even though the machines themselves are not yet configured. Also check to make sure that nobody has renamed the `/etc/resolv.conf` file (if using a DNS nameserver).

Did you enter the correct key and/or machine ID number?

If you received this error message: “Cannot add license: License key is illegal,” it could be that you entered an invalid license key. Assuming that you retyped the key correctly and still received an error, it probably means that the license key, though valid, is not the correct key for this system. Except for trial keys, which are generic, license keys are assigned to a specific machine according to the machine’s identification number (such as “host ID” on Sun systems).

You probably received at least two license keys from Quest — one for a source system and one for a target system — or if you are installing on multiple machines in a cluster, you should have a key for each one. Verify that the key you entered is the one that was issued for this system by comparing it to the machine identification number for which it was issued.

To view the machine ID and add a key on a Windows system

1. Run the **SpUtils** utility from the SharePlex product directory, then click the **License** tab.
2. Enter the license key and the SiteMessage code from the email that your company received from the Quest licensing team.

To view the machine ID and add a key on a Unix or Linux system

Run the `splex_uname` application from the `install` sub-directory of the SharePlex product directory on the machine whose ID number you want to confirm. It displays the ID number for the local machine, as shown in the example below.

```
$ /splex/proddir/install/splex_uname  
  
Host ID = 2198894273 (831076C1 HEX)
```

Run the `splex_add_key` utility from the SharePlex product directory and add the license key and SiteMessage code from the email that your company received from the Quest licensing team.

Solve installer problems

Is sp_cop shut down?

If you installed SharePlex on this system before, and you are re-installing it, the installation will return errors if SharePlex is running on this system. Shut down SharePlex using the **shutdown** command in `sp_ctrl`, or you can shut down the SharePlex service if this is a Windows system. If you are unable to run `sp_ctrl`, or if any SharePlex processes will not die, locate the process (using `ps -ef | grep sp_` on Unix and Linux systems or the **Taskmgr** tab available from the **SpUtils** application provided for Windows systems) and kill it. When all SharePlex processes have been killed, run the installation program again.

Are all systems connected to the network?

Check to see that all systems on which you are loading SharePlex are connected to the network. The network node name and IP address of each system must be established sufficiently to allow SharePlex to perform TCP operations, even though the target machines themselves are not yet configured.

Note: These failures may appear to be license utility errors, but it is usually the inability of the license utilities and other components of SharePlex to perform initial TCP operations. Also check to make sure that nobody has renamed the `/etc/resolv.conf` file (if using a DNS nameserver).

Did you enter the SharePlex groups in the name service?

If your environment uses a name service such as NIS or NISPLUS, you need to add the SharePlex groups and services to the nameserver before you run the SharePlex installation program, and the SharePlex Administrator must be named in the **SharePlex Admin group** on the nameserver before you install SharePlex. Instructions are on page 31. If these procedures are not performed, the installation will generate an error at the point in which it attempts to verify that the groups exist.

Is the database open?

The database must be open while you are installing SharePlex.

Solve Database Setup problems

This section helps you diagnose problems that are associated with the SharePlex database account and connection information that was created with the Database Setup utility when SharePlex was installed on the system.

NOTE: For more information about Database Setup, see [Database Setup Utilities](#) in the SharePlex Reference Guide.

If the issue you are experiencing is not listed in this documentation, search the SharePlex Knowledge Base at: <https://support.quest.com>.

The Knowledge Base provides filtering options and links to other resources that can help you use and troubleshoot SharePlex.

Oracle setup issues

Problem	Description	Solution
Incorrect ORACLE_SID and/or ORACLE_HOME	If SharePlex cannot interact with Oracle, it might be using the wrong ORACLE_SID and/or ORACLE_HOME.	<ol style="list-style-type: none">1. See How to find the ORACLE_SID and ORACLE_HOME on page 138 to determine the Oracle values.2. Rerun the Database Setup utility. For more information, see Database Setup Utilities in the SharePlex Reference Guide.
Insufficient database privileges	If the Database Setup utility fails, the person who runs it may not have the correct privileges	For more information, see Database Setup Utilities on page 140.
Asterisk as the ORACLE_SID entry	Sometimes, the oratab file has an * (asterisk) symbol instead of a value for the ORACLE_SID.	Ensure that a valid ORACLE_SID is in the oratab file, and then try running the database setup again.

Problem	Description	Solution
More than one oratab file (Sun Solaris)	On Solaris systems, the oratab file is typically located in the /var/opt/oracle directory, but because other platforms store the oratab file in the /etc directory, there could be a second oratab in the /etc directory.	Either move, rename or delete the secondary oratab file, and then try running the database setup again.
Oracle not running	Oracle must be running and the instance must be open while you run the Database Setup utility. The utility accesses Oracle to establish SharePlex as a user and install its internal tables.	Start Oracle and open the instance.
sp_cop is running	The SharePlex sp_cop process cannot be running while you are running the Database Setup utility.	If it is running, shut it down using the shutdown command in sp_ctrl . Run sp_ctrl from the bin sub-directory in the SharePlex product directory.
Oracle library location not correct	On Unix and Linux systems, SharePlex expects the Oracle library to be in the \$ORACLE_HOME/lib or \$ORACLE_HOME/lib32 directory. In some environments, the Oracle library has a different name than what SharePlex expects it to be, or it is installed in a different location than expected (or both). In that case, you will see an error message when you attempt to run the Database Setup utility.	Install the appropriate library from Oracle and then re-start SharePlex (if it is stopped). SharePlex will link to the correct library from that point forward.
Id.so.1: sqlplus: fatal: libsunmath.so.1: can't open file: errno=2" error	On Unix and Linux systems, this error indicates that SharePlex cannot find the libsunmath and libshareplex libraries, even though the link exists in the proper place.	You can use either of these solutions: <ul style="list-style-type: none"> • Create a softlink for \$ORACLE_HOME/lib/libsunmath.so.1 in the /usr/lib directory. or... • In the ECXpert/config/bdg.ini file in the [DB_ENV] section add the following line: LD_LIBRARYPATH=full oracle home path/lib
Wrong user-id	To run Database Setup on Unix and Linux systems, the set-user-id for the Oracle software need to be rwsr-s--x . Those permissions allow non-Oracle users to log into SQL*Plus.	Set the correct values for set-user-id .

Solve database connection problems

Did you verify the credentials?

If SharePlex cannot connect to a source or target database, you can view the login credentials that are being used for that database by using the **connection** command with the **show** option. For example:


```
sp_ctrl> connection r.mydb show
or...
sp_ctrl> connection o.mydb show
```

You can also view connection settings in the **connections.yaml** file, which is stored in the **data** sub-directory of the SharePlex variable-data directory. If there are no settings in this file, it means that the SharePlex database setup procedure was not performed on this database.

To view the correct database setup procedure for the database, see [SharePlex utilities](#) on page 1.

You can use the **connection** command to update connection properties. For more information, see the SharePlex Reference Guide.

Did you assign a DBA role to the SharePlex Oracle user?

The SharePlex Oracle user requires a DBA role with unlimited privileges. The SharePlex user is created with the default Oracle profile under the assumption that the profile has the unlimited resource privileges assigned by Oracle as the default. If SharePlex is unable to interact with Oracle, check to see if the default was changed. If so, assign SharePlex a DBA role with unlimited privileges for all definitions.

Solve SharePlex startup problems

Was the user an authorized SharePlex user?

Only a member of the SharePlex administrator group (default name is **spadmin**) can start **sp_cop**. A root user that is not a member of this group can start **sp_cop**, but no users (including root) will be able to connect through **sp_ctrl** to issue commands. For more information, see [Assign SharePlex users to security groups](#) on page 52.

Is this a cluster environment?

In order for the SharePlex processes to issue name lookups and migrate properly in a clustered environment (where a package name supersedes the local system name), the **SP_SYS_HOST_NAME** parameter must be set to the correct package name. In addition, the host name set by this parameter must be the same on all members of the cluster so that the name can bind to a socket and the **/etc/hosts** file or nameserver can correctly map the parameter's value to the correct IP address.

The **sp_cop** program should only be started through the cluster management software.

Was the filesystem mounted as nosuid?

On Unix and Linux systems, if the filesystem is mounted as nosuid, SharePlex must be started by the installation owner. In this case, members of the SharePlex administrator group (**spadmin** by default), other than the installation owner, will not be able to run SharePlex.

Solve sp_ctrl problems

Did you assign the users to the SharePlex groups?

Only one SharePlex user, the Administrator who owns the SharePlex binaries and files, is created during SharePlex installation. Other users must be assigned to the appropriate SharePlex user groups. These groups control the

authorization levels for various SharePlex functions.

To issue a specific command (such as **activate config** or **stop export**), a user must have that command's authorization level or higher. For example, a SharePlex Administrator (authorization level 1) can issue any command, but a member of the **spview** group can only issue status commands and a few other commands that do not directly affect the replication processes.

For more information, see [Assign SharePlex users to security groups](#) on page 52.

Solve host connection problems

If SharePlex cannot resolve a host name, try creating an alias for it using a simple alphanumeric name. Map the name to the alias in the following locations:

- Network: The NIS and DNS servers
- UNIX: Local **/etc/hosts** file
- Windows: Local **hosts** file

In the hosts files, put each entry on an individual line. The following is an example, where **sysA** and **sysB** are aliases:

```
111.22.33.44    sysA.company.com    sysA    # source system
55.66.77.88    sysB.company.com    sysB    # target system
```

How to find the ORACLE_SID and ORACLE_HOME

When setting up SharePlex to work with an Oracle database, you provide the ORACLE_SID and then SharePlex gets the ORACLE_HOME from the Windows Registry or the **oratab** file on Unix/Linux. Both values are stored in the SharePlex environment. SharePlex uses the Oracle libraries that are in the location specified with ORACLE_HOME.

To determine the ORACLE_SID and ORACLE_HOME being used by SharePlex

Issue the **orainfo** command in **sp_ctrl**.

```
sp_ctrl (mysys111:2101)> orainfo
Oracle instance #1:
  Oracle SID ora12
  Oracle HOME /oracle/products/12
  Oracle Version 12
Oracle instance #2:
  Oracle SID ora12
  Oracle HOME /oracle/products/12
  Oracle Version 12
```

To determine the default ORACLE_SID and ORACLE_HOME on Windows

View the Oracle entry in the Registry at `\HKEY_LOCAL_MACHINE\SOFTWARE\ORACLE`.

To determine the default ORACLE_SID and ORACLE_HOME on UNIX and Linux

On most Unix and Linux systems the **oratab** file is under **/etc/oratab**. On Oracle Solaris systems, it is under **/var/opt/oracle**, but sometimes there is an **oratab** file in the **/etc** directory as well.

The entry in the file looks like the following example:

```
qa12:/qa/oracle/ora12/app/oracle/product/12.0
```

In the example, **qa12** is the **ORACLE_SID** and **/qa/oracle/ora12/app/oracle/product/12.0** is the **ORACLE_HOME**.

Database Setup Utilities

The Database Setup utilities automatically configure a source or target database to allow SharePlex connections and to establish required database components that support replication.

Contents

- [Database Setup for HANA](#)
- [Database Setup for MySQL](#)
- [Database Setup for Oracle](#)
- [Database Setup for PostgreSQL](#)
- [Database Setup for SQL Server](#)

Database Setup for HANA

Overview

Run the Database Setup utility for HANA (**hana_setup**) on a target HANA system to establish a user account, schema, and tables for use by SharePlex.

Supported databases

HANA on supported platforms

Guidelines for use

- Run the setup utility on all target HANA instances in the SharePlex replication configuration.
- Within a server cluster, run the setup utility on the node that has the mount point to the shared disk that contains the SharePlex variable-data directory.

- For consolidated replication, run the setup utility for each variable-data directory.
- The only supported connection method to HANA is by connect string. Connection through a DSN is not supported.
- Make certain that you assign the required permissions that are shown in this setup process.

Required privileges

The setup utility must be run as a HANA Administrator in order to grant SharePlex the required privileges to operate on the database and to create the SharePlex database account.

Run Database Setup for HANA

1. Shut down any running SharePlex processes and **sp_cop** on the target system.
2. Run the **hana_setup** program from the **bin** subdirectory of the SharePlex product directory.
IMPORTANT! If you installed the SharePlex instance on any port other than the default of 2100, use the **-p** option to specify the port number. For example, in the following command the port number is 9400.

```
$ /users/splex/bin> hana_setup -p9400
```

Table 5: Setup Prompts and Responses

Prompt	Response
Enter the HANA connection string [] :	<p>Enter a connection string that connects to the HANA database system. The required components of a connection string for SharePlex to connect to HANA are:</p> <ul style="list-style-type: none"> • SERVERNODE: The name of the target HANA server, then a colon, then the HANA port number. • DRIVER: The path to the HANA ODBC driver. • CHAR_AS_UTF8: This must be passed as CHAR_AS_UTF8=1. <p>Example: SERVERNODE=server1.dept.abc.corp:30015;DRIVER=/usr/sap/hdbclient/libodbcHDB.so;CHAR_AS_UTF8=1</p> <p>You do not have to supply a user, password, and default database, because the setup utility prompts for those.</p>
Enter the HANA Administrator name :	Enter the name of the HANA Administrator. This user will perform the work on the SharePlex account.
Enter the password for the Administrator account :	Enter the password of the Administrator.

Prompt	Response
Enter the name of the database :	Enter the name of the database that you want to contain the tables and other objects for use by SharePlex. You can enter the name of a new or existing database.
Database name database does not exist. Would you like to create it? [y] :	If this prompt is displayed, the specified database does not exist. Press Enter to have the setup utility create it for you.
Would you like to create a new SharePlex user [y]:	Press Enter to accept the default to create a new SharePlex database user account and schema of the same name in the specified database, or enter n to use an existing SharePlex account.
Enter the name of the new SharePlex user: Enter the name of the existing SharePlex user:	One of these prompts is displayed depending on whether you elected to create a new user or use an existing user. Enter the name of the SharePlex user.
Enter the password of the SharePlex user :	Enter the password of the SharePlex user account.
Re-enter the password for the SharePlex user :	This prompt is only shown if you created a new user. Enter the SharePlex password again.

A successful setup terminates with a message similar to the following:

```
Completed SharePlex for HANA database configuration
SharePlex User name: splex
Database name: ndb5
Target specification in SharePlex configuration: r.ndb5
```

Grant privileges to SharePlex

Before you start SharePlex replication to a HANA target, grant the following privileges to the SharePlex database user in that target (where *SP_USER* is the name of the SharePlex database user):

- GRANT USER ADMIN TO *sp_user*;
- GRANT TABLE ADMIN TO *sp_user*;
- GRANT CATALOG READ TO *sp_user*;
- GRANT DATA ADMIN TO *sp_user* WITH ADMIN OPTION;
- GRANT ROLE ADMIN TO *sp_user* WITH ADMIN OPTION;

Additionally, log in as the owner of each schema that contains objects that you want to replicate, then make the following grants on the schema:

- GRANT CREATE ANY ON SCHEMA *schema_name* TO *sp_user*;
- GRANT DEBUG ON SCHEMA *schema_name* TO *sp_user*;
- GRANT DELETE, DROP, EXECUTE, INDEX, INSERT, SELECT, UPDATE ON SCHEMA *schema_name* TO *sp_user*;

Database Setup for MySQL

Overview

Run the Database Setup utility for MySQL (**mysql_setup**) on a MySQL system to establish SharePlex as a MySQL database user. This utility creates the following:

- A SharePlex user account with full DBA privileges
- Tables and indexes for use by SharePlex and owned by the SharePlex user in a database of your choosing
- A default database connection.

Supported databases

MySQL on Linux. For supported Linux platforms and versions, see the SharePlex Release Notes.

Guidelines for use

- Run the setup utility on all MySQL instances in the SharePlex replication configuration.
- Within a cluster, run the setup utility on the node to which the shared disk that contains the SharePlex variable-data directory is mounted.
- For consolidated replication, run the setup utility for each variable-data directory.

Required privileges

Review the following requirements to ensure that the setup succeeds.

- The setup utility must be run as a MySQL Administrator that retains all of that user's default privileges. Both local and cloud MySQL Administrators should have the required privileges by default. The Administrator user is able to grant SharePlex the required privileges to operate on the database and to create the SharePlex database account and objects.
- (Cloud installations) Common restrictions on privileges in cloud-hosted database services make it difficult for the setup utility to succeed in every possible type of scenario. To ensure that the database setup succeeds, *only* use the setup utility for the following purposes: To do a *first-time* database setup with a *new* SharePlex user, or, to *modify* an existing SharePlex user that either owns the database or has access to it.

Run Database Setup for MySQL

1. Shut down any running SharePlex processes and **sp_cop** on the MySQL system.
2. Run the **mysql_setup** program from the **bin** subdirectory of the SharePlex product directory.
IMPORTANT! If you installed the SharePlex instance on any port other than the default of 2100, use the **-p** option to specify the port number. For example, in the following command the port number is 9400.

```
C:\users\splex\bin> mysql_setup -p9400
```

Table 6: Setup prompts and responses

Prompt	Response
Enter the MySQL connection string [] : :	Enter a connection string that connects to the MySQL database. Do not use a DSN. If you are replicating data larger than 500 MB to MySQL Aurora on Amazon RDS, include the MySQL parameter max_allowed_packet in the connection string and set its value to the maximum size of the data. See the example. Example connection string DRIVER=/usr/lib64/libmyodbc5.so;socket=/var/lib/mysql/mysql.sock;character-set-server=utf8;collation-server=utf8_general_ci;max_allowed_packet=2G;wait_timeout= 6000;Server=servername.amazonaws.com
Enter the MySQL Administrator name : :	Enter the name of the MySQL Administrator. This user will perform the setup work on the SharePlex account and schema.
Enter the password for the Administrator account : :	Enter the password of the Administrator.
Enter the replication target database name : :	Enter the name of the MySQL database where you want to install the SharePlex objects.
Database name database does not	If this prompt is displayed, the specified database does not exist. Press Enter to have the setup utility create it for you.

Prompt	Response
exist. Would you like to create it? [y] :	
Would you like to create a new SharePlex user [y]:	Press Enter to accept the default to create a new SharePlex database user account, or enter n to use an existing account as the SharePlex database user.
Enter the name of the new SharePlex user:	One of these prompts is displayed depending on whether you elected to create a new user or use an existing user. Enter the name of the SharePlex user.
Enter the name of the existing SharePlex user:	
Enter the password for the SharePlex user :	Enter the password of the SharePlex user account.
Re-enter the password for the SharePlex user :	Enter the SharePlex password again.

A successful setup terminates with a message similar to the following:

```
Completed SharePlex for MySQL database configuration
SharePlex User name: mysql29
Database name: mysql29
Target specification in SharePlex configuration: r.mysql29
```

Configure SharePlex to support MySQL database on Azure platform

You can configure SharePlex to support the MySQL database on the Azure platform using the below steps:

1. Add the DSN entry along with Socket path (SOCKET=) in the Odbc.ini file at /etc/odbc.ini and the .../var/odbc directory.
2. Copy the /etc/odbcinst.ini file to the .../var/odbc directory.
3. Run the MySQL setup utility.

This process creates the SharePlex tables, login and user accounts needed to run SharePlex replication.

Table 7: Setup Prompts and Responses

Prompt	Response
Enter the MySQL DSN name or connection string [] :	Enter the MySQL DSN name or a connection string that connects to the MySQL database system. Example: pslazpgdb02
Is DB hosted over Azure ? :	Y
Enter the Database hostname :	Enter the Azure database host name. NOTE: MySQL Administrator name should be in the <username> format (Do not mention the hostname) Example: pslazpgdb02.mysql.database.azure.com If a user already exists for SharePlex then it should be entered in the <username@hostname> format. If a new user needs to be created for SharePlex then is should be entered in the <username> format.
Enter the MySQL Administrator name :	Enter the name of the MySQL Administrator. This user will perform the setup work on the SharePlex account and schema. Example: mysql
Enter the password for the Administrator account:	Enter the password of the Administrator. NOTE: User 'mysql@pslazpgdb02.mysql.database.azure.com' got the superuser role.
Enter the replication target database name :	Enter the target database name on which replication needs to be performed. Example: sp_mk
Would you like to create a new SharePlex user?	N (If you want to create a user, enter "y")
Enter the name of the existing SharePlex user:	Enter the name of the SharePlex user.
Enter the password of the SharePlex user :	Enter the password of the SharePlex user account.
Re-enter the password for the SharePlex user :	This prompt is only shown if you created a new user. Enter the SharePlex password again.

A successful setup terminates with a message similar to the following:

Completed SharePlex for MySQL database configuration

SharePlex User name: mysql@pslazpgdb02.mysql.database.azure.com

Database name: sp_mk

The data source identifier in the SharePlex configuration is 'r.sp_mk' -

Database Setup for Oracle

Overview

Use the Database Setup utility for Oracle (**ora_setup**) to establish SharePlex as an Oracle user and create the required SharePlex database objects. This setup utility creates the following:

- A SharePlex account
- Tables and other objects for use by SharePlex and owned by the SharePlex account
- Default connection for the SharePlex user

It is recommended that you review all of the content in this topic before running the setup utility.

Supported Databases

Oracle source or target on supported platforms

When to Run Oracle Setup

Whether or not to run this utility at the time of SharePlex installation depends on whether the database is a source, intermediary, or target database, and on how you intend to synchronize the data. To view the initial synchronization procedures, see the SharePlex [Administration Guide](#).

System Type	When to run Oracle Setup
Source system	During installation of SharePlex
Intermediary system	An intermediary system is used in a cascading configuration, where SharePlex replicates data to a remote system (or systems) and then sends that data from the intermediary system to the final target. If you intend to configure SharePlex to post data to a database on an intermediary system, and you intend to use a hot backup to establish the data on that system and the target, do not run the Database Setup utility on the intermediary or target systems. You will run it when you perform the initial synchronization procedure.
Target system	Depends on the method that you will use to synchronize the source and target data when you are ready to activate replication:

System Type

When to run Oracle Setup

- If you intend to use transportable tablespaces or a cold copy (such as export/import, store/restore from tape, FTP), run the Database Setup utility during SharePlex installation.
- If you intend to use a hot backup to establish the target data, *do not* run the Database Setup utility. You will run it when you perform the initial synchronization procedure.
NOTE: If you run the Database Setup utility before the backup and recovery, the setup gets overwritten, and you will need to re-run it again after the backup and recovery.

Supported Oracle Connections

The setup utility can configure any of the following connections for the SharePlex user to use when connecting to the database.

Database type	Connection
Database with or without ASM	Bequeath
Database with or without ASM	TNS alias (A TNS login is specified for both the database and the ASM instance.)
PDB with ASM	TNS alias for the PDB and either TNS or bequeath for the ASM instance.
Amazon RDS	TNS alias

Required Run Privileges

The user who runs the Database Setup utility must have the following privileges:

Amazon RDS source or target

The user who runs the setup utility must be the primary user that was created when the Oracle RDS instance was created. You are prompted for this user during the setup.

Non-multitenant (standard) database

The user who runs the setup utility must have DBA privileges.

Multitenant database

The user who runs the setup utility should have SYSDBA privileges (recommended), but at minimum the user should be a DBA user with privileges for **sys.users\$** and **sys.enc\$**. The minimum following grants are required for the SharePlex user:

```
create user c##sp_admin identified by sp_admin;  
grant dba to c##sp_admin container=ALL;  
grant select on sys.user$ to c##sp_admin with grant option container=ALL;
```

Privileges Granted to SharePlex

The Database Setup utility grants to the SharePlex database user the following privileges.

Privilege granted	Description
DBA role	The Database Setup utility grants DBA role and unlimited resource privileges, tablespace privileges, and read privileges to the redo logs.
Default Oracle profile	By default this profile has the unlimited resource privileges originally assigned by Oracle.
Grants	The following grants are issued to SharePlex: <ul style="list-style-type: none">To access the data dictionary (outside the DBA roles) if O7_DICTIONARY_ACCESSIBILITY is set to FALSE: grant select any dictionary to SharePlexUser;To replicate DDL: grant select any table to SharePlexUser with admin option; grant create any view to SharePlexUser with admin option;

Privileges Required by SharePlex to Perform Replication

The following is a list of privileges required by SharePlex to perform replication. If you revoke the DBA role for the SharePlex database user, ensure these privileges are granted.

Privilege	Details
CREATE SESSION	
ALTER SESSION	
ALTER SYSTEM	
RESOURCE role	RESOURCE role privileges required by SharePlex: <ul style="list-style-type: none">CREATE TRIGGERCREATE SEQUENCE

Privilege	Details
	<ul style="list-style-type: none"> • CREATE TYPE • CREATE PROCEDURE • CREATE CLUSTER • CREATE OPERATOR • CREATE INDEXTYPE • CREATE TABLE
SELECT ANY DICTIONARY	
SELECT ANY TABLE	
INSERT ANY TABLE	
UPDATE ANY TABLE	
DELETE ANY TABLE	
UNLIMITED TABLESPACE	
CREATE ANY TABLE	
DROP ANY TABLE	
LOCK ANY TABLE	
EXECUTE ON DBMS_FLASHBACK	
SELECT ANY TRANSACTION	
CREATE ANY INDEX	
DROP ANY INDEX	
ALTER ANY TABLE	
ALTER ANY INDEX	
CREATE ANY VIEW	
ALTER ANY SEQUENCE	
EXP_FULL_DATABASE role	
IMP_FULL_DATABASE role	
SELECT ON SYS.ENC\$	
SELECT ON SYS.USER\$	

Requirements

- Install the database client on the system where you are running Oracle Setup. Consult the Oracle documentation for the appropriate client version to use with the database.
- Run the Database Setup utility for all source and target Oracle instances in the SharePlex replication configuration.

- Within a cluster, run the Database Setup utility on all nodes of the cluster. This ensures that the SharePlex settings in the Windows Registry include the correct ORACLE_SID.
- For a consolidated replication topography, or other topology with multiple variable-data directories, run the Database Setup utility for each variable-data directory.
- SharePlex supports local BEQUEATH connections or remote connections using a TNS alias. Be prepared to supply Oracle Setup the needed connection values for whichever connection you want to use. If using TNS, the **tnsnames.ora** file must be configured prior to running setup.
- If the Oracle database is a multitenant container database, run the Database Setup utility for each pluggable database involved in a replication scenario. A SharePlex user and schema objects must exist in each PDB.
- If you run the Database Setup utility when there is an active configuration, the DDL that the setup performs to install or update the SharePlex internal tables will be replicated to the target. To work around this issue, set the **SP_OCT_REPLICATE_ALL_DDL** parameter to **0** before running the utility, then return the parameter to its previous setting after the setup is complete. This parameter takes effect immediately.

SharePlex Schema Storage Requirements

The Database Setup utility for Oracle installs some database objects for use by SharePlex. The storage requirements for these objects should be satisfied before running Oracle Setup. See the following table.

Storage	Description
SharePlex objects tablespace	<p>The Database Setup utility installs some tables into a tablespace of your choosing. All but the SHAREPLEX_LOBMAP table use the default storage settings of the tablespace.</p> <p>The SHAREPLEX_LOBMAP table contains entries for LOBs stored out-of-row. It is created with a 1 MB INITIAL extent, 1 MB NEXT extent, and PCTINCREASE of 10. The MAXEXTENTS is 120, allowing the table to grow to 120 MB.</p> <p>Preferred action: If you enable supplemental logging for primary and unique keys, you can set the SP_OCT_ENABLE_LOBMAP parameter to 0, and nothing will be stored in the SHAREPLEX_LOBMAP table. In this case, you do not have to consider its size growth. It is recommended that you enable supplemental logging for primary and unique keys to maximize the performance of the Read process.</p> <p>Alternate action: The default storage usually is sufficient for SHAREPLEX_LOBMAP, permitting more than 4 million LOB entries. If the Oracle tables to be replicated have numerous LOB columns that are inserted or updated frequently, consider increasing the size the SharePlex tablespace accordingly. Take into account that this table shares the tablespace with other SharePlex tables.</p> <p>If the database uses the cost-based optimizer (CBO) and the tables that SharePlex processes include numerous LOBs, incorporate the SHAREPLEX_LOBMAP table into the analysis schedule.</p> <p>NOTE: A new installation of SharePlex does not change storage parameters from a previous installation.</p>
SharePlex temporary tablespace	<p>The Database Setup utility prompts for a temporary tablespace for SharePlex to use for sorts and other operations, including sorts performed by the compare commands. The default temporary tablespace is the one where the SharePlex objects are installed. If you plan to use the compare commands to compare large tables, especially those without a primary or unique key, specify a dedicated temporary tablespace for SharePlex.</p>

Storage	Description
SharePlex index tablespace	<p>The Database Setup utility prompts for a tablespace to store the indexes for the SharePlex tables. The default index tablespace is the one where the SharePlex objects are installed. To minimize I/O contention, specify a different index tablespace from the one where the tables are installed.</p> <p>NOTE: If indexes from a previous version of SharePlex are installed in the SharePlex objects tablespace, you can move them to a different tablespace and then specify that tablespace when you run the setup utility.</p>

Run Database Setup for Oracle

IMPORTANT! The Oracle instance must be open before this procedure is performed.

1. (Unix and Linux only) If you are using multiple variable-data directories, export the environment variable that points to the variable-data directory for the SharePlex instance for which you are running Database Setup.

ksh shell:

```
export SP_SYS_VARDIR=full_path_of_variable-data_directory
```

csh shell:

```
setenv SP_SYS_VARDIR=full_path_of_variable-data_directory
```

2. Shut down any SharePlex processes that are running, including **sp_cop**.
3. Run the Database Setup program from the command prompt of the operating system, using the full path from the SharePlex **bin** subdirectory.

IMPORTANT! On Windows, if you installed SharePlex on any port other than the default of 2100, use the **-p** option to specify the port number. For example, in the following command the port number is 9400:

```
C:\users\splex\bin>ora_setup -p9400
```

4. Specify whether the system is a source system, a target system, or both a source and target system in the SharePlex configuration.

NOTE: This prompt only appears the first time that you run setup for this database.

5. For connection type, select **Oracle**.
6. Refer to the following table for the prompts and responses to configure SharePlex correctly for the desired connection type.

Table 8: Setup prompts and response

Prompt	Response
<pre>Will SharePlex install be using a BEQUEATH connection? (Entering 'n' implies a SQL*net connection):</pre>	<p>Press Y to use a local BEQUEATH connection, or press N to use a TNS alias connection.</p> <p>NOTE: Press N to use a TNS alias if:</p> <ul style="list-style-type: none"> • the database is a multitenant database • SharePlex is capturing from, or posting to, a remote database, such as one on Amazon RDS.

Prompt	Response
<p>Are you configuring SharePlex for an AWS RDS database?</p>	<ul style="list-style-type: none"> the database is in a cluster (such as Oracle RAC) <p>Press N if you are not configuring SharePlex for an Oracle database on RDS. Press Y if you are configuring SharePlex for an Amazon AWS RDS database.</p>
<p>One of the following prompts is shown:</p> <ul style="list-style-type: none"> If you selected BEQUEATH= Y: Enter the Oracle SID for which SharePlex should be installed: If you selected BEQUEATH = N: Enter the TNS alias for which SharePlex should be installed: 	<p>Non-multitenant database: Accept the default or type the correct SID or TNS alias. On RAC, the TNS alias must be a global alias.</p> <p>Multitenant database: Type the TNS alias of the PDB.</p> <p>Amazon RDS: Type the TNS alias of the RDS database.</p>
<p>One of the following prompts is shown:</p> <ul style="list-style-type: none"> If the database is not on RDS: Enter a DBA user for <i>SID</i>: If the database is on RDS: In order to create the SharePlex tables and user account, we must connect to the RDS database using the RDS primary user. 	<p>Non-multitenant database: Type the name of a database user that has DBA privileges.</p> <p>Multitenant database: Type the name of a common user who has the required privileges to install the account and objects.</p> <p>Amazon RDS database: Type the name of the RDS primary user.</p>
<p>One of the following prompts is shown:</p> <ul style="list-style-type: none"> If the database is not on RDS: Enter password for the DBA account, which will not echo: If the database is on RDS: Enter the password for the RDS primary user, which will not echo. 	<p>Non-multitenant database: Type the password of the DBA user.</p> <p>Multitenant database: Type the password of the common user. Omit the @ and the rest of the connect string. SharePlex constructs the connect string in the proper format.</p> <p>Amazon RDS database: Type the password of the RDS primary user.</p>
<p>Current SharePlex user is <i>user</i>.</p>	<p>Press N to update an existing SharePlex account or Y</p>

Prompt	Response
Would you like to create a new SharePlex user?	to create a new SharePlex account. Type the credentials when prompted. You are allowed five attempts to type a valid password for an existing SharePlex user. Passwords are obfuscated. IMPORTANT! If there is an active configuration and you changed the SharePlex schema, copy the SharePlex objects from the old schema to the new one to preserve the replication environment.
Do you want to enable replication of tables with TDE?	Press N since TDE is not supported for RDS.
Enter the default tablespace for use by SharePlex:	Press Enter to accept the default or type the name of a different tablespace.
Enter the temporary tablespace for use by SharePlex:	Press Enter to accept the default or type the name of a different tablespace.
Enter the index tablespace for use by SharePlex:	Press Enter to accept the default or type the name of a different tablespace.
Will the current setup for sid: <i>SID</i> be used as a source (including cases as source for failover or primary-primary setups)?	Press Y if this is a source system or press N if this is a target system. IMPORTANT: All systems in a primary-primary configuration (peer-to-peer) and in a high-availability configuration are considered to be source systems due to the bidirectional nature of the replication.
NOTE:	
<ul style="list-style-type: none"> The following prompts are only shown if the database is a source on ASM. If this is an Oracle target, the setup is now complete. 	
ASM detected. Do you wish to connect to ASM using BEQUEATH connection?	Press Y for SharePlex to use a BEQUEATH connection to connect to the ASM instance, or press N to use a TNS alias. IMPORTANT! If the database uses ASM and the database TNS alias is configured with a SCAN IP, then

Prompt	Response
	you must specify connection through an ASM TNS alias in order for SharePlex to connect to the ASM instance.
<p>The following prompt is displayed if you did not select a BEQUEATH connection:</p> <pre>Do you wish to keep connecting using the same user/password?</pre>	<p>Press Y to use the same user and password as the login user, or press N to be prompted for a different user and password.</p> <p>Normally the user running SharePlex must be a member of the OSASM group. This does not apply if SP_OCT_OLOG_USE_OCI is set to the non-default value of 1.</p> <p>Also if you are using a BEQUEATH connection, the user running SharePlex must be a member of the OSDBA group.</p>
<p>NOTE: If you selected to use a BEQUEATH connection to connect to ASM, the database setup is complete. Continue to Database Setup for Oracle.</p> <p>If you selected N, you need to supply a TNS alias, and the prompts continue.</p>	
<pre>Enter the ASM tns alias to be used by SharePlex:</pre>	Type the name of the TNS alias.
<pre>Enter an ASM admin (has both sysdba and sysasm privilege) username for alias:</pre>	Type the name of a user with sysasm and sysdba privileges to the ASM instance.
<pre>Enter user password for user:</pre>	Type the password of the user.
<p>SharePlex installs internal objects that include a package to support the SDO_GEOMETRY data type of the Oracle Spatial and Graph option. If this option is not installed in the database, the following prompt is shown:</p> <pre>The SharePlex object that supports replication of SDO_GEOMETRY cannot be installed because the Oracle Spatial and Graph feature is not installed. Do you want to continue with the setup without support for SDO_GEOMETRY? [n]:</pre>	<p>Press Y to continue the database setup without support for SDO_GEOMETRY, or press N to terminate ora_setup.</p>

- After completion of the Oracle setup, the `ora_setup.config` file will be generated inside `<Installation_directory>/var/data`.

Note about the `tnsnames.ora` file

When you set up SharePlex for database connection through a TNS alias and ASM connection locally through a BEQUEATH connection (through OS authentication), it is important to set up the `tnsnames.ora` file correctly on each node. Assuming a SharePlex database account exists on the primary node, SharePlex will always connect to the primary ASM_SID automatically because it was provided when SharePlex was installed. However, upon failover, SharePlex must query the local `v$asm_client` view to get the correct ASM_SID of the failover instance. Therefore, ensure that the IP address of a given node is always listed first in the local `tnsnames.ora` file on that node.

Run Database Setup for Oracle Remote Capture

IMPORTANT! The Oracle instance must be open before this procedure is performed.

- (Unix and Linux only) If you are using multiple variable-data directories, export the environment variable that points to the variable-data directory for the SharePlex instance for which you are running Database Setup.

ksh shell:

```
export SP_SYS_VARDIR=/full_path_of_variable-data_directory
```

csh shell:

```
setenv SP_SYS_VARDIR=/full_path_of_variable-data_directory
```

- Set the `SP_OCT_OLOG_USE_OCI` parameter to 1 and restart the Capture process.
- Shut down any SharePlex processes that are running, including `sp_cop`.
- Run the Database Setup program from the command prompt of the operating system, using the full path from the SharePlex `bin` subdirectory.

IMPORTANT! On Windows, if you installed SharePlex on any port other than the default of 2100, use the `-p` option to specify the port number. For example, in the following command the port number is 9400:

```
C:\users\splex\bin>ora_setup -p9400
```

- Specify whether the system is a source system, a target system, or both a source and target system in the SharePlex configuration.

NOTE: This prompt only appears the first time that you run setup for this database.

- For connection type, select **Oracle**.
- Refer to the following table for the prompts and responses to configure SharePlex correctly for the desired connection type.

Table 9: Setup prompts and response

Prompt	Response
Will SharePlex install be using a BEQUEATH connection? (Entering 'n' implies a SQL*net connection):	Press N to use a TNS alias connection.

Prompt	Response
Are you configuring SharePlex for an AWS RDS database?	Press N if you are not configuring SharePlex for an Oracle database on RDS.
<p>One of the following prompts is shown:</p> <ul style="list-style-type: none"> If you selected BEQUEATH= Y: Enter the Oracle SID for which SharePlex should be installed: If you selected BEQUEATH = N: Enter the TNS alias for which SharePlex should be installed: 	<p>Non-multitenant database: Accept the default or type the correct SID or TNS alias. On RAC, the TNS alias must be a global alias.</p> <p>Multitenant database: Type the TNS alias of the PDB.</p> <p>Amazon RDS: Type the TNS alias of the RDS database.</p>
<p>One of the following prompts is shown:</p> <ul style="list-style-type: none"> If the database is not on RDS: Enter a DBA user for <i>SID</i>: If the database is on RDS: In order to create the SharePlex tables and user account, we must connect to the RDS database using the RDS primary user. 	<p>Non-multitenant database: Type the name of a database user that has DBA privileges.</p> <p>Multitenant database: Type the name of a common user who has the required privileges to install the account and objects.</p> <p>Amazon RDS database: Type the name of the RDS primary user.</p>
<p>One of the following prompts is shown:</p> <ul style="list-style-type: none"> If the database is not on RDS: Enter password for the DBA account, which will not echo: If the database is on RDS: Enter the password for the RDS primary user, which will not echo. 	<p>Non-multitenant database: Type the password of the DBA user.</p> <p>Multitenant database: Type the password of the common user. Omit the @ and the rest of the connect string. SharePlex constructs the connect string in the proper format.</p> <p>Amazon RDS database: Type the password of the RDS primary user.</p>
Enter the Local Oracle Client Library directory:	Enter the Oracle Client Home directory path. Example: /u01/app/oracle/product/19.0.0/clienthome_1
Enter the TNS alias for which SharePlex should be installed	Enter the name of the TNS alias

Prompt	Response
(Blank to abort) :	
Current SharePlex user is <i>user</i> . Would you like to create a new SharePlex user?	Press N to update an existing SharePlex account or Y to create a new SharePlex account. Type the credentials when prompted. You are allowed five attempts to type a valid password for an existing SharePlex user. Passwords are obfuscated. IMPORTANT! If there is an active configuration and you changed the SharePlex schema, copy the SharePlex objects from the old schema to the new one to preserve the replication environment.
Do you want to enable replication of tables with TDE?	Press N since TDE is not supported for RDS.
Enter the default tablespace for use by SharePlex:	Press Enter to accept the default or type the name of a different tablespace.
Enter the temporary tablespace for use by SharePlex:	Press Enter to accept the default or type the name of a different tablespace.
Enter the index tablespace for use by SharePlex:	Press Enter to accept the default or type the name of a different tablespace.
Will the current setup for sid: <i>SID</i> be used as a source (including cases as source for failover or primary-primary setups)?	Press Y if this is a source system or press N if this is a target system. IMPORTANT: All systems in a primary-primary configuration (peer-to-peer) and in a high-availability configuration are considered to be source systems due to the bidirectional nature of the replication.
The following prompt is displayed if you did not select a BEQUEATH connection: Do you wish to keep connecting using the same user/password?	Press Y to use the same user and password as the login user, or press N to be prompted for a different user and password. Normally the user running SharePlex must be a member of the OSASM group. This does not apply if SP_OCT_OLOG_USE_OCI is set to the non-default value of 1. Also if you are using a BEQUEATH connection, the user running SharePlex must be a member of the OSDBA group.
SharePlex installs internal objects that include a package to support the SDO_GEOMETRY data	Press Y to continue the database setup without support for SDO_GEOMETRY, or press N to terminate ora_setup .

Prompt

Response

type of the Oracle Spatial and Graph option. If this option is not installed in the database, the following prompt is shown:

```
The SharePlex object that supports replication of SDO_GEOMETRY cannot be installed because the Oracle Spatial and Graph feature is not installed. Do you want to continue with the setup without support for SDO_GEOMETRY? [n]:
```

NOTE: While running the `ora_cleansp` utility, enter the TNS alias provided while performing `ora_setup`.

Run Database Setup for Oracle in Silent Mode

IMPORTANT! The Oracle instance must be open before this procedure is performed.

1. (Linux only) If you are using multiple variable-data directories, export the environment variable that points to the variable-data directory for the SharePlex instance for which you are running Database Setup.

ksh shell:

```
export SP_SYS_VARDIR=full_path_of_variable-data_directory
```

csh shell:

```
setenv SP_SYS_VARDIR=full_path_of_variable-data_directory
```

2. Shut down any SharePlex processes that are running, including `sp_cop`.
3. Use the following command to run `Ora_setup` in the background in silent mode:-

```
nohup ./ora_setup -f <Full_file_path_of_ora_setup.config> > SilentOra.out 2>&1
```
4. For more details on how to configure the `Ora_setup.config` file, refer to the `ora_setup.config` file at the below location:

```
/<product_directory>/install/ora_setup.config
```

NOTE: After the setup is completed successfully, all of the password fields will be automatically removed from the config file for security reasons.

Database Setup for PostgreSQL

Overview

Run the Database Setup utility for Postgres (`pg_setup`) to establish a user account, schema, and tables for use by SharePlex.

Supported databases

All implementations of the Postgres open-source database on supported platforms

Fujitsu Enterprise Postgres Prerequisite

Fujitsu Postgres contains a customized ODBC driver designed to run with the shared libraries supplied by Fujitsu Postgres. In order to ensure the proper configuration, you must create a symbolic link to ensure that the correct libraries are found at runtime.

Issue Description

If you attempt to run the `pg_setup` program prior to creating the symbolic link, `pg_setup` will fail with the following error message:

```
Error: [unixODBC]invalid connection option "target_server"
```

To create a symbolic link

To ensure that the proper library gets loaded, first locate the path to the directory where the Fujitsu Postgres libraries are installed (for example `/opt/fsepv95server64/lib`). Then create a symbolic link in the SharePlex `OPTDIR/lib/hooks` directory pointing to the **libpq.so.5** library in the Fujitsu Postgres library directory. For example:

```
cd /opt/splex/lib/hooks
ln -s /opt/fsepv95server64/lib/libpq.so.5
```

Guidelines for use

- Run the Database Setup utility on all target Postgres instances in the SharePlex replication configuration.
- Within a server cluster, run the Database Setup utility on the node to which the shared disk that contains the SharePlex variable-data directory is mounted.
- For consolidated replication, run the Database Setup utility for each variable-data directory.
- On **Windows**, you must supply a DSN (data source name) as the connection method.

- On **Linux**, you can provide a connection string or a DSN (data source name). Note the following when deciding on the connection method on Linux:

Connection Type on Linux	What to do
Connection string	You do not need to provide a user, password, or default database in a connection string. The connection string must have the port, server and driver defined. This is an example from EDB Postgres Plus Advanced Server; your connection string will probably be different based on your own database setup: Port=5444;server=localhost;driver=/u01/PostgresPlus/connectors/odbc/lib/edb-odbc.so;database=edb;
DSN	If you have a DSN defined, and you want to use it for the SharePlex connection, copy or link the ODBC files in which that DSN is defined (odbc.ini and odbcinst.ini) to the odbc subdirectory of the SharePlex variable-data directory. This prevents connection errors when the SharePlex processes connect to the database. If you do not have a DSN defined but want to use one, you can create it in the template files provided in the odbc subdirectory.

Required privileges

Review the following requirements to ensure that the setup succeeds.

- The Database Setup utility must be run as a Postgres Administrator in order to grant SharePlex the required privileges to operate on the database and to create the SharePlex database account.
- (Symfaware only) If the person who is running the setup utility is not a Fujitsu Enterprise Postgres owner, set the environment variable LD_LIBRARY_PATH to include the path to the **lib** subdirectory in the Fujitsu Enterprise Postgres installation directory. The LD_LIBRARY_PATH is set in the **.bash_profile** file of the Fujitsu Enterprise Postgres owner.

Example:

```
export LD_LIBRARY_PATH= /opt/symfoserver64/lib:$LD_LIBRARY_PATH
```

If you do not set this path, the following error occurs:

```
symbol lookup error: /opt/fsepv95client64/odbc/lib/psqlodbca.so: undefined
symbol: PQconnectdbParams
```

- Cloud installations:
 - Common restrictions on privileges in cloud-hosted database services make it difficult for the setup utility to succeed in every possible type of scenario. To ensure that the database setup succeeds, *only* use the setup utility for the following purposes: To do a *first-time* database setup with a *new* SharePlex user, or, to *modify* an existing SharePlex user that either owns the database or has access to it.
 - On Amazon RDS, you might need to grant usage/privileges on the target schema and tables to the SharePlex user, as shown in the following example:
Log in as the schema owner, then issue the following commands:
grant usage on schema *schema_name* to *user_name*;
grant all privileges on all tables in schema *schema_name* to *user_name*;

Run Database Setup for PostgreSQL

1. Shut down any running SharePlex processes and **sp_cop** on the target system.
2. Run the **pg_setup** program from the **bin** subdirectory of the SharePlex product directory.
IMPORTANT! If you installed the SharePlex instance on any port other than the default of 2100, use the **-p** option to specify the port number. For example, in the following command the port number is 9400.

```
$ /users/splex/bin> pg_setup -p9400
```

Table 10: Setup prompts and responses

Prompt	Response
<p>(Linux)</p> <p>Enter the PostgreSQL DSN name or connection string [] :</p>	<p>Enter a DSN or a connection string if the system is Linux, or enter a DSN if the system is Windows.</p>
<p>(Windows)</p> <p>Enter the PostgreSQL DSN name [] :</p>	
<p>Enter the PostgreSQL Administrator name :</p>	<p>Enter the name of the Postgres Administrator. This user will perform the work on the SharePlex account.</p>
<p>Enter the password for the Administrator account :</p>	<p>Enter the password of the Administrator.</p>
<p>Enter the replication target database name:</p>	<p>Enter the name of the database that you want to contain the SharePlex tables and other objects for use by SharePlex. You can enter the name of a new or existing database.</p>
<p>Database name <i>database</i> does not exist. Would you like to create it? [y] :</p>	<p>If this prompt is displayed, the specified database does not exist. Press Enter to have the setup utility create it for you.</p>
<p>Would you like to create a new SharePlex user [y]:</p>	<p>Press Enter to accept the default to create a new SharePlex database user account and schema of the same name in the specified database, or enter n to use an existing SharePlex account.</p>
<p>Enter the name of the new SharePlex user:</p> <p>Enter the name of the existing SharePlex user:</p>	<p>One of these prompts is displayed depending on whether you elected to create a new user or use an existing user. Enter the name of the SharePlex user.</p>
<p>Enter the password of the SharePlex user :</p>	<p>Enter the password of the SharePlex user account.</p>
<p>Re-enter the password for the SharePlex user :</p>	<p>This prompt is only shown if you created a new user. Enter the SharePlex password again.</p>

A successful setup terminates with a message similar to the following:

```
Completed SharePlex for PostgreSQL database configuration
```

```
SharePlex User name: splx
```

```
Database name: ndb5
```

```
Target specification in SharePlex configuration: r.ndb5
```

Configure SharePlex to support PostgreSQL database on Azure platform

You can configure SharePlex to support the PostgreSQL database on the Azure platform using the below steps:

1. Add the DSN entry in the Odbc.ini file at /etc/odbc.ini and the .../var/odbc directory.
2. Copy the /etc/odbcinst.ini file to the .../var/odbc directory.
3. Run the PostgreSQL setup utility.

This process creates the SharePlex tables, login and user accounts needed to run SharePlex replication.

Table 11: Setup Prompts and Responses

Prompt	Response
Enter the PostgreSQL DSN name or connection string [] :	Enter the PostgreSQL DSN name or a connection string that connects to the PostgreSQL database system. Example: pslazpgdb02
Is DB hosted over Azure ? :	Y
Enter the Database hostname :	Enter the Azure database host name. NOTE: PGsetup Administrator name should be in the <username> format (Don't mention hostname) Example: pslazpgdb02.postgres.database.azure.com If a user already exists for SharePlex then it should be entered in the <username@hostname> format. If a new user needs to be created for SharePlex then it should be entered in the <username> format.
Enter the PostgreSQL Administrator name :	Enter the name of the PostgreSQL Administrator. This user will perform the setup work on the SharePlex account and schema. Example: postgres
Enter the password for the	Enter the password of the Administrator.

Prompt	Response
Administrator account:	NOTE: User 'postgres@pslazpgdb02.postgres.database.azure.com' got the superuser role.
Enter the replication target database name :	Enter the target database name on which replication needs to be performed. Example: sp_mk
Would you like to create a new SharePlex user?	N (If you want to create a user, enter "y")
Enter the name of the existing SharePlex user:	Enter the name of the SharePlex user.
Enter the password of the SharePlex user :	Enter the password of the SharePlex user account.
Re-enter the password for the SharePlex user :	This prompt is only shown if you created a new user. Enter the SharePlex password again.

A successful setup terminates with a message similar to the following:

```
Completed SharePlex for PostgreSQL database configuration
SharePlex User name: postgres@pslazpgdb02.postgres.database.azure.com
Database name: sp_mk
The data source identifier in the SharePlex configuration is 'r.sp_mk' -
```

Database Setup for SQL Server

Overview

Run the Database Setup utility for SQL Server (**mss_setup**) on a Microsoft SQL Server system to establish SharePlex as a SQL Server database user. This utility creates the following:

- A SharePlex user account with the db_owner role
- Tables and indexes for use by SharePlex and owned by the SharePlex user in a database of your choosing
- A default database connection.

Supported databases

For supported SQL Server platforms and versions, see the SharePlex Release Notes.

Guidelines for use

- A *system* DSN (data source name) must exist for the SQL Server database. SharePlex Post uses the DSN to connect to the database through ODBC.
- Run the Database Setup utility on all SQL Server instances in the SharePlex replication configuration.
- Within a cluster, run the Database Setup utility on the node to which the shared disk that contains the variable-data directory is mounted.
- For consolidated replication, run the Database Setup utility for each variable-data directory.

Required privileges

Review the following requirements to ensure that the setup succeeds.

- The Database Setup utility must be run as a SQL Server System Administrator in order to grant SharePlex the required privileges to operate on the database and to create the SharePlex database account and objects.
- The sysadmin role is required to run **mss_setup**, but it is not required by the SharePlex database account used to run SharePlex replication (the SharePlex User). The db_owner role is required by the SharePlex User account and it is granted by **mss_setup** (for source and target).
- (Cloud installations) Common restrictions on privileges in cloud-hosted database services make it difficult for the setup utility to succeed in every possible type of scenario. To ensure that the database setup succeeds, *only* use the setup utility for the following purposes: To do a *first-time* database setup with a *new* SharePlex user, or, to *modify* an existing SharePlex user that either owns the database or has access to it.

Run Database Setup for SQL Server

1. Shut down any running SharePlex processes and **sp_cop** on the SQL Server system.
2. Run the **mss_setup** program from the **bin** subdirectory of the SharePlex product directory.
IMPORTANT! If you installed the SharePlex instance on any port other than the default of 2100, use the **-p** option to specify the port number. For example, in the following command the port number is 9400.

```
C:\users\splex\bin> mss_setup -p9400
```

Table 12: Setup prompts and responses

Prompt	Response
Enter the Microsoft SQL Server DSN name [] :	Enter the data source name (DSN) that connects to SQL Server. Make certain the DSN is a system DSN, not a user DSN.
Enter the Microsoft SQL Server Administrator name :	Enter the name of the SQL Server Administrator. This user will perform the setup work on the SharePlex account and schema.
Enter the password for	Enter the password of the Administrator.

Prompt	Response
the Administrator account :	
Enter the database name:	Enter the name of the database where you want to install the SharePlex objects.
Database name <i>database</i> does not exist. Would you like to create it? [y] :	If this prompt is displayed, the specified database does not exist. Press Enter to have the setup utility create it for you.
Would you like to create a new SharePlex login [y]:	Press Enter to accept the default to create a new SharePlex database user account, or enter n to use an existing account as the SharePlex database user.
Enter the name of the existing SharePlex login:	One of these prompts is displayed depending on whether you elected to create a new user or use an existing user. Enter the name of the SharePlex user.
Enter the name of the new SharePlex login:	
Enter the password for <i>login</i> :	Enter the password of the SharePlex user account.
Re-enter the password for <i>login</i> :	Enter the SharePlex password again.
Will this database be used as a source?	Accept the default of n if the database will only be a target. Enter y if this database will be a source database for SharePlex. A response of y prompts the setup to prepare the database for data capture and installs the SharePlex account and objects.

A successful setup terminates with a message similar to the following:

```
Completed SharePlex for Microsoft SQL Server database configuration
SharePlex User name: splex
Database name: db1
Target specification in SharePlex configuration: r.db1
```

Configure Remote Posting from a Linux to a SQL Server Database

To replicate data from a Linux server to a SQL server database, follow the steps below:

1. Install the latest **SQL Server ODBC** drivers on Linux.
By default, the ODBC drivers will be installed at `/opt/microsoft/msodbcsql18/lib64`.
2. Modify the `odbcinst.ini` and `odbc.ini` files in the `<var_dir>/odbc` directory.
3. Run the `mss_setup` program from the `bin` subdirectory of the SharePlex product directory.
4. Provide other details when it prompts you, like the database name, username, password, etc. For more information, see [Run Database Setup for SQL Server](#).

A successful setup terminates with a message similar to the following:

```
Completed SharePlex for Microsoft SQL Server database configuration
SharePlex User name: splex
Database name: db1
Target specification in SharePlex configuration: r.db1
```

General SharePlex Utilities

The SharePlex utilities help you configure, test, and manage the SharePlex environment.

Contents

- [SharePlex license utilities](#)
- [Install the SharePlex service](#)

SharePlex license utilities

Description

Use the SharePlex license utilities to view and add license keys to hosts in the SharePlex replication environment. Each installation of SharePlex requires a valid license key. There are three types of SharePlex license keys:

- Temporary license keys (demonstration licenses)
- Permanent license keys
- Site license keys

SharePlex licensing information can be found in the [Quest Software Product Guide](#). Please contact your account manager if you have questions.

If you do not have a valid license key, you may obtain one from Quest Technical Support or your Quest sales representative. Use the appropriate procedure in this documentation to obtain the necessary information to support your license request.

License utilities on Unix and Linux

On Unix and Linux systems, separate utilities are used to:

- [Gather information to request a license](#)
- [Add a license key](#)
- [View a license key](#)

Gather information to request a license

Use the **splex_uname** utility to collect information about the local host that is required for Quest to generate a license key. Run this utility from the **util** sub-directory of the SharePlex product directory.

```
$ /proddir/util/splex_uname
```

The information is similar to the following example:

```
Local system info:  
Host Name           = irvspxu09
```



```
Host ID           = 2198894273 (831076C1 HEX)
Operating System  = SunOS
Machine model     = SUNW,UltraAX-i2
CPU Type          = sparc9
CPU Speed         = 500
Number of CPUs    = 1
```

Add a license key

Use the **splex_add_key** utility to add a license key to a machine during the installation of SharePlex or afterward to convert from one type of license to another.

You can use the **splex_add_key** utility as follows:

- You can use **splex_add_key** on the primary node of a cluster to install licenses for all secondary nodes in the cluster, because they all share one variable-data directory.
- You cannot use **splex_add_key** to add licenses for non-clustered machines from one machine. It must be run on each non-clustered replication system so that the license information is stored in the variable-data directory on each system.

To run **splex_add_key**

1. Log on to the system as the SharePlex Administrator.
2. Run **sp_ctrl** on the machine where you want to install a license key.
3. If SharePlex is running, shut it down.

```
sp_ctrl> shutdown
```
4. Run **splex_add_key** from the **install** sub-directory of the SharePlex product directory.

```
$ /proddir/install/splex_add_key
```
5. Choose the appropriate option for how to install the key:

```
SharePlex License Utility
1) Read license key from file
2) Enter license key manually
3) Add license key for alternate host
q) Quit License Utility
Enter option:
```

NOTE: Use option **3** when installing on secondary nodes in a cluster. To install SharePlex in a cluster, see "Preinstallation instructions for Oracle cluster" in the *SharePlex Installation and Setup Guide for Oracle*.

6. If you are entering the key manually, type the license key exactly as you received it from Quest, including the **SPLEXKEY=** string if one prepends the key, any spaces, and any capitalization. Press **Enter** when finished typing the key.
7. Enter the **SiteMessage** text string provided by Quest with the license key.
NOTE: If you selected option **3** to install in a cluster, the utility continually prompts for another machine ID to license, until you exit the license utility.
8. Enter **q** to exit the utility.
9. Start SharePlex when you are ready for replication to resume.

View a license key

Use the `splex_get_key` utility to view the SharePlex license key, license type, and expiration date on a machine. Run this utility from the **install** sub-directory of the SharePlex product directory.

```
$ /proddir/install/splex_get_key
```

The information is similar to the following example:

```
$ /splex/proddir/install/splex_get_key
Customer Name = Quest
License Key = EANLCF3P56F8M1JB1K6RBJCBB6TBEP0
Product Name = SharePlex Oracle
License type = demo key
Expired on = 01/01/2008 12:00 AM
```

License utility on Windows

On Windows platforms, all licensing functions are performed through the **SpUtils** utility, including viewing the machine ID for a system. Launch the **SpUtils** utility from the shortcut on the Windows desktop.

Gather information to request a license

Select the **Information** tab to view information about the local host that is required for Quest to generate a license key. In a cluster, run **SpUtils** on each node.

Add a license key

Use **SpUtils** to add a license key to a machine during the installation of SharePlex or afterward to convert from one type of license to another. In a cluster, run **SpUtils** on the primary node.

1. Log on to Windows as the SharePlex Administrator.
2. If SharePlex is running, do the following:
 - a. Select the **SharePlex Services** tab.
 - b. Select the port number of the SharePlex instance for which you want to add a license key.
 - c. Click **Stop**.
 - d. Wait for **Current State** to display a message that the service stopped.
3. Select the **License Keys** tab.
4. Select the SharePlex port number from the **Port** list.
5. Click **Add License**, then type or paste the information exactly as you received it from Quest, as follows:
 - a. **License Key**: The license key, including any spaces. The key is case-sensitive.
 - b. **Customer Name**: The text string that was included with the license. The name is case-sensitive.
6. (Windows Cluster) To add a license for another node in a cluster, select the **Add Alternate Host Id** check box, then select the machine ID from the CPU ID list box. Repeat this step to add a license to all secondary nodes in the cluster.
7. Click **OK to close the utility**.

8. To start SharePlex, do the following:
 - a. Select the **SharePlex Services** tab.
 - b. Select the port number of the SharePlex instance that you licensed.
 - c. Click **Start**.
 - d. Wait for **Current State** to display a message that the service started.

View a license key

Select the **License Key** tab, then select the port number (if running multiple SharePlex instances) for which you want to view license information.

- Under **License Key**, view the actual license key and SiteMessage text string.
- Under **Status**, view the type of SharePlex installation, the license type, and the expiration date.

In a cluster, run **SpUtils** on each node to view the local license.

Install the SharePlex service

SharePlex runs as a service on the Windows platform. The service name is **SharePlex port_number**, where *port_number* is the port number associated with that SharePlex instance.

SharePlex is not installed as a Windows service during the initial installation. You must add and start the service through the **SpUtils** utility.

To add and start SharePlex as a service

1. Run the **SpUtils** utility from the SharePlex entry in the Programs menu.
2. Select the **Service** tab.
3. Select the SharePlex port number for which you are installing the service.
4. Click **Install**. (A "Service Stopped" message indicates that the service is installed.)
5. (Optional) Click **Start** to start the service.

The service is installed in auto-startup mode (start when the system starts) so that replication begins as soon as possible. To change startup status, use the **Services** applet of the **Administrative Tools** in the Windows Control Panel.

Remove SharePlex from a system

Contents

- [Overview](#)
- [Remove SharePlex from Unix/Linux](#)
- [Remove SharePlex from Windows](#)

Overview

This section contains instructions for using the SharePlex uninstallation program to remove SharePlex from a system. The uninstaller permanently removes the replication environment from the system.

To preserve the replication environment, including the queues that store the data, you can install a SharePlex upgrade or reinstall the current version, rather than uninstall SharePlex. Before you upgrade or reinstall SharePlex, see the Release Notes for the version you are installing to determine if there are any special upgrade or installation requirements.

Remove SharePlex from Unix/Linux

1. Log on as a user who has privileges to remove the SharePlex directories.
2. Run `sp_ctrl`.
3. Issue the `shutdown` command to shut down SharePlex.

```
sp_ctrl> shutdown
```
4. Exit `sp_ctrl`.
5. Use the following command to make certain that no SharePlex processes are running.

```
# ps -ef | grep sp_
```
6. Kill any processes that are still running.

7. Remove the SharePlex product directory, variable-data directory, and the hidden .shareplex directory from the system.
8. Drop the SharePlex database user from the database.

NOTE:

If desired, remove any objects that SharePlex installs in the database. These objects begin with **SHAREPLEX_**. You can remove any such objects using standard SQL commands.

Remove SharePlex from Windows

Files removed by the uninstall program

When SharePlex was installed, a file named **install.log** was installed in the SharePlex product directory. This file contains a record of all files created on the system by the installation program. When you run the uninstall program to remove SharePlex, it reads **install.log** to determine which files to remove.

If you select the **Automatic** uninstall option, it removes the following components for *all instances of SharePlex* (all SharePlex services on all ports):

- The SharePlex desktop icons.
- The SharePlex menu items (except for the top-level Program Manager Group folder).
- The SharePlex product directory. If the variable-data directory is installed under the product directory but contains no files that were added after installation, it is removed as well.
- The MKS Platform Components software and NuTCRACKER service.

Use the **Custom** uninstall option to remove specific files while leaving the others intact.

Files not removed by the uninstall program

The uninstall program does not remove the following components.

- The SharePlex entry in the Registry.
- Files that already existed in the product directory when the current version of SharePlex was installed.
- Files created by SharePlex or a user in the product or variable-data directory after the current version of SharePlex was installed. Such files can be removed manually after SharePlex is removed. This is standard procedure for most Windows applications.
- The SharePlex variable-data directory. To remove this directory, delete it through the operating system. The uninstall program does not remove this directory because there could be user-created files, such as configuration files and custom parameter settings, that you want to keep for a future installation of SharePlex.

Remove SharePlex from the system

Perform these tasks in the order shown.

Remove the SharePlex service

Before you remove the SharePlex software from the system, follow these steps to stop and remove each SharePlex service on the system. If you remove SharePlex first, you cannot use **SpUtils** to stop and remove the service and must do so from the **Services** utility of the Windows Control Panel.

1. Double-click the **SpUtils** desktop icon.
2. Click the **SharePlex Services** tab.
3. Select the port number for the SharePlex instance that you want to remove. The **Current State** field displays the status of SharePlex on that port.
4. If the service is running, click **Stop**. Make certain the status shows `Stopped`.
5. Click **Remove**.
6. Stop and remove other SharePlex services as needed.
7. Close the **SharePlex Services** dialog box.

Remove the SharePlex software

1. From Start menu, click **Programs**, then navigate to the SharePlex program folder and click **Uninstall**. Alternatively, you can use the Windows Control Panel as you normally would to remove software.
2. In the **Select Uninstall Method** dialog box, select an uninstall option.
 - Select **Automatic** to remove everything listed in [Files removed by the uninstall program](#). This is the recommended procedure because it is the cleanest way to remove SharePlex from the system. Click **Finish** to execute the uninstallation.
 - Select **Custom** to selectively remove files. Use this option only if you must retain some files while deleting others. You receive a series of prompts to remove different sets of files.
 - Select **Repair** to re-install files or update Registry entries. Click **Finish** to execute the repair.

Remove the MKS Toolkit operating environment

The MKS Platform Components software and NuTCRACKER service (and corresponding Registry entries) are removed when you uninstall SharePlex using the **Automatic** option.

1. Remove the **MKS Platform Components** software using the standard Programs uninstall option in the Windows Control Panel.
2. Remove the **NuTCRACKER** service from the **Services** utility of the Windows Control Panel.

Remove Registry entries

The following Registry entries, if they exist, can be removed by a System Administrator after SharePlex is uninstalled.

NOTE: Changing and removing Windows Registry components may be harmful to the system. Contact your System Administrator for assistance if needed.

HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432\Node\Datafocus

HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432\Node\Mortice Kern Systems

HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432\Node\Quest Software

IMPORTANT! If you intend to reinstall SharePlex or MKS Toolkit, they will not reinstall unless these Registry entries are removed.

Remove the SharePlex user and database objects

This uninstaller does not remove the SharePlex database objects. All SharePlex objects are installed in the SharePlex schema or database that was specified when the Database Setup portion of the installation was performed.

Advanced SharePlex installer options

The use of additional command line options when installing SharePlex is usually not necessary. These options are typically employed when working with Support to resolve specific issues.

The installer command line options and their descriptions follow:

USAGE

```
tpm [<options>] [ [<package> | <location>] ... ]
```

OPTIONS

```
-v, --verbose Turns verbose mode on
```

```
-h, -?, --help Prints out this message
```

```
--debug Starts the interactive debugger
```

```
--info Print information about installed
```

packages

```
--install Perform product installation
```

```
--remove Perform product deinstallation
```

```
--commit Commit last installation
```

```
--revert Revert last installation
```

```
-t, --tmp <directory> Temporary directory location
```

```
-d, --directory <directory> Working directory
```

```
-f, --force Unconditionally update existing files
```

```
--no-cleanup Do not perform cleanup on failure
```


`--nocleanup` Same as `--no-cleanup`, for compatibility

`--list` List the content of the archive

`--extract` Extract the archive into the current directory

`-r, --responses <yaml file>` Use the responses from a specified file

`-D, --defaults` Accept default answers

`-l, --log` Leave the installation log file

DESCRIPTION

Provides package management facilities. Packages can be installed, removed, reverted or committed. The utility also figures out its role based on the command name of its invocation path. For example, "tpm-install" is treated as "tpm --install", "tpm-remove" as "tpm --remove", etc.

It can also be invoked as part of a self extracting package invocation, in which case it is treated as "tpm --install".

Note: All command line options for the .tpm file are preceded by two dashes.

Install SharePlex as Root

You can install SharePlex as a root user. When you install as a root user, the installer prompts you to select whether or not to create the SharePlex user groups. When the installer creates the groups, it adds the SharePlex Administrator user to the **spadmin** group. For more information about these groups, see [Assign SharePlex users to security groups](#) on page 52.

In a cluster, the installer adds the SharePlex groups to the primary node, but you must add them to the other nodes yourself.

Additionally, see [Network checklist](#) on page 13 for instructions on adding the groups to a nameserver.

To install as root

1. Log in to the system as a root user.
2. Copy the SharePlex installer file to a temporary directory where you have write permissions. The installer file has a naming format of:

```
SharePlex-release#-platform.tpm
```

3. Change the permissions of the file as follows:

```
# chmod 555 SharePlex-release#-platform.tpm
```

4. Run the installer as directed in [Install SharePlex on Linux and UNIX](#) on page 42.

Run the installer in unattended mode

SharePlex can be installed unattended through the use of a response file. This installation method speeds the installation of multiple SharePlex instances. The file supplies responses to the standard installer prompts, while providing on screen status information.

NOTE: When running in unattended mode, the installation process does not call the system password utility. If you create a new SharePlex user during the installation, that user will remain locked until the password is set manually. Response files that you can edit are located in the **install** subdirectory of the SharePlex product (installation) directory:

```
/productdir/install
```

Enter responses in the file

IMPORTANT! The response file contains two sections. **Only the top section is user configurable.** Do not edit the bottom section. The bottom section begins with the line "Do not change settings that appear below."

Edit the top section of the response file to provide the responses for the installation. **Only edit the values to the right of the colon**, and make certain there is a space between the colon and the response.

The following example is for non-root installation:

```
# To install SharePlex with the unattended option please
# modify the settings below. You may safely modify only the values
# to the right of the colon, and the colon must be immediately
# followed by a space. Editing the values to the left of the colon
# may impact the unattended install causing the process to become
# interactive.
#
SharePlex Admin group: spadmin
```

```
product directory location: /home/splex/proddir
variable data directory location: /home/splex/varDir
# not required for Open Target installations # ORACLE_SID that corresponds to
this installation: oracledb
# not required for Open Target installations# ORACLE_HOME directory that
corresponds to this ORACLE_SID: /home/oracle/products/version
TCP/IP port number for SharePlex communications: 2100
the License key: XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
the customer name associated with this license key: SharePlex_Trial
```

To run the response file

From the command shell of the operating system, run the **.tpm** installation file with the **-r** option followed by the full path to the response file.

```
# ./installation_file -r /users/shareplex/product.rsp
```

Next Steps

For additional setup requirements, see the **Next Steps** section in one of the following depending on the platform:

[Install SharePlex on Linux/Unix for Oracle Database on page 42](#)

[Install SharePlex on Linux/Unix for Open Target Databases on page 45](#)

SharePlex installed items

The following describes the items that are installed during the SharePlex setup process.

SharePlex Directories

SharePlex uses two main directories:

The product directory: This is the SharePlex installation directory, where the SharePlex programs and libraries are stored.

The variable-data directory: This is the SharePlex working directory, where the queue files, log files and other components that comprise the current replication environment are stored.

NOTE: These directories are often referred to as *productdir* and *vardir*, respectively.

Do not remove, rename or edit any files or directories installed by SharePlex. Some directories contain hidden files that are essential for replication. Some files appear empty but must exist under their original names because they are referenced by one or more SharePlex processes. Some items in the directories are for use only under the supervision of Quest Technical Support.

Programs meant for general use in a production environment are documented in the published SharePlex documentation. If you do not find documentation for a program in a SharePlex directory, do not attempt to run it. Contact Quest Technical Support first.

The directory structure and files within the two main SharePlex directories differs slightly between the UNIX and Windows platforms. Files and directories can vary from version to version of SharePlex, but the basic structure appears as follows.

SharePlex product directory

Sub-directory	Contents
BACKUP	Uninstall information
bin	SharePlex executable files
config	Internally used content.

Sub-directory	Contents
data	Default parameter settings
doc	Catalog of exception messages
install	(Unix and Linux only) Scripts related to installation, licensing and upgrades
lib	SharePlex shared libraries
log	SharePlex log files
mks_oe	Runtime installation files for third-party software used by SharePlex.
util	SharePlex utilities
.app-modules	(Unix and Linux only) Hidden internal directory that contains raw executables. Do not use the contents of this directory to launch processes.
.meta-inf	(Unix and Linux only) Hidden internal directory that contains meta information used during the installation process.

SharePlex variable-data directory

Sub-directory	Contents
config	Configuration files for this installation of SharePlex.
data	Status Database, configuration activation information, user-defined parameter settings, and other user-defined files that direct replication activities.
db	Configuration internal database for each activation of a configuration file.
downgrd	Information about SharePlex targets that are a lower version than the source.
dump	Core files (if a process fails)
log	SharePlex log files
rim	Queue files (working data files)
save	Information about active and inactive configurations.
state	Information about the current state of SharePlex when a configuration is active, such as the object and sequence caches.
temp	Used by the copy and append features and other SharePlex sync-related processes.
oos	Stores the transactions that contain out-of-sync operations when the SP_OPO_SAVE_OOS_TRANSACTION parameter is enabled.

SharePlex Installed Objects

Much of the replication process is controlled and tracked through a series of internal objects that are installed into the source or target database during the installation of SharePlex. They are essential for SharePlex to operate, so do not alter them in any way.

NOTE: Not all objects are used for all databases. Most are used for Oracle databases. If you do not see an object in your database, it is not relevant to the database, or the information is stored internally within the SharePlex configuration. If you see an object that is in your database but not in this list, it is not being used in the current release.

Table	Object type	Description
DEMO_SRC	Table	Used as the source table for the SharePlex demonstrations.
DEMO_DEST	Table	Used as the target table for the SharePlex demonstrations.
SHAREPLEX_ACTID	Table	Used by Capture to checkpoint its state.
SHAREPLEX_ANALYZE	Table	Used by the analyze command.
SHAREPLEX_CHANGE_OBJECT	Table	Used by users to stop and resume replication for an object.
SHAREPLEX_COMMAND	Table	Used for the flush , abort and purge commands.
SHAREPLEX_CONFIG	Table	Used by the activation and Capture processes to mark the start of a new activation.
SHAREPLEX_DATA	Table	Used by the SharePlex wallet for Oracle TDE replication.
SHAREPLEX_DATAEQUATOR	Table	Used by the compare and repair commands and the Post process to synchronize their operations.
SHAREPLEX_DATAEQUATOR_INSERT_TEMP	Table	Used as a temporary table by the compare and repair commands.
SHAREPLEX_DATAEQUATOR_UPDATE_TEMP	Table	Used as a temporary table by the compare and repair commands.
SHAREPLEX_DATAEQUATOR_DELETE_TEMP	Table	Used as a temporary table by the compare and repair commands.
SHAREPLEX_DDL_CONTROL	Table	Used to refine control of DDL that is enabled for replication by the SP_OCT_REPLICATE_ALL_DDL parameter.
SHAREPLEX_JOBID	Sequence	Used by the sp_cnc process and the compare , repair , and copy commands to provide a unique job ID.
SHAREPLEX_JOBS	Table	Used by the sp_cnc process and the compare , repair , and copy commands to store information about a job.
SHAREPLEX_JOB_STATS	Table	Used by the sp_cnc process and the compare , repair , and copy commands to store information about a job.
SHAREPLEX_JOBS_CONFIG	Table	Used by the disable jobs and enable jobs commands.
SHAREPLEX_LOB_CACHE	Table	Used by the Capture process when processing VARRAYs stored as LOB.
SHAREPLEX_LOBMAP	Table	Used by the Capture process to map LOBIDs and rows when a

Table	Object type	Description
		table with LOB columns does not have PK/UK logging enabled.
SHAREPLEX_LOGLIST	Table	Used by the Capture process to track inactive RAC instances.
SHAREPLEX_MARKER	Table	Used by the Read process when PK/UK logging is not enabled.
SHAREPLEX_OBJMAP	Table	Used by the activation and Capture processes to define the objects in replication.
SHAREPLEX_PARTITION_CACHE	Table	Used by the Capture process to map Oracle partition IDs to tables in replication.
SHAREPLEX_SYNC_MARKER	Table	Used by the copy command and the Read and Post processes to sync their operations.
SHAREPLEX_TRANS or SHAREPLEX_OPEN_TRANS	Table	Used by the Post process to store checkpoints and to mark transactions that were applied in a primary-to-primary configuration.

MKS Toolkit

On the Windows platform, SharePlex installs the MKS Toolkit® operating environment from Parametric Technology Corporation (PTC), formerly known as Mortice Kern Systems NuTCRACKER. This software enables SharePlex to be ported to all supported platforms in a uniform manner.

SharePlex users have no interaction with the MKS Toolkit software, other than to ensure that its service is running when the SharePlex service is running. The MKS Toolkit is installed in automatic startup mode by default when it is installed during SharePlex installation.

The default folder for MKS Toolkit is C:\Program Files\MKS Toolkit, but a different folder might have been selected during installation. The MKS Toolkit files must not be moved after they are installed.

SharePlex Registry Entries

On Windows systems, SharePlex installs the following Registry entries.

- **HKKEY_LOCAL_MACHINE\Software\Wow6432node\Quest Software\SharePlex:** This contains the SharePlex environment information and is where any user-created variables must be entered, such as SP_SYS_VARDIR. Each instance of SharePlex is defined in the Registry as a port number, and each has its own set of environment variables.
- **HKKEY_LOCAL_MACHINE\Software\Wow6432node\Mortice Kern Systems:** This contains Registry entries for the MKS Toolkit® operating environment.
- **HKKEY_LOCAL_MACHINE\Software\Wow6432node\Datafocus:** This contains Registry entries for the MKS Toolkit® operating environment.

About us

We are more than just a name

We are on a quest to make your information technology work harder for you. That is why we build community-driven software solutions that help you spend less time on IT administration and more time on business innovation. We help you modernize your data center, get you to the cloud quicker and provide the expertise, security and accessibility you need to grow your data-driven business. Combined with Quest's invitation to the global community to be a part of its innovation, and our firm commitment to ensuring customer satisfaction, we continue to deliver solutions that have a real impact on our customers today and leave a legacy we are proud of. We are challenging the status quo by transforming into a new software company. And as your partner, we work tirelessly to make sure your information technology is designed for you and by you. This is our mission, and we are in this together. Welcome to a new Quest. You are invited to Join the Innovation™.

Our brand, our vision. Together.

Our logo reflects our story: innovation, community and support. An important part of this story begins with the letter Q. It is a perfect circle, representing our commitment to technological precision and strength. The space in the Q itself symbolizes our need to add the missing piece — you — to the community, to the new Quest.

Contacting Quest

For sales or other inquiries, visit www.quest.com/contact.

Technical support resources

Technical support is available to Quest customers with a valid maintenance contract and customers who have trial versions. You can access the Quest Support Portal at <https://support.quest.com>.

The Support Portal provides self-help tools you can use to solve problems quickly and independently, 24 hours a day, 365 days a year. The Support Portal enables you to:

- [Submit and manage a Service Request](#)
- [View Knowledge Base articles](#)
- [Sign up for product notifications](#)
- [Download software and technical documentation](#)
- [View how-to-videos](#)
- [Engage in community discussions](#)
- [Chat with support engineers online](#)
- [View services to assist you with your product](#)