

Foglight® Evolve
Network Topology Guide



© 2023 Quest Software Inc.

ALL RIGHTS RESERVED.

This guide contains proprietary information protected by copyright. The software described in this guide is furnished under a software license or nondisclosure agreement. This software may be used or copied only in accordance with the terms of the applicable agreement. No part of this guide may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording for any purpose other than the purchaser's personal use without the written permission of Quest Software Inc.

The information in this document is provided in connection with Quest Software products. No license, express or implied, by estoppel or otherwise, to any intellectual property right is granted by this document or in connection with the sale of Quest Software products. EXCEPT AS SET FORTH IN THE TERMS AND CONDITIONS AS SPECIFIED IN THE LICENSE AGREEMENT FOR THIS PRODUCT, QUEST SOFTWARE ASSUMES NO LIABILITY WHATSOEVER AND DISCLAIMS ANY EXPRESS, IMPLIED OR STATUTORY WARRANTY RELATING TO ITS PRODUCTS INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. IN NO EVENT SHALL QUEST SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE, SPECIAL OR INCIDENTAL DAMAGES (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF PROFITS, BUSINESS INTERRUPTION OR LOSS OF INFORMATION) ARISING OUT OF THE USE OR INABILITY TO USE THIS DOCUMENT, EVEN IF QUEST SOFTWARE HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. Quest Software makes no representations or warranties with respect to the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and product descriptions at any time without notice. Quest Software does not make any commitment to update the information contained in this document.

If you have any questions regarding your potential use of this material, contact:

Quest Software Inc.
Attn: LEGAL Dept.
4 Polaris Way
Aliso Viejo, CA 92656

Refer to our website (<https://www.quest.com>) for regional and international office information.

Patents

Quest Software is proud of our advanced technology. Patents and pending patents may apply to this product. For the most current information about applicable patents for this product, please visit our website at <https://www.quest.com/legal>.

Trademarks

Quest, the Quest logo, and Where next meets now are trademarks and registered trademarks of Quest Software Inc. For a complete list of Quest marks, visit <https://www.quest.com/legal/trademark-information.aspx>. "Apache HTTP Server", Apache, "Apache Tomcat" and "Tomcat" are trademarks of the Apache Software Foundation. Google is a registered trademark of Google Inc. Android, Chrome, Google Play, and Nexus are trademarks of Google Inc. Red Hat, JBoss, the JBoss logo, and Red Hat Enterprise Linux are registered trademarks of Red Hat, Inc. in the U.S. and other countries. CentOS is a trademark of Red Hat, Inc. in the U.S. and other countries. Fedora and the Infinity design logo are trademarks of Red Hat, Inc. Microsoft, .NET, Active Directory, Internet Explorer, Hyper-V, Office 365, SharePoint, Silverlight, SQL Server, Visual Basic, Windows, Windows Vista and Windows Server are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. AIX, IBM, PowerPC, PowerVM, and WebSphere are trademarks of International Business Machines Corporation, registered in many jurisdictions worldwide. Java, Oracle, Oracle Solaris, PeopleSoft, Siebel, Sun, WebLogic, and ZFS are trademarks or registered trademarks of Oracle and/or its affiliates in the United States and other countries. SPARC is a registered trademark of SPARC International, Inc. in the United States and other countries. Products bearing the SPARC trademarks are based on an architecture developed by Oracle Corporation. OpenLDAP is a registered trademark of the OpenLDAP Foundation. HP is a registered trademark that belongs to Hewlett-Packard Development Company, L.P. Linux is a registered trademark of Linus Torvalds in the United States, other countries, or both. MySQL is a registered trademark of MySQL AB in the United States, the European Union and other countries. Novell and eDirectory are registered trademarks of Novell, Inc., in the United States and other countries. VMware, ESX, ESXi, vSphere, vCenter, vMotion, and vCloud Director are registered trademarks or trademarks of VMware, Inc. in the United States and/or other jurisdictions. Sybase is a registered trademark of Sybase, Inc. The X Window System and UNIX are registered trademarks of The Open Group. Mozilla and Firefox are registered trademarks of the Mozilla Foundation. "Eclipse", "Eclipse Foundation Member", "EclipseCon", "Eclipse Summit", "Built on Eclipse", "Eclipse Ready" "Eclipse Incubation", and "Eclipse Proposals" are trademarks of Eclipse Foundation, Inc. IOS is a registered trademark or trademark of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries. Apple, iPad, iPhone, Mac OS, Safari, Swift, and Xcode are trademarks of Apple Inc., registered in the U.S. and other countries. Ubuntu is a registered trademark of Canonical Ltd. Symantec and Veritas are trademarks or registered trademarks of Symantec Corporation or its affiliates in the U.S. and other countries. OpenSUSE, SUSE, and YAST are registered trademarks of SUSE LLC in the United States and other countries. Citrix, AppFlow, NetScaler, XenApp, and XenDesktop are trademarks of Citrix Systems, Inc. and/or one or more of its subsidiaries, and may be registered in the United States Patent and Trademark Office and in other countries. AlertSite and DéjàClick are either trademarks or registered trademarks of Boca Internet Technologies, Inc. Samsung, Galaxy S, and Galaxy Note are registered trademarks of Samsung Electronics America, Inc. and/or its related entities. MOTOROLA is a registered trademark of Motorola Trademark Holdings, LLC. The Trademark BlackBerry Bold is owned by Research In Motion Limited and is registered in the United States and may be pending or registered in other countries. Quest is not endorsed, sponsored, affiliated with or otherwise authorized by Research In Motion Limited. Ixia and the Ixia four-petal logo are registered trademarks or trademarks of Ixia. Opera, Opera Mini, and the O logo are trademarks of Opera Software ASA. Tevtron, the Tevtron logo, and CitraTest are registered trademarks of Tevtron, LLC. PostgreSQL is a registered trademark of the PostgreSQL Global Development Group. MariaDB is a trademark or registered trademark of MariaDB Corporation Ab in the European Union and United States of America and/or other countries. Vormetric is a registered trademark of Vormetric, Inc. Intel, Itanium, Pentium, and Xeon are trademarks of Intel Corporation in the U.S. and/or other countries. Debian is a registered trademark of Software in the Public Interest, Inc. OpenStack is a trademark of the OpenStack Foundation. Amazon Web Services, the "Powered by Amazon Web Services" logo, and "Amazon RDS" are trademarks of Amazon.com, Inc. or its affiliates in the United States and/or other countries. Infobright, Infobright Community Edition and Infobright Enterprise Edition are trademarks of Infobright Inc. POLYCOM®, RealPresence® Collaboration Server, and RMX® are registered trademarks of Polycom, Inc. All other trademarks and registered trademarks are property of

their respective owners.

Legend



WARNING: A WARNING icon indicates a potential for property damage, personal injury, or death.



CAUTION: A CAUTION icon indicates potential damage to hardware or loss of data if instructions are not followed.



IMPORTANT NOTE, NOTE, TIP, MOBILE, or VIDEO: An information icon indicates supporting information.

Contents


Overview	5
Overview of interaction between Foglight components	5
Foglight Management Server default port assignments	5
Foglight default ports	6
Network topologies	7
Foglight for Active Directory/Foglight for Exchange	8
Foglight Hybrid Cloud Manager for AWS	8
Foglight Hybrid Cloud Manager for Azure	9
Foglight Hybrid Cloud Manager for Google Cloud	9
Foglight for Hyper-V	10
Foglight for Infrastructure	10
Foglight for Container Management	11
Foglight for NetVault	11
Foglight for Office 365	12
Foglight for VMware	12
Quest Protect Dashboard	13
Foglight for Citrix XenDesktop and XenApp	13
Foglight for Storage Management	14
About us	15
Technical support resources	15

Overview

Overview of interaction between Foglight components

Foglight® consists of the Foglight Management Server (FMS), a database repository, and a set of cartridges. Foglight relies on a browser-based user interface and is controlled via role assignments in the Foglight security model. The Foglight Web application runs in an Apache Tomcat® server. Users interact with the FMS Web application via an HTTP or HTTPS connection.

Figure 1. Foglight Components Overview



Foglight Management Server default port assignments

The Foglight installation process allows you to configure port assignments. The default ports are displayed during installation.

Table 1. FMS default port assignments

Port Name	Port Number	Outgoing/Incoming
Embedded DB	TCP 15432	Outgoing
HTTP	TCP 8080	Incoming

Table 1. FMS default port assignments

Port Name	Port Number	Outgoing/Incoming
HTTPS	TCP 8443	Incoming
High Availability	UDP 45566 TCP 7800	Incoming/Outgoing
Federation RMI	TCP 1099	Incoming/Outgoing
Federation RMI Service	TCP 4444	Incoming/Outgoing
NOTE: If your Federation Master Server is installed behind the firewall, you must configure this port on the Federation Child Server to set up the connection with the server.		
QP5	TCP 8448	Incoming/Outgoing

High Availability (HA) refers to running a secondary instance of Foglight as a failover backup server (redundant mode). Foglight listens to the multicast port (45566) only when configured for HA mode.

Foglight default ports

Table 2. Ports used when Foglight is installed with an external database

Port Name	Port Number	Outgoing/Incoming
External PostgreSQL®	5432	Outgoing
Microsoft® SQL Server®	1433	Outgoing
Oracle®	1521	Outgoing
MySQL™	3306	Outgoing

Table 3. Agent adapter ports used when configuring the Foglight Administration Console


Port Name	Port Number	Outgoing/Incoming
Agent Manager	8080	Incoming
Agent Manager over SSL	8443	Incoming
Java EE Technology Agent	41705	Incoming

Network topologies


This chapter includes the network topology for the following cartridges:

- [Foglight for Active Directory/Foglight for Exchange](#)
- [Foglight Hybrid Cloud Manager for AWS](#)
- [Foglight Hybrid Cloud Manager for Azure](#)
- [Foglight Hybrid Cloud Manager for Google Cloud](#)
- [Foglight for Hyper-V](#)
- [Foglight for Infrastructure](#)
- [Foglight for Container Management](#)
- [Foglight for NetVault](#)
- [Foglight for Office 365](#)
- [Foglight for VMware](#)
- [Quest Protect Dashboard](#)
- [Foglight for Citrix XenDesktop and XenApp](#)
- [Foglight for Storage Management](#)


Foglight for Active Directory/Foglight for Exchange




Foglight Hybrid Cloud Manager for AWS




Foglight Hybrid Cloud Manager for Azure




Foglight Hybrid Cloud Manager for Google Cloud




Foglight for Hyper-V




Foglight for Infrastructure




Foglight for Container Management



Foglight for NetVault



Foglight for Office 365




Data Collection – Ensure port 443 is open.

- Communication API: <https://msdn.microsoft.com/en-us/office-365/office-365-service-communications-api-reference>
- Collecting Report data through Reporting web service: <https://msdn.microsoft.com/en-us/library/office/jj984325.aspx>

Data Submission

- HTTP 8080
- HTTPS 8443

Foglight for VMware




Data Collection

- HTTP 80 - to vCenter Web Service End Point
- HTTPS 443 - to vCenter Web Service End Point


Data Submission

- HTTP 8080
- HTTPS 8443

Quest Protect Dashboard



Foglight for Citrix XenDesktop and XenApp



Foglight for Storage Management




Table 1. Data Collection protocol and port for Foglight for Storage Management

Model	Protocol	Port
Brocade	SMI-S	default 5988 (HTTP) default 5989 (HTTPS)
Cisco	SSH	22
Dell Compellent	API	default 3033
Dell Equallogic	SNMP	161
EMC CLARiiON CLI	DCOM	135, 139 (DCOM)
	SSH	22 (SSH)
EMC VNX/ CLARiiON/VMAX SMI-S	SMI-S	default 5988 (HTTP) default 5989 (HTTPS)
EMC Isilon	OneFS CLI	default 22
HDS AMS/USP/VSP	SMI-S	default 5988 (HTTP)
	DCOM (TM)	default 5989 (HTTPS) 135, 139 (DCOM)
HP EVA	SMI-S	default 5988 (HTTP) default 5989 (HTTPS)
HP 3PAR	SMI-S	default 5988 (HTTP) default 5989 (HTTPS)
NetAPP Filer	ONTAP API	443
EMC VPLEX	REST API	443 (HTTPS)
Generic SMI-S	SMI-S	default 5988 (HTTP) default 5989 (HTTPS)

Quest creates software solutions that make the benefits of new technology real in an increasingly complex IT landscape. From database and systems management, to Active Directory and Office 365 management, and cyber security resilience, Quest helps customers solve their next IT challenge now. Around the globe, more than 130,000 companies and 95% of the Fortune 500 count on Quest to deliver proactive management and monitoring for the next enterprise initiative, find the next solution for complex Microsoft challenges and stay ahead of the next threat. Quest Software. Where next meets now. For more information, visit <https://www.quest.com/>.

Technical support resources

Technical support is available to Quest customers with a valid maintenance contract and customers who have trial versions. You can access the Quest Support Portal at <https://support.quest.com>.

The Support Portal provides self-help tools you can use to solve problems quickly and independently, 24 hours a day, 365 days a year. The Support Portal enables you to:

- Submit and manage a Service Request.
- View Knowledge Base articles.
- Sign up for product notifications.
- Download software and technical documentation.
- View how-to-videos.
- Engage in community discussions.
- Chat with support engineers online.
- View services to assist you with your product.