

Metalogix[®] Archive Manager for Exchange 8.8

Outlook Web Access Guide



© 2023 Quest Software Inc. ALL RIGHTS RESERVED.

This guide contains proprietary information protected by copyright. The software described in this guide is furnished under a software license or nondisclosure agreement. This software may be used or copied only in accordance with the terms of the applicable agreement. No part of this guide may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording for any purpose other than the purchaser's personal use without the written permission of Quest Software Inc.

The information in this document is provided in connection with Quest Software products. No license, express or implied, by estoppel or otherwise, to any intellectual property right is granted by this document or in connection with the sale of Quest Software products. EXCEPT AS SET FORTH IN THE TERMS AND CONDITIONS AS SPECIFIED IN THE LICENSE AGREEMENT FOR THIS PRODUCT, QUEST SOFTWARE ASSUMES NO LIABILITY WHATSOEVER AND DISCLAIMS ANY EXPRESS, IMPLIED OR STATUTORY WARRANTY RELATING TO ITS PRODUCTS INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. IN NO EVENT SHALL QUEST SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE, SPECIAL OR INCIDENTAL DAMAGES (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF PROFITS, BUSINESS INTERRUPTION OR LOSS OF INFORMATION) ARISING OUT OF THE USE OR INABILITY TO USE THIS DOCUMENT, EVEN IF QUEST SOFTWARE HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. Quest Software makes no representations or warranties with respect to the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and product descriptions at any time without notice. Quest Software does not make any commitment to update the information contained in this document.

If you have any questions regarding your potential use of this material, contact:

Quest Software Inc.
Attn: LEGAL Dept.
4 Polaris Way
Aliso Viejo, CA 92656

Refer to our Web site (<https://www.quest.com>) for regional and international office information.

Patents

Quest Software is proud of our advanced technology. Patents and pending patents may apply to this product. For the most current information about applicable patents for this product, please visit our website at <https://www.quest.com/legal>.

Trademarks

Quest, the Quest logo, and Metalogix are trademarks and registered trademarks of Quest Software Inc. and its affiliates. For a complete list of Quest marks, visit <https://www.quest.com/legal/trademark-information.aspx>. All other trademarks and registered trademarks are property of their respective owners.

Legend



CAUTION: A caution icon indicates potential damage to hardware or loss of data if instructions are not followed.



IMPORTANT, NOTE, TIP. MOBILE OR VIDEO: An information icon indicates supporting information

Metalogix® Archive Manager for Exchange

Updated August 2023

Version 8.8

Contents

About the OWA extension	4
Installing the OWA extension	6
Configuring the OWA extension	12
Working with the OWA extension	18
Non-archived emails	21
Archived emails	23
Search	24
How to build search queries	28
Working with search results	36
Addendum	39
About Us	41
Contacting Quest	41
Technical Support Resources	41

About the OWA extension

The Outlook Web Access (OWA) extension enables users to access and work with archived e-mails over the web. This extension is necessary only if you plan to allow users to access and retrieve archived emails over the web. Without this extension, the users will not be able to access the full content of the archived messages in OWA.

This guide describes how to install, configure and work with the Archive Manager OWA extension.

i **NOTE:** Native rehydration or exports are intended for small data sets. For operations on large data sets, use a specialized utility such as [Quadrotech Archive Shuttle](#) (QAS).

System requirements

- Windows Server 2016 / 2019 / 2022
- .NET Framework 4.8 or higher (<https://dotnet.microsoft.com/en-us/download/dotnet-framework/thank-you/net48-web-installer>)

i **NOTE:** Make sure the **.NET Framework 4.5 Features / WCF Services / HTTP Activation** is checked under **Server Manager > Add Roles and Features Wizard**.

Supported browsers

- Mozilla Firefox 69 and later
- Google Chrome 76 and later. See [Steps to configure the Chrome browser](#).
- Opera 63 and later
- Microsoft Edge

i **NOTE:** A valid certificate of the server where the OWA extension is installed must be imported into the trusted certificate store of the Microsoft Exchange Server.

IIS configuration

Verify that you have installed the fix for MVC applications. To find appropriate update according for your OS see <http://support.microsoft.com/kb/980368>. If you are unable to browse the MVC application, you can try to register the framework for IIS by running the followings commands:

- %windir%\Microsoft.NET\Framework64\v4.0.30319\aspnet_regiis.exe -ir
- IISreset

If required, uncheck **Require SSL** in *IIS SSL Settings* for OWA.

Installing the OWA extension

The Outlook Web Access (OWA) extension can be installed on any server in the same domain where Archive Manager for Exchange is installed. However it is recommended that the extension is installed on the primary Archive Manager for Exchange server.

In this chapter

[Granting the super-user impersonation permissions in Exchange Server](#)

[Steps to install the OWA extension](#)

[Repairing the OWA extension](#)

Granting the super-user impersonation permissions in Exchange Server


The Archive Manager super-user must be granted impersonation permissions in the domain Exchange Server if you plan to access archived emails through OWA. Use the Exchange Management Shell to grant the super-user impersonation permissions across all Exchange 2016/2019/2022 servers in your environment:

1. Start the Exchange Management Shell.
2. To grant the super-user Impersonation permissions, run the following command:


```
New-ManagementRoleAssignment -Name "Impersonation-MAM4Exchange" -Role  
"ApplicationImpersonation" -User "<superuser-name>"
```

Steps to install the OWA extension


1. Download and unzip the installer package.
2. Locate and run the extension installer. The default location is `<installer-folder>\Metalogix\Archive Manager Installation Package\OWA Extension\Archive Manager OWA Extension Setup.exe`. The *Welcome* window opens.




3. Click **Next**. The *License Agreement* window opens.



4. You can click **Print** to take a printout of the agreement. Click **Yes** to continue. The *Choose Destination Location* window opens.



- Click **Change** to select another folder or click **Next** to accept the default location and continue. The *Select Archive Server* window opens. You can enter the server name or click **Browse** to locate the Archive server. Then click **Test server** to verify the connection to the Archive server.



- Click **Next**. The *Logon Information* window opens.


Enter the superuser credentials in the **Username** and **Password** fields. The *superuser* was configured during the installation of Archive Manager and is usually the enterprise admin of your domain.

7. Click **Next**. The *Ready to Install the Program* window opens.


8. Click **Install**. When the installation completes, the configuration wizard opens. See [Configuring the OWA extension](#) to complete the installation.

Repairing the OWA Extension


1. Download and unzip the upgrade installer package.
2. Locate and run the extension installer. The default location is <installer-folder>\Metalogix\Archive Manager Installation Package\OWA Extension\Archive Manager OWA Extension Setup.exe. The *Welcome* window opens.




3. Select **Repair** and click **Next**. The *Logon Information* window opens. Verify that the superuser **Username** is the same. Then re-enter the **Password** and **Confirm Password**. You can change the credentials if you want.



4. Click **Next**. The *Select Archive Server* window opens. Verify that the Archive server is the same as before or click **Browse** to change the server.



5. Click **Next**. The *Ready to repair the program* window opens.




6. Click **Repair** to proceed with the upgrade. When the upgrade process completes, the Configuration setup wizard starts. If there are no changes to the previous configurations, you may click **Cancel** to exit the wizard. If you need to change the configuration, see [Configuring the OWA extension](#) to complete the upgrade..


Configuring the OWA extension

When the OWA extension is installed or upgraded, the configuration setup wizard starts automatically. Follow the steps described below to start and configure OWA manually.

1. Locate and run the configuration wizard from `C:\Program Files\Metalogix\MAM4Exchange\Tools\OWA\exchangePamOwaNetInstallation.exe`
2. Select the **Install/repair** option.




3. Click **Next**. The *Locate installation folder* window opens. Verify the installation path displayed. If the path is not correct, click **Change** to locate the Archive Manager for Exchange installation folder.



- Click **Next**. The *Configuration parameters* window opens. Select either **Exchange Server** or **Exchange Online**. The default exchange server selection and property values may be different. Please review and revise the values as described below.

For Exchange Server:



The screenshot shows the 'Setup wizard' window with the 'Configuration parameters' tab selected. The 'Exchange Server' radio button is selected. The fields are filled with the following URLs:

- Microsoft Exchange OWA URL: `https://amxserver`
- Archive Manager OWA Extension URL: `https://amxserver`
- Archive Manager ExchangePamWS URL: `https://AMXSERVER/exchangePAMWS/exchangePAMWS.asmx`
- Archive Manager MultiTenantWS URL: `https://amxserver/MultiTenantWS/MultiTenantWS.svc`
- Microsoft Exchange Web Service URL: `https://amxserver/EWS/Exchange.asmx`

At the bottom, there are buttons for '< Back', 'Next >', and 'Cancel'.

Microsoft Exchange OWA URL - URL of the Microsoft Exchange server.


Archive Manager OWA Extension URL - URL of the server where the OWA extension is installed.

Archive Manager ExchangePamWS URL - URL for the ExchangePamWS service. This service is installed on the Archive Manager server.

Archive Manager Multi TenantWS URL - URL of the MultiTenantWS service. This service is installed on the Archive Manager server.

Microsoft Exchange Web Service URL - URL of the Exchange web service in the format `https://<exchange-server>/ews/exchange.asmx`. The Exchange Web Service is a set of web services to access the mailboxes on Exchange Server. This web service is normally installed on Exchange Servers with the **CAS** role.

For Exchange Online:



The screenshot shows the 'Setup wizard' window with the 'Configuration parameters' tab selected. The 'Exchange Online' radio button is selected. The fields are filled with the following URLs:

- Microsoft Exchange OWA URL: `https://outlook.office365.com`
- Archive Manager OWA Extension URL: `https://amxserver`
- Archive Manager ExchangePamWS URL: `https://AMXSERVER/exchangePAMWS/exchangePAMWS.asmx`
- Archive Manager MultiTenantWS URL: `https://amxserver/MultiTenantWS/MultiTenantWS.svc`
- Microsoft Exchange Web Service URL: `https://outlook.office365.com/EWS/Exchange.asmx`

At the bottom, there are buttons for '< Back', 'Next >', and 'Cancel'.

Microsoft Exchange OWA URL - read only property. Default value is
<https://outlook.office365.com>

Archive Manager OWA Extension URL - the URL used to access OWA from the internet. If you use multiple URLs to access OWA, please use the one which is accessible to most of the users.


Archive Manager ExchangePamWS URL - URL for the ExchangePamWS service. This service is installed on the Archive Manager server.

Archive Manager Multi TenantWS URL - URL of the MultiTenantWS service. This service is installed on the Archive Manager server.

Microsoft Exchange Web service URL - read only property. Default value is
<https://outlook.office365.com/EWS/Exchange.asmx>

5. Click **Next**. In the **Exchange Web Services Credentials** dialog, provide in the credentials of the superuser that runs the Archive Manager services. It was specified during the installation of Archive Manager.

For Exchange Server:



Enter the properties as described below:


Domain - enter the domain name

User - enter the username

Password - enter the password

Confirm password - confirm the password you entered

For Exchange Online:



Enter the properties as described below:

User - enter the Exchange Online username

Password - enter the password

Confirm password - confirm the password you entered

Endpoint type - Choose from one of the following endpoints:

- Worldwide endpoints
- U.S. Government DoD endpoints
- U.S. Government GCC High endpoints
- Exchange Online Germany endpoints

i **NOTE:** If your organization uses multi-factor authentication you must register your application in Azure Active Directory. For more details, see [Registering Metalogix in Azure AD for EWS](#).

MFA will be automatically detected and you must provide the following super-user credentials:

- Client ID** - the Application (client) ID that you copied from Azure.
- Client secret** - the Secret ID that you copied from Azure.

6. Click **Next**. The *Server Information* window opens.

Setup wizard

Server information

Primary Archive Server:
amxserver

Secondary Archive Server:
amxserver

OWA cache folder path:
C:\Program Files\Metalogix\MAM4exchange\Web\OWACache\ Browse

☐ Install OWA with new application ID *

* Select this option to install OWA for multiple Archive servers in multiple locations

< Back Next > Cancel

Enter the information as described below:

Primary Archive Server - name of your Archive Manager *Archive* Server.

Secondary Archive Server - name of your Archive Manager *Retrieve* Server. For a single-server deployment, the server name is the same as the **Primary Archive Server**. The secondary server will be used if the primary is not available.

OWA cache folder path - By default, the cache folder is created under the **Web** folder. Use the **Browse** button to change the OWA cache path, if necessary.

Install OWA with new application ID - select this option to install OWA for multiple Archive servers in multiple locations. The unique identifier ensures that the Archive servers can reliably detect the OWA extension in different locations.

- Click **Next**. The *Summary* window opens.

Setup wizard

Summary

Installation folder: 'C:\Program Files\Metalogix\MAM4exchange'
Cache path: 'C:\Program Files\Metalogix\MAM4exchange\Web\OWACache\
Exchange binaries path: Exchange binaries path not found, perhaps because it is a O365 installation'


The following links will be generated in the email:
https://amxserver

The following internal applications will be used:
https://AMXSERVER/exchangePAMWS/exchangePAMWS.aspx
https://amxserver/exchangePAMWS/exchangePAMWS.aspx

Exchange Web Service:
URL: https://amxserver/EWS/Exchange.aspx
Credentials: democorp\domadmin

< Back Next > Publish

- Click **Publish**. The *Installation* window opens and the the upgrade progress is displayed. When the upgrade completes, the *Maintenance Complete* window opens.



9. Click **Finish** to close the configuration setup wizard.

i **NOTE:** The new settings will not be applied immediately. Either you will have to wait until the system recognizes the changes (done approximately every hour) or you will have to reset the owa application pool: either by recycling the application pool or by resetting IIS. In the latter case connected users will be disconnected and will have to log on again.

Working with the OWA extension

When the OWA Extension is installed and configured correctly, the Metalogix Archive Manager OWA extension appears as an icon in the ribbon of the Outlook desktop client, or a menu option in the *More Actions* menu of any Office 365 Outlook email body. With this extension, you can archive emails with different retention categories, restore archived emails and search for archived emails.

In this chapter:


- [Steps to configure the Chrome browser](#)
- [Steps to access the OWA extension in Office 365 Outlook](#)
- [Steps to access the OWA extension in Outlook desktop](#)


The following topics are described with a reference to an on-premise Outlook client. The same descriptions apply to an O365 Outlook web page:

- [Non-archived emails](#)
- [Archived emails](#)
- [Full text search](#)

Steps to configure the Chrome Browser

If you use the Chrome® browser to access OWA, follow the steps below to allow Chrome to interact with OWA without impediments.


1. Open Chrome on the computer from where the Outlook is accessed.
2. At the top right, click More  and then **Settings**.
3. Click **Privacy and security** and then **Site Settings**.
4. Click **Additional content settings** and then **Insecure content**.
5. Next to "Not allowed to show insecure content," click **Add**.
6. Enter the FQDN of the Exchange server. For example, enter `amxexch.democorp.com`




- To change the default settings: Next to the URL, click **More** ⋮
- Click either **Allow** (or **Block**), **Edit**, or **Remove**.

Steps to access the OWA extention in Office 365 Outlook

- Enter <https://outlook.office365.com> in your web browser and log in to your instance of Outlook.
- Open any email and click **More Actions** from the email pane. The *More Actions* menu opens.




3. Click **Metalogix Archive Manager**. The *Metalogix Archive Manager OWA Extension* panel opens.



Steps to access the OWA extension in Outlook desktop

1. Enter `https://<exchange-server-fqdn-name>/owa` in your web browser.
2. Open any email and click the **Metalogix Archive Manager** extension link in the message pane. The Archive Manager extension panel expands to display the options available. For non-archived emails, the **Archive** and **Search** options are displayed. For non-archived emails, the **Preview**, **Restore** and **Search** options are displayed and the functions that the user is permitted to use depending on what rights they are assigned in the Archive Manager Administration Center (AMAC).






NOTE: Users can be granted or denied the permission to archive, restore or search for archived emails. The permissions are managed with the Archive Manager Administration Console (AMAC) in the *Manager view > Settings > Outlook Addin permissions* pane. For more information about permissions, see the *Metalogix Archive Manager for Exchange Administration Guide*.

Non-archived emails


When you open messages that are not archived, the **Archive** and **Search** options are displayed in the *Metalogix Archive Manager* extension panel.



For steps to search through archived emails, see [Full text search](#).


Steps to archive an email


1. In the *Metalogix Archive Manager* extension panel, click **Archive**. The *Archive* page opens.



2. Choose a **Retention category** from the drop down if you have the permission to choose a retention category.


i NOTE: If you don't have the permission to choose a retention category, the Retention category field is read-only. Retention Categories and permissions are managed through the Archive Manager Administration Center (AMAC). For more information about retention categories and permissions, see the *Metalogix Archive Manager for Exchange Administration Guide*.

3. Click **Archive**  to archive the email. If you don't have the permission to archive the email you will receive a message as shown below.



Archived emails


When you open messages that are not archived, the **Preview**, **Restore** and **Search** options are displayed in the *Metalogix Archive Manager* extension panel.




The format of an archived email is similar to a non-archived email. The format shown in the image above has been customized to use an HTML template. Message formats are managed with the Archive Manager Administration Center (AMAC) in the *Manager view* > *Settings* > *Shortcut templates* pane. For more information about permissions, see the *Metalogix Archive Manager for Exchange Administration Guide*.

For steps to search through archived emails, see [Full text search](#).

Steps to preview an archived email


1. In the *Metalogix Archive Manager* extension panel, click **Preview** . The *Preview* page opens.



2. The standard features: **Reply**, **Reply All**, **Forward** and **Print**, are available. You can also download attachments that were included with this email.

i **NOTE:** If you use the reply, reply all, or forward feature on an archived email, the recipient will receive the shortcut to the email. Recipients within the same exchange domain will be able to view the contents of the email. However, recipients outside the exchange domain will not be able to access the email message.

Steps to restore an archived email

1. In the *Metalogix Archive Manager* extension panel, click **Restore** . The *Restore* page opens.
2. Confirm the action in the dialog box to restore the email.

Search


In this topic:

- [Steps to perform a keyword search](#)
- [Steps to perform an advanced search](#)
- [How to build search queries](#)
- [Working with search results](#)

Steps to perform a keyword search

Keyword search is used for searching through archived emails, attachments and OCR search (this technology has some limitations, e.g. too small text may not be correctly recognized). Keyword search works for any email that has been archived even if it was subsequently restored. Keyword search is available when the Archive Manager Search feature is installed and configured on the Archive server and the user has the permission to search email items.

1. Open any email and click **Search**  in the *Metalogix Archive Manager* extension panel. The *Search* page opens.



Search - Internet Explorer

https://amxserver-x.democorp.com/exchangePamOwaNetMvc/Search/?ea=ishnamohan%40democorp.com&id0=AAMkAGY1NjgxMmM2LTQ3MmMQtNDhIOC1hZn

Keyword: and Search Clear

> Queries

Result count: 4 Total rows selected: 0 [Select all rows](#) [tasks](#)

Drag a column header here to group by that column

<input type="checkbox"/>	0	FROM	SUBJECT	SIZE	RECEIVED	VERSION	ARCHIVED	FOLDER
<input type="checkbox"/>	<input type="checkbox"/>	davidwebb@democorp....	The Adventures of Augie March	9,684	6/27/2020 1:44 AM	1	8/30/2020 2:48 PM	Inbox
<input type="checkbox"/>	<input type="checkbox"/>	davidwebb@democorp....	Arias	8,211	6/27/2020 1:44 AM	1	8/30/2020 2:48 PM	Inbox
<input type="checkbox"/>	<input checked="" type="checkbox"/>	davidwebb@democorp....	Commerce	11,961	6/27/2020 1:44 AM	1	8/30/2020 2:48 PM	Inbox
<input type="checkbox"/>	<input type="checkbox"/>	davidwebb@democorp....	Division of Labour	9,105	6/27/2020 1:44 AM	1	8/30/2020 2:48 PM	Inbox

First Prev Page: 1 of 1 Next Last

Items per page: 20

2. In the **Keyword** field, enter a keyword which will be used to search through the subject, body and attachments of all emails. The entered words can be used in combination with the logical operators AND, OR. The operator AND is not mandatory. If no logical operator is included, the full-text search query engine searches for documents containing all the given words.

i **NOTE:** Keyword search is not case sensitive, but operators such as AND, OR and NOT must be in uppercase.


The table below provides examples of some operators and wildcard characters that can be used:

Character	Description	Example
?	single character wildcard; replaces any single character	te?t matches text, test etc.

*	multiple character wildcard; replaces 0 or more characters	test* matches test, tests, tester etc.
NOT	excludes documents that contain the term after NOT. This is equivalent to a difference using sets. Note: The NOT operator cannot be used with just one term. For example, the following search will return no results: NOT "test server".	"test data" NOT "test server" searches for documents that contain "test data" but not "test server"
-	same as NOT	"test data" -"test server" searches for documents that contain "test data" but not "test server"
+	includes documents that contain the term after the "+" symbol; basically the same function as AND operator	"test data" +"test server" searches for documents that contain "test data" and also "test server"

i | **NOTE:** The wild card characters like ? or * cannot occur as the first 2 characters of the search phrase.

Steps to perform an advanced search

1. Open any email and click **Search**  in the *Metalogix Archive Manager* extension panel. The *Search* page opens.
2. Click the **Queries** link to expand the advanced search criteria settings panel.

Search - Internet Explorer

https://amxserver-x.democorp.com/exchangePamOwaNetMvc/Search/?ea=ishnamohan%40democorp.com&id0=AAMkAGY1NjgxMmM2LTQ3MmQtNDhIOC1hZmU3LTVmN

Keyword: keyword search Search Clear

Queries

☒ Search in archived and deleted documents ☐ Search in versions. The match will be shown for each version separately.

☐ Search in deleted documents

AND/OR

	FIELD	OPERATOR	VALUE
+ X	Received date	=	6/27/2020
+ X	And		
	Archived date	=	8/30/2020

+ Add new clause

Result count: 4 Total rows selected: 0 [tasks](#)

[Select all rows](#)

Drag a column header here to group by that column

	FROM	SUBJECT	SIZE	RECEIVED	VERSION	ARCHIVED	FOLDER
<input type="checkbox"/>	davidwebb@democorp.com	The Adventures of Augie March	9,684	6/27/2020 1:44 AM	1	8/30/2020 2:48 PM	Inbox
<input type="checkbox"/>	davidwebb@democorp.com	Arias	8,211	6/27/2020 1:44 AM	1	8/30/2020 2:48 PM	Inbox
<input checked="" type="checkbox"/>	davidwebb@democorp.com	Commerce	11,961	6/27/2020 1:44 AM	1	8/30/2020 2:48 PM	Inbox

First Prev Page: 1 of 1 Next Last

Items per page: 20

3. Choose the search settings as described below:

- **No selection** - only archived documents are searched. Previous versions of these documents are not included.

Select one of the following options:

- **Search in archived and deleted documents** - all documents will be searched. Previous versions of these documents are not included.
- **Search in deleted documents** - deleted documents and documents that are marked for deletion will be searched. All other archived documents will be ignored. Previous versions of these documents are not included.

Add an additional criteria:

- **Search in versions** - Previous versions will be included for the document category specified. The match will be shown for each version separately.


4. Click **Add new clause** and enter the search criteria using the fields as described below:

- Field** - click the drop down to select the property of the email to be searched. For example, select Subject as the field to search.
- Operator** - click the drop down and select a search operator.
- Value** - Specify the search text. If the selected Field requires a date value, a date picker icon appears to help you choose a date. This field supports wild card characters as described in the table below:

Wildcard	Description	Example
----------	-------------	---------

*	A substitute for zero or more characters	*.pdf
?	A substitute for a single character to match	Sales201?.pdf

- To add more criteria, click **Add new clause** again. When you add more than one search clause, the logical operator drop down box appears. You can select either the And or the Or operator. The default operator is And.

i | **NOTE:** You can group clauses to create nested search criteria by selecting consecutive check boxes and clicking the  icon.

- Click **Search** to search for archived emails based on the selection criteria and the settings that are applied.

How to build search queries

This topic describes how to build search conditions using the advanced search capabilities of Archive Manager for Exchange. A search condition (or query) can contain zero or more search clauses that are combined using operators and grouping of search clauses.

In this topic:

- [Simple Conditions](#)
- [AND/OR Operators](#)
- [Grouping](#)
- [Keyword Search](#)

Simple Conditions

A simple search conditions needs no search clause or can contain just one search clause.

Example 1

Click **Search** without adding a search clause. In this case, you will get back all the archived items.

Search - Profile 1 - Microsoft Edge

https://ex19/exchangePamOwaNetMvc/Search/?ea=amadmin%40am19.local&id0=AAMkADc3Y2JiMzJkLTMyODktNDhIZC1hNjI4LTA1...

Keyword: keyword search Search Clear

> Queries

Result count: 91 Total rows selected: 0 [tasks](#)

[Select all rows](#)

Drag a column header here to group by that column

<input type="checkbox"/>	<input type="checkbox"/>	FROM	SUBJECT	SIZE	RECEIVED	VERSION	ARCHIVED
<input type="checkbox"/>	<input type="checkbox"/>			1,520	7/21/2021 11:2...	1	8/19/2021 4:10...
<input type="checkbox"/>	<input checked="" type="checkbox"/>	amadmin	"Who gave the report?" inquired Shcherbinin, taking the ...	141,678	2/9/2021 3:02 ...	1	8/19/2021 4:11...
<input type="checkbox"/>	<input type="checkbox"/>	amadmin	voice addressing the publican. "What have you killed a ...	3,870	2/9/2021 3:02 ...	1	8/19/2021 4:11...
<input type="checkbox"/>	<input type="checkbox"/>	amadmin	a seventy-pound weight were tied to it. He could run no ...	5,328	2/9/2021 3:02 ...	1	8/19/2021 4:11...

First Prev Page: 1 of 5 Next Last

Example 2

Add a single search clause with a condition where the field *Subject* contains the word "them". When you click **Search**, you will get back all the archived items where the *Subject* contains the word "them".

Search - Profile 1 - Microsoft Edge

https://ex19/exchangePamOwaNetMvc/Search/?ea=amadmin%40am19.local&id0=AAMkADc3Y2JiMzJkLTMyODktNDhIZC1hNjI4LTA1...

Keyword: keyword search Search Clear

> Queries

☐ Search in archived and deleted documents ☐ Search in versions. The match will be shown for each version separately.

☐ Search in deleted documents

AND/OR FIELD OPERATOR VALUE

+ X ☐ Subject Contains them

+ Add new clause

<input type="checkbox"/>	<input type="checkbox"/>	amadmin	French since Suvorov met them. He feared that Bonapart...	4,520	2/9/2021 2:46 ...	1	8/19/2021 4:09...
<input type="checkbox"/>	<input checked="" type="checkbox"/>		so jaded that at a meeting of the huntsmen it was decide...	91,404	2/9/2021 2:46 ...	1	8/19/2021 4:10...
<input type="checkbox"/>	<input type="checkbox"/>		splashing with blood those near them.	4,529	2/9/2021 2:46 ...	1	8/19/2021 4:10...
<input type="checkbox"/>	<input checked="" type="checkbox"/>		of them had yet seen the manifesto, but they all knew it h...	94,020	2/9/2021 2:46 ...	1	8/19/2021 4:10...

First Prev Page: 1 of 1 Next Last

AND/OR operators

The AND/OR operator is used between two search clauses. With these operators, you can combine two or more search clauses. The AND operator will return a search result if both the search clauses separated by the AND operator are fulfilled. The OR operator will return a search result if any one of the search clauses separated by the OR operator are fulfilled. The AND operator has a higher priority over the OR operator. When a search condition contains both the AND and OR operators, the search clauses that are combined with the AND operator must be fulfilled first.

Example 1

To find all items where the *Subject* contains word "them" AND the *Sender* is "amadmin", you must combine two search clauses as shown:

Search - Profile 1 - Microsoft Edge

https://ex19/exchangePamOwaNetMvc/Search/?ea=amadmin%40am19.local&id0=AAMkADc3Y2JiMzJkLTMyODktNDhZC1hNjI4LTA1...

Keyword: keyword search Search Clear

▼ Queries

☐ Search in archived and deleted documents ☐ Search in versions. The match will be shown for each version separately.

☐ Search in deleted documents

AND/OR

	FIELD	OPERATOR	VALUE
+ X	Subject	Contains	them
+ X	And	=	amadmin

+ Add new clause

First Prev Page: 1 of 1 Next Last Items

Example 2

To find all items where the *Subject* contains word "them" OR the *Sender* is "amadmin", you must combine two search clauses as shown:

Search - Profile 1 - Microsoft Edge

https://ex19/exchangePamOwaNetMvc/Search/?ea=amadmin%40am19.local&id0=AAMkADc3Y2JiMzJkLTMyODktNDhZC1hNjI4LTA1...

Keyword: keyword search Search Clear

▼ Queries

☐ Search in archived and deleted documents ☐ Search in versions. The match will be shown for each version separately.

☐ Search in deleted documents

AND/OR

	FIELD	OPERATOR	VALUE
+ X	Subject	Contains	them
+ X	Or	=	amadmin

+ Add new clause

<input type="checkbox"/>	<input type="checkbox"/>	amadmin	voice addressing the publican. "What have you killed a ...	3,870	2/9/2021 3:02 ...	1	8/19/2021 4:11...
<input type="checkbox"/>	<input type="checkbox"/>	amadmin	a seventy-pound weight were tied to it. He could run no ...	5,328	2/9/2021 3:02 ...	1	8/19/2021 4:11...
<input type="checkbox"/>	<input checked="" type="checkbox"/>	amadmin	"Who gave the report?" inquired Shcherbinin, taking the ...	145,802	2/9/2021 3:02 ...	1	8/19/2021 4:10...
<input type="checkbox"/>	<input type="checkbox"/>			6,374	2/9/2021 3:02 ...	1	8/19/2021 4:10...

First Prev Page: 1 of 4 Next Last Items

Grouping

Sometimes simple combinations of search clauses with the AND and OR operators are not enough. Grouping is a good solution to change the priority between the operators. The grouped

search clauses have a higher priority than the operator before or after the group. The examples in this section describe how the grouping works.

Example 1

To find all items where the *Subject* contains the word "them" AND the *Sender* is "amadmin", and all these items must also have an attachment then the search condition is as shown:

The screenshot shows the Microsoft Exchange Search interface in a Microsoft Edge browser. The URL is <https://ex19/exchangePamOwaNetMvc/Search/?ea=amadmin%40am19.local&id0=AAMkADc3Y2JiMzJkLTMyODktNDhIZC1hNjI4LTA1...>. The search bar contains "keyword search". Below the search bar, there are checkboxes for "Search in archived and deleted documents" and "Search in versions. The match will be shown for each version separately." There are also checkboxes for "Search in deleted documents". The query builder shows three clauses: 1. Subject contains "them" (Operator: Contains, Value: them), 2. Or (Operator: Or), 3. From is "amadmin" (Operator: =, Value: amadmin). The clauses are grouped by "And" (Operator: And, Value: Yes). Below the query builder, there is a table of search results. The first row shows a result from "amadmin" with the subject "blood under his arm. 'No, I am wounded and the horse i..." and a date of "2/9/2021 3:02 ...". The table has columns for "From", "Subject", "Size", "Date", "Count", and "Time".

Query: (Subject contains "them" OR Sender is "amadmin") AND has attachment

We can split this search condition into two parts

1. (Subject contains "them" OR Sender is "amadmin") which is a group
2. AND has attachment

Since a grouping has a higher priority, the search condition in the group must be fulfilled first. In this case each item in the search result will have a *Subject* that contains the word "them" AND the *Sender* is "amadmin", and the item will also have an attachment

Example 2

To find all items where the Subject contains word "them" or, the Sender is "amadmin" and at the item must have an attachment, then the query is as shown:

Search - Profile 1 - Microsoft Edge

https://ex19/exchangePamOwaNetMvc/Search/?ea=amadmin%40am19.local&id0=AAMkADc3Y2JiMzJkLTMyODktNDhIZC1hNjI4LTA1...

Keyword: keyword search [Search] [Clear]

Queries

☐ Search in archived and deleted documents ☐ Search in versions. The match will be shown for each version separately.

☐ Search in deleted documents

AND/OR

	FIELD	OPERATOR	VALUE
+ X	Subject	Contains	them
+ X	Or	=	amadmin
+ X	And	=	Yes

+ Add new clause

<input type="checkbox"/>	<input checked="" type="checkbox"/>	amadmin	blood under his arm. "No, I am wounded and the horse i...	95,305	2/9/2021 3:02 ...	1	8/19/2021 4:10...
<input type="checkbox"/>	<input checked="" type="checkbox"/>	amadmin	not wish it. In a word, I make no promise. And I beg you ...	317,946	2/9/2021 2:58 ...	1	8/19/2021 4:11...
<input type="checkbox"/>	<input checked="" type="checkbox"/>	amadmin	not wish it. In a word, I make no promise. And I beg you ...	317,946	2/9/2021 2:58 ...	1	8/19/2021 4:11...

First Prev Page: 1 of 1 Next Last

Query: Subject contains "them" OR Sender "admin" AND has attachment

This query can be split into two parts

1. Subject contains "them" OR
2. Sender is "amadmin" AND the item has an attachment

The AND operator has a higher priority so the search clauses combined with the AND operator must be fulfilled first. In this case the search result will contain items where the item must have an attachment and the *Sender* must be "amadmin", or *Subject* should contain the word "them".

Example 3

To find all items where the *Subject* contains the word "them" and the *Sender* is "amadmin", or the item has attachment, and the item must be in the "Inbox" folder then the search condition is as shown:

Search - Profile 1 - Microsoft Edge

https://ex19/exchangePamOwaNetMvc/Search/?ea=amadmin%40am19.local&id0=AAMkADc3Y2JiMzJkLTMyODktNDhIZC1hNjI4LTA1...

Keyword: keyword search [Search] [Clear]

Queries

☐ Search in archived and deleted documents ☐ Search in versions. The match will be shown for each version separately.

☐ Search in deleted documents

AND/OR

	FIELD	OPERATOR	VALUE
+ X	Subject	Contains	them
+ X	And	=	amadmin
+ X	Or	=	Yes
+ X	And	=	Inbox

+ Add new clause

First Prev Page: 1 of 1 Next Last

Query: Subject contains "them" AND (Sender is "amadmin" OR has attachment) AND Folder path is "Inbox"

This query can be split into three parts

1. Subject contains "them" AND
2. (Sender is "amadmin" OR the item has an attachment)
3. AND Folder path is "Inbox"

The grouped search clauses have the higher priority in this query so the search condition in the group must be fulfilled first. In this case the search result will contain items where the *Subject* must contain the word "them" + *Sender* should be "amadmin" or the item has an attachment + the folder path must be "Inbox".

Example 4

To find all items where the Subject contains the word "them" and Sender is "amadmin", or the item has an attachment and these items should be in the "Inbox" folder then the search query is as shown:

	FIELD	OPERATOR	VALUE
+ X	Subject	Contains	them
+ X	And	=	amadmin
+ X	Or	=	Yes
+ X	And	=	Inbox

amadmin	French since Suvorov met them. He feared that Bonapar...	4,520	2/9/2021 2:46 ...	1	8/19/2021 4:09...
	...which was path subjected in a book of	70,000	2/9/2021 2:46	1	8/19/2021 4:09...

Query: Subject contains "them" AND Sender is "amadmin" OR has attachment AND Folder path is "Inbox"

This query can be split into two parts

1. Subject contains "them" AND Sender is "amadmin" OR
2. Item has attachment AND Folder path is "Inbox"

The AND operator has a higher priority in this query so the conditions with the AND operators must be fulfilled first. In this case the search result will contain all items where *Subject* contains the word "them" and *Sender* is "amadmin" or the item must have an attachment and the folder path must be "Inbox".

Example 5

To find all items where the Subject contains word "them" or these items are in the "Inbox" folder, and the Sender is "amadmin" or the item has an attachment, then the query is as shown:

Search - Profile 1 - Microsoft Edge

https://ex19/exchangePamOwaNetMvc/Search/?ea=amadmin%40am19.local&id0=AAMkADc3Y2JiMzJkLTMyODktNDhIZC1hNjI4LTA1...

Keyword: keyword search Search Clear

Queries

☐ Search in archived and deleted documents ☐ Search in versions. The match will be shown for each version separately.

☐ Search in deleted documents

AND/OR

		FIELD	OPERATOR	VALUE
+ X	<input type="checkbox"/>	Subject	Contains	them
+ X	<input type="checkbox"/>	Or	=	Inbox
+ X	<input type="checkbox"/>	And	=	amadmin
+ X	<input type="checkbox"/>	Or	=	Yes

+ Add new clause

<input type="checkbox"/>	<input type="checkbox"/>	amadmin	minute,\" said the resolute Dunyasha taking a needle that...	16,360	2/9/2021 3:02 ...	1	8/19/2021 4:10...
<input type="checkbox"/>	<input type="checkbox"/>	amadmin	M... and the... and the...	11,501	2/9/2021 3:02 ...	1	8/19/2021 4:10...

First Prev Page: 1 of 2 Next Last

Query: (Subject contains "them" OR Folder path is "Inbox") AND (Sender is "amadmin" OR has attachment)

This query can be split into two parts

1. (Subject contains "them" OR Folder path is "Inbox") AND
2. (Sender is "amadmin" OR item has attachment)

The grouped condition has the higher priority in this query so the conditions in the group must be fulfilled first. In this case the search result will contain items where Subject should contain "them" word or folder path should be "Inbox" + Sender should be "amadmin" or the item should have an attachment.

Example 6

To find all items where the Subject contains the word "them" or, these items are in the "Inbox" folder and the Sender is "amadmin", or the item has an attachment, then query is as shown:

Search - Profile 1 - Microsoft Edge

https://ex19/exchangePamOwaNetMvc/Search/?ea=amadmin%40am19.local&id0=AAMkADc3Y2JiMzJkLTMyODktNDh1ZC1hNjI4LTA1...

Keyword: keyword search Search Clear

Queries

☐ Search in archived and deleted documents ☐ Search in versions. The match will be shown for each version separately.

☐ Search in deleted documents

	AND/OR	FIELD	OPERATOR	VALUE
+ X	<input type="checkbox"/>	Subject	Contains	them
+ X	<input type="checkbox"/>	Or	=	Inbox
+ X	<input type="checkbox"/>	And	=	amadmin
+ X	<input type="checkbox"/>	Or	=	Yes

+ Add new clause

	Selection	From	Subject	Size	Date	Actions
<input type="checkbox"/>	amadmin	up and down the room, and smoke one pipe after anoth...	13,983	2/9/2021 3:02 ...	1	8/19/2021 4:10...
<input type="checkbox"/>	amadmin	up and down the room, and smoke one pipe after anoth...	13,983	2/9/2021 3:02 ...	1	8/19/2021 4:10...

First Prev Page: 1 of 3 Next Last

Query: Subject contains "them" OR Folder path Inbox AND Sender is "amadmin" OR item has an attachment

This query can be split into three parts

1. Subject contains "them" OR
2. Folder path is "Inbox" AND Sender is "amadmin"
3. OR item has an attachment

The AND operator has a higher priority so the conditions with the AND operator must be fulfilled first. In this case the search result will contain items where *Subject* must contain the word "them" or folder path must be "Inbox" and *Sender* must be "amadmin" or the item has an attachment.

Keyword Search

Keyword search provides a fast and flexible search for keywords in the email Subject, body, and attachments of messages in Metalogix Archive Manager for Exchange. If you leave this field empty, then the search result will show all archived messages. If you enter a word or phrase in the keyword field and click Search the result of the search will show all the archived messages where the Subject, body or attachment contains the entered word or phrase.

Example 1

You can combine keyword searches with advanced search clauses to find specific messages. Keyword searches are combined with advanced search conditions with the AND operator. The search result will contain items that have the keyword and the advanced search conditions as well. To find all messages where the Subject, body or attachment contains word "mother" and the Subject also contains the word "them", the search query is as shown:

Search - Profile 1 - Microsoft Edge

https://ex19/exchangePamOwaNetMvc/Search/?ea=amadmin%40am19.local&id0=AAMkADc3Y2JiMzJkLTMyODktNDhIZC1hNjI4LTA1...

Keyword:

▼ Queries

☐ Search in archived and deleted documents ☐ Search in versions. The match will be shown for each version separately.

☐ Search in deleted documents

AND/OR

	FIELD	OPERATOR	VALUE
+ X	Subject	Contains	them

+ Add new clause

<input type="checkbox"/>	<input checked="" type="checkbox"/>		of them had yet seen the manifesto, but they all knew it ...	94,020	2/9/2021 2:46 ...	1	8/19/2021 4:10...

First Prev Page: 1 of 1 Next Last

Items

Working with search results

The results of the simple or advanced search are displayed in the search result list. You can preview a message by selecting it. The message is then displayed in a preview pane just below the grid.

Keyword:

> Queries

Result count: 21 Total rows selected: 1 [tasks](#)

[Select all rows](#) [Clear selection](#)

Drag a column header here to group by that column

		FROM	SUBJECT	SIZE	RECEIVED	VERSION	ARCHIVED	FOLDER
<input type="checkbox"/>	<input type="checkbox"/>	juanchristie@democorp...	Commerce	6,083	9/11/2020 2:33 AM	1	11/2/2022 12:13 PM	Inbox
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	timashford@democorp...	Commerce	6,590	9/11/2020 2:33 AM	1	11/2/2022 12:13 PM	Inbox
<input type="checkbox"/>	<input type="checkbox"/>	pabloneruda@democor...	Commerce	7,200	9/11/2020 2:33 AM	1	11/2/2022 12:13 PM	Inbox
<input type="checkbox"/>	<input type="checkbox"/>	ninatanaka@democorp...	Wealth	6,793	9/11/2020 2:33 AM	1	11/2/2022 12:13 PM	Inbox
<input type="checkbox"/>	<input type="checkbox"/>	nikiportman@democor...	Wealth	6,556	9/11/2020 2:33 AM	1	11/2/2022 12:13 PM	Inbox

First Prev Page: 1 of 2 Next Last

Items per page: 20

Commerce

Timashford@democorp.com

9/11/2020 2:33 AM

To: davidwebb@democorp.com

0 1 Attachments

[Attachment.txt](#)

It would be too ridiculous to go about seriously to prove that wealth does not consist in money, or in gold and silver; but in what money purchases, and is valuable only for purchasing. Money, no doubt, makes always a part of the national capital; but it has already been shown that it generally makes but a small part, and always the most unprofitable part of it.

Regards

Tim



NOTE: To search in journal mailboxes:

If a user has Journal permission set in ArchiveWeb and Journal access granted through Archive Manager > Tools > Mailbox rights manager, then the user can search through their own emails in the Journal, where it is present as a kind of recipient (sender, recipient).

Actions

1. Click the **MENU** link to display the actions that available for the email. Users may see the full set or a partial set of actions depending on the permissions granted to the user.

- **Download as MSG file** – downloads the email in specified format
- **Download as EML file** – download the email in specified format
- **Restore** - restores the selected email
- **Restore to** - restores the selected email to a desired location
- **Reply** - opens Reply dialog
- **Reply All** - opens the Reply all dialog
- **Forward** - opens the Forward dialog
- **Print** - email can be printed.

When you select more than one item in search result list and click the MENU link, the the following actions appear. Users may see the full set or a partial set of actions depending on the permissions granted to the user.

- **Export to ZIP** - allows export
- **Restore** - restores the selected emails
- **Restore to** - restores the selected emails to a desired location.


2. Click **Select all rows** to open the **Search Operations** menu. The actions available are described below

- **Export to ZIP** - exports all the emails in the search result list as a compressed ZIP file.
 - a. The confirmation dialog opens. Click **Yes** to proceed.
 - b. The Export to ZIP dialog opens. Select the checkbox **ZIP password** if you want to secure the ZIP file. Then enter a password and click and click **OK**.
 - c. The **Export to ZIP** dialog opens. You can click Click here to go to the download link to open the Tasks window and click the download link to access the ZIP file.
- **Restore** - one or more archived emails can be restored to their original location. This is useful when a user has deleted an email that was archived and would like to restore it from the archive again.
 - a. The confirmation dialog opens. Click Yes to proceed.

- b. The **Restore** dialog opens. You can click **Click here to open the Tasks list** to open the **Tasks** window and view the progress of the restoration task.
 - **Restore to** - one or more archived emails can be restored to another location.
 - a. The confirmation dialog opens. Click **Yes** to proceed.
 - b. The **Destination folder** dialog opens. Select the folder where you want to restore the selected emails. Then click **Proceed**.
 - c. The **Restore To** dialog opens. You can click **Click here to open the Tasks list** to open the **Tasks** window and view the progress of the restoration task.
3. Click **Clear selection** to reset the selected emails in the search result list.
4. Click **tasks** at the top right-hand corner of the search result pane to open the **Tasks** window. You can view all the tasks here.

Addendum

In some cases it is not possible to install the Metalogix Archive Manager with PowerShell. Information pop-up dialog will be displayed:



“The application Metalogix Archive Manager was not possible to install with PowerShell. Please, add the application into your store from the Exchange Admin Console.”

Manual adding of Metalogix Archive Manager addin in Exchange Admin Center (EAC) is required in these scenarios. To do so, follow these steps:

1. Log in to the Archive Manager for Exchange Server
2. Open the EAC by using a URL such as the following:
https://<exchange server>/ecp/?p=installed
3. Log on to the Exchange server by using a valid username and password.
4. Navigate to **Organization / Apps**.
5. Select the plus sign (+) to add a new extension.
6. From the drop-down list, select **Add from file**
7. Browse to the file path:

C:\Program Files \ Metalogix \ MAM4Exchange \ Web \ exchangePamOwaNetWeb \ exchangePamOwaNet.xml

and then select **Install**.

8. Double click the added Metalogix Archive Manager app in the list. In the pop-up dialog make sure that the **Make this app available...** option is checked. Then activate the application by selecting either the **Optional, enabled by default** option or **Mandatory, always enabled** option. Finally click **Save**.

Apps let your users do and see more without leaving their mailbox. The following list shows apps that have been installed for the organization. [Find more apps for Outlook at the Office Store...](#)

NAME	PROVIDER	USER DEFAULT
Action Items	Microsoft	Enabled
Bing Maps	Microsoft	Enabled
Metalogix Archive Manager	Metalogix Software	Mandatory
My Templates	Microsoft	Enabled
Suggested Meetings	Microsoft	Enabled
Unsubscribe	Microsoft	Enabled

Edit App Settings - Windows Internet Explorer

Metalogix Archive Manager

[Help](#)

☒ Make this app available to users in your organization

Specify user defaults:

☒ Optional, enabled by default

☐ Optional, disabled by default

☐ Mandatory, always enabled. Users can't disable this app

100%

After you install the mail extension, you can sign out of the EAC and return to the respective Outlook rich client to test the extension. Alternatively, without signing out of the EAC, you can continue to use Outlook Web App or OWA for Devices to test the extension. To do this, select the user display name in the upper-right corner of the window, and select My Mail to switch to your email to test the extension.

About Us

Quest creates software solutions that make the benefits of new technology real in an increasingly complex IT landscape. From database and systems management, to Active Directory and Office 365 management, and cyber security resilience, Quest helps customers solve their next IT challenge now. Around the globe, more than 130,000 companies and 95% of the Fortune 500 count on Quest to deliver proactive management and monitoring for the next enterprise initiative, find the next solution for complex Microsoft challenges and stay ahead of the next threat. Quest Software. Where next meets now. For more information, visit www.quest.com.

Contacting Quest

For sales or other inquiries, visit www.quest.com/contact.

Technical Support Resources

Technical support is available to Quest customers with a valid maintenance contract and customers who have trial versions. You can access the Quest Support Portal at <https://support.quest.com>

The Support Portal provides self-help tools you can use to solve problems quickly and independently, 24 hours a day, 365 days a year. The Support Portal enables you to:

- Submit and manage a Service Request
- View Knowledge Base articles
- Sign up for product notifications
- Download software and technical documentation
- View how-to-videos
- Engage in community discussions
- Chat with support engineers online
- View services to assist you with your product