

Archive Shuttle 11.4 Compatibility Guide

© 2024 Quest Software Inc. ALL RIGHTS RESERVED.

This guide contains proprietary information protected by copyright. The software described in this guide is furnished under a software license or nondisclosure agreement. This software may be used or copied only in accordance with the terms of the applicable agreement. No part of this guide may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording for any purpose other than the purchaser's personal use without the written permission of Quest Software Inc.

The information in this document is provided in connection with Quest Software products. No license, express or implied, by estoppel or otherwise, to any intellectual property right is granted by this document or in connection with the sale of Quest Software products. EXCEPT AS SET FORTH IN THE TERMS AND CONDITIONS AS SPECIFIED IN THE LICENSE AGREEMENT FOR THIS PRODUCT, QUEST SOFTWARE ASSUMES NO LIABILITY WHATSOEVER AND DISCLAIMS ANY EXPRESS, IMPLIED OR STATUTORY WARRANTY RELATING TO ITS PRODUCTS INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. IN NO EVENT SHALL QUEST SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE, SPECIAL OR INCIDENTAL DAMAGES (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF PROFITS, BUSINESS INTERRUPTION OR LOSS OF INFORMATION) ARISING OUT OF THE USE OR INABILITY TO USE THIS DOCUMENT, EVEN IF QUEST SOFTWARE HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. Quest Software makes no representations or warranties with respect to the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and product descriptions at any time without notice. Quest Software does not make any commitment to update the information contained in this document.

If you have any questions regarding your potential use of this material, contact:

Quest Software Inc. Attn: LEGAL Dept. 4 Polaris Way Aliso Viejo, CA 92656

Refer to our Web site (https://www.quest.com) for regional and international office information.

Patents

Quest Software is proud of our advanced technology. Patents and pending patents may apply to this product. For the most current information about applicable patents for this product, please visit our website at https://www.quest.com/legal.

Trademarks

Quest, the Quest logo, and Metalogix are trademarks and registered trademarks of Quest Software Inc. and its affiliates. For a complete list of Quest marks, visit https://www.quest.com/legal/trademark-information.aspx. All other trademarks and registered trademarks are the property of their respective owners.

Legend

CAUTION: A caution icon indicates potential damage to hardware or loss of data if instructions are not followed.

IMPORTANT, NOTE, TIP, MOBILE OR VIDEO: An information icon indicates supporting information.

Archive Shuttle Updated December 2024 Version 11.4

Contents

| Introduction | . 4 |
|-------------------------------|-----|
| Archive Shuttle Core | . 7 |
| Archive Shuttle modules | 10 |
| Source/target matrix | 15 |
| Ports used by Archive Shuttle | 16 |
| About Us | 18 |
| Contacting Quest | 19 |

Introduction

1

This guide lists software applications that are compatible with Archive Shuttle.

Key terms

The following table introduces the terminology that is used throughout Archive Shuttle documentation, videos, and the user interface.

| TERM | ITEM + DESCRIPTION |
|-----------|--|
| Link | Finder Proofpoint A connection to a PST Output Area Proofpoint A connection to a PST Output area EAS A connection to a EAS IIS Server |
| | Metalogix A connection to a Metalogix server |
| Container | Enterprise Vault A Container is a Vault / Archive Exchange A Container is an Exchange mailbox Office 365 A Container is an Office 365 mailbox or Personal Archive |

4

| TERM | ITEM + DESCRIPTION |
|------|---|
| | PST |
| | A container is a PST file |
| | Proofpoint |
| | A container currently has no applicable context |
| | EAS |
| | A container is an archive relating to a user. |
| | Metalogix |
| | A container is an archive |
| | Enterprise Vault |
| | An Item is an archived Item. |
| | Exchange |
| | An Item is an item in the mailbox |
| | Office 365 |
| | An Item is an item in the mailbox or personal archive |
| Item | PST |
| | An item is an item inside a PST file |
| | Proofpoint |
| | An item currently has no applicable context |
| | EAS |
| | An item is a message in the archive |
| | Metalogix |
| | An item is a message in the archive |

Кеу

The values in the tables in this guide have the following meanings:

| Кеу | Description |
|-----|---|
| RTM | Release to manufacturing / original release without service pack. |

| Ke | Y | Description |
|----|---|--|
| SP | | Service pack |
| Y | | Use of the combination of products is supported. |
| N | | Use of the combination of products is not supported. |
| Ρ | | Pending certification. Use of the combination of products is not currently supported. |
| i | | use the latest service pack whenever possible Vault. Doing so can lessen issues encountered Ita. |

Archive Shuttle Core

2

The following software applications are compatible with Archive Shuttle Core.

| Software | Version | | Archive Shuttle | Archive Shuttle | Archive Shuttle | Archive Shuttle |
|-------------------------|----------|-----------------------|--------------------|--------------------|--------------------|--------------------|
| | Major | Service Pack | 8.x | 9.x | 10.x | 11.x |
| | 2003 x86 | RTM, SP1, SP2 | N | N | N | N |
| | 2003 x64 | RTM, SP1, SP2 | N | N | N | N |
| | 2008 x86 | RTM, SP1, SP2 | N | N | N | N |
| Windows | 2008 x64 | RTM, SP1, SP2 | N | N | N | N |
| Server | 2008 R2 | RTM, SP1 | Y | Y | Y | Y |
| | 2012 | RTM | Y | Y | Y | Y |
| | 2012 R2 | RTM | Y | Y | Y | Y |
| | 2016 | RTM | Y | Y | Y | Y |
| | 2019 | RTM | N | Y | Y | Y |
| | 2022 | RTM | N | N | Y ³ | Y |
| SQL Server ¹ | 2005 | RTM, SP1, SP2, SP3 | N | N | N | N |
| | 2008 | RTM, SP1, SP2, SP3 | N | N | N | N |

| Software | Version | | Archive | Archive | Archive | Archive |
|-----------------------|---------------------|-----------------------|----------------|----------------|-----------------|-----------------|
| | Major | Service Pack | Shuttle 8.x | Shuttle 9.x | Shuttle 10.x | Shuttle 11.x |
| | 2008 R2 | RTM, SP1, SP2, SP3 | N | N | N | N |
| | 2012 | RTM, SP1, SP2, SP3 | Y | Y | Y | Y |
| | 2014 | RTM, SP1, SP2 | Y | Y | Y | Y |
| | 2016 | RTM, SP1 | Y ² | Y ² | Y ² | Y |
| | 2017 | RTM | Y | Y | Y | Y |
| | 2019 | RTM | N | N | Y | Y |
| | 2022 | RTM | N | N | Y | Y |
| Azure SQL Database | | | Ρ | Ρ | Ρ | Ρ |
| | 3.5 and earlier | | N | N | N | N |
| | 4 Client Profile | RTM | N | N | N | N |
| | 4 Full Profile | RTM | N | N | N | N |
| .NET Framework | 4.5 Full Profile | RTM | N | N | N | N |
| | 4.5.2 | RTM | Y | Y | Y | N |
| | 4.6 | RTM | Y | Y | Y | N |
| | 4.6.1 | RTM | Y | Y | Y | N |
| | 4.6.2 | RTM | Y | Y | Y | Ν |

| Software | Version | | Archive | Archive Shuttle | Archive Shuttle | Archive Shuttle |
|----------|---------|-----------------|----------------|--------------------|--------------------|-----------------------|
| | Major | Service Pack | Shuttle 8.x | 9.x | 10.x | 11.x |
| | 4.7 | RTM | Y | Y | Y | N |
| | 4.7.1 | RTM | Y | Y | Y | N |
| | 4.7.2 | RTM | Y | Y | Y | N |
| | 4.8 | RTM | Ν | N | N | Y ⁹ |

i NOTES:

- 1. Although Enterprise Edition of Microsoft SQL Server is recommended, Standard Edition may be used if the SQL instance uses the recommended (not minimum) resources associated with the size of migration you are performing. Planning for additional time will be required to accommodate regularly required offline maintenance.
- 2. Requires SQL Server on Windows. Linux is NOT supported.
- 3. Requires Archive Shuttle 10.6 or later.
- 4. Requires Archive Shuttle 11.0 or later.

Archive Shuttle modules

The following software applications are compatible with Archive Shuttle modules.

| Software | Version | | Archive Shuttle | Archive Shuttle | Archive Shuttle | Archive Shuttle |
|--------------------|----------|-------------------------------|--------------------|--------------------|--------------------|--------------------|
| | Major | Service Pack | 8.x | 9.x | 10.x | 11.x |
| | 2003 x86 | RTM, SP1, SP2 | N | N | N | N |
| | 2003 x64 | RTM, SP1, SP2 | N | N | N | N |
| | 2008 x86 | RTM, SP1, SP2 | N | N | N | N |
| Windows | 2008 x64 | RTM, SP1, SP2 | N | N | N | N |
| Server | 2008 R2 | RTM, SP1 | Y | Y | Y | Y |
| | 2012 | RTM | Y | Y | Y | Y |
| | 2012 R2 | RTM | Y | Y | Y | Y |
| | 2016 | RTM | Y | Y | Y | Y |
| | 2019 | RTM | N | Y | Y | Y |
| | 2022 | RTM | N | N | Y ⁷ | Y |
| Enterprise | 6 | RTM, SP1, SP2, SP3, SP4 | N | N | N | Ν |
| Vault ¹ | 7 | RTM, SP1, SP2, SP3, | Y | Y | N | N |

3

| Software | Version | | Archive Shuttle | Archive Shuttle | Archive Shuttle | Archive Shuttle |
|----------|--------------------|------------------------------------|-----------------------|--------------------|--------------------|--------------------|
| | Major | Service Pack | 8.x | 9.x | 10.x | 11.x |
| | | SP4 | | | | |
| | 2007 | RTM, SP1, SP2, SP3, SP4 | Y | Y | N | Ν |
| | 8 | RTM, SP1, SP2, SP3, SP4, SP5 | Y | Y | N | N |
| | 9 | RTM, SP1, SP2, SP3, SP4, SP5 | Y | Y | Y | Y |
| | 10 | RTM, SP1, SP2, SP3, SP4 | Y | Y | Y | Y |
| | 11 | RTM, SP1 (and CHFs) | Y | Y | Y | Y |
| | 12 | RTM | Y | Y | Y | Y |
| | 12.1 (and CHFs) | | Y ² | Y | Y | Y |
| | 12.2 | | Y ³ | Y | Y | Y |
| | 12.3 | | N | Y | Y | Y |
| | 12.3.1 | | N | Y | Y | Y |
| | 12.3.2 | | N | Y | Y | Y |
| | 12.4 | | N | Y | Y | Y |
| | 12.5 | | N | Y | Y | Y |
| | 14.0 | | N | N | Y | Y |

| Software | Version | | Archive Shuttle | Archive Shuttle | Archive Shuttle | Archive Shuttle |
|-------------------|---------------------|-----------------|--------------------|--------------------|--------------------|-----------------------|
| | Major | Service Pack | 8.x | 9.x | 10.x | 11.x |
| | 14.1 | | Ν | N | Y ⁸ | Y ⁸ |
| | 14.2 | | N | N | Y ⁸ | Y ⁸ |
| | 14.3 | | N | N | N | Y10 |
| | 14.3.1 | | N | N | N | Y ¹⁰ |
| | 14.5 | | N | N | Y | Y |
| | Earlier than 3.5 | | N | N | N | N |
| | 3.5 | RTM | Y | Y | Y | N |
| | 4 Client Profile | RTM | N | N | N | N |
| | 4 Full Profile | RTM | Y | Y | Y | N |
| NET | 4.5 Full Profile | RTM | N ² | N | N | N |
| .NET Framework | 4.5.2 | RTM | Y | Y | Y | Ν |
| | 4.6 | RTM | Y | Y | Y | Ν |
| | 4.6.1 | RTM | Y | Y | Y | Ν |
| | 4.6.2 | RTM | Y | Y | Y | N |
| | 4.7 | RTM | Y | Y | Y | Ν |
| | 4.7.1 | RTM | Y | Y | Y | Ν |
| | 4.7.2 | RTM | Y | Y | Y | N |
| | 4.8 | RTM | N | N | Ν | Y ⁹ |

| Software | Version | | Archive Shuttle | Archive Shuttle | Archive Shuttle | Archive Shuttle |
|-------------------------|--------------|---------------------------|--------------------|--------------------|--------------------|--------------------|
| | Major | Service Pack | 8.x | 9.x | 10.x | 11.x |
| | 2003 | RTM, SP1, SP2 | N | N | N | N |
| | 2007 | RTM, SP1, SP2 | Y | Y | Y | Y |
| Exchange | 2010 | RTM, SP1, SP2, SP3 | Y | Y | Y | Y |
| | 2013 | RTM, SP1 | Y | Y | Y | Y |
| | 2016 | RTM | Y | Y | Y | Y |
| | 2019 | RTM | N | N | Y | Y |
| | 2007 | RTM, SP1, SP2, SP3 | Y | Y | Y | Y |
| Outlook | 2010 | RTM, SP1, SP2 | Y | Y | Y | Y |
| | 2013 | RTM, SP1 | Y | Y | Y | Y |
| | 2016 | RTM | Y | Y | Y | Y |
| Java JRE | 1.6 | 64-bit version only | Y | Y | Y | Y |
| Zantaz EAS ³ | 6.46 | 6.4.1.0 | Y | Y | Y | Y |
| Sherpa Mail Attender | 4.1 | | Y | Y | Y | Y |
| PST files | All versions | | Y | Y | Y | Y |
| EMC SourceOne | 6.8-7.2 | | Y ⁴ | Y ⁴ | γ4 | Y |

| Software | Version | | Archive Shuttle | Archive Shuttle | Archive Shuttle | Archive Shuttle |
|---------------------------------|------------|-----------------|--------------------|--------------------|--------------------|--------------------|
| | Major | Service Pack | 8.x | 9.x | 10.x | 11.x |
| Quest Archive Manager | 5.1 | | Y | Y | Y | Y |
| | 5.3 | | Y | Y | Y | Y |
| | 5.6.0.103 | | N | Y | Y | Y |
| | 5.7 | | N | N | Y | Y |
| | 5.9.3 | | N | N | N | Y10 |
| EMC EmailXtend er | 4.8.x | | Y ⁵ | Υ ⁵ | Υ ⁵ | Y |
| Metalogix Archive Manager | 4.3 to 8.7 | | N | Y | Y | Y |

NOTES:

- Unless the environment specifies 32-bit modules, 64-bit modules are preferred.
- 1. Only Enterprise Vault Exchange Mailbox archives, Enterprise Vault shared archives, and Enterprise Vault Exchange Journal archives are supported. [Where the source data is from Exchange].
- 2. PowerShell Execution module requires .Net Framework 4.5.2.
- 3. Zantaz EAS is supported only when the source database is using Microsoft SQL Server.
- 4. Exchange based archives are supported.
- 5. The data cannot reside on Centera, unless the Centera is presented via DiskXtender.
- 6. Modules using OAuth require .Net Framework 4.8. This includes the Enterprise Vault Shortcut Processing Module, and the Office 365 Module.
- 7. Requires Archive Shuttle 10.6 or later.
- 8. Requires Archive Shuttle 10.7 or later.
- 9. Requires Archive Shuttle 11.0 or later.
- 10. Requires Archive Shuttle 11.2 or later.

4

This section lists software applications that are compatible with Archive Shuttle. All sources listed support all targets listed.

| Sources | Targets | | |
|--|---|--|--|
| Enterprise Vault | Enterprise Vault (on-premise) | | |
| | i NOTE: EV.Cloud is not currently supported as a source or a target. | | |
| PST | Exchange | | |
| Dell Archive Manager | PST | | |
| EMC SourceOne | GCC | | |
| EMC EmailXtender | GCC High | | |
| Metalogix Archive Manager | Office 365 | | |
| Enterprise Vault Discovery Accelerator | Azure | | |
| Zantaz EAS | UNC | | |
| | Amazon S3 | | |

i NOTE: Customers and/or service organizations using a GCC High system may require an Authorization to Operate (ATO) to use Archive Shuttle.

For Journal Transformation

- Enterprise Vault as a source
- Office 365 as a target
- PST as a source

Ports used by Archive Shuttle

The following table shows the network communication ports used by Archive Shuttle. These ports are provided for reference for the situation where a firewall exists between the source and target environments in the archive migration.

| SOURCE | Destination | Port(s) | Description |
|------------------------------------|----------------------------------|-------------------------------------|---|
| Module Servers | Archive Shuttle Server | TCP 80 (HTTP) TCP 443 (HTTPS) | HTTP/S Communication from Modules to Archive Shuttle Servers (*1) |
| Export / Import Module Servers | Storage Servers (CIFS Shares) | TCP 445 (CIFS) | Access to CIFS Shares (*2) |
| Archive Shuttle Server | SQL Server | TCP 1433 (MSSQL) | Access to Microsoft SQL Server hosting the Archive Shuttle databases |
| Archive Shuttle Server | DNS Servers | UDP 53 (DNS) | Access to DNS for Windows |
| Archive Shuttle Server | Domain Controllers | TCP 88 (Kerberos) TCP 445 (CIFS) | Access to Domain Controllers for Windows |
| Enterprise Vault Module Servers | Enterprise Vault Servers | _ | See your Enterprise Vault documentation on what ports are needed for the Enterprise Vault API to talk to Enterprise Vault |
| Exchange Module Servers | Exchange Servers | _ | See your Microsoft Exchange documentation on what ports are needed to talk to |

| SOURCE | Destination | Port(s) | Description |
|--|-------------------|----------------------------------|---|
| | | | Microsoft Exchange (MAPI/EWS) |
| Office 365 Module Servers | Office 365 | TCP 443 (HTTPS) | HTTPS communication from Archive Shuttle Office 365 Module to Office 365 |
| SourceOne/EMX Module | SQL Server | TCP 1433 (MSSQL) | Access to Microsoft SQL Server hosting the SourceOne/EMX databases |
| Zantas EAS Module | SQL Server | TCP 1433 (MSSQL) | Access to the Microsoft SQL Server hosting the EAS database |
| Zantas EAS Module | Zantas App Server | TCP 443 (HTTPS) TCP 80 (HTTP) | HTTP(S) communication with the Zantas EAS application server |
| Metalogix Archive Manager Module | SQL Server | TCP 1433 (MSSQL) | Access to the Microsoft SQL Server hosting the Metalogix Archive Manager database |
| Metalogix Archive Manager Module Metalogix App Serv | | TCP 443 (HTTPS) TCP 80 (HTTP) | HTTP(S) communication with the Metalogix Archive Manager application server |

(*1) If the Archive Shuttle core is configured to use HTTPS, then port 443 needs to be open on any firewalls. If the core is configured to use HTTP, then port 80 needs to be open on any firewalls.

(*2) Note that this is also supported through SMB 2 and SMB 3.

About Us

6

Quest creates software solutions that make the benefits of new technology real in an increasingly complex IT landscape. From database and systems management, to Active Directory and Office 365 management, and cyber security resilience, Quest helps customers solve their next IT challenge now. Around the globe, more than 130,000 companies and 95% of the Fortune 500 count on Quest to deliver proactive management and monitoring for the next enterprise initiative, find the next solution for complex Microsoft challenges and stay ahead of the next threat. Quest Software. Where next meets now. For more information, visit www.quest.com.

7

For sales or other inquiries, visit www.quest.com/contact.

Technical Support Resources

Technical support is available to Quest customers with a valid maintenance contract and customers who have trial versions. You can access the Quest Support Portal at https://support.quest.com. The Support Portal provides self-help tools you can use to solve problems quickly and independently, 24 hours a day, 365 days a year. The Support Portal enables you to:

- Submit and manage a Service Request
- View Knowledge Base articles
- Sign up for product notifications
- Download software and technical documentation
- View how-to videos
- Engage in community discussions
- Chat with support engineers online
- View services to assist you with your product

19