

Quest® On Demand Migration – Active Directory 20.12.15

Release Notes

May 21, 2024

This release of Quest® On Demand Migration – Active Directory includes the following solutions:

- **Directory Sync**
Directory Sync can set up and maintain an Active Directory sync, an Microsoft Entra ID sync, or even a sync between Active Directory and Microsoft Entra ID. Users in merging organizations can find each other in a unified Global Address List (GAL).
- **Active Directory**
Active Directory enables you to migrate Active Directory to accelerate your enterprise M&A and modernization initiatives. Quest® On Demand Migration – Active Directory is a solution that integrates and migrates Active Directory, Microsoft Entra ID, and hybrid directory environments without requiring trusts, SQL, network connectivity, or installing servers.
- **Domain Move**
Domain Move provides the “Domain Cutover” or move functionality. This powerful feature guides the migration operator through the entire domain move process and automates many of the steps.
- **Domain Rewrite**
On Demand Migration provides the “Domain Rewrite” or Email Rewrite (ERS) functionality. This powerful feature allow end users to communicate from a common email domain from Day One—on both inbound and outbound mail—so you present as a unified, cohesive brand. And, you get all of this without downtime — so you won’t have critical gaps in communication.

View the online Quest® On Demand Migration – Active Directory User Guide for more information:

<https://support.quest.com/technical-documents/on-demand-migration/current/active-directory-user-guide>

These release notes provide information about the Quest® On Demand Migration – Active Directory release.

Topics:

- [Enhancements](#)
- [Known issues](#)
- [Release History](#)
- [Incident response management](#)
- [System requirements](#)
- [Product licensing](#)
- [More resources](#)

Enhancements

The following is a list of enhancements implemented in this deployment.

General enhancements

Enhancement	Issue ID
The ability to select the displayed columns in the Devices and Serves view has been added. Select the gear icon above the "Ready Devices" list to select the columns to display.	45819
The ability to remove an Autopilot-provisioned device from Entra ID has been added.	47740
The ability to set Intune Primary User after the Device Cutover has been added.	47741
Initial release of Migration for Active Directory Express is now generally available.	n/a

Known issues

The following is a list of issues, including those attributed to third-party products, known to exist at the time of this deployment.

Directory Sync known issues

Known Issue	Issue ID
An attempt to install an older version of the agent software will fail if a newer version has already been successfully installed. If, for some reason, the older version is needed, first uninstall the newer version, then remove all registry references to the agent.	8060
The agent installer cannot accept a password with a first character of !.	8122
When discovery discovers an environment, it will read in the OU structure of all domains within the forest. The UI will show all domains and you can select them for use in all workflows. However, if a DC for that domain is not included, or the agent account does not have read access to the objects, they will not be read into the database.	8077
Cloud Only Security Groups are not read in when reading a cloud endpoint.	22453
User thumbnail photos do not sync to cloud environments.	8069
The PowerShell User Group should be added to the Tenant Group Filter as the Group Owner. A security group should not be used.	8070
An account with access to all domains within the forest is needed if you want to sync all domains within a single forest with a single agent. Using an enterprise admin account is the most efficient method for doing this.	8073
Mapping functions do not work with multivalued attributes. For example, (results (proxyaddresses,"x500:") will not return a true even if an X500 address is present.	8075
When a workflow for a cloud environment has been run once, but then has been idle for longer	8079

Known Issue	Issue ID
than 30 days, an error will be encountered when the job starts, and the job will fail and loop repeatedly until the retry count has been reached.	
In the German and Chinese Office365 tenants, Directory Sync will always do full synchronizations because the delta sync functionality is not available in these local tenants.	8095
An "Object with ID xyz was not found" error may occur when reading recently created Azure guest users due to the longer length of time for guest users to propagate.	8101
Remote Mailboxes from the source are incorrectly created in the target as Users instead of MailUsers.	8102
Delta syncs are limited to 30 days. To avoid full synchronization, a read in should be performed for all cloud environments every 29 days or less.	8108
Password sync does not support AES hashes.	21796
A template configured to sync a binary attribute to a non-binary attribute will not sync correctly. For example, if syncing Binary (ThumbnailPhoto) to String(ExtensionAttribute), the target attribute will be synced as "System.Byte[]" instead of the expected binary value converted into a string.	15683
A security group cannot be used as a filter group.	8057
When using filter groups for Cloud environments you need to ensure that a group containing any newly created objects is present in the environment filter. This can be accomplished by having a source and target filter group with the same name so they will match and synchronize between the environments. If these objects are not read in after creation, they will not have any additional updates synchronized and they will not be matched.	8076
When synchronizing local AD groups to Office 365 as Office 365 groups (Unified Groups) any contact in the source group will record an error in the logs and the contact will not appear in the target group.	8081
Office 365 Group settings are not copied to the target Office 365 Group.	8104
Likes for Office 365 Group conversations are not migrated.	8122
Custom schema attributes can be added to template mappings but are not visible in the drop-down selection list.	8072
All domains within an Active Directory Forest are visible within an environment when adding a single domain even though the agent account credentials may not have access to all domains.	8074
The DS-Core-Propagation-Data attribute is not synchronized by Directory Sync. The DS-Core-Propagation-Data attribute is a system attribute which is used by the Active Directory service and cannot and should not be modified by anything other than the directory itself.	34400
The mapping does not update the mailnickname attribute of Non mail-enabled security groups.	34481
Attribute filters cannot be applied to Security Groups.	14933
Cloud Environments that use Object Filter Exclusion options may see Unlicensed or Disabled Accounts read in when configured to Exclude Unlicensed or Disabled Accounts. This is because the AccountDisabled and SKUAssigned properties in Exchange Online Management are not always updated to reflect the true state of the object in Office365.	35957, 36574
Updates of non mail-enabled Security groups in Cloud to Local syncs fail due to an empty samAccountName value.	37254
Custom schema attributes can be added to template mappings, but are not visible in the drop-down selection list.	52326

Known Issue	Issue ID
Directory Sync will attempt to add Group Object as Owner to Teams/M365 and Distribution Group when the Group object shares similar name as the Group Owner. For M365 Groups and Teams, an error will be logged for these groups as they cannot be added as an owner.	41463
Password sync will fail for objects with non-English characters in the sAMAccountName.	41570
A directory operation error occurs when running a cloud to local workflow.	42444
The RC4 encryption (Rivest Cipher 4 or RC4-HMAC) is an element of Microsoft Kerberos authentication that Quest migration products require to sync Active Directory passwords between Source and Target environments. Disabling the use of the RC4 protocol enabled makes password syncing between environments impossible. Beginning on November 8, 2022 Microsoft recommended an out of band (OOB) patch be employed to set AES as the default encryption type. The enabling and disabling use of the RC4 encryption protocol has potential impact beyond the function of password syncing of Quest migration tooling and should be considered carefully.	N/A
Comment fields that exceed the maximum length of 4000 characters will cause an error.	44556
When mail contacts are deleted from Exchange Online, the deletion is not reflected in the product. Workflows with 'Delete Objects' steps will not process contact deletes.	45392

Active Directory known issues

Known Issue	Issue ID
The Server 2016 Rollback action may break a user's profile if the user is not a member of the BUILTIN\Administrators group on the target machine.	29544
The Cleanup job should not be used with bi-directional match/sync configurations as it may incorrectly remove target ACLs.	32588
On a Windows 10 or Windows 11 device, when performing the Entra Cutover action, the migrated user profiles may lose some of the installed Windows Store application or other Provisioned AppX Packages. These packages will need to be reinstalled by the user after they logon to their target profile.	36079
An Microsoft Entra ID device cannot be ReACLED if there is no matching group in mapping file.	36124
For Entra Device Cutover, Windows Hello for Business Setup cannot be completed when Source Account is a Direct Member of the Device BUILTIN\Administrators Group.	36627
The ODMAD Device Agent has not been designed to take special requirements of application servers, such as Exchange, SharePoint, Remote Desktop Services, IIS, etc. into consideration. Applications should be analyzed to determine if domain migration will be supported by each individual application and what remediation(s) may be required. Recreating/redeploying Application Servers in the target environment is recommended for best results.	43466
An group with the name of two or less characters cannot be assigned to a migration wave.	45514
Certificates are not migrated with Device Cutover.	46002
Rollback is not supported for Cloud to On-Prem and Cloud to Cloud Device Migration.	46422
When installing a provisioning package that has been renamed (filename is different from the package name in the package metadata), the cutover script will fail when trying to verify that installation was successful.	47517

Domain Move known issues

Known Issue	Issue ID
Domain Move can not move the domain if it is being used for Active Directory Federation Service (ADFS) between on-prem Active Directory and Microsoft Entra ID.	35529

Domain Rewrite known issues

Known Issue	Issue ID
Signed and encrypted messages will not be rewritten by the email rewrite service (ERS).	8004
When ERS is disabled, external email addresses of MEU's are not removed.	40937
Cloud Rewrite workflows will not run when prepare jobs are queued for both hybrid and cloud-only target objects.	44319
Forwarding from mailbox cannot be removed if ERS was enabled using skip setting up forwarding.	47362

Release History

The following lists the new features and resolved issues by deployment.

20.12.14.6

Enhancements

Enhancement	Issue ID
The ability to de-associate a cloud environment on the local environment setting page has been added. To remove the association, select the "None" option from the drop-down list of cloud environments.	37844
The EntraID Device Add-on license requirement for Entra ID Device migration has been removed.	48497
The "Remove Device(s)" feature is now enabled for all users.	49303

Resolved issues

Resolved Issue	Issue ID
Credential format "domain-with-dashes\User" is not valid.	48656

20.12.14.5

Enhancements

Enhancement	Issue ID
A pre-check assessment step has been added to the Domain Move process. The pre-check assessment occurs while using the Domain Cutover wizard and is also available by using the "Pre-Flight Validation" button when hovering over a Domain Cutover which has not started.	37553
The ability to cancel queued jobs in Devices and Servers has been added.	47354
The ability to perform a Device ReACL when the Group Mapping is empty has been added.	47643

Resolved issues

Resolved Issue	Issue ID
ReACL errors when the release id is "22H2" on Windows 10.	46195
Unable to update the license total count of Azure AD license subtype.	47537
Require Azure AD SKU to read devices when source and target environment is local to local.	47619
ReACL consumes all licenses for objects that are read in csv file, even if the create unmatched objects in target during workflow run option is not selected.	47927
The Directory Sync agent auto upgrade check fails behind proxy.	48011
Skipping delete request error in data retention.	48056
The wrong expiration date is set on the Directory Sync license when there are separate Entra ID and Directory Sync licenses.	48057

20.12.14.3

Enhancements

Enhancement	Issue ID
Changes to address QiB retirement and Entra ID coexistence.	47610

20.12.14.2

Resolved issues

Resolved Issue	Issue ID
When MailboxLocations is longer than 2000 chars, the private API fails to update the User record and logs an error. The solution is for private API to prune MailboxLocations if it is more than 2000 bytes. Pruning will be accomplished by trimming records that appear multiple times (types "AuxPrimary", "AuxArchive", and "SubstrateExtension-Teams"), until the total size is 2000 bytes or less.	47592

20.12.14.1

Resolved issues

Using filters to select devices to assign to a wave, adds other non-selected devices to the wave.

47492

Incident response management

Quest Operations and Quest Support have procedures in place to monitor the health of the system and ensure any degradation of the service is promptly identified and resolved. On Demand relies on Azure and AWS infrastructure and as such, is subject to the possible disruption of these services. You can view the following status pages:

- Quest On Demand: <https://status.quest-on-demand.com/>
- Azure Services: <https://azure.microsoft.com/en-ca/status/>
- AWS Services: <https://status.aws.amazon.com/>

System requirements

The following web browsers are supported with On Demand:

- Chrome or Firefox is recommended for the best cloud-based platform experience.

Product licensing

Quest On Demand is a Software as a Service (SaaS) application where application software is hosted in the cloud and made available to users through quest-on-demand.com.

Use of this software is governed by the Software Transaction Agreement found at www.quest.com/legal/sta.aspx and the Data Processing Addendum at www.quest.com/legal/dpa.aspx. This software does not require an activation or license key to operate.

You can sign in to Quest On Demand as a Guest user and sample the solutions the product can offer. As a Guest user, you can add your Microsoft Entra tenant and look for problems that can be solved by Quest On Demand. To sign in as a Guest user, go to quest-on-demand.com and click **Continue as Guest**.

Trial licenses are available. To enable a trial license, you must use a Quest account to sign up for Quest On Demand. Use one of the following procedures:

- [To enable a trial license with an existing Quest account](#)
- [To create a Quest account and enable a trial license](#)

To enable a trial license with an existing Quest account

1. Go to <https://www.quest.com/on-demand/>
2. Scroll down to the module you are interested in and click **Try Online**.
3. On the Free Trial of <Module Name> page, click **Sign In for your Free Trial**.

4. Fill in your Quest account credentials and click **Sign In**. The Welcome to Quest On Demand page opens.
5. In the **Add organization name** field, enter a name for your Quest On Demand organization.
6. In the **Select Region** field, select the region where you want your data to reside.
7. Click **Create New Organization**.

You can now add your Microsoft Entra tenant and begin using the module. See the Global Settings User Guide for more information on working with Quest On Demand.

To create a Quest account and enable a trial license

1. Go to <https://www.quest.com/on-demand/>
2. Scroll down to the module you are interested in and click **Try Online**.
3. To try online, you must create a Quest account and then sign up for Quest On Demand.
4. Create a Quest account.
 - a. Click **Create a Trial Account**.
 - b. Fill in the fields on the Create Account page. Note that the email and password entered here will be the credentials you use to sign in to Quest On Demand.
 - c. Click **Create Account**. The "We've sent you an email" page opens.
5. Sign in to Quest On Demand.
 - a. Go to your email account and open the email from support.quest.com. Click on the verification link. The Welcome to Quest On Demand page opens.
 - b. In the **Add organization name** field, enter a name for your Quest On Demand organization.
 - c. In the **Select Region** field, select the region where you want your data to reside.
 - d. Click **Create New Organization**.

You can now add your Microsoft Entra tenant and begin using the module. See the Global Settings User Guide for more information on working with Quest On Demand.

More resources

Additional information is available from the following:

- Online product documentation (Enter On Demand Active Directory in the Product search field.)
- Quest On Demand community [on-demand](#)

About us

Quest creates software solutions that make the benefits of new technology real in an increasingly complex IT landscape. From database and systems management, to Active Directory and Office 365 management, and cyber security resilience, Quest helps customers solve their next IT challenge now. Around the globe, more than 130,000 companies and 95% of the Fortune 500 count on Quest to deliver proactive management and monitoring for the next enterprise initiative, find the next solution for complex Microsoft challenges and stay ahead of the next threat. Quest Software. Where next meets now. For more information, visit www.quest.com.

Technical support resources

Technical support is available to Quest customers with a valid maintenance contract and customers who have trial versions. You can access the Quest Support Portal at <https://support.quest.com>.

The Support Portal provides self-help tools you can use to solve problems quickly and independently, 24 hours a day, 365 days a year. The Support Portal enables you to:

- Submit and manage a Service Request
- View Knowledge Base articles
- Sign up for product notifications
- Download software and technical documentation
- View how-to-videos
- Engage in community discussions
- Chat with support engineers online
- View services to assist you with your product

© 2024 Quest Software Inc. ALL RIGHTS RESERVED.

This guide contains proprietary information protected by copyright. The software described in this guide is furnished under a software license or nondisclosure agreement. This software may be used or copied only in accordance with the terms of the applicable agreement. No part of this guide may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording for any purpose other than the purchaser's personal use without the written permission of Quest Software Inc.

The information in this document is provided in connection with Quest Software products. No license, express or implied, by estoppel or otherwise, to any intellectual property right is granted by this document or in connection with the sale of Quest Software products. EXCEPT AS SET FORTH IN THE TERMS AND CONDITIONS AS SPECIFIED IN THE LICENSE AGREEMENT FOR THIS PRODUCT, QUEST SOFTWARE ASSUMES NO LIABILITY WHATSOEVER AND DISCLAIMS ANY EXPRESS, IMPLIED OR STATUTORY WARRANTY RELATING TO ITS PRODUCTS INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. IN NO EVENT SHALL QUEST SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE, SPECIAL OR INCIDENTAL DAMAGES (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF PROFITS, BUSINESS INTERRUPTION OR LOSS OF INFORMATION) ARISING OUT OF THE USE OR INABILITY TO USE THIS DOCUMENT, EVEN IF QUEST SOFTWARE HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. Quest Software makes no representations or warranties with respect to the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and product descriptions at any time without notice. Quest Software does not make any commitment to update the information contained in this document.

If you have any questions regarding your potential use of this material, contact:

Quest Software Inc.

Attn: LEGAL Dept
20 Enterprise, Suite 100

Aliso Viejo, CA 92656

Refer to our Web site (<https://www.quest.com>) for regional and international office information.



Patents

Quest Software is proud of our advanced technology. Patents and pending patents may apply to this product. For the most current information about applicable patents for this product, please visit our website at <https://www.quest.com/legal>.

Trademarks

Quest, the Quest logo, and Join the Innovation are trademarks and registered trademarks of Quest Software Inc. For a complete list of Quest marks, visit <https://www.quest.com/legal/trademark-information.aspx>. All other trademarks and registered trademarks are property of their respective owners.

Legend

-  **CAUTION:** A CAUTION icon indicates potential damage to hardware or loss of data if instructions are not followed.
-  **IMPORTANT, NOTE, TIP, MOBILE, or VIDEO:** An information icon indicates supporting information.

On Demand Migration – Active Directory Release Notes
Updated - May 21, 2024