



One Identity Manager 9.3

Data Archiving Administration Guide

Copyright 2025 One Identity LLC.

ALL RIGHTS RESERVED.

This guide contains proprietary information protected by copyright. The software described in this guide is furnished under a software license or nondisclosure agreement. This software may be used or copied only in accordance with the terms of the applicable agreement. No part of this guide may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording for any purpose other than the purchaser's personal use without the written permission of One Identity LLC .

The information in this document is provided in connection with One Identity products. No license, express or implied, by estoppel or otherwise, to any intellectual property right is granted by this document or in connection with the sale of One Identity LLC products. EXCEPT AS SET FORTH IN THE TERMS AND CONDITIONS AS SPECIFIED IN THE LICENSE AGREEMENT FOR THIS PRODUCT, ONE IDENTITY ASSUMES NO LIABILITY WHATSOEVER AND DISCLAIMS ANY EXPRESS, IMPLIED OR STATUTORY WARRANTY RELATING TO ITS PRODUCTS INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. IN NO EVENT SHALL ONE IDENTITY BE LIABLE FOR ANY DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE, SPECIAL OR INCIDENTAL DAMAGES (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF PROFITS, BUSINESS INTERRUPTION OR LOSS OF INFORMATION) ARISING OUT OF THE USE OR INABILITY TO USE THIS DOCUMENT, EVEN IF ONE IDENTITY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. One Identity makes no representations or warranties with respect to the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and product descriptions at any time without notice. One Identity does not make any commitment to update the information contained in this document.

If you have any questions regarding your potential use of this material, contact:

One Identity LLC.
Attn: LEGAL Dept
4 Polaris Way
Aliso Viejo, CA 92656

Refer to our website (<http://www.OneIdentity.com>) for regional and international office information.

Patents

One Identity is proud of our advanced technology. Patents and pending patents may apply to this product. For the most current information about applicable patents for this product, please visit our website at <http://www.OneIdentity.com/legal/patents.aspx>.

Trademarks

One Identity and the One Identity logo are trademarks and registered trademarks of One Identity LLC. in the U.S.A. and other countries. For a complete list of One Identity trademarks, please visit our website at www.OneIdentity.com/legal/trademark-information.aspx. All other trademarks are the property of their respective owners.

Legend

 **WARNING:** A WARNING icon highlights a potential risk of bodily injury or property damage, for which industry-standard safety precautions are advised. This icon is often associated with electrical hazards related to hardware.

 **CAUTION:** A CAUTION icon indicates potential damage to hardware or loss of data if instructions are not followed.

One Identity Manager Data Archiving Administration Guide
Updated - 06 January 2025, 11:45

For the most recent documents and product information, see [Online product documentation](#).

Contents

Change management	4
Installing a One Identity Manager History Database	6
Installing the One Identity Manager History Database with the Configuration Wizard ...	6
Installing the One Identity Manager History Database from the command line	10
Permissions for the One Identity Manager History Database	10
Updating a One Identity Manager History Database	12
Declaring a One Identity Manager History Database in the TimeTrace	14
Connecting a One Identity Manager History Database through an application server ...	14
Establishing a direct connection to the One Identity Manager History Database	16
Setting up the archiving method	19
Selecting an archiving method in the One Identity Manager database	20
Specifying retention times for recorded data	20
Change management in a One Identity Manager History Database	23
Deleting log entries without archiving	24
Optimizing performance by deleting log entries	24
Appendix: Mapping data in the One Identity Manager History Database	26
About us	28
Contacting us	28
Technical support resources	28
Index	29

Change management

For more information about tracking and logging changes in One Identity Manager, see the *One Identity Manager Configuration Guide*.

Initially, all changes made to data in One Identity Manager are saved in the One Identity Manager database. You must ensure that log entries are regularly removed from the One Identity Manager database and archived in a One Identity Manager History Database. In this way, the History Database provides an archive of change information. Statistical analyzes are carried out in the History Database that simplify how trends and flows are presented. Historical data is evaluated using the TimeTrace function or using reports.

NOTE: Any number of History Databases can be used for analyzing historical data in the TimeTrace and in reports. Not only are History Databases in the current format supported, but older formats in read-only mode also.

Logged data may be subject to further regulations such as statutory retention periods. It is recommended to operate History Databases that correspond to the report periods. After a specified reporting period has expired, you can set up a new History Database.

Depending on the volume of the One Identity Manager database data and the frequency at which it is changed, it might be necessary to create further History Databases at certain intervals (such as yearly, quarterly, or monthly). The proportion of historical data to total volume of a One Identity Manager database should not exceed 25 percent. Otherwise performance problems may arise.

Setting up a History Database requires the following steps:

- Installing the History Database
- Declaring a History Database in the One Identity Manager database
- Setting up the archiving method

Detailed information about this topic

- [Installing the One Identity Manager History Database with the Configuration Wizard](#) on page 6
- [Updating a One Identity Manager History Database](#) on page 12
- [Declaring a One Identity Manager History Database in the TimeTrace](#) on page 14

- [Setting up the archiving method on page 19](#)
- [Mapping data in the One Identity Manager History Database on page 26](#)

Installing a One Identity Manager History Database

Installation of a History Database is similar to that of a One Identity Manager database. For more information about the system prerequisites and how to install a database, see the *One Identity Manager Installation Guide*.

Use the History Database to set up the Configuration Wizard. Alternatively, you can create the History Database using the `Quantum.MigratorCmd.exe` command line program.

Detailed information about this topic

- [Installing the One Identity Manager History Database with the Configuration Wizard](#) on page 6
- [Installing the One Identity Manager History Database from the command line](#) on page 10
- [Permissions for the One Identity Manager History Database](#) on page 10

Installing the One Identity Manager History Database with the Configuration Wizard

| IMPORTANT: Always start the Configuration Wizard on an administrative workstation.

To install a History Database with the Configuration Wizard

1. Start the Configuration Wizard.
2. On the Configuration Wizard's home page, select the **Create and install database** option and click **Next**.
3. To install a new database, enter the following database connection data on the **Create administrative connection** page.

- **Server:** Database server.
- (Optional) **Windows Authentication:** Specifies whether the integrated Windows authentication is used. This type of authentication is not recommended. If you decide to use it anyway, ensure that your environment supports Windows authentication.
- **User:** SQL login name of the installation user.
- **Password:** Password for the installation user.
- **Encrypt communication:** Specifies whether encryption is required for exchanging data between the client and server. Select the minimum encryption level. The encryption level that is actually used depends on the database server configuration. For more information, see the documentation from Microsoft.

Permitted values are:

- **Optional:** Communication is not encrypted.
- **Mandatory:** Data exchange is encrypted. The **Trust server certificate** option, allows you to also specify whether to verify the server certificate.
- **Strict (SQL Server 2022 and Azure SQL):** The data exchange is encrypted. The server certificate is always verified.
- **Trust server certificate:** If this option is enabled, the data exchange between the client and server is encrypted. However, the server certificate is not verified.

- OR -

To use an existing empty database, on the **Create administrative connection** page, select the **Use an existing, empty database for installation** option and enter the database connection information.

- **Server:** Database server.
- (Optional) **Windows Authentication:** Specifies whether the integrated Windows authentication is used. This type of authentication is not recommended. If you decide to use it anyway, ensure that your environment supports Windows authentication.
- **User:** SQL login name of the installation user.
- **Password:** Password for the installation user.
- **Database:** List of possible databases on the database server. Select the database.
- **Encrypt communication:** Specifies whether encryption is required for exchanging data between the client and server. Select the minimum encryption level. The encryption level that is actually used depends on the database server configuration. For more information, see the documentation from Microsoft.

Permitted values are:

- **Optional:** Communication is not encrypted.
- **Mandatory:** Data exchange is encrypted. The **Trust server certificate** option, allows you to also specify whether to verify the server certificate.
- **Strict (SQL Server 2022 and Azure SQL):** The data exchange is encrypted. The server certificate is always verified.
- **Trust server certificate:** If this option is enabled, the data exchange between the client and server is encrypted. However, the server certificate is not verified.

| **TIP:** To configure additional connection settings, enable the **Advanced** option.

4. If you are creating a new database, perform the following tasks on the **Create database** page.
 - a. In the **Database properties** view, enter the following information about the database.

Table 1: Database properties

Data	Description
Database name	Name of the database.
Data directory	Directory in which the data file is created. You have the following options: <ul style="list-style-type: none"> • <default>: The database server’s default directory. • <browse>: Select a directory using the file browser. • <directory name>: Directory in which data files are already installed.
Log directory	Directory in which the transaction log file is created. You have the following options: <ul style="list-style-type: none"> • <default>: The database server’s default directory. • <browse>: Select a directory using the file browser. • <directory name>: Directory in which transaction log files are already installed.
Memory tables directory	Directory for the data file group and the database file for memory-optimized tables. You have the following options: <ul style="list-style-type: none"> • <default>: The database server’s default directory. • <browse>: Select a directory using the file browser. • No memory-optimized file group (only History Database): No directory is created for the data file group and the database file for memory-optimized

Data	Description
	<p>tables. This setting is only allowed for installing a History Database.</p> <ul style="list-style-type: none"> • <Directory name>: Directory in which data files for memory-optimized tables are already installed.
Initial size	<p>Initial size of the database files. You have the following options:</p> <ul style="list-style-type: none"> • <Default>: Default entry for the database server. • <custom>: User-defined entry. • Different recommended sizes: Depending on the number of identities being administrated.

b. In the **Installation source** pane, select the directory with the installation files.

- OR -

If you are using an existing database, on the **Create database** page, **Installation source** view, select the directory containing the installation files.

5. On the **Select configuration modules** page, select the **Data archiving** configuration module.

6. The installation steps are shown on the **Processing database** page.

Installation and configuration of the database are automatically carried out by the Configuration Wizard. This procedure may take some time depending on system performance. Once processing is complete, click **Next**.

TIP: Set **Advanced** to obtain detailed information about processing steps and the migration log.

7. On the last page of the Configuration Wizard, click **Finish**.

Additional configuration steps are required after the schema installation:

- Declare the History Database in the One Identity Manager database.
- Set up the archiving method in the One Identity Manager database.

Related topics

- [Declaring a One Identity Manager History Database in the TimeTrace](#) on page 14
- [Setting up the archiving method](#) on page 19
- [Installing the One Identity Manager History Database from the command line](#) on page 10

Installing the One Identity Manager History Database from the command line

You can create the History Database using the `Quantum.MigratorCmd.exe` command line program. For more information about the `Quantum.MigratorCmd.exe` command line programs, see the *One Identity Manager Operational Guide*.

Example: Installation of a History Database using the command line program `Quantum.MigratorCmd.exe`

```
quantum.migratorcmd.exe
    /connection="Data Source=<Database server>;Initial
    Catalog=<Database>;User ID=<Database user>;Password=<Password>"
    --Install
    /Module="HDB"
    /System=MSSQL
    /LogLevel= Info
    /Destination=<source folder>
```

Related topics

- [Installing the One Identity Manager History Database with the Configuration Wizard](#) on page 6

Permissions for the One Identity Manager History Database

Only minimal permissions are required to access the History Database. There is a sample script `HDB_Create_Login_User_Role.sql` on the One Identity Manager installation media in the `HDB\dvd\AddOn\SDK` directory.

The script allows you to set up a database user with minimal permissions for read access and a database user for write access. You can use these database users when setting up the connection to History Database in the TimeTrace.

Run the script with a suitable program for carrying out SQL queries on the History Database.

Related topics

- [Declaring a One Identity Manager History Database in the TimeTrace](#) on page 14

Updating a One Identity Manager History Database

IMPORTANT: As of One Identity Manager version 9.0, History Database has been significantly simplified. On the one hand, this reduces the effort required to set up and operate the database and, on the other, enables the operation of Azure SQL Databases. The History Database only provides simplified data storage. The History Database includes neither One Identity Manager modules nor system configuration data. There are no active components anymore.

When updating a History Database with a version that is older than 9.0, note the following:

- It is recommended to install the History Database first!
- Existing databases are still supported for querying archived data in TimeTrace and reports. These databases do not need to be migrated.
- If you still want to migrate an existing History Database, ensure that the all features, procedures, tables, and views that are not in the following list are deleted by the History Database migration:

HistoryChain, HistoryJob, ProcessChain, ProcessGroup, ProcessInfo, ProcessStep, ProcessSubstitute, RawJobHistory, RawProcess, RawProcessChain, RawProcessGroup, RawProcessStep, RawProcessSubstitute, RawWatchOperation, RawWatchProperty, SourceColumn, SourceDatabase, SourceTable, WatchOperation, WatchProperty

Save any custom extensions before migrating.

NOTE: Read the release notes for possible differing or additional steps for updating a History Database.

To update a History Database to a newer version

1. Update the administrative workstation, on which the History Database database schema update will be started. For more information about updating an administrative database, see the *One Identity Manager Installation Guide*.
2. Make a backup of the History Database.
3. Run the History Database schema update.

- Start the Configuration Wizard on the administrative workstation.
Select a user who has at least administrative permissions for the History Database to update the schema with the Configuration Wizard.
 - Use the same user that you used to initially install the schema.
 - If you created an administrative user during schema installation, use that one.
 - If you selected a user with Windows authentication to install the schema, you must use the same one for updating.
- 4. On the Configuration Wizard home page, select the **Update database** option and click **Next**.
- 5. On the **Select database** page, select the database and installation directory.
 - a. Select the database connection in the **Select a database connection** pane. Select a user who at least has administrative permissions for the History Database.
 - b. In the **Installation source** pane, select the directory with the installation files.
- 6. Other users with existing connections to the database are displayed on the **Active sessions** page.
 - Disconnect the connections on order to start database processing.
- 7. The installation steps are shown on the **Processing database** page. Installation and configuration of the database are automatically carried out by the Configuration Wizard.

TIP: Set **Advanced** to obtain detailed information about processing steps and the migration log. You can copy messages to the clipboard with **CTRL + C**.
- 8. On the last page of the Configuration Wizard, click **Finish**.

Declaring a One Identity Manager History Database in the TimeTrace

Declare the History Database to be used for transferring data to the One Identity Manager in the TimeTrace. The One Identity Manager Service service ensures the data is transferred from the One Identity Manager database to the History Database.

NOTE: Any number of History Databases can be used for analyzing historical data in the TimeTrace and in reports. Not only are History Databases in the current format supported, but older formats in read-only mode also.

NOTE: Only one History Database can be used as a destination for data transfer at a time, all other databases are read-only.

There are different ways to establish a connection to a History Database:

- Method 1: Establish a connection to the History Database through an application server.

This is the recommended method. Use this method for accessing the History Database over an encrypted connection. For more information, see [Connecting a One Identity Manager History Database through an application server](#) on page 14.

- Method 2: Establish a direct connection to the History Database.

This method uses an unencrypted connection to access the History Database. For more information, see [Establishing a direct connection to the One Identity Manager History Database](#) on page 16.

Connecting a One Identity Manager History Database through an application server

Declare the History Database to be used for transferring data to the One Identity Manager in the TimeTrace. Use the Designer to set up access to the History Database.

Prerequisites for connecting a History Database through an application server

- Declaring the History Database in the TimeTrace, requires an ID.
- There is an ID for connecting to the History Database in the application server's `appsettings.json` configuration file.
 - Enter a unique ID for each History Database.
 - The ID must be entered in all application servers that can be used by users to log in to the Manager.
 - The ID must be entered for the application server that the One Identity Manager Service uses to connect.
- The Manager and the Web Portal use the application server to log in. Otherwise the evaluation of the data changes in TimeTrace or in reports is not possible.
- To generate and send report subscriptions and reports by email that show changes to data, there must be a Job server set up over an application server.

For more information about setting up a Job server and about configuring the One Identity Manager Service, see the *One Identity Manager Configuration Guide*.

To link a History Database into a TimeTrace

1. Use the Designer to log in to the One Identity Manager database.
2. In the Designer, select the **Base Data > General > TimeTrace databases** category.
3. Select the **Object > New** menu item.
4. Ensure that the **Use ID from application server** option is set.
5. In **History database name**, enter the name of the History Database.
6. In the **Connection parameter (read)** field, enter the ID for connecting to the History Database.

The ID must match the ID in the application server's configuration file.
7. On the History Database, where the data from the One Identity Manager database will be archived:
 - a. Enable the **Current transport target** option.
 - b. In the **Connection parameter (transport)** field, enter the connection parameters for connecting to the One Identity Manager History Database.
8. Select the **Database > Save to database** and click **Save**.

NOTE: Set the **Disabled** option to disable the connection at a later time. If a History Database is disabled, it is not taken into account when determining change data in the TimeTrace.

To configure an ID in the application server for connecting to the History Database

- During installation of the application server, enter the ID for connecting to the History Database.
- To connect a History Database at a later date, enter the connection ID in the application server's appsettings.json configuration file in the ConnectionStrings section.

Example: Entry for the History Database ID in the appsettings.json configuration file of the application server

```
"ConnectionStrings": {  
    ...  
    "<History Database ID>": "Data Source=<database server>;Initial  
    Catalog=<database name>;User ID=<database  
    user>;Password=<password>"  
    ...  
}
```

Related topics

- [Establishing a direct connection to the One Identity Manager History Database on page 16](#)
- [Permissions for the One Identity Manager History Database on page 10](#)

Establishing a direct connection to the One Identity Manager History Database

Declare the History Database to be used for transferring data to the One Identity Manager in the TimeTrace. Use the Designer to set up access to the History Database.

To link a History Database into a TimeTrace

1. Use the Designer to log in to the One Identity Manager database.
2. In the Designer, select the **Base Data > General > TimeTrace databases** category.
3. Select the **Object > New** menu item.
4. Ensure that the **Use ID from application server** option is not set.

5. In **History database name**, enter the name of the History Database.
6. Declare the **Connection parameters (read)**.
 - a. Click the [...] button next to the input field to open the input dialog for connection data.
 - b. Enter the connection data for the History Database.
 - **Server**: Database server.
 - **Windows authentication**: (Optional) Specifies whether the integrated Windows authentication is used. This type of authentication is not recommended. If you decide to use it anyway, ensure that your environment supports Windows authentication.
 - **User**: User's SQL login name.
 - **Password**: Password for the SQL user's login.
 - **Database**: List of possible databases on the database server. Select the database.
 - **Encrypt communication**: Specifies whether encryption is required for exchanging data between the client and server. Select the minimum encryption level. The encryption level that is actually used depends on the database server configuration. For more information, see the documentation from Microsoft.

Permitted values are:

 - **Optional**: Communication is not encrypted.
 - **Mandatory**: Data exchange is encrypted. The **Trust server certificate** option, allows you to also specify whether to verify the server certificate.
 - **Strict (SQL Server 2022 and Azure SQL)**: The data exchange is encrypted. The server certificate is always verified.
 - **Trust server certificate**: If this option is enabled, the data exchange between the client and server is encrypted. However, the server certificate is not verified.
7. On the History Database, where the data from the One Identity Manager database will be archived:
 - a. Enable the **Current transport target** option.
 - b. In the **Connection parameter (transport)** field, enter the connection parameters for connecting to the History Database.
8. Select the **Database > Save to database** and click **Save**.

NOTE: Set the **Disabled** option to disable the connection at a later time. If a History Database is disabled, it is not taken into account when determining change data in the TimeTrace.

Related topics

- [Connecting a One Identity Manager History Database through an application server](#) on page 14
- [Permissions for the One Identity Manager History Database](#) on page 10

Setting up the archiving method

All entries logged in One Identity Manager are initially saved in the One Identity Manager database. The proportion of historical data to total volume of a One Identity Manager database should not exceed 25 percent. Otherwise, performance problems may arise. You must ensure that log entries are regularly removed from the One Identity Manager database and archived.

The following methods are provided for regularly removing recorded data from the One Identity Manager database:

- The data can be transferred directly from the One Identity Manager database into a History Database. This is the default procedure for data archiving. Select this method if the servers on which the One Identity Manager database and the History Database are located have network connectivity.
- The data is deleted from the One Identity Manager database after a certain amount of time without being archived.

All records in the History Database database that are triggered by an action are grouped together into a process group based on an ID number, the GenProcID, for direct transfer to a One Identity Manager. The exported process groups along with the associated records are deleted from the One Identity Manager database once the export has been successfully completed.

The following conditions have to be met for direct transfer to a History Database:

- This section of the records is configured for export.
- The retention period for all records that belong to a process group has ended, not taking into account whether the section is labeled for export or not.
- There are no processes enabled with the process group GenProcID in the DBQueue, Job queue, or as scheduled operations.
- For the triggered action, there is at least one record in the section to be exported.

Selecting an archiving method in the One Identity Manager database

Select the basic archiving method by setting the **Common | ProcessState | ExportPolicy** configuration parameter. In the Designer, modify the configuration parameter.

- If the configuration parameter is not set, the data remains in the One Identity Manager database.
- If the configuration parameter is set, the selected archiving method is applied.
 - **HDB**: The files are transferred directly to the History Database after a specified time period has expired.
 - **NONE**: The data is deleted in the One Identity Manager database after the specified time period has expired.

After selecting the basic procedure, you can specify whether data is exported or deleted for each section of records individually. You use configuration parameters to make the choice for each section. In the Designer, modify the configuration parameters.

Table 2: Configuration parameter for handling logged data

Configuration parameter	Meaning
Common ProcessState PropertyLog IsToExport	Exports the data changes. If this configuration parameter is not set the information is deleted once the retention period has expired.
Common ProcessState ProgressView IsToExport	Exports the data in the process information. If this configuration parameter is not set the information is deleted once the retention period has expired.
Common ProcessState JobHistory IsToExport	Exports the information in the process history. If this configuration parameter is not set the information is deleted once the retention period has expired.

Specifying retention times for recorded data

Once the retention period has ended, the recorded data is either exported or deleted from the One Identity Manager database depending on which archiving method has been chosen. A longer retention period should be selected for sections whose records will be exported than for those that will be deleted.

The recordings are not exported until the retention period for all sections has expired and no other active processes for the process group (GenProcID) exist in the DBQueue, process history, or as scheduled operation.

NOTE: If you do not specify a retention period, the records in this section will be deleted daily from the DBQueue Processor database within the daily One Identity Manager maintenance tasks.

You use configuration parameters to define the data retention periods for the individual sections. Modify the configuration parameter in the Designer.

Table 3: Configuration parameter for retention periods

Configuration parameter	Meaning
Common ProcessState PropertyLog LifeTime	This configuration parameter specifies the maximum retention period in the database for log entries from change tracking.
Common ProcessState ProgressView LifeTime	This configuration parameter specifies the maximum length of time that log data from process information can be kept in the database.
Common ProcessState JobHistory LifeTime	This configuration parameter specifies the maximum retention period in the database for log entries from process history.

Example 1:

Records are transferred directly to the History Database. The following configurations are selected for each section:

Configuration	Process Information	Process History	Data Changes
Export data	No	No	Yes
Retention period	3 days	4 days	5 days

This results in the following sequence:

Time	Process Information	Process History	Data Changes
Day 3	Data is deleted from the	No action	No action

Time	Process Information	Process History	Data Changes
	One Identity Manager database		
Day 4	-	Data is deleted from the One Identity Manager database	No action
Day 5	-	-	Data is transferred to the History Database and then deleted from the One Identity Manager database

Example 2:

Records are transferred directly to the History Database. The following configurations are selected for each section:

Configuration	Process Information	Process History	Data Changes
Export data	Yes	No	Yes
Retention period	3 days	4 days	5 days

This results in the following sequence:

Time	Process Information	Process History	Data Changes
Day 3	No action because the retention period has not ended for all sections.	No action	No action
Day 4	No action because the retention period has not	Data is deleted from the One Identity Manager	No action

Time	Process Information	Process History	Data Changes
	ended for all sections.	database	
Day 5	Data is exported and then deleted	-	Data is transferred to the History Database and then deleted from the One Identity Manager database

Change management in a One Identity Manager History Database

The data can be transferred directly from the One Identity Manager database into a History Database. This is the default method for data archiving.

To use this procedure, make the following configuration settings in the One Identity Manager database:

- Enable the **Common | ProcessState | ExportPolicy** configuration parameter in the Designer and enter the value **HDB**.
- Configure the sections for export and define a retention period.
- In the Designer, check the value of the **Common | ProcessState | PackageSizeHDB** configuration parameter. This parameter specifies the maximum number of progress groups that can be transferred to the History Database. The default value is **10000**.
- Ensure that the **Transport to history database** schedule is enabled.

The schedule ensures the transfer of data from the One Identity Manager database to the History Database. The schedule is run by default every 6 hours. In the Designer, adjust the interval as required.

Related topics

- [Selecting an archiving method in the One Identity Manager database](#) on page 20
- [Specifying retention times for recorded data](#) on page 20
- [Declaring a One Identity Manager History Database in the TimeTrace](#) on page 14

Deleting log entries without archiving

If records from separate sections are kept in the One Identity Manager database for a certain amount of time but are not archived later, you have the following options:

- To exclude a certain section from archiving, do not configure it for export, just specify a retention period.
- To delete all sections without archiving, specify a retention period. In the Designer, set the **Common | ProcessState | ExportPolicy** configuration parameter and enter the value **NONE**.

The records are deleted from the One Identity Manager database by DBQueue Processor when the retention period has ended. In addition, all entries for triggered actions are deleted if they have no corresponding records in those sections.

NOTE: If you do not specify a retention period, the records from that section are deleted from the One Identity Manager database during daily DBQueue Processor maintenance tasks.

Related topics

- [Selecting an archiving method in the One Identity Manager database](#) on page 20
- [Specifying retention times for recorded data](#) on page 20
- [Optimizing performance by deleting log entries](#) on page 24

Optimizing performance by deleting log entries

If there is a large amount of data, you can specify the number of objects to delete per DBQueue Processor operation and run in order to improve performance. You use configuration parameters to make the choice for each section.

Table 4: Configuration parameters for deleting logged data changes

Configuration parameter	Meaning
Common ProcessState PropertyLog Delete	Allows configuration of deletion behavior for logged data changes.
Common ProcessState PropertyLog Delete BulkCount	Number of entries to be deleted in any operation. The default value is 200 .
Common ProcessState PropertyLog Delete TotalCount	Total number of entries to be deleted in any processing run. The default value is 10000 .

Table 5: Configuration parameters for deleting process information

Configuration parameter	Meaning
Common ProcessState ProgressView Delete	Allows configuration of deletion behavior for process information.
Common ProcessState ProgressView Delete BulkCount	Number of entries to be deleted in any operation. The default value is 200 .
Common ProcessState ProgressView Delete TotalCount	Total number of entries to be deleted in any processing run. The default value is 10000 .

Table 6: Configuration parameters for deleting process history

Configuration parameter	Meaning
Common ProcessState JobHistory Delete	Allows configuration of deletion behavior for the process history.
Common ProcessState JobHistory Delete BulkCount	Number of entries to be deleted in any operation. The default value is 200 .
Common ProcessState JobHistory Delete TotalCount	Total number of entries to be deleted in any processing run. The default value is 10000 .

Table 7: Configuration parameters for deleting process status entries

Configuration parameter	Meaning
Common ProcessState Delete	Allows configuration of deletion behavior for process status entries.
Common ProcessState Delete BulkCount	Number of entries to be deleted in any operation. The default value is 500 .
Common ProcessState Delete TotalCount	Total number of entries to be deleted in any processing run. The default value is 10000 .

Appendix A

Mapping data in the One Identity Manager History Database

For more information about tracking and logging changes in One Identity Manager, see the *One Identity Manager Configuration Guide*.

Transferring changes from the One Identity Manager database to the History Database maps the information as follows.

Information	Record in the One Identity Manager database	Mapping in the History Database
Grouping of process triggers	DialogProcess.GenProcIDGroup	RawProcessGroup -> ProcessGroup
Process triggers (actions) that trigger a change to the system	DialogProcess	RawProcess -> ProcessInfo where ProcessInfo.UID_ ProcessInfo = DialogProcess.GenProcID
Process tracking - process	DialogProcessChain	RawProcessChain -> ProcessChain
Process tracking - process step	DialogProcessStep	RawProcessStep -> ProcessStep
Records of data changes - operations	DialogWatchOperation	RawWatchOperation -> WatchOperation
Records of data changes -	DialogWatchProperty	RawWatchProperty -> WatchProperty

Information	Record in the One Identity Manager database	Mapping in the History Database
modified columns		
Process history records - processes	JobHistory	RawJobHistory -> HistoryChain where HistoryChain UID_ HistoryChain = JobHistory.UID_Tree
Process history records - process steps	JobHistory	RawJobHistory -> HistoryJob
Process substitution of GenProcID if processes collide	DialogProcessSubstitute	RawProcessSubstitute -> ProcessSubstitute

One Identity solutions eliminate the complexities and time-consuming processes often required to govern identities, manage privileged accounts and control access. Our solutions enhance business agility while addressing your IAM challenges with on-premises, cloud and hybrid environments.

Contacting us

For sales and other inquiries, such as licensing, support, and renewals, visit <https://www.oneidentity.com/company/contact-us.aspx>.

Technical support resources

Technical support is available to One Identity customers with a valid maintenance contract and customers who have trial versions. You can access the Support Portal at <https://support.oneidentity.com/>.

The Support Portal provides self-help tools you can use to solve problems quickly and independently, 24 hours a day, 365 days a year. The Support Portal enables you to:

- Submit and manage a Service Request
- View Knowledge Base articles
- Sign up for product notifications
- Download software and technical documentation
- View how-to videos at www.YouTube.com/OneIdentity
- Engage in community discussions
- Chat with support engineers online
- View services to assist you with your product

D

data change

- retention period 20

H

History Database

- archiving method 19-20

- data archiving 4, 19-20

 - configure 23

- install 6

- source database 14, 16

- update 12

P

process history

- retention period 20

process information

- archiving 20

- delete 24

- export 23

- import 23

- retention time 20

process monitoring

- archiving 19

- retention period 20