

Active Roles

Release Notes

Version 8.2.1 SP2

25 July 2025, 16:22

These release notes provide information about the Active Roles 8.2.1 release and its service packs. For the most recent documents and product information, see the [Online product documentation](#).

Active Roles 8.2.1 SP2

Active Roles 8.2.1 SP2 (build 8.2.1.30) is a standalone service pack release containing additional resolved issues compared to Active Roles 8.2.1 SP1 (build 8.2.1.27) and the initial Active Roles 8.2.1 release (build 8.2.1.15).

For more information, see [Resolved issues in Active Roles 8.2.1 SP2](#).

Active Roles 8.2.1 SP1

Active Roles 8.2.1 SP1 (build 8.2.1.27) is a standalone service pack release containing additional deprecated features, enhancements and resolved issues compared to the original Active Roles 8.2.1 release (build 8.2.1.15).

For more information, see the following resources:

- [Deprecated features in Active Roles 8.2.1 SP1](#)
- [Enhancements in Active Roles 8.2.1 SP1](#)
- [Resolved issues in Active Roles 8.2.1 SP1](#)

Active Roles 8.2.1

Active Roles 8.2.1 (build 8.2.1.15) is a patch release with new features and functionality. See [New features](#) on page 2 and [Enhancements](#) on page 5.

IMPORTANT: Starting from Active Roles 8.2.1, the Microsoft OLE DB Driver requirements have changed. These changes require additional configuration steps to perform before upgrading or installing Active Roles. Failure to complete these steps might result in the Active Roles Service not starting. For more information, see [Microsoft OLE DB Driver for SQL Server security impacts](#).

New features

Active Roles 8.2.1 and its service packs contain the following new features. Newer service packs cumulatively contain the new features of previous service packs and the initial Active Roles 8.2.1 release.

New features in Active Roles 8.2.1 SP2

Active Roles 8.2.1 SP2 (build 8.2.1.30) introduces no new features compared to Active Roles 8.2.1 SP1 (build 8.2.1.27) and the initial Active Roles 8.2.1 release (build 8.2.1.15).

New features in Active Roles 8.2.1 SP1

Active Roles 8.2.1 SP1 (build 8.2.1.27) introduces no new features compared to Active Roles 8.2.1 (build 8.2.1.15).

New features in Active Roles 8.2.1

Active Roles 8.2.1 (build 8.2.1.15) introduces the following new features.

- **Azure Government tenant support:** Active Roles and Active Roles Synchronization Service now support connecting to and managing the objects of Azure Government (GCC and GCC-H) tenants.
 - In Active Roles, you can connect to Azure Government tenants via the Active Roles Configuration Center. After adding the Azure Government tenant and consenting Active Roles as an Azure application, you can manage the objects of the Azure Government tenant via the Active Roles Web Interface or the Managed Unit feature of the Active Roles Console.
 - In Active Roles Synchronization Service, you can configure the Azure AD Connector, the Microsoft 365 Connector and Azure BackSync to synchronize the resources of Azure Government tenants.

For more information, see the following resources:

- For more information on Azure Government tenants, see [Compare Azure Government and global Azure](#) in the *Microsoft Azure documentation*.

- For more information on how to connect Active Roles to an Azure Government tenant and consent Active Roles as an Azure application through the Active Roles Configuration Center, see *Configuring a new Azure tenant and consenting Active Roles as an Azure application* in the *Active Roles Administration Guide*.
- For more information on how to configure Azure BackSync for Azure Government tenants, see *Configuring Azure BackSync* in the *Active Roles Synchronization Service Administration Guide*.
- For more information on how to configure the Azure AD Connector or the Microsoft 365 Connector for Azure Government tenants, see *Creating a Microsoft Azure Active Directory connection* or *Creating a Microsoft 365 connection* in the *Active Roles Synchronization Service Administration Guide*.
- **Azure BackSync replacement:** Active Roles now supports the Azure BackSync feature via the associated BackSync Replacement built-in script and workflow, which are available in the Active Roles Console. This feature replaces the Azure BackSync operation of the Active Roles Synchronization Service.

For more information, see *About the BackSync Replacement workflow* in the *Active Roles Administration Guide*.

Related topics

- [Deprecated features](#).
- [Enhancements](#) on page 5.
- [Resolved issues](#) on page 9.
- [Known issues](#) on page 22.

Deprecated features

The following is a list of features that are no longer supported starting with Active Roles 8.2.1 and its service packs. Newer service packs cumulatively deprecate the features that were deprecated in previous service packs and the initial Active Roles 8.2.1 release.

Deprecated features in Active Roles 8.2.1 SP2

Active Roles 8.2.1 SP2 (build 8.2.1.30) has no additional deprecated features compared to Active Roles 8.2.1 SP1 (build 8.2.1.27) and the initial Active Roles 8.2.1 release (build 8.2.1.15).

Deprecated features in Active Roles 8.2.1 SP1

NOTE: The following features were deprecated starting from Active Roles 8.2.1 SP1 (build 8.2.1.27). To check the build of your Active Roles 8.2.1 installation:

- In the Active Roles Administration Service, navigate to **i (Information) > Technical Information**.
- Alternatively, open the **Add or Remove Programs** list of the operating system, search for **One Identity Active Roles**, then click its entry.

- **Dynamic group cache rebuilds:** Removed unnecessary dynamic group cache rebuilds. Active Roles now rebuilds the cache of dynamic groups only if:
 - The Administration Service starts.
 - The **Dynamic Group Updater** task runs.
 - You click **Rebuild** in the **Properties > Members** tab of the dynamic group.
- **Dynamic Group Checker task:** Disabled the built-in **Dynamic Group Checker** scheduled task, as Active Roles Administration Service now runs dynamic group checks and dynamic group policy change checks automatically whenever needed. If any errors occur, Active Roles now applies fallbacks.

NOTE: Although the **Dynamic Group Checker** task might still appear in the list of built-in scheduled tasks after upgrading to Active Roles 8.2.1 SP1, the task is no longer functional. To remove the task from the list of built-in scheduled tasks, perform a clean installation of Active Roles 8.2.1 SP1.

- **Obsolete dynamic group attributes:** The following dynamic group-specific attributes are now deprecated and no longer available in the XML configuration of dynamic groups:
 - ConditionDetails
 - ErrorReport
 - HasNestedGroups
 - TimeStamp

If you have any dynamic groups created in an earlier version of Active Roles whose XML configurations use these attributes, then the Active Roles Administration Service will remove them from the groups' XML configurations the next time Active Roles caches the dynamic groups.

In addition, the following dynamic group-specific virtual attributes are also deprecated:

- **edsaDGStatus:** This virtual attribute contained the value of the now-deprecated **ErrorReport** XML attribute. Instead of the configuration XML, dynamic group-specific logs are now logged in the system log and in the Active Roles

Administration Service log, if enabled. For more information, see [Logging management tasks](#) in the *Active Roles Administration Guide*.

- **edsaDGHasNestedGroups**: This virtual attribute provided a workaround for Windows Server 2003 systems, allowing administrators to create dynamic groups containing more than 500 members by nesting them into nested groups. As Windows Server 2003 is no longer supported and newer versions of Windows Server support up to one million members per group, this attribute and the support for nested groups have been deprecated.
- **edsvaDGMembershipRuleStorage**: This attribute has been deprecated with the dynamic group enhancements of Active Roles 8.2.1. For more information, see [Enhancements in Active Roles 8.2.1 SP1](#).
- **Obsolete dynamic group events and log messages**: Removed obsolete dynamic group-related log messages and system events. Active Roles now shows only error-related log messages and system events. To follow membership changes, use the **Change History** tab of the Active Roles Web Interface after selecting a dynamic group.

Deprecated features in Active Roles 8.2.1

Active Roles 8.2.1 (build 8.2.1.15) has no deprecated features.

Enhancements

The following is a list of enhancements implemented in Active Roles 8.2.1 and its service packs. Newer service packs cumulatively contain the enhancements of previous service packs and the initial Active Roles 8.2.1 release.

Enhancements in Active Roles 8.2.1 SP2

Active Roles 8.2.1 SP2 (build 8.2.1.30) contains no new enhancements compared to Active Roles 8.2.1 SP1 (build 8.2.1.27) and the initial Active Roles 8.2.1 release (build 8.2.1.15).

Enhancements in Active Roles 8.2.1 SP1

NOTE: The following enhancements are available starting from Active Roles 8.2.1 SP1 (build 8.2.1.27). To check the build of your Active Roles 8.2.1 installation:

- In the Active Roles Administration Service, navigate to **i (Information) > Technical Information**.
- Alternatively, open the **Add or Remove Programs** list of the operating system, search for **One Identity Active Roles**, then click its entry.

Table 1: Administration Service enhancements

Enhancement	Issue ID
Active Roles 8.2.1 SP1 received the following dynamic group management enhancements:	472860, 483075
<ul style="list-style-type: none"> To prevent unnecessary dynamic group membership queries during an Active Directory (AD) synchronization (DirSync) event, Active Roles now only checks attributes related to dynamic groups. Improved dynamic group management and queries. Dynamic group member update queries are now incremental and contain 1,000 items per request. Fixed potential errors in the built-in Dynamic Group Updater task. Only delta builds are applied to dynamic groups. Deprecated several obsolete XML configuration properties, virtual attributes, events, log messages and built-in tasks. For more information, see Deprecated features in Active Roles 8.2.1 SP1. 	

TIP: After upgrading to Active Roles 8.2.1 SP1, it might occur that dynamic groups are not indicated as dynamic groups, because Active Roles is unable to correctly fetch the list of dynamic groups from the connected domains.

To solve the problem, rebuild the cache of dynamic group data by running the **Dynamic Group Updater** built-in scheduled task from the following container in the Active Roles Console:

Configuration > Server Configuration > Scheduled Tasks > Builtin

Enhancements in Active Roles 8.2.1

NOTE: The following enhancements are available starting from the initial Active Roles 8.2.1 release (build 8.2.1.15).

Table 2: General enhancements

Enhancement	Issue ID
Federated authentication support in Active Roles received the following enhancements:	299431, 437706
<ul style="list-style-type: none"> Active Roles now also supports federated authentication using SAML 2.0, allowing users to access websites or sign in once with the single sign-on (SSO) option. 	

NOTE: Federated authentication is not supported and does not work on standalone Web Interface instances.

- Active Roles now also supports automatically refreshing expired certificates from the remote store, if federated authentication is configured for the Active Roles Web Interface, but the certificate gets expired and another identity provider, such as Microsoft Entra ID replaces it.

NOTE: After upgrading Active Roles, always ensure that Active Roles automatically refreshes expired certificates. To do so:

- If using WS-Federation, in the Active Roles Configuration Center, in **Web Interface > Authentication**, reconfigure federated authentication.
- If using SAML 2.0 authentication, in the Active Roles Configuration Center, in **Web Interface > Authentication**, configure federated authentication and make sure to load the federation metadata from a URL (instead of loading it from a file).

For more information, see *Configuring federated authentication* in the *Active Roles Administration Guide*.

Active Roles 8.2.1 has been checked against the following Security Technical Implementation Guidelines (STIGs) of the Defense Information Systems Agency (DISA). 413546

- Application Security and Development
- MS SQL Server 2016 Database
- MS SQL Server 2016 Instance

The checks performed during STIG validation are compliant with the following National Institute of Standards and Technology (NIST) Special Publications (SP):

- NIST SP 800-53
- NIST SP 800-53A
- NIST SP 800-53 Revision 4

Table 3: Active Roles Configuration Center enhancements

Enhancement	Issue ID
Security enhancements to SAML 2.0 configuration process.	465851

Enhancement	Issue ID
<p>The Active Roles Configuration Center received the following enhancements related to importing Management History:</p> <ul style="list-style-type: none"> Improved the performance of the Import Management History wizard. The speed of importing Management History data is significantly increased. Improved the Import Management History wizard user interface. Added retry policy for SQL exceptions. If the migration fails due to a network related or transient SQL exception, the process now restarts automatically, and the wizard attempts to import the current batch 3 times before canceling the operation. If the migration fails due to other SQL exceptions, the wizard only restarts the migration once. <p>For more information, see <i>Importing Management History data</i> in the <i>Active Roles Upgrade Guide</i>.</p>	433585

Table 4: Active Roles Console enhancements

Enhancement	Issue ID
<p>The Active Roles Console received the following enhancements related to Managed Units:</p> <ul style="list-style-type: none"> You can now create Managed Units from Azure distribution groups and Azure contacts with any "Include" or "Exclude" membership rules, not just with the Include Explicitly and Exclude Explicitly rules. If you create or update a Managed Unit query, the Find drop-down list now also lists Azure distribution groups and Azure contacts. <p>For more information, see <i>Configuring federated authentication</i> in the <i>Active Roles Administration Guide</i>.</p>	401787
Improved the performance of the Active Roles Console when listing Azure distribution groups in the Select Objects dialog.	387339

Table 5: Active Roles Synchronization Service enhancements

Enhancement	Issue ID
The Active Roles Synchronization Service Capture Agent component now supports Local Security Authority (LSA). For more information, see Configuring Additional LSA Protection in the <i>Microsoft Windows Server documentation</i> .	125828

Table 6: Active Roles Web Interface enhancements

Enhancement	Issue ID
Improved the performance of the Active Roles Web Interface when loading the list of Azure distribution groups.	387339

Resolved issues

The following is a list of issues addressed in Active Roles 8.2.1 and its service packs. Newer service packs cumulatively contain the resolved issues of previous service packs and the initial Active Roles 8.2.1 release.

Resolved issues in Active Roles 8.2.1 SP2

NOTE: The following issue was fixed starting from Active Roles 8.2.1 SP2 (build 8.2.1.30). To check the build of your Active Roles 8.2.1 installation:

- In the Active Roles Administration Service, navigate to **i (Information) > Technical Information**.
- Alternatively, open the **Add or Remove Programs** list of the operating system, search for **One Identity Active Roles**, then click its entry.

Table 7: Administration Service resolved issues

Resolved Issue	Issue ID
<p>Previously, after installing Active Roles 8.2.1 SP1, group families stopped updating and returned the following error in the Active Roles logs:</p> <p>Event ID 2530: Dynamic group: CN=<cn-name>,OU=<dc-name>,DC=<dc-name>,DC=<dc-name>,DC=<dc-name> Error: Invalid xml was set.</p> <p>The issue was caused by the new dynamic group policy introduced in Active Roles 8.2.1 SP1, which incorrectly detected the XML configuration of group families as invalid dynamic group XML configurations.</p> <p>The issue was solved by implementing additional group policy checks to make sure that Active Roles can properly identify and differentiate dynamic group and group family configurations.</p>	494761

Resolved issues in Active Roles 8.2.1 SP1

NOTE: The following issues were fixed starting from Active Roles 8.2.1 SP1 (build 8.2.1.27). To check the build of your Active Roles 8.2.1 installation:

- In the Active Roles Administration Service, navigate to **i (Information) > Technical Information**.
- Alternatively, open the **Add or Remove Programs** list of the operating system, search for **One Identity Active Roles**, then click its entry.

Table 8: Administration Service resolved issues

Resolved Issue	Issue ID
<p>Previously, the Administration Service could stop populating Azure groups in the Managed Units they were included in.</p> <p>This issue occurred if the related Graph API delta requests ran longer than 1 hour, as the access token could expire, resulting in unfinished group membership requests. The issue was solved by making sure that Active Roles acquires a new access token before the current token is expired.</p>	487053
<p>Previously, it might occur that Active Roles was fully rebuilding dynamic groups (that is, removing and re-adding all members of a dynamic group) indefinitely.</p> <p>This issue is now fixed by:</p> <ul style="list-style-type: none">• Modifying Active Roles to apply only delta builds to dynamic groups.• Fixing certain issues related to the <code>edsaDG0originatingService</code> virtual attribute by refactoring the relevant functionality of the now-deprecated Dynamic Group Checker task.• Improving dynamic group-related logging. <p>For more information, see Enhancements and Deprecated features.</p>	476498
<p>Previously, adding a new Azure tenant to Active Roles could cause increased memory usage and performance issues on the Active Roles server where the connection to the Azure tenant was configured.</p> <p>This issue was caused by internal search requests for hybrid Azure objects, sent by the Azure cache manager. These search requests triggered unnecessary Exchange Online cmdlet invocations, resulting in memory leaks over time.</p> <p>The issue was solved by optimizing the internal search requests, preventing further memory leaks.</p>	475233
<p>Previously, in the Active Roles Console, if a dynamic group had more than</p>	251898

Resolved Issue	Issue ID
<p>4,500 members, then opening the Properties > Members > Advanced Properties dialog of a dynamic group and checking the Show all possible attributes setting might result in the following error message:</p> <p>Failed to retrieve attributes of the object. The parameter is incorrect.</p> <p>The same error also occurred when attempting to fetch all dynamic group attributes via the Active Roles Management Shell or attempting to export the dynamic group object.</p> <p>This issue is now fixed, and Active Roles can query dynamic groups regardless of their member size.</p>	

Table 9: Web Interface resolved issues

Resolved Issue	Issue ID
<p>Previously, when using the advanced search, all users could view all pending tasks.</p> <p>This issue is now fixed so that Active Roles administrators and designated approvers can view all pending tasks, while non-administrator users can only view their own pending approvals.</p>	482220
<p>Previously, in the Approval > Pending Tasks page, selecting multiple approve tasks with a non-administrator approver user resulted in the Approve selected and Reject selected buttons remaining disabled, preventing bulk approval or bulk rejection.</p> <p>This issue is now fixed, so bulk approval and rejection is now available for users with approve/reject permissions, even if they are not administrator users.</p>	418218

Resolved issues in Active Roles 8.2.1

NOTE: The following issues were fixed starting from the initial Active Roles 8.2.1 release (build 8.2.1.15).

Table 10: General resolved issues

Resolved Issue	Issue ID
<p>Previously, when performing an in-place upgrade from Active Roles 8.2 to a newer version of Active Roles, the RSTS configuration did not transfer to the</p>	465344

Resolved Issue	Issue ID
new Active Roles version, and the RSTS connection could fail. This issue is now resolved and the RSTS configuration is retained after the upgrade.	

Table 11: Add-on Manager resolved issues

Resolved Issue	Issue ID
Previously, attempting to load Active Roles Add-on Manager in the Active Roles Console resulted in the Active Roles Console hanging for several minutes, then failing to properly display Add-on Manager. The issue was caused by a character encoding problem during the Add-on Manager registration process, and was fixed by adjusting the related loading settings.	426052

Table 12: Active Roles Service resolved issues

Resolved Issue	Issue ID
Previously, if Synchronization Service mappings and synchronization workflows were used to synchronize data from an Active Roles 8.2 instance using an imported configuration, mappings and synchronization workflows using the Active Roles Connector might fail with the following error: Synchronization steps aborted. Details: An error occurred while import from 'DC=<dc-name>,DC=com' This issue is now fixed.	467585
Previously, in environments where multiple Active Roles service instances were configured, if the Execute on setting of the Dynamic Group Checker built-in scheduled task has been set to its default All servers value instead of a specific service in the Active Roles Console, then the value of the edsADGOriginatingService attribute of dynamic groups was set to Unknown. Because of this: <ul style="list-style-type: none"> The Dynamic Group Updater built-in scheduled task could not update and rebuild the memberships of dynamic groups. If the dynamic groups were updated so that their edsADGOriginatingService attribute was set to a specific Active Roles service, the Dynamic Group Updater scheduled task reverted the value of the attribute to Unknown. This issue is fixed, so that selecting All servers for the Execute on setting of the Dynamic Group Checker scheduled task now correctly assigns the	449923

Resolved Issue	Issue ID
Active Roles service instance running the scheduled task, allowing the Dynamic Group Updater scheduled task to correctly rebuild the membership list of dynamic groups.	
Previously, Active Roles kept the entries of deprovisioning and undo deprovisioning operations in the change history database indefinitely, even if a Change Tracking Cleanup scheduled task was configured to delete older change tracking log entries. Keeping Deprovision and UndoDeprovision entries indefinitely caused the leftover data to grow in size over time. This issue is now fixed, so the Deprovision and UndoDeprovision entries of the management history database are now also deleted during cleanup.	399889
Previously, if you had any temporal group membership changes (such as adding or removing a temporal member from a group) scheduled to occur, upgrading to a new version of Active Roles resulted in the scheduled temporal group membership change not being performed. This issue is now fixed, so starting from version 8.2.1, Active Roles will perform scheduled temporal group membership changes even after upgrading to a newer Active Roles version.	319037

Table 13: Configuration Center resolved issues

Resolved Issue	Issue ID
Previously, the Management History import process could fail, because the maximum length of the operationid value was 10 characters. This caused an error for operation IDs that were longer than 10 characters. This issue was fixed by increasing the maximum length of operation IDs to 40 characters.	467560
Previously, the Management History import process could fail, because Active Roles added a duplicate of the completionTime attribute in the XML file, causing an XML validation error. This issue is now fixed and the import process is completed successfully.	466571
Previously, the upgrade process could fail if you performed a gradual in-place upgrade using the Upgrade configuration wizard as follows: <ol style="list-style-type: none"> 1. You performed an in-place upgrade to a full release version with Web Interface installed, for example Active Roles 8.1.5. 2. You initiated an in-place upgrade to a service pack release of the baseline release, for example Active Roles 8.1.5 SP1. In such cases, the process might have failed with the following error message: Object reference not set to an instance of an object.	464334

Resolved Issue	Issue ID
This issue is now resolved and the in-place upgrade to a service pack release can be performed gradually.	
Previously, importing a configuration database from a previous Active Roles version created on a different computer resulted in the following error, when configuring the settings of the Source database step in the Import configuration wizard: Object reference not set to an instance of an object. This issue is now fixed.	406609
Previously, when importing an existing configuration, even if you specified an encryption key backup file in the Import of Encrypted Data step of the Import configuration wizard, the wizard displayed the following warning: Unable to retrieve the Active Roles data encryption key from the source database. If you have a backup of the encryption key for the source database, then, after data import is complete, you can use Restore-AREncryptionKey to restore the key from the backup to the destination database. This issue occurred because despite specifying the encryption key backup file, the wizard always tried to import the encryption key directly from the source database. This issue is now fixed, and the wizard reads the encryption key from the backup file when specified.	315646

Table 14: Active Roles Collector and Report Pack resolved issues

Resolved Issue	Issue ID
Fixed a crash that previously occurred when launching the Active Roles Collector and Report Pack.	394394

Table 15: Console (MMC Interface) resolved issues

Resolved Issue	Issue ID
Previously, when trying to run an automation workflow that contained a password reset script, the workflow would fail. This was introduced by fixing another bug (432430). The issue was resolved by reverting the changes that were introduced by the 432430 bugfix.	466580
Previously, after configuring an Include by Query membership rule for a dynamic group, Active Roles replaced the query parameters of the saved membership rule with custom search parameters.	468216

Resolved Issue

Issue ID

This issue is now resolved, so the **Include by Query** configuration is now retained for newly-created dynamic groups.

NOTE: For existing issues, this fix will only take effect if you re-create the affected dynamic groups.

Previously, when using the **Find Users, Contacts, and Groups** view to search for a boolean attribute, the search returned no results. 467292, 467252

This issue is now fixed, so you can search boolean values successfully.

Previously, when configuring a Policy Object, the list of directory objects for Azure tenant containers appeared empty. The following object types were affected: 465796

- Microsoft 365 Groups
- Azure Users
- Azure Contracts
- Azure Guest Users
- Shared Mailboxes
- Resource Mailboxes
- Security Groups
- Distribution Groups
- Dynamic Distribution Groups

This issue is now resolved and the list is populated correctly with directory objects.

Previously, if a notification message for an automation workflow was configured and the notification message format was set as plain text, Active Roles failed to send the notification email after the workflow was run. 462976

This issue is now fixed, and Active Roles sends the notification email successfully.

Previously, the **Deleted Objects** container did not appear if additional Active Directory features (for example, Privileged Access Management) were enabled. 455321

This issue is now fixed, and the **Deleted Objects** container appears regardless of the number of AD features enabled in your environment.

Previously, during undo deprovisioning, if a virtual attribute could not be restored because it had been deleted and no longer existed, undo deprovisioning failed. 449231

The issue is now fixed: if a virtual attribute cannot be restored because it was deleted, in the undo deprovisioning report, an error message will appear for

Resolved Issue**Issue ID**

that virtual attribute. After the other virtual attributes are restored, the remaining undo deprovisioning actions will be performed.

Previously, approving a workflow caused it to fail with the following error message:

447794

```
Activity name: approvalActivity1
Activity type: ActiveRoles.Workflow.Activities.ApprovalActivity
This activity has terminated this workflow instance.
Approval rule activity has terminated this workflow instance.
Administrative Policy returned an error.
Specified method is not supported.
```

The issue was caused by the integrated Change Auditor. When an approver accepted a workflow request, the Active Roles Service attempted to set the dynamic directory control value of the Change Auditor in sub-requests (sent by the Active Roles Service) where they were not applicable, causing the workflow operation to run into an error.

The issue is now resolved.

Previously, when delegating any permission using an Access Template related to moving objects, permission precedence was not honored, which caused policy errors and did not reflect original Active Directory functionality.

440163

The issue is now fixed, and the following permission precedence is now honored, the first being the highest precedence:

1. Explicit Deny
2. Explicit Allow
3. Inherited Deny
4. Inherited Allow

Previously, if an approval workflow was pending approval, assigning either the subject AD object or the approver group of the request to a different Organizational Unit resulted in the following error when attempting to approve the workflow:

437535

```
Administration Service encountered an error when retrieving properties of the object. Directory object not found.
```

This error occurred because Active Roles always attempted to find the subject AD object or the approver group of the workflow via their DN, which changed if the object was moved to a different Organizational Unit.

This issue was fixed by improving the fault tolerance of approver search operations.

Previously, Active Directory users who had permissions to run Active Roles

432430

Resolved Issue	Issue ID
workflows could modify AD objects via workflows, even if they had no permission to any AD objects. This issue was fixed by adding a new check in the Access Check policy to verify the permissions of the workflow's parent initiator. Now, if the user has permission to run workflows but no permission to the objects that would be modified by running that workflow, the workflow activity will fail with an error message in the Active Roles Console and/or the Web Interface.	
To prevent potential memory leaks, the following built-in Script Modules in the Configuration/Script Modules/Builtin/ container were updated to use the <code>\$context.0365RemoveAllModulesSessions()</code> method: <ul style="list-style-type: none"> • Create Office 365 Shared Mailboxes • Enabling Azure Roles • Sample Azure Hybrid Migration • Search Azure Users and Assign License 	432381
Previously, when querying Azure users in a Managed Unit with the <code>edsvaOnPremisesSyncEnabled</code> attribute as the filtering condition, filtering did not work and the query did not return any results. The issue is now fixed.	420919
Previously, if a hybrid Azure user was added to cloud-only groups, the deprovisioning procedure did not remove the hybrid user from cloud-only distribution groups (and potentially from other subsequent cloud-only groups). However, all other deprovisioning steps (such as deactivating the Azure user) continued. The Active Roles Console and Web Interface also did not notify users about the partial deprovisioning failure. This issue is now fixed, and group membership removal now works correctly for all supported cloud-only Azure group types that were assigned manually to the user. The <code>edsvaAzureUserDeprovisionMemberOfList</code> attribute was also updated to include more structured information about the removed role assignments.	424099
Previously, when configuring the membership rules of a Managed Unit, the Include Group Members > Select objects window incorrectly listed not just groups, but Azure users as well. Selecting an Azure user and saving your change then resulted in a This Managed Unit has invalid membership rules error. This issue was fixed by making sure that Azure users are no longer listed in the Include Group Members > Select objects window, and that you can only select groups.	402761
Previously, when adding members to a room mailbox with the Properties > Resource Information > Resource in-policy requests > Selected recipients setting, deleting an added user either via Active Roles or system-	390095

Resolved Issue	Issue ID
<p>provided Active Directory tools resulted in Active Roles failing to load the list of added users.</p> <p>This issue occurred because Active Roles Console could not load the list of assigned users due to the null value of deleted users, and was fixed by filtering out deleted users from the list.</p>	
<p>Previously, if you linked one or more Access Templates to an Azure tenant, changing the Azure tenant type in the Active Roles Configuration Center resulted in the Access Templates losing all their directory object links to the modified Azure tenant.</p> <p>This issue is now fixed.</p>	386340
<p>Previously, Active Roles scheduled tasks were affected by two issues:</p> <ul style="list-style-type: none"> • Creating a new scheduled task during Daylight Savings Time (DST) or Standard Time could result in the scheduled task running continuously. • Switching the Active Roles server from DST to Standard Time (or the opposite) could result in the configured scheduled tasks not running and becoming unscheduled. <p>These issues were caused by:</p> <ul style="list-style-type: none"> • An incorrect method of converting local time to UTC. • An incorrect comparison of local time with UTC. • An incorrect way to determine the Standard Time period. <p>These issues are now fixed, so task scheduling now works correctly, and Active Roles determines DST and Standard Time periods properly.</p>	258338

Table 16: Management Shell resolved issues

Resolved Issue	Issue ID
Security fixes to the Get-AllAuthenticationProviderConfiguration - ApiBaseUrl "<RSTS_URL>" -IsDataNeededFromDb \$false cmdlet.	465851

Table 17: Synchronization Service resolved issues

Resolved Issue	Issue ID
<p>Previously, the Microsoft 365 Connector (formerly known as the Office 365 Connector) could fail with a Task was cancelled error message when importing M365 data.</p> <p>This issue could occur if HttpClient timed out during Graph API requests, for example because of network issues. In such cases, the Microsoft 365 Connector could not handle the timeout correctly.</p>	435112

Resolved Issue	Issue ID
<p>The issue was fixed by implementing a new retry policy which retries the request up to 3 times before timeout, minimizing the chance of the issue occurring.</p>	
<p>Previously, attempting to synchronize the telephoneNumber AD attribute of a hybrid Azure user to the BusinessPhones Azure AD attribute failed with the following error if the BusinessPhones attribute was empty:</p> <pre>Invalid value specified for property 'businessPhones' of resource 'User'.</pre> <p>This issue is now fixed.</p>	426228
<p>Previously, the Microsoft 365 Connector could only retrieve a single service plan instead of the complete list of service plans. For example, in case of an Enterprise license containing 30 service plans, the connector retrieved only the first service plan.</p> <p>This issue is now fixed, so the Microsoft 365 Connector retrieves all service plans of a license plan.</p>	426028
<p>Fixed a performance issue affecting sync workflows between One Identity Manager and Active Roles Synchronization Service if Active Roles was connected to any Azure tenants.</p>	424016
<p>Previously, attempting to synchronize (add) a group member from a plain-text source to the members attribute of a group with the Azure AD Connector failed with the following error:</p> <pre>Invalid property 'members'.</pre> <p>This error occurred because the Azure AD Connector was not prepared to handle modifying various group types: while certain Azure groups can be modified via Graph API, others can only be modified via the ExchangeOnlineManagement PowerShell module.</p> <p>The issue was solved by updating the Azure AD Connector to properly identify the member attribute to synchronize and the type of Azure group to update.</p>	414643
<p>Previously, when checking the history of any sync workflow where GUIDs were synchronized (such as Active Directory object GUIDs, Azure user IDs, or Microsoft 365 user object IDs), opening the list of processed objects then copy-pasting any GUID into the GUID filter resulted in an empty processed object list.</p> <p>This issue is now fixed.</p>	319664

Table 18: Web Interface resolved issues

Resolved Issue	Issue ID
<p>Previously, it might occur that the Active Roles Web Interface failed to load shared mailboxes.</p> <p>The issue occurred because Active Roles attempted to run the relevant cmdlet (Get-EXOMailbox -RecipientTypeDetails SharedMailbox -PropertySets Minimum) without being connected to the Exchange Online module, and was fixed by introducing a reconnect mechanism to prevent unwanted disconnection.</p>	491674
<p>Previously, opening the Azure Licenses Report page could result in an HTTP 500 error. This issue would occur when the Active Roles Web Interface needed to load an extensive amount of license information data.</p> <p>This issue was resolved by decreasing the size of license information data, allowing the Web Interface to load the page.</p>	465543
<p>Previously, in the Exchange admin center, after logging in to your tenant, when you added a mail-enabled security group as a member to a distribution group, then in the Active Roles Web Interface, you navigated to the distribution group and opened its Members, the following error message appeared:</p> <div> <p>Error: Object reference not set to an instance of an object.</p> </div> <p>The issue is now resolved, so in the Web Interface, opening the Members list of a distribution group that contains a mail-enabled security group as a member does not cause any errors.</p> <div> <p>NOTE: The Active Roles Web Interface does not support the listing of mail-enabled security groups in the Members list of distribution groups.</p> </div>	459648
<p>Previously, if you have specified a value of 150,000 KB (or higher) for the Shared Mailboxes > Email settings > Sent message maximum size or Received message maximum size setting, the text box of these settings showed a different value than what you have set for them.</p> <p>This issue has been fixed.</p>	456672
<p>Previously, when clicking Menu > Choose columns, moving an advanced attribute from the Hidden columns list to the Displayed columns list and saving it, the previously hidden advanced attribute still did not appear in a new column for users.</p> <p>The issue is resolved: columns added to the Displayed columns list are displayed for users, and you can also remove previously added columns individually.</p>	449966
<p>Previously, saving a new personal view saved the view URL field incorrectly</p>	432199

Resolved Issue	Issue ID
<p>with the name of the view missing from the end. This resulted in the saved view not storing various attributes, such as the search or filter container, criteria, column settings, or sort order.</p> <p>The issue has been fixed so now every attribute is saved with the correct URL value, and opening the personal view works as intended.</p>	
<p>Previously, when a group was assigned to the managedBy attribute of another group and adding a member to this first group required approval, the subgroup members of the managedBy group were not notified of the approval task. Consequently, the task did not appear among the approval tasks on the Self-Service Site of the Web Interface for members of subgroups.</p> <p>The issue is now resolved by expanding the approval task so that members of subgroups within the group designated in the managedBy attribute are now included.</p>	432073
<p>Previously, when creating a hybrid Azure user, the Create Azure Account form was not validated against the policies that administrators set, and let users proceed even if the policies failed.</p> <p>The issue is now fixed by adding the option to customize or skip validation to every form that validates policies.</p>	420648
<p>Previously, when using the Customization > Directory Objects > user - (My Account) > Create New Command menu of the Active Roles Self-Service Portal, saving and reloading your changes, then opening the new command via the User Profile Editor resulted in the page of the new command appearing in a nested Active Roles Self-Service Portal instance.</p> <p>This issue was fixed by removing all unnecessary elements from the custom command page, so that no element appears twice on the page.</p>	409603
<p>Previously, after creating a new hybrid Azure user, the Azure Properties > Settings > Usage Location field of the user was always empty, even if a usage location was specified when creating the user. Selecting a value from the Azure Properties > Settings > Usage Location drop-down and saving the change then fixed the problem.</p> <p>This issue is now fixed, so that the configured usage location appears in the Azure Properties > Settings > Usage Location drop-down immediately after creating the user.</p>	393882
<p>Previously, when selecting an AD LDS user, the Web Interface returned an Unable to load contents error instead of listing the available user management actions.</p> <p>This issue is now fixed, and the list of actions is populated correctly.</p>	386102
<p>Previously, when using an approval workflow to extend the expiration time of the accountExpires parameter for users, the notification email and the workflow form showed the old and new expiration times in a non-human</p>	324293

Resolved Issue	Issue ID
<p>readable LDAP format until double-clicking the values.</p> <p>This issue was fixed by implementing a converter to show the expiration times in a readable date and time format by default.</p>	
<p>Previously, users who had the Users - Help Desk Access Template assigned to them could not perform bulk password resets when selecting multiple users at once. Instead, they could reset passwords for single users only.</p> <p>The issue was fixed by adding the edsva-Bulk-Operation-Object-List (Write Bulk Operation Objects) permission to the Users - Help Desk Access Template.</p>	320823
<p>Previously, if a user was assigned to a group with a temporary membership, attempting to assign the same group membership again to the user via the Member of > Add command resulted in Active Roles overwriting the temporary group membership of the user. This behavior differed from the Active Roles Console, which returned an error message in this scenario.</p> <p>To ensure that the Web Interface works the same as the Active Roles Console, the Web Interface was updated to filter out already added elements, and return the following message when attempting to assign the user again to the same group:</p> <p>The object <group-name> is already in the list and cannot be added for the second time.</p>	289342

Known issues

The following is a list of issues, including those attributed to third-party products, known to exist at the time of release.

Table 19: General known issues

Known Issue	Issue ID
Due to RSTS connection limitations, federated authentication must be enabled for only one Active Roles instance. If you try to configure federated authentication for multiple Active Roles instances, the connection to the Active Roles database will break in the previously configured Active Roles instance.	466692
If you create a dynamic membership group in an Azure US Government tenant, attempting to check the dynamic membership rules of the group on Azure Portal can result in a No access error message appearing with error code 403.	458338

Known Issue	Issue ID
If this happens, then the configured dynamic rules will not work, and Active Roles will not allocate the users who meet the criteria of the dynamic rules.	
If you have a new Active Roles service account with the minimum required permissions, in the Active Roles Console, in Active Directory > <domain-name> - Deleted Objects , opening the Advanced Properties of a deleted object and selecting the Show all possible attributes check box results in an error message and stops the Active Roles Service.	275523
Workaround One Identity recommends adding your service account as a member of the Domain Admins group.	
Activating the EnableAntiForgery key (<code><add key="EnableAntiForgery" value="true"/></code> in web.config) may cause the following error message:	91977

Session timeout due to inactivity. Please reload the page to continue.

Workaround

Update the **IgnoreValidation** key in the `<appSettings>` section by adding a property value in lowercase:

1. Open **IIS Manager**.
2. In the left pane, under **Connections**, expand the tree view to **Sites** > **Default Web Site**.
3. Under **Default Web Site**, click on the Active Roles application (**ARWebAdmin** by default).
4. Double-click **Configuration Editor**.
5. From the **Section** drop-down, select **appSettings**.
6. Find the **IgnoreForValidation** key.
7. Append the comma-separated value to **IgnoreForValidation**, for example: **lowercasecontrolname**.
8. In the right pane, under **Actions**, click **Apply**.
9. Recycle the App pool.

Table 20: Add-on Manager known issues

Known Issue	Defect ID
After installing an add-on that creates Web Interface customization items, the Web Interface may not display the customization items created by the add-on.	179835

Known Issue	Defect ID
Workaround In the Web Interface, click Reload .	
After installing an add-on that creates a virtual attribute, the virtual attribute may not appear in the Advanced Properties dialog of the affected object.	180508
Workaround After installing the add-on, reconnect to the Administration Service.	
After installing an add-on that creates a virtual attribute and a Web Interface customization item using that virtual attribute, an error may occur when opening any Web Interface site.	180524
Workaround Restart Internet Information Services (IIS) on the web server running the Web Interface (for example, by running the <code>iisreset</code> command in the Windows command prompt). If there is a replication group in your Active Roles environment, do the following: <ol style="list-style-type: none"> 1. After the changes are propagated to all replication partners, click Reload in the Web Interface. 2. If the Web Interface does not open, enter the following in the address bar of your browser to reload the Web Interface: <code><site url>/customization/metadata-Reload.aspx?ReloadFromWorkingCopy=1</code> 3. After the changes are propagated to all replication partners, restart Internet Information Services (IIS) on the web server running the Web Interface (for example, by running the <code>iisreset</code> command in the Windows command prompt). 	
When you use Add-on Manager to uninstall an add-on, the following error may occur:	180700
<div>Object 'objectDN' was not found.</div> <p>This error can occur if the add-on modifies an existing object during installation, and then the modified object is deleted by a user after the add-on has been installed.</p> Workaround Uninstall the add-on from the command line using the <code>/ForceUninstall</code> parameter. For example: <code>AddOnManager.exe /UninstallAddon /AddonName:"my-addon" /ForceUninstall</code>	

Known Issue

Defect ID

`/Service:"servicename" /User:"domain\user" /Password:"password"`

After uninstalling an add-on that creates a virtual attribute and a Web Interface customization item that uses that virtual attribute, the Web Interface customization item created by the add-on may not be removed, and the Web Interface may return the following error:

180721

An error occurred during the last operation.

Workaround

Perform the following steps:

1. In the Web Interface, click the **Reload** command.

If the Web Interface does not open, reload the Web Interface by entering the following URL in the address bar of your browser:

`<site url>/customization/metadata-Reload.aspx?ReloadFromWorkingCopy=1`

NOTE: If there is a replication group in your Active Roles environment, reload the Web Interface only after the changes are propagated to all replication partners.

2. Restart Internet Information Services (IIS) on the web server running the Web Interface (for example, by running the `iisreset` command in the Windows command prompt).

NOTE: If there is a replication group in your Active Roles environment, restart IIS only after the changes are propagated to all replication partners.

After installing an add-on that creates Web Interface customization items, the Web Interface customization items created by the add-on may not appear. 180808

This issue may occur if you provide an incorrect user name and password for reloading Web Interface sites.

Workaround

In the Web Interface, click the **Reload** command.

When you install Add-on Manager from the command-line, you may encounter the following error: 183252

Command line option syntax error. Type Command /? for Help.

Known Issue

Defect ID

This error may occur if one or several parameters of the command contain more than 255 characters.

Workaround

Edit the command-line parameters (for example, the path to a file) so that each parameter is not longer than 255 characters.

Table 21: Configuration Center known issues

Known Issue	Issue ID
<p>If you are performing an in-place upgrade in an Active Roles instance where the Web Interface was previously configured and the upgrade process is interrupted (for example, due to performance or connection issues), an issue can occur where the Upgrade configuration wizard opens every time you start the Active Roles Configuration Center.</p> <p>This issue is caused by a Windows registry value that fails to reset when the in-place upgrade process is interrupted.</p> <p>Workaround</p> <p>To solve this problem, perform the following steps:</p> <ol style="list-style-type: none">1. Open the Windows Registry Editor.2. Navigate to Computer\HKEY_LOCAL_MACHINE\SOFTWARE\One Identity\Active Roles\Configuration\Web.3. Double-click IsInPlaceUpgrade, then under Value data, enter 0 as the string value.	467196
<p>If you want to add an Azure tenant to Active Roles and you authenticate the procedure with a user account that is a member in multiple organizations, adding the tenant can fail with the following error:</p> <p>Object reference not set to an instance of an object. Cannot index into a null array.</p> <p>This issue can occur if the user account you use for authentication resides as an external account in your organization, as Active Roles always attempts to connect and authenticate towards tenants with users that are members of your current organization.</p> <p>Workaround</p> <p>To solve this problem, perform any of the following steps:</p> <ul style="list-style-type: none">• If your account is a member of any organizations where you do not need membership, leave those organizations via the Azure Portal. If you cannot leave those organizations yourself, contact Microsoft for assistance.	457501

Known Issue	Issue ID
<ul style="list-style-type: none"> • Delegate Global Admin rights to a different account, or create a new Global Admin account. Then, use that account for logging in when adding the Azure tenant in the Active Roles Configuration Center. 	
<p>Following an in-place upgrade, claims settings configured previously for WS-Federation authentication or SAML 2.0 authentication in the following Configuration Center pages are reset to their default UPN, EMAIL and SID claims:</p> <ul style="list-style-type: none"> • Web Interface > Authentication > Site authentication settings > WS-Federation authentication > Configure claims • Web Interface > Authentication > Site authentication settings > SAML 2.0 and ther protocols used for federated authentication > Configure claims <p>Because of this, if you have previously configured any claims before upgrading Active Roles, you must reconfigure your claims settings.</p>	455729
<p>During an in-place upgrade, the connection attempt can fail with the following error message:</p> <p>The target principal name is incorrect.</p> <p>This issue is caused by a change introduced in Microsoft OLE DB Driver for SQL Server 19, a third-party prerequisite since Active Roles 8.2. Previous versions of OLE DB Driver allowed you to reference an SQL Server without specifying the full server name. However, starting from Microsoft OLE DB Driver for SQL Server 19, this is no longer possible, as the SQL Server name must match the principal name referenced by the OLE DB Driver certificate.</p> <p>Workaround</p> <p>To solve this problem, perform any of the following steps:</p> <ul style="list-style-type: none"> • In the Change Active Roles Database wizard (available via the Administration Service > Active Roles databases > Change option), specify the full SQL Server name that matches the principal. • Create an alias for the SQL Server name that points to the valid principal. • Issue a new valid certificate that matches the SQL Server name. 	427573
<p>If you change an Active Roles database to an existing or pre-created blank Azure SQL database with the Change Active Roles Database wizard (available via the Administration Service > Active Roles databases > Change option), then saving and configuring the new Active Roles database settings returns the following error message, with the configured database settings appearing as not applied:</p> <p>Unable to create a backup copy of the database encryption key for this</p>	455466

Known Issue

Issue ID

Administration Service. Details: A parameter cannot be found that matches parameter name 'MultiSubnetFailoverSupport'.

However, this is a visual issue only, as the wizard can actually change the configuration to the specified Azure SQL database.

Workaround

Check if Active Roles has actually changed the database settings to the specified Azure SQL database:

1. Close and reopen the Active Roles Configuration Center.
2. Navigate to **Administration Service > Active Roles databases**.

If you upgrade Active Roles to a newer version, starting the Active Roles Configuration Center to perform the in-place upgrade can fail with the following error messages:

448694

- Connect failed: The system cannot find the file specified.
- Delegate to an instance method cannot have null 'this'.

At the same time, Active Roles logs the following error in the Event Viewer:

Critical error occurred upon starting Active Roles Administration Service. Details: Database <active-roles-database> on SQL Server <sql-server-name> is unavailable.

This issue occurs if the SQL Server that Active Roles uses is not already running when attempting to start the Active Roles Configuration Center after a restart to perform the upgrade process. The issue is more likely to occur if the SQL Server and Active Roles are installed on the same machine.

Workaround

To avoid this issue from occurring:

- Install SQL Server and Active Roles on different machines.
- Make sure that the SQL Server installation that Active Roles uses is up and running before starting the upgrade process.

If you have your SQL Server and Active Roles installed on the same machine, and the error occurs, close and reopen the Active Roles Configuration Center after the SQL Server started running.

When configured for Groups and Contacts, the **Office 365 and Azure Tenant Selection** policy displays additional tabs.

229031

Tenant selection supports selecting only a single tenant.

229030

In the **Starling Connect Connection Settings** link, clicking **Next** displays progress, but the functionality is not affected, so the button is not required.

126892

Table 22: Console (MMC Interface) known issues

Known Issue	Issue ID
Listing all attributes of an Azure hybrid user by selecting the Show all possible attributes check box might take too much time (approximately 30-50 seconds).	447201
The format of the <code>edsaAzureSubscribedSKUs</code> attribute for hybrid Active Directory users has changed between Active Roles 7.6 and 8.0. As a result of this change, from Active Roles 8.1, in the Active Roles Console, you cannot modify this attribute to assign licenses to hybrid AD users.	440896
Workaround	
To automate assigning licenses to hybrid AD users using a workflow	
<ol style="list-style-type: none"> 1. Create a new, example hybrid user for the purpose of copying its <code>edsaAzureSubscribedSKUs</code> attribute, with the license(s) that you need. 2. Copy the value of this <code>edsaAzureSubscribedSKUs</code> attribute. 3. To automate assigning licenses to hybrid users using a workflow, in that workflow, paste this previously copied value as the <code>edsaAzureSubscribedSKUs</code> attribute. 	
For more information, see <i>Workflows</i> in the <i>Active Roles Administration Guide</i> .	
If you configure a Managed Unit with an Include by Query rule, the following condition operators cannot query Azure objects due to Graph API limitations:	420917
<ul style="list-style-type: none"> • Contains • Present 	
In addition, the Ends with condition returns results only if you specify whole words. The only exceptions to this behavior are the mail , otherMails , userPrincipalName and proxyAddresses attributes, where Ends with can properly query the values that end with your specified string.	
For more information, see Support for filter by properties of Microsoft Entra ID (directory) objects in the <i>Microsoft Graph documentation</i> .	
Azure objects cannot be deleted.	392597
Workaround	
In the Delete Access Templates, give the user Read right on the ObjectClass property.	
You can run the UpdateServicesToExecute built-in script module only in a scheduled task named Update Services To ExecuteOn .	317057
Attempting to run the UpdateServicesToExecute built-in script in a scheduled task with a different name will result in an error.	

Known Issue	Issue ID
Automation workflows with the Microsoft 365 script fail, if multiple workflows share the same script and the script is scheduled to execute at the same time. Workaround One Identity recommends scheduling the workflows with different scripts or at a different time.	200328
When a workflow is copied from a built-in workflow, it may not run as expected.	153539
Azure Group Properties are not available if they are added to the Microsoft 365 Portal or Hybrid Exchange Properties from the forwarding address attribute of Exchange online users.	98186
In Active Roles with the Office 365 Licenses Retention policy applied, after deprovisioning the Azure AD user, the Deprovisioning Results for the Office 365 Licenses Retention policy do not appear in the same window. Workaround To view the deprovisioning results of an Azure AD user: <ul style="list-style-type: none"> In the Active Roles Console, right-click and select Deprovisioning Results. In the right pane of the Active Roles Web Interface, click Deprovisioning Results. To refresh the form, press F5. 	91901

Table 23: Installer known issues

Known Issue	Issue ID
After upgrading Active Roles, pending approval tasks do not appear in the Active Roles Web Interface.	91933

Table 24: Language Pack known issues

Known Issue	Issue ID
In the Active Roles Configuration Center, changing the language in Global settings does not work properly. Workaround To change the language of the Web Interface, configure the language with the Active Roles 8.2.1 > Settings > User interface language option of the Web Interface.	125880

Known Issue	Issue ID
In the Active Roles Console, the O365 script execution configuration activity of the Workflow Designer is not completely localized to German.	151392
In the Active Roles Console, the German localization may contain visual issues and truncated texts.	91946
In the Active Roles Console, some strings are displayed in English instead of German in the German localization.	91942
In the Active Roles Synchronization Service, the Event Viewer messages are not translated to German.	91753
In the Active Roles Synchronization Service, the German localization does not have all connector strings translated.	91709
In the Active Roles Web Interface, some Azure-related strings are translated incorrectly for the supported languages. Translated texts may also contain link inconsistencies.	256939
In Active Roles, several German localization issues are present.	164713
In Active Roles, strings on the notification page are not localized.	153695
In the Language Pack installer, the link of the online EULA agreement in the EULA text does not work.	91925

Table 25: Synchronization Service known issues

Known Issue	Issue ID
In Azure BackSync, the default mapping of cloud and on-premises objects uses non-unique attribute mapping. Because of this, using the default mapping rules might result in incorrect object mapping, causing Azure BackSync to modify cloud object properties, potentially resulting in data loss (for example, by removing properties). If this occurs, restoring lost data requires manual recovery actions.	496543
Workaround Before using Azure BackSync, One Identity strongly recommends to: <ul style="list-style-type: none"> • Validate the default mapping rules and modify them as needed. • Alternatively, perform the steps of Knowledge Base Article 4333887. 	
Due to limitations in Graph API that prevent creating Azure contacts in Azure AD, Active Roles Synchronization Service cannot synchronize Azure contacts from any source data system to Azure AD.	412365, 412507
Depending on the source data system, attempting to synchronize Azure contacts to Azure AD can result in the following error messages: <ul style="list-style-type: none"> • If the source data system is Active Roles: 	

Known Issue

Issue ID

An error occurred: "A parameter cannot be found that matches parameter name '<attribute>.'"

- If the source data system is not Active Roles:

Error: "Unexpected error."

In the Synchronization Service, the following attributes of the **Microsoft Azure AD Connector** are currently not supported and cannot be queried via the Microsoft Graph API:

304074

- **user** attributes:
 - aboutMe
 - birthday
 - contacts
 - hireDate
 - interests
 - mySite
 - officeLocation
 - pastProjects
 - preferredName
 - responsibilities
 - schools
 - skills
- **group** attributes:
 - acceptedSenders
 - allowExternalSenders
 - autoSubscribeNewMembers
 - hasMembersWithLicenseErrors
 - hideFromAddressLists
 - hideFromOutlookClients
 - isSubscribedByMail
 - membersWithLicenseErrors
 - rejectedSenders
 - unseenCount

This means that although these attributes are visible, they cannot be set in a mapping rule.

Known Issue	Issue ID
After running the <code>get-qcworkflowstatus</code> cmdlet in the Synchronization Service, the workflow status is not accurate.	125768

Table 26: Web Interface known issues

Known Issue	Issue ID
-------------	----------

If you create an Exchange object that supports configuring additional properties on creation (for example, contacts or resource mailboxes), then opening the page of these properties immediately after creating the object will result in the configured values of these properties appearing incorrectly.

For example, specifying the:

- **Contact Info** or **Mail tip** properties for a contact, or
- **Calendar Processing** or **Location** properties for a resource mailbox

will result in the values of these properties appearing incorrectly in the Web Interface form, with the risk of saving them with these incorrect values if you click **Save**.

This error occurs because Active Roles creates Exchange objects (like mailboxes or contacts) on the Exchange Server first, and will populate the Web Interface forms of the opened Exchange objects afterwards. Because of this, if you open the Web Interface forms of the objects too quickly, Active Roles might fail the update request for the forms, resulting in empty or default values appearing for the affected properties.

Workaround

To prevent this issue from occurring, always wait at least one minute before opening the Web Interface forms of the newly-created Exchange objects. If the forms still show incorrect, default or empty values when opening them, specify your desired values again, then click **Save**.

When searching for directory objects in the Active Roles Web Interface, using the **Quick Search** bar of the Web Interface header returns less results than the **Search** page when using the same search term. This is because the **Quick Search** bar can only find objects whose name starts with the specified search term.

Workaround

To get accurate and complete search results, use the **Search** menu on the left-side pane instead of the **Quick Search** bar in the Web Interface header.

When administering approval requests in the Active Roles Web Interface, attempting to reject requests with the **Examine Task > Reject** button will not work. Instead, clicking the button simply returns you to the approval task details without any changes.

Workaround

Known Issue

Issue ID

Reject approval requests directly in the **Pending Tasks** list of the Web Interface. To do so:

- Select the request(s) you want to reject, then click **Reject selected**.
- Use the **Reject** button right next to the approval request in the list.

Using a personal view to open an Active Directory (AD) Organizational Unit (OU) whose name contains the "<" special character results in the following error:

415590

An error occurred during the last operation.
Error: A potentially dangerous Request.Query.String was detected from the client (DN="OU\<name-property>").

The issue is caused by the special character in the request URL of the Web Interface, causing failures in the web functionality of Active Roles.

Workaround

One Identity recommends avoiding the use of the "<" character in the name property of an AD object.

When searching for hybrid Azure security groups, using the **Quick Search** bar of the Web Interface header returns fewer results than the **Search** page when using the same search term. This is because the **Quick Search** bar can only find objects whose name starts with the specified search term.

448500

Workaround

To get accurate and complete search results, use the **Search** menu on the left-side pane instead of the **Quick Search** bar in the Web Interface header.

When attempting to modify or delete Azure users, contacts, or groups synchronized from an on-premises Active Directory to an Azure Active Directory, the operation either appears to be successful but silently fails, or the operation fails with a generic error message.

388062,
388063

If the operation appears to be successful, the following message appears:

The operation is successfully completed.

However, the operation silently fails, no error message appears, and the Azure user, contact or group is not deleted or modified.

If the operation fails, the following generic error message appears instead of a specific error message:

An error occurred during the last operation.

Known Issue	Issue ID
NOTE: Similar failures with either no error message or a generic error message might occur in the Active Roles Web Interface.	
If you click Azure > Resource Mailboxes to query room mailboxes after being idle for approximately 15-20 minutes, the Active Roles Web Interface will not list any room mailboxes. Workaround Restart the Administration Service.	293380
In the Active Roles Web Interface, Azure roles are not restored automatically after performing an Undo Deprovision action on a user. Workaround After the Undo Deprovision action is completed, assign the Azure roles to the user manually.	172655
Active Roles does not support creating Azure groups for existing groups.	117015
Active Roles Web Interface does not support setting the Exchange Online Property of the ProhibitSendQuota value in Storage Quotas .	91905

System requirements

Before installing Active Roles 8.2.1 or its service packs in an on-premises environment, ensure that your system meets the following minimum hardware and software requirements.

NOTE: When setting up a virtual environment, carefully consider the configuration aspects such as CPU, memory availability, I/O subsystem, and network infrastructure to ensure the virtual layer has the necessary resources available. For more information about environment virtualization, see [One Identity's Product Support Policies](#).

To authenticate and communicate with Azure, the Active Roles Service must have access to the following Microsoft endpoints:

- <https://login.microsoftonline.com/>
- <https://developer.microsoft.com/graph>
- <https://graph.windows.net/>

To manage Azure Active Directory resources, you must install the following prerequisites in the Active Roles Configuration Center.

TIP: To run the PowerShell commands of the following modules, use the 64-bit version of Windows PowerShell.

Requirement	Version	Details
NuGet package provider	Minimum: 2.8.5.201 Maximum: 3.0.0.1	You must install the NuGet package provider on the computer(s) running an Active Roles Administration Service instance or Active Roles Synchronization Service. For more information, see Install-PackageProvider in the <i>Microsoft Package Management documentation</i> .
Exchange Online PowerShell V3 module	Minimum: 3.0.0 Maximum: 3.5.0	You must install the Exchange Online PowerShell module on the computer(s) running an Active Roles Administration Service instance or Active Roles Synchronization Service. For more information, see About the Exchange Online PowerShell module in the <i>Microsoft Exchange PowerShell documentation</i> .
Az.Accounts PowerShell module	Minimum: 2.10.3 Maximum: 2.12.1	You must install the Az.Accounts PowerShell module on the computer(s) running an Active Roles Administration Service instance or Active Roles Synchronization Service. For more information, see Az.Accounts in the <i>Microsoft PowerShell Gallery</i> .
Az.Resources PowerShell module	Minimum: 6.4.1 Maximum: 6.6.0	You must install the Az.Resources PowerShell module on the computer(s) running an Active Roles Administration Service instance. For more information, see Az.Resources in the <i>Microsoft PowerShell Gallery</i> .
Microsoft Graph PowerShell module	Maximum: 2.17.0	You must install the Microsoft Graph PowerShell module on the computer(s) running an Active Roles Administration Service instance. For installation instructions, see Microsoft Graph in the <i>Microsoft PowerShell Gallery</i> .
Microsoft Edge WebView2 Runtime	N/A	If no web browser is installed on the machine where you want to install and use Active Roles, download the Microsoft Edge Webview 2 Runtime installer with the following PowerShell command: Invoke-WebRequest -Uri "https://go.microsoft.com/fwlink/p/?LinkId=2124703" -OutFile "\$([System.IO.Path]::Combine ([System.Environment]::GetFolderPath ('UserProfile'), 'Downloads', 'MicrosoftEdgeWebView2Setup.exe'))"

Requirement	Version	Details
		After the download is finished, locate the installer in your Downloads folder and run it.
(Optional) One Identity certificate	N/A	If your organization enforces the AllSigned policy, you must install the One Identity certificate during the installation of Active Roles.

⚠ CAUTION: When importing PowerShell modules with the `$context.0365ImportModules` function, they are imported with the versions specified in the configuration of the Azure-specific prerequisites.

However, after importing the specified versions of the required PowerShell modules, running PowerShell cmdlets without passing them as a string to the `$context.0365ImportModules` function can cause inconsistent behavior in Active Roles. This is because if there are multiple versions of the same PowerShell module installed on the computer running the Active Roles server, PowerShell modules containing the script to run can be imported automatically with different versions.

To avoid inconsistent behavior in Active Roles by importing different PowerShell versions, run PowerShell modules only by passing them as a string to the `$context.0365ExecuteScriptCmd` function.

Hardware requirements

Table 27: Hardware requirements

Requirement	Details
Processor NOTE: The number of cores required depends on the size of the environment and the total number of managed objects.	For Administration Service, Web Interface and Synchronization Service, any of the following: <ul style="list-style-type: none"> • Intel 64 (EM64T) • AMD64 • Minimum 2 cores • CPU speed: 2.0 GHz or faster
	NOTE: For Active Roles Synchronization Service, One Identity recommends using a multi-core CPU for the best performance.
	For Console, SPML Provider and Management Tools, any of the following: <ul style="list-style-type: none"> • Intel x86 • Intel 64 (EM64T)

Requirement	Details
	<ul style="list-style-type: none"> • AMD64 • CPU speed: 1.0 GHz or faster.
Memory	<p>Administration Service: A minimum of 4 GB of RAM.</p> <p>Web Interface, Synchronization Service: A minimum of 2 GB of RAM.</p> <p>Console, SPML Provider and Management Tools: A minimum of 1 GB of RAM.</p>
Hard disk space	<p>Administration Service, Web Interface, Console, SPML Provider and Management Tools: A minimum of 100 MB of free disk space.</p> <p>Synchronization Service: A minimum of 250 MB of free disk space.</p> <p>NOTE: If SQL Server and Synchronization Service are installed on the same computer, the amount required depends on the size of the Synchronization Service database.</p>
Operating system	<p>You can install any of the Active Roles components on a computer running:</p> <ul style="list-style-type: none"> • Microsoft Windows Server 2022 • Microsoft Windows Server 2019 • Microsoft Windows Server 2016 <p>Active Roles supports the Standard or Datacenter edition of these operating systems.</p> <p>In addition, you can install the Active Roles Console and Management Tools on a computer running:</p> <ul style="list-style-type: none"> • Microsoft Windows 11, Professional or Enterprise edition. • Microsoft Windows 10, Professional or Enterprise edition, 32-bit (x86) or 64-bit (x64).

Component requirements

CAUTION: To avoid inconsistent behavior in Active Roles when managing Azure Active Directory resources, you must enable Transport Layer Security (TLS) protocol version 1.2. For more information, see [TLS 1.2 enforcement for Azure AD Connect](#) in the *Microsoft Azure documentation*.

All Active Roles components require:

- Microsoft .NET Framework 4.8. For more information, see [Installing .NET Framework for developers](#) in the *Microsoft .NET documentation*.
- Visual C++ 2017 Redistributable.

Table 28: Administration Service requirements

Requirement	Details
SQL Server	<p>You can host the Active Roles database on the following SQL Server versions:</p> <ul style="list-style-type: none">• Microsoft SQL Server 2022, any edition.• Microsoft SQL Server 2019, any edition.• Microsoft SQL Server 2017, any edition.• Microsoft SQL Server 2016, any edition.• Azure SQL hosted databases. <p>To connect Active Roles to a Microsoft SQL Server deployment, install Microsoft OLE DB Driver for SQL Server (MSOLEDBSQL).</p> <p>IMPORTANT: Starting from version 8.2, Active Roles supports (and its installer is shipped with) Microsoft OLE DB Driver 19.x for SQL Server. However, Active Roles still supports earlier OLE DB Driver versions as well (18.4 or newer).</p> <ul style="list-style-type: none">• If you upgrade to Synchronization Service 8.2.1 from an earlier version and you want to keep using an earlier version of Microsoft OLE DB Driver (version 18.4 or newer), this change has no impacts on your Synchronization Service installation.• If you upgrade to Synchronization Service 8.2.1 from an earlier version or performed a clean installation, and you want to use Microsoft OLE DB Driver 19.x for SQL Server due to security concerns, make sure that your SQL Server has a certificate trusted by the Synchronization Service server that is assigned to the SQL service network protocols.

Requirement Details

To use SSL with your SQL Server, configure a valid certificate. For more information on installing or viewing certificates for SQL Server via SQL Server Configuration Manager, see [Certificate management](#) in the *Microsoft SQL Server documentation*.

For general information about the encryption and certificate requirements of Microsoft OLE DB Driver 19.x, see [Encryption and certificate validation in OLE DB](#) and [Certificate requirements for SQL Server](#) in the *Microsoft SQL Server documentation*.

When configuring the SSL connection, consider the following:

- Microsoft OLE DB Driver 19.x for SQL Server requires a certificate from a Certificate Authority and no longer accepts self-signed certificates. For more information on how to access a Certificate Authority, see [Certification Authority Guidance](#) in the *Microsoft Windows Server documentation*.
- The Service Account running the SQL Server service must have permission to view the private key from the server certificate. For more information, see [Configure SQL Server Database Engine for encrypting connections](#) in the *Microsoft SQL Server documentation*.
- Microsoft OLE DB Driver 19.x for SQL Server requires specifying the Service Principal Names (SPNs). For more information, see the following *Microsoft SQL Server documentation* resources:
 - [Service Principal Name \(SPN\) Support in Client Connections](#)
 - [Service Principal Names \(SPNs\) in Client Connections \(OLE DB\)](#)
 - [Service Principal Names \(SPNs\) in Client Connections \(OLE DB\) in SQL Server Native Client](#)
- You might need to change your SQL connection string to match the certificate and the SPN. For more information, see [Using Connection String Keywords with OLE DB Driver for SQL Server](#) in the *Microsoft SQL Server documentation*.

Windows

Windows Management Framework 5.1 ([available for download](#)) is

Requirement	Details
Management Framework	required on all supported operating systems.
Operating system on domain controllers	<p>The product retains all of its features and functions when managing Active Directory on domain controllers running any of these operating systems, any edition, with or without any Service Packs:</p> <ul style="list-style-type: none"> • Microsoft Windows Server 2022 • Microsoft Windows Server 2019 • Microsoft Windows Server 2016 <p>NOTE: The supported domain functional level is Windows Server 2008 R2 or higher.</p>
Exchange Server	<p>Active Roles is capable of managing Exchange recipients on:</p> <ul style="list-style-type: none"> • Microsoft Exchange Server 2019 • Microsoft Exchange Server 2016

Table 29: Web Interface requirements

Requirement	Details
Internet Services	<p>Active Roles Web Interface requires the Web Server (IIS) server role with the following role services:</p> <ul style="list-style-type: none"> • Web Server/Common HTTP Features/ <ul style="list-style-type: none"> • Default Document • HTTP Errors • Static Content • HTTP Redirection • Web Server/Security/ <ul style="list-style-type: none"> • Request Filtering • Basic Authentication • Windows Authentication • Web Server/Application Development/ <ul style="list-style-type: none"> • .NET Extensibility • ASP • ASP.NET • ISAPI Extensions • ISAPI Filters

Requirement	Details
	<ul style="list-style-type: none"> • Management Tools/IIS 6 Management Compatibility/ • IIS 6 Metabase Compatibility
Feature delegation	<p>Internet Information Services (IIS) must provide Read/Write delegation for the following features:</p> <ul style="list-style-type: none"> • Handler Mappings • Modules <p>To confirm that these features have the Read/Write delegation configured, use the Feature Delegation option of the native Internet Information Services (IIS) Manager tool of the operating system.</p>
.NET Trust Levels	<p>The .NET Trust Level must be set to Full (internal) on every computer where the Web Interface component is installed.</p> <p>To configure this setting:</p> <ol style="list-style-type: none"> 1. In the system-provided Internet Information Services (IIS) Manager tool, under Connections, expand the node of the computer, and navigate to Sites > Default Web Site. 2. On the Default Web Site Home page, double-click .NET Trust Levels. 3. Under Trust level, select Full (internal). <div> <p>NOTE: Setting the .NET Trust Level to any other value will result in a failure when attempting to load any of the configured Active Roles Web Interface sites.</p> </div>
Web browser	<p>You can access Active Roles Web Interface using:</p> <ul style="list-style-type: none"> • Mozilla Firefox 36 (or newer) on Windows. • Google Chrome 61 (or newer) on Windows. • Microsoft Edge 79 (or newer), based on Chromium on Windows 10 and 11. <p>You can use a later version of Firefox and Google Chrome to access Active Roles Web Interface. However, the Active Roles Web Interface was tested only with the browser versions listed above.</p>
Minimum screen resolution	<p>Active Roles Web Interface is optimized for screen resolutions of 1280x800 or higher.</p> <p>The minimum supported screen resolution is 1024x768.</p>

Table 30: Console requirements

Requirement	Details
Web browser	Active Roles Console requires Microsoft Edge 79 (or newer), based on Chromium.

Table 31: Management Tools requirements

Requirement	Details
Windows Management Framework	Windows Management Framework 5.1 (available for download) is required on all supported operating systems.
Remote Server Administration Tools (RSAT)	<p>To manage Terminal Services user properties by using Active Roles Management Shell, Active Roles Management Tools requires Remote Server Administration Tools (RSAT) for Active Directory.</p> <p>For more information on installing the RSAT version applicable to your operating system, see Remote Server Administration Tools (RSAT) for Windows in the <i>Microsoft Windows Server documentation</i>.</p>

Table 32: Synchronization Service requirements

Requirement	Details
Operating system on domain controllers	<p>The product retains all of its features and functions when managing Active Directory on domain controllers running any of these operating systems, any edition, with or without any Service Packs:</p> <ul style="list-style-type: none"> • Microsoft Windows Server 2022 • Microsoft Windows Server 2019 • Microsoft Windows Server 2016 <div style="background-color: #e1f5fe; padding: 10px; margin-top: 10px;"> <p>NOTE: The supported domain functional level is Windows Server 2008 R2 or higher.</p> </div>
SQL Server	<p>You can host the Active Roles Synchronization Service database on:</p> <ul style="list-style-type: none"> • Microsoft SQL Server 2022, any edition. • Microsoft SQL Server 2019, any edition. • Microsoft SQL Server 2017, any edition. • Microsoft SQL Server 2016, any edition. • Azure SQL hosted databases.
Windows Management Framework	Windows Management Framework 5.1 (available for download) is required on all supported operating systems.

Requirement	Details
Supported connections	<p>Active Roles Synchronization Service can connect to the following data systems:</p> <ul style="list-style-type: none"> Data sources accessible via an OLE DB provider. <div style="background-color: #e1f5fe; padding: 10px; margin: 10px 0;"> <p>NOTE: To create a connection to an OLE DB-compliant relational database, the OLE DB Connector requires any version of Microsoft OLE DB Driver for SQL Server that is supported by Microsoft to be installed on the machine running Active Roles Synchronization Service.</p> <p>The Active Roles installer is shipped with and automatically installs Microsoft OLE DB Driver 19.x for SQL Server.</p> </div> <ul style="list-style-type: none"> Delimited text files. IBM AS/400, IBM Db2, and IBM RACF systems. LDAP directory service. Micro Focus NetIQ Directory systems. The following Microsoft services and resources: <ul style="list-style-type: none"> Active Directory Domain Services (AD DS) with the domain or forest functional level of Windows Server 2016 or higher. Active Directory Lightweight Directory Services (AD LDS) running on any Windows Server operating system supported by Microsoft. Azure Active Directory (Azure AD) using Microsoft Graph API version 1.0. Exchange Online services. Exchange Server with the following versions: <ul style="list-style-type: none"> Microsoft Exchange Server 2019 Microsoft Exchange Server 2016 Lync Server version 2013 with limited support. SharePoint 2019, 2016, or 2013. SharePoint Online service. Skype for Business 2019, 2016 or 2015. Skype for Business Online service. SQL Server, any version supported by Microsoft. One Identity Active Roles version 7.4.3, 7.4.1, 7.3, 7.2, 7.1, 7.0, and 6.9. One Identity Manager version 8.0 and 7.0 (D1IM 7.0).

Requirement	Details
	<ul style="list-style-type: none"> • OpenLDAP directory service. • Oracle Database, Oracle Database User Accounts, and Oracle Unified Directory data systems. • MySQL databases. • Salesforce systems. • SCIM-based data systems. • ServiceNow systems.
Legacy Active Roles ADSI Provider	To connect to Active Roles version 6.9, install the Active Roles ADSI Provider. For more information, see <i>Installing additional components</i> in the <i>Active Roles Installation Guide</i> .
One Identity Manager API	To connect to One Identity Manager 7.0, install One Identity Manager Connector on the computer running Active Roles Synchronization Service. This connector works with the RESTful web service and no SDK installation is required.
Internet connection	To connect to cloud directories or online services, the machine running Active Roles Synchronization Service must have a stable Internet connection.

Table 33: Synchronization Service Capture Agent requirements

Requirement	Details
Operating system	<p>The DCs on which you install Active Roles Synchronization Service Capture Agent must run one of the following operating systems with or without any Service Pack:</p> <ul style="list-style-type: none"> • Microsoft Windows Server 2022 • Microsoft Windows Server 2019 • Microsoft Windows Server 2016 <p>For more information, see the <i>Active Roles Synchronization Service Administration Guide</i>.</p>

Table 34: Language Pack requirements

Requirement	Details
Active Roles version	<p>The Active Roles 8.2.1 Language Pack requires Active Roles version 8.2.1 of the Administration Service, Configuration Center, Console, Synchronization Service or the Web Interface installed on the target machine.</p> <p>The Active Roles 8.2.1 Language Pack will not work properly with earlier versions of Active Roles.</p>

Requirement	Details
Operating system	You can install the Active Roles Language Pack on 64-bit operating systems only.

Table 35: Add-on Manager requirements

Requirement	Details
Processor	Any of the following: <ul style="list-style-type: none"> • Intel 64 (EM64T) • AMD64 • CPU speed: 1.0 GHz or faster
Memory	A minimum of 1 GB of RAM.
Hard Disk Space	A minimum of 100 MB of free disk space.
Operating System	Any of the following Windows Server operating systems: <ul style="list-style-type: none"> • Microsoft Windows Server 2022 • Microsoft Windows Server 2019 • Microsoft Windows Server 2016 <p>In addition, you can also install Add-on Manager on a computer running:</p> <ul style="list-style-type: none"> • Microsoft Windows 11, Professional or Enterprise edition. • Microsoft Windows 10, Professional or Enterprise edition, 64-bit (x64)
Active Roles Console	Add-on Manager requires Active Roles 8.2.1 Console installed.
Microsoft Windows PowerShell	Windows PowerShell 5.1 or later
Web Browser	Microsoft Edge 79 or newer (based on Chromium)

Table 36: Diagnostic Tools requirements

Requirement	Details
Processor	1.0 GHz or faster 32-bit (x86) or 64-bit (x64) CPU.
Memory	A minimum of 1 GB of RAM.

NOTE: The amount of RAM required depends on the

Requirement	Details
size of the log file opened with the Log Viewer tool.	
Hard disk space	A minimum of 10 MB of free disk space.
Operating system	Any of the following Windows Server operating systems: <ul style="list-style-type: none"> • Microsoft Windows Server 2022 • Microsoft Windows Server 2019 • Microsoft Windows Server 2016

Table 37: Data Collector and Reporting Pack requirements

Requirement	Details
Processor	Any of the following: <ul style="list-style-type: none"> • Intel x86 • Intel 64 (EM64T) • AMD64 • CPU speed: 2.0 GHz or faster.
Memory	A minimum of 2 GB of RAM.
Hard disk space	<ul style="list-style-type: none"> • 12 MB for the Data Collector and Reporting Pack. • 10 GB for the SQL Server Reporting Services.
Operating system	Any of the following Windows Server operating systems: <ul style="list-style-type: none"> • Microsoft Windows Server 2022 • Microsoft Windows Server 2019 • Microsoft Windows Server 2016
SQL Server and SQL Server Reporting Services	You can host the Active Roles Data Collector and Reporting Pack on the following SQL Server versions: <ul style="list-style-type: none"> • Microsoft SQL Server 2022, any edition. • Microsoft SQL Server 2019, any edition. • Microsoft SQL Server 2017, any edition. • Microsoft SQL Server 2016, any edition. • Azure SQL hosted databases.

Requirement	Details
	<ul style="list-style-type: none"> Azure SQL hosted databases. <p>To connect Active Roles to a Microsoft SQL Server deployment, install Microsoft OLE DB Driver for SQL Server (MSOLEDBSQL).</p>
Active Roles ADSI Provider	Active Roles 8.2.1 Management Tools must be installed.

Deployment requirements on AWS

Before deploying Active Roles 8.2.1 in Amazon Web Services (AWS) to manage AWS Managed Microsoft AD via AWS Directory Service, ensure that the following prerequisites are met.

Connectivity requirements

You must have:

- Stable network connectivity to Amazon Web Services (AWS).
- Port **1433** open and available for the Amazon Relational Database Service (RDS) service.
- Access to the AWS service with the **AWSAdministratorAccess** permission.

NOTE: Make sure that you have **AWSAdministratorAccess** permission, as it is required for certain configuration steps. The **AWSPowerUserAccess** permission is not sufficient for completing the entire configuration procedure.

Infrastructure requirements

To deploy and configure Active Roles for AWS Managed Microsoft AD, you must have access to the following AWS services and resources:

- AWS Managed Microsoft AD deployed via AWS Directory Service.
- One or more Amazon Elastic Compute Cloud (EC2) instance(s) hosting the Active Roles services and components.

The EC2 instance(s) must have, at minimum:

- 2 vCPUs running at 2.0 GHz.
- 4 GB of RAM.

TIP: One Identity recommends hosting the main Active Roles services and components (the Active Roles Service and Console, and the Active Roles Web Interface) on separate EC2 instances. If you deploy all Active Roles services and components in a single EC2 instance, use a more powerful instance to ensure a better user experience for the product.

NOTE: AWS Managed Microsoft AD support was tested with a single **t2.large** EC2 instance.

- An Amazon Relational Database Service for SQL Server (RDS for SQL Server).

NOTE: AWS Managed Microsoft AD support was tested with an RDS instance running the latest version of Microsoft SQL Server.

Make sure that all these components are discoverable or visible to each other.

Product licensing

Use of this software is governed by the Software Transaction Agreement found at <https://www.oneidentity.com/legal/sta.aspx>. This software does not require an activation or license key to operate.

Upgrade and installation instructions

This section contains information about the upgrade and installation changes affecting Active Roles 8.2.1 and its service packs.

NOTE: You must run the Active Roles installer with administrator privileges.

Supported Active Roles upgrade paths

You can upgrade the following versions of Active Roles to Active Roles 8.2.1 and its service packs:

- Active Roles 7.5
- Active Roles 7.5.3
- Active Roles 7.5.4
- Active Roles 7.6.1
- Active Roles 7.6.2

- Active Roles 7.6.3
- Active Roles 8.0 LTS
- Active Roles 8.0.1 LTS and its service packs
- Active Roles 8.1.1
- Active Roles 8.1.2
- Active Roles 8.1.3 and its service packs
- Active Roles 8.1.5 and its service packs
- Active Roles 8.2.1 and any of its earlier service packs to a newer 8.2.1 service pack

For more information, see the following additional resources:

- For instructions on how to upgrade from an earlier version of Active Roles, see the [Active Roles Upgrade Guide](#).
- For instructions on how to install the Active Roles Language Pack, see [Active Roles Language Pack](#) in the *Active Roles Administration Guide*.
- For special considerations regarding the installation of Active Roles 8.2.1 or its service packs, see the following information.

Microsoft OLE DB Driver for SQL Server security impacts

IMPORTANT: Starting from version 8.2, Active Roles supports (and its installer is shipped with) Microsoft OLE DB Driver 19.x for SQL Server. However, Active Roles still supports earlier OLE DB Driver versions as well (18.4 or newer).

- If you upgrade to Active Roles 8.2.1 from an earlier version via in-place upgrade, and you want to keep using an earlier version of Microsoft OLE DB Driver (version 18.4 or newer), this change has no impacts on your Active Roles installation.
- If you upgrade to Active Roles 8.2.1 from an earlier version via in-place upgrade, and you want to switch to Microsoft OLE DB Driver 19.x from an earlier OLE DB Driver version due to security concerns, you must perform additional configuration steps. Otherwise, the Active Roles Administration Service might fail to start. For more information, see *Configuring Active Roles for a newer Microsoft OLE DB Driver for SQL Server version* in the *Active Roles Upgrade Guide*.
- If you perform a clean installation of Active Roles 8.2.1 and want to use Microsoft OLE DB Driver 19.x (bundled with the Active Roles installer) due to security concerns, then verify that your SQL Server has SSL configured and the necessary trusted certificate set. Otherwise, Active Roles cannot communicate with the SQL Server and the Active Roles Administration Service might not start. For more information on these requirements, see *Configuration permissions* in the *Active Roles Installation Guide*.
- If you perform a clean installation of Active Roles 8.2.1 but you want to use an earlier supported version of Microsoft OLE DB Driver (18.4 or newer) instead of version 19.x that is bundled with the Active Roles installer, you must perform

additional configuration steps in your environment. For more information, see *Rolling back to a previous Microsoft OLE DB Driver for SQL Server version* in the *Active Roles Installation Guide*.

Compatibility with earlier Active Roles components and custom solutions

NOTE: Consider the following before upgrading to a new version of Active Roles:

- Components of an earlier Active Roles version might not work with the components of the new version you are upgrading to.
- Custom solutions (scripts or other modifications) that rely on Active Roles features may fail to work after an upgrade due to compatibility issues. Therefore, before starting the upgrade, test your existing solutions with the new version of Active Roles in a lab environment to verify that your custom solutions will continue to work.

TIP: When upgrading to a new Active Roles version, One Identity recommends upgrading the Active Roles Administration Service first, and the client components (Active Roles Console and Active Roles Web Interface) afterwards.

Changes related to Azure tenants

NOTE: If your organization has any Azure tenants that are managed with Active Roles, you need to reauthenticate and reauthorize them after installing Active Roles 8.2.1 or its service pack. Otherwise, Active Roles will not receive the required permissions for managing existing Azure tenants, and tenant administration in Active Roles 8.2.1 or 8.2.1 SP1 will not work correctly. For more information, see [Reconfiguring Azure tenants during upgrade configuration](#) in the *Active Roles Upgrade Guide*.

Upgrade information related to Active Roles Synchronization Service

NOTE: Active Roles 7.5 introduced support for Modern Authentication in the Azure BackSync workflows of Active Roles Synchronization Service. After upgrading to Active Roles Synchronization Service 8.2.1 from an earlier version, if you previously had an Azure BackSync workflow configured, you will be prompted to reconfigure it in the Synchronization Service Console.



CAUTION: If you previously had an Azure BackSync workflow configured in Active Roles Synchronization Service, and you use more than one Azure Active Directory (Azure AD) service in your deployment, you must specify the Azure AD for which you want to configure Azure BackSync. Failure to do so may either result in directory objects not synchronized at all, or synchronized to unintended locations.

For more information on how to specify the Azure AD used for back-synchronization, see *Configuring automatic Azure BackSync* in the *Active Roles Synchronization Service Administration Guide*.

If you have sync workflows configured and run by Quick Connect (the predecessor of Synchronization Service), or earlier versions of Active Roles Synchronization Service, then you can transfer those sync workflows to the current version of Active Roles Synchronization Service.

You can transfer sync workflows from the following Quick Connect or Active Roles Synchronization Service versions:

- Quick Connect for Active Directory 6.1
- Quick Connect for AS400 1.4
- Quick Connect for Base Systems 2.4
- Quick Connect for Cloud Services 3.7
- Quick Connect for RACF 1.3
- Quick Connect Sync Engine 5.5 and 6.1
- Synchronization Service 7.5 and later

For more information, see *Transferring sync workflows from Quick Connect* in the *Active Roles Synchronization Service Administration Guide*.

If you are upgrading from an older version of Active Roles to Active Roles 8.1.3 or later, and the Microsoft 365 or Azure AD connectors were configured manually, then to run synchronization workflows, you must update the authentication data.

To update the authentication data, you can:

- Use automatic configuration. One Identity recommends this approach, as the process is handled automatically by the Active Roles Synchronization Service.
- Use manual configuration.

For more information about the automatic and manual configuration of the Microsoft 365 or Azure AD connectors, see *Modifying a Microsoft 365 connection* and *Modifying a Microsoft Azure Active Directory connection*, respectively, in the *Active Roles Synchronization Service Administration Guide*.

Verifying the cross-domain membership setting

⚠ CAUTION: If you upgrade from Active Roles 8.2.1 or an earlier Active Roles release to a 8.2.1 Service Pack release via in-place upgrade, and you previously enabled this setting to include cross-domain group members in your dynamic groups, then after completing the in-place upgrade, verify that the setting is still selected. For more information, see [Checking the cross-domain membership setting](#) in the *Active Roles Upgrade Guide*.

After performing an in-place upgrade, **Enable cross-domain membership** might revert to its default cleared state, which might negatively impact the dynamic group membership of cross-domain members.

Rebuilding the dynamic group cache

After upgrading to an Active Roles 8.2.1 service pack, it might occur that dynamic groups are not indicated as dynamic groups, because Active Roles is unable to correctly fetch the list of dynamic groups from the connected domains.

To solve the problem, rebuild the cache of dynamic group data by running the **Dynamic Group Updater** built-in scheduled task from the following container in the Active Roles Console:

Configuration > Server Configuration > Scheduled Tasks > Builtin

For more information, see [Rebuilding the dynamic group cache](#) in the *Active Roles Upgrade Guide*.

Removing unsupported Az.Accounts modules to prevent Azure BackSync configuration issues

Installing the Az.Resources PowerShell module via Windows PowerShell might also result in installing the latest version of the Az.Accounts PowerShell module that is not supported by Active Roles. Therefore, to prevent potential issues, before installing Active Roles, verify that the system on which you install Active Roles only has a supported version of the Az.Accounts PowerShell module installed.

To check and delete unsupported versions of the Az.Accounts PowerShell module

1. In Windows PowerShell, run the following command:
Get-InstalledModule Az.Accounts -AllVersions
2. If the command returns any Az.Accounts modules with a version of 5.0.0 or newer, delete those modules with the following PowerShell command:

Uninstall-Module Az.Accounts -RequiredVersion 5.<x>.<x>

In this command, 5.<x>.<x> is the exact version of the Az.Accounts modules to remove, such as 5.0.0.

IMPORTANT: Not deleting Az.Accounts module instances of version 5.0.0 or newer will result in the configuration of the Azure BackSync feature of Active Roles Synchronization Service failing and Azure BackSync not working properly.

Rolling back a service pack installation

Active Roles 8.2.1 service packs are delivered as full Active Roles product installations instead of a patch or hotfix. Because of this, if you upgraded Active Roles 8.2.1 to a 8.2.1 service pack, you cannot roll back to 8.2.1 or to a previous service pack release.

Active Roles availability on Azure and AWS Marketplace

Active Roles supports deployment on the Amazon Web Services (AWS) and Azure platforms via Active Roles Marketplace images, using your organization subscription.

The marketplace images contain Active Roles running on Windows Server 2022 Datacenter Edition.

NOTE: Amazon Marketplace does not offer AWS EC2 instances preinstalled with Active Roles. You must deploy the EC2 instances first, then install and configure Active Roles manually on them.

TIP: To install additional Active Roles components later, modify your existing installation. For more information, see *Installing optional tools and components* in the *Active Roles Installation Guide*.

AWS and Azure virtual environment recommendations

If you deploy Active Roles in an AWS or Azure virtual environment via its marketplace image, One Identity recommends using the following virtual environments to host your Active Roles installation.

TIP: Before choosing the Azure virtual machine (VM) or Amazon Elastic Compute Cloud (EC2) instance to use, see the following resources:

- For more information on Azure VMs, see [Windows virtual machines](#) in the *Microsoft Azure portal*.

- For more information on AWS EC2 instances, see [EC2 instance types](#) in the *Amazon Web Services portal*.

NOTE: One Identity offers limited support for the virtual environments recommended in this section, as the actual performance on the listed environments (and the optimal environment to choose) might depend on the number of dynamic groups, Managed Units (MU), policies, scripts, workflows and other resources managed in your organization.

One Identity reserves the right to withhold support until you adapt your virtual environment for optimal performance to manage your resources with Active Roles.

Recommended AWS EC2 instance types

The Active Roles marketplace image was tested to work with the following Amazon Elastic Compute Cloud (EC2) instances:

- **m5a.2xlarge:** 8 vCPU, 32 GB RAM, up to 10 Gbps network bandwidth, up to 2880 Mbps EBS bandwidth.
- **m5a.xlarge:** 4 vCPU, 16 GB RAM, up to 10 Gbps network bandwidth, up to 2880 Mbps EBS bandwidth.
- **m5.2xlarge:** 8 vCPU, 32 GB RAM, up to 10 Gbps network bandwidth, up to 4750 Mbps EBS bandwidth.
- **m5.xlarge:** 4 vCPU, 16 GB RAM, up to 10 Gbps network bandwidth, up to 4750 Mbps EBS bandwidth.
- **m4.2xlarge:** 8 vCPU, 32 GB RAM, EBS-only storage, high network performance.
- **m4.xlarge:** 4 vCPU, 16 GB RAM, EBS-only storage, high network performance.
- **m3.2xlarge** (previous generation): 2 vCPU, 30 GB RAM, non-EBS optimized SSD, high network performance.
- **m3.xlarge** (previous generation): 4 vCPU, 15 GB RAM, non-EBS optimized SSD, high network performance.

Recommended Azure VMs

One Identity recommends using the following Azure VMs with the Active Roles marketplace image:

- **Standard D8s v3:** 8 vCPU, 32 or 64 GB RAM, 12800 max IOPS, 64 GiB local storage.
- **Standard D4s v3:** 4 vCPU, 16 GB RAM, 6400 max IOPS, 32 GiB local storage.
- **Standard D3 v2:** 4 vCPU, 14 GB RAM, 0 max IOPS, 200 GiB local storage.
- **Standard DS3 v2:** 4 vCPU, 14 GB RAM, 12800 max IOPS, 28 GiB local storage.
- **Standard D2 v4:** 2 vCPU, 8 GB RAM, 3200 max IOPS, 16 GiB local storage.

- **Standard D2s v3:** 2 vCPU, 16 GB RAM, 3200 max IOPS, 16 GiB local storage.
- **Standard D2 v2:** 2 vCPU, 7 GB RAM, 0 max IOPS, 100 GiB local storage.

Supported AWS and Azure environment types

Active Roles supports the following virtual environment types:

- **Cloud-only:** Active Roles, its components, and all required third-party components are deployed on the same cloud platform. For more information on configuring this environment type, see *Configuring the Azure or AWS virtual machine* in the *Active Roles Installation Guide*.
- **Hybrid on-premises:** Some components required by Active Roles are deployed in your on-premises environment. For more information on configuring this environment type, see *Configuring a hybrid on-premises environment for Active Roles* in the *Active Roles Installation Guide*.

NOTE: One Identity provides no support or assistance in the configuration of these environments, or troubleshooting connectivity and performance issues related to the Azure and AWS services.

More resources

Additional information is available from the following:

- Online product documentation (<https://support.oneidentity.com/active-roles/>)
- Active Roles community (<https://www.oneidentity.com/community/active-roles>)

Globalization

This section contains information about installing and operating this product in non-English configurations, such as those needed by customers outside of North America. This section does not replace the materials about supported platforms and configurations found elsewhere in the product documentation.

This release is Unicode-enabled and supports any character set. It supports simultaneous operation with multilingual data. This release is targeted to support operations in the following regions: North America, Western Europe and Latin America, Central and Eastern Europe, Far-East Asia, Japan.

Active Roles Language Pack

Available for download from the [One Identity Support Portal](#), the Active Roles Language Pack provides product localization for Active Roles. To enable localization, install the Language Pack on the machine(s) running the Active Roles Administration Service, Configuration Center, Console, Synchronization Service or Web Interface components.

The Active Roles Language Pack supports the following languages:

- For the Active Roles Administration Service, Configuration Center, Console and Synchronization Service components, the Language Pack provides support for German language.
- For the Active Roles Web Interface component, the Language Pack provides support for the following languages:
 - Chinese (Simplified and Traditional)
 - French
 - German
 - Portuguese (Brazilian and European)
 - Spanish

For more information on the features, limitations and installation steps of the Language Pack, see *Active Roles Language Pack* in the *Active Roles Administration Guide*.

About us

One Identity solutions eliminate the complexities and time-consuming processes often required to govern identities, manage privileged accounts and control access. Our solutions enhance business agility while addressing your IAM challenges with on-premises, cloud and hybrid environments.

Contacting us

For sales and other inquiries, such as licensing, support, and renewals, visit <https://www.oneidentity.com/company/contact-us.aspx>.

Technical support resources

Technical support is available to One Identity customers with a valid maintenance contract and customers who have trial versions. You can access the Support Portal at <https://support.oneidentity.com/>.

The Support Portal provides self-help tools you can use to solve problems quickly and independently, 24 hours a day, 365 days a year. The Support Portal enables you to:

- Submit and manage a Service Request
- View Knowledge Base articles
- Sign up for product notifications
- Download software and technical documentation
- View how-to videos at www.YouTube.com/OneIdentity
- Engage in community discussions
- Chat with support engineers online
- View services to assist you with your product

Third-party contributions

This product contains some third-party components (listed below). Copies of their licenses may be found at referencing <https://www.oneidentity.com/legal/license-agreements.aspx>. Source code for components marked with an asterisk (*) is available at <http://opensource.quest.com>.

Table 38: List of Third-Party Contributions

Component	License or Acknowledgment
adodb 7.10.6070	Licensed under LGPL. For the license terms, see: https://adodb.org/dokuwiki/doku.php?id=index Copyright (c) Microsoft Corporation
AngleSharp 0.17.1	Licensed under the MIT License. For the license terms, see: https://github.com/AngleSharp/AngleSharp?tab=MIT-1-ov-file#readme
AngleSharpCss 0.17.0	Licensed under the MIT License. For the component license, see: https://github.com/AngleSharp/AngleSharp/blob/develop/LICENSE
Angular.js 1.7.2	Licensed under MIT. For the license terms, see: https://github.com/angular/angular.js/blob/master/LICENSE Copyright (c) 2014-2018 Google, Inc.
Angular.js 1.8.0	Licensed under MIT. For the license terms, see: https://github.com/angular/angular.js/blob/master/LICENSE Copyright (c) 2010-2020 Google LLC. http://angularjs.org
ANTLR 3.4.1.9004	Licensed under BSD-3. For the license terms, see: https://www.antlr3.org/license.html Copyright (c) 2010 Terence Parr
AutoMapper 10.0.0.0	Licensed under the MIT License. For the MIT License terms, see: https://licenses.nuget.org/MIT

Component	License or Acknowledgment
Azure.Core 1.38.0	Licensed under the MIT License. For the license terms, see: https://github.com/Azure/azure-sdk-for-net/blob/Azure.Core_1.24.0/LICENSE.txt
Azure.Identity 1.11.3	Licensed under the MIT License. For the license terms, see: https://licenses.nuget.org/MIT
Bootstrap 3.2	Licensed under the MIT License. For the license terms, see: https://github.com/twbs/bootstrap/blob/v5.3.3/LICENSE
Bootstrap 3.4.1	Licensed under the MIT License. For the license terms, see: https://github.com/twbs/bootstrap/blob/v5.3.3/LICENSE Copyright (c) 2011-2016 Twitter, Inc.
BouncyCastle 1.9.0	Licensed under the MIT X11 License. For the license terms, see: https://www.bouncycastle.org/csharp/licence.html Copyright (c) 2000 - 2024 The Legion of the Bouncy Castle Inc.
BouncyCastle.Cryptography 2.4.0	Licensed under the MIT license. For the license terms, see: https://github.com/bcgit/bc-csharp/blob/master/LICENSE.md
Castle.Core 5.0.0	Licensed under the Apache 2.0 license. For the license terms, see: https://licenses.nuget.org/Apache-2.0
DevArt dotConnect for Oracle 7.2.122.0	dotConnect for Oracle License Agreement Copyright 2002-2013, Devart. All Rights Reserved
FluentValidation 10.4.0	Licensed under the Apache 2.0 license. For the license terms, see: https://github.com/FluentValidation/FluentValidation?tab=Apache-2.0-1-ov-file#readme © Copyright 2009-2021, Jeremy Skinner

Component	License or Acknowledgment
Google.Protobuf 3.20.1	Licensed under the BSD 3-Clause License. For the license terms, see: https://licenses.nuget.org/BSD-3-Clause
HtmlSanitizer 8.0.843	Licensed under the MIT License. For the license terms, see: https://github.com/mganss/HtmlSanitizer/blob/master/LICENSE.md Copyright (c) 2013-2016 Michael Ganss and HtmlSanitizer contributors.
ILMerge 3.0.41	Licensed under the MIT License. For the license terms, see: https://github.com/dotnet/ILMerge?tab=MIT-1-ov-file#readme
JQuery 3.6.0	Copyright JS Foundation and other contributors, https://js.foundation/ The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software. Licensed under the MIT License. For the license terms, see: https://github.com/jquery/jquery?tab=MIT-1-ov-file#readme
JQuery UI 1.12.1	Copyright OpenJS Foundation and other contributors, https://openjsf.org/ Licensed under the MIT License. For the license terms, see: https://github.com/jquery/jquery-ui?tab=License-1-ov-file#readme
K4os.Compression.LZ4 1.2.16	Copyright (c) 2017 Milosz Krajewski Licensed under the MIT License. For the license terms, see: https://raw.githubusercontent.com/MiloszKrajewski/K4os.Compression.LZ4/master/LICENSE
K4os.Compression.LZ4.Streams 1.2.16	Copyright (c) 2017 Milosz Krajewski Licensed under the MIT License. For the license terms, see: https://raw.githubusercontent.com/MiloszKrajewski/

Component	License or Acknowledgment
	K4os.Compression.LZ4/master/LICENSE
K4os.Hash.xxHash 1.0.7	Copyright (c) 2017 Milosz Krajewski Licensed under the MIT License. For the license terms, see: https://github.com/MiloszKrajewski/K4os.Hash.xxHash/blob/master/LICENSE
MediatR 12.2.0	Licensed under Apache 2.0. For the license terms, see: https://github.com/jbogard/MediatR?tab=Apache-2.0-1-ov-file#readme Copyright © Jimmy Bogard
MediatR.Contracts 2.0.1.0	Licensed under Apache 2.0. For the license terms, see: https://github.com/jbogard/MediatR?tab=Apache-2.0-1-ov-file#readme Copyright © Jimmy Bogard
MediatR.Extensions.Microsoft.DependencyInjection 9.0.0	Licensed under Apache 2.0. For the license terms, see: https://github.com/jbogard/MediatR?tab=Apache-2.0-1-ov-file#readme Copyright © Jimmy Bogard
Microsoft .Net Framework 4.8	© Microsoft Corporation. All rights reserved. Licensed under the MICROSOFT .NET LIBRARY 1.0 License.
Microsoft.ApplicationInsights 2.20.0	Licensed under the MIT License. For the license terms, see: https://licenses.nuget.org/MIT
Microsoft.ApplicationInsights.Agent.Intercept 2.4.0	Licensed under the MIT License. For the license terms, see: https://licenses.nuget.org/MIT
Microsoft.AspNet.SignalR 2.4.3	Licensed under Apache 2.0. For the license terms, see: https://raw.githubusercontent.com/aspnet/AspNetCore/2.0.0/LICENSE.txt Copyright © Microsoft Corporation

Component	License or Acknowledgment
Microsoft.AspNet.SignalR.Core 2.4.3	Licensed under Apache 2.0. For the license terms, see: https://raw.githubusercontent.com/aspnet/AspNetCore/2.0.0/LICENSE.txt Copyright © Microsoft Corporation
Microsoft.AspNet.SignalR.JS 2.4.3	Licensed under Apache 2.0. For the license terms, see: https://raw.githubusercontent.com/aspnet/AspNetCore/2.0.0/LICENSE.txt Copyright © Microsoft Corporation
Microsoft.AspNet.SignalR.SelfHost 2.4.3	Licensed under Apache 2.0. For the license terms, see: https://raw.githubusercontent.com/aspnet/AspNetCore/2.0.0/LICENSE.txt Copyright © Microsoft Corporation
Microsoft.AspNet.SignalR.SystemWeb 2.4.3	Licensed under Apache 2.0. For the license terms, see: https://raw.githubusercontent.com/aspnet/AspNetCore/2.0.0/LICENSE.txt Copyright © Microsoft Corporation
Microsoft.AspNet.TelemetryCorrelation 1.0.8	Licensed under Apache 2.0. For the license terms, see: https://raw.githubusercontent.com/aspnet/AspNetCore/2.0.0/LICENSE.txt Copyright © Microsoft Corporation
Microsoft.AspNetCore 2.2.0	Licensed under Apache 2.0. For the license terms, see: https://raw.githubusercontent.com/aspnet/AspNetCore/2.0.0/LICENSE.txt Copyright © Microsoft Corporation
Microsoft.Bcl.AsyncInterfaces 6.0.0	Licensed under the MIT License. For the license terms, see: https://github.com/dotnet/runtime?tab=MIT-1-overfile#readme Copyright © .NET Foundation and Contributors
Microsoft.Bcl.AsyncInterfaces	Licensed under the MIT License. For the license terms,

Component	License or Acknowledgment
8.0.0	see: https://github.com/dotnet/runtime?tab=MIT-1-ov-file#readme Copyright © .NET Foundation and Contributors
Microsoft.CodeAnalysis 2.8.0	Licensed under Apache 2.0. For the license terms, see: https://www.apache.org/licenses/LICENSE-2.0.html Copyright © Microsoft Corporation
Microsoft.CodeAnalysis.Razor 2.2.0	Licensed under Apache 2.0. For the license terms, see: https://www.apache.org/licenses/LICENSE-2.0.html Copyright © Microsoft Corporation
Microsoft.DiaSymReader.Native.x86 14.12.25830.2	Licensed under the MIT license. For the license terms, see: https://github.com/dotnet/roslyn?tab=MIT-1-ov-file#readme Copyright © .NET Foundation and Contributors
Microsoft.DotNet.PlatformAbstractions 2.1.0	Licensed under the MIT License. For the license terms, see: https://github.com/dotnet/core-setup/blob/master/LICENSE.TXT Copyright © 2015 .NET Foundation Copyright © Microsoft Corporation
Microsoft.Exchange.WebServices 15.00	Licensed under the MIT 1.0 License. For the license terms, see: https://github.com/OfficeDev/ews-managed-api/blob/master/license.txt Copyright © Microsoft Corporation
Microsoft.Extensions.Caching.Abstractions 2.2.0	Copyright © .NET Foundation and Contributors Licensed under Apache 2.0. For the license terms, see: https://www.apache.org/licenses/LICENSE-2.0.html
Microsoft.Extensions.Caching.Memory 2.2.0	Copyright © .NET Foundation and Contributors Licensed under Apache 2.0. For the license terms, see:

Component	License or Acknowledgment
	https://www.apache.org/licenses/LICENSE-2.0.html
Microsoft.Extensions.Configuration 2.2.0	Copyright © .NET Foundation and Contributors Licensed under Apache 2.0. For the license terms, see: https://www.apache.org/licenses/LICENSE-2.0.html
Microsoft.Extensions.Configuration.Abstractions 2.2.0	Copyright © .NET Foundation and Contributors Licensed under Apache 2.0. For the license terms, see: https://www.apache.org/licenses/LICENSE-2.0.html
Microsoft.Extensions.Configuration.Binder 2.2.0	Copyright © .NET Foundation and Contributors Licensed under Apache 2.0. For the license terms, see: https://www.apache.org/licenses/LICENSE-2.0.html
Microsoft.Extensions.Configuration.CommandLine 2.2.0	Copyright © .NET Foundation and Contributors Licensed under Apache 2.0. For the license terms, see: https://www.apache.org/licenses/LICENSE-2.0.html
Microsoft.Extensions.Configuration.EnvironmentVariables 2.2.0	Copyright © .NET Foundation and Contributors Licensed under Apache 2.0. For the license terms, see: https://www.apache.org/licenses/LICENSE-2.0.html
Microsoft.Extensions.Configuration.FileExtensions 2.2.0	Copyright © .NET Foundation and Contributors Licensed under Apache 2.0. For the license terms, see: https://www.apache.org/licenses/LICENSE-2.0.html
Microsoft.Extensions.Configuration.Json 2.2.0	Copyright © .NET Foundation and Contributors Licensed under Apache 2.0. For the license terms, see: https://www.apache.org/licenses/LICENSE-2.0.html
Microsoft.Extensions.Configuration.UserSecrets 2.2.0	Copyright © .NET Foundation and Contributors Licensed under Apache 2.0. For the license terms, see: https://www.apache.org/licenses/LICENSE-2.0.html
Microsoft.Extensions.Dependency	Copyright © Microsoft Corporation

Component	License or Acknowledgment
yInjection 2.2.0	Licensed under Apache 2.0. For the license terms, see: https://www.apache.org/licenses/LICENSE-2.0.html
Microsoft.Extensions.DependencyInjection 8.0.0	Copyright © Microsoft Corporation Licensed under the MIT License. For the license terms, see: https://licenses.nuget.org/MIT
Microsoft.Extensions.DependencyInjection.Abstractions 2.2.0	Copyright © Microsoft Corporation Licensed under Apache 2.0. For the license terms, see: https://www.apache.org/licenses/LICENSE-2.0.html
Microsoft.Extensions.DependencyInjection.Abstractions 8.0.3	Copyright © Microsoft Corporation Licensed under the MIT License. For the license terms, see: https://licenses.nuget.org/MIT
Microsoft.Extensions.DependencyInjection.Abstractions 2.1.0	Copyright © Microsoft Corporation Licensed under the MIT License. For the license terms, see: https://licenses.nuget.org/MIT
Microsoft.Extensions.FileProviders.Abstractions 2.2.0	Copyright © Microsoft Corporation Licensed under Apache 2.0. For the license terms, see: https://www.apache.org/licenses/LICENSE-2.0.html
Microsoft.Extensions.FileProviders.Composite 2.2.0	Copyright © Microsoft Corporation Licensed under Apache 2.0. For the license terms, see: https://www.apache.org/licenses/LICENSE-2.0.html
Microsoft.Extensions.FileProviders.Physical 2.2.0	Copyright © Microsoft Corporation Licensed under Apache 2.0. For the license terms, see: https://www.apache.org/licenses/LICENSE-2.0.html
Microsoft.Extensions.FileSystemGlobbing 2.2.0	Copyright © Microsoft Corporation Licensed under Apache 2.0. For the license terms, see:

Component	License or Acknowledgment
	https://www.apache.org/licenses/LICENSE-2.0.html
Microsoft.Extensions.Hosting.Abstractions 2.2.0	<p>Copyright © Microsoft Corporation</p> <p>Licensed under Apache 2.0. For the license terms, see:</p> <p>https://www.apache.org/licenses/LICENSE-2.0.html</p>
Microsoft.Extensions.Http 8.0.0	<p>Copyright (c) .NET Foundation and Contributors</p> <p>The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.</p> <p>Licensed under the MIT License. For the license terms, see:</p> <p>https://licenses.nuget.org/MIT</p>
Microsoft.Extensions.Http.Polly 8.0.5	<p>Copyright (c) .NET Foundation and Contributors</p> <p>The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.</p> <p>Licensed under the MIT License. For the license terms, see:</p> <p>https://licenses.nuget.org/MIT</p>
Microsoft.Extensions.Localization 2.2.0	<p>Copyright © Microsoft Corporation</p> <p>Licensed under Apache 2.0. For the license terms, see:</p> <p>https://www.apache.org/licenses/LICENSE-2.0.html</p>
Microsoft.Extensions.Localization.Abstractions 2.2.0	<p>Copyright © Microsoft Corporation</p> <p>Licensed under Apache 2.0. For the license terms, see:</p> <p>https://www.apache.org/licenses/LICENSE-2.0.html</p>
Microsoft.Extensions.Logging 2.2.0	<p>Copyright (c) .NET Foundation and Contributors</p> <p>Licensed under Apache 2.0. For the license terms, see:</p> <p>https://www.apache.org/licenses/LICENSE-2.0.html</p>
Microsoft.Extensions.Logging 8.0.0	<p>Copyright (c) .NET Foundation and Contributors</p> <p>Licensed under the MIT License. For the license terms, see:</p> <p>https://licenses.nuget.org/MIT</p>

Component	License or Acknowledgment
Microsoft.Extensions.Logging.Abstractions 2.2.0	Copyright (c) .NET Foundation and Contributors Licensed under Apache 2.0. For the license terms, see: https://www.apache.org/licenses/LICENSE-2.0.html
Microsoft.Extensions.Logging.Abstractions 8.0.3	Copyright (c) .NET Foundation and Contributors Licensed under the MIT License. For the license terms, see: https://licenses.nuget.org/MIT
Microsoft.Extensions.Logging.Configuration 2.2.0	Copyright (c) .NET Foundation and Contributors Licensed under Apache 2.0. For the license terms, see: https://www.apache.org/licenses/LICENSE-2.0.html
Microsoft.Extensions.Logging.Console 2.2.0	Copyright © Microsoft Corporation Licensed under Apache 2.0. For the license terms, see: https://www.apache.org/licenses/LICENSE-2.0.html
Microsoft.Extensions.Logging.Debug 2.2.0	Copyright © Microsoft Corporation Licensed under Apache 2.0. For the license terms, see: https://www.apache.org/licenses/LICENSE-2.0.html
Microsoft.Extensions.Logging.EventSource 2.2.0	Copyright © Microsoft Corporation Licensed under Apache 2.0. For the license terms, see: https://www.apache.org/licenses/LICENSE-2.0.html
Microsoft.Extensions.ObjectPool 2.2.0	Copyright © Microsoft Corporation Licensed under Apache 2.0. For the license terms, see: https://www.apache.org/licenses/LICENSE-2.0.html
Microsoft.Extensions.Options 2.2.0	Copyright © Microsoft Corporation Licensed under Apache 2.0. For the license terms, see: https://www.apache.org/licenses/LICENSE-2.0.html
Microsoft.Extensions.Options 8.0.2	Copyright © Microsoft Corporation Licensed under the MIT License. For the license terms,

Component	License or Acknowledgment
	see: https://licenses.nuget.org/MIT
Microsoft.Extensions.Options.ConfigurationExtensions 2.2.0	Copyright © Microsoft Corporation Licensed under Apache 2.0. For the license terms, see: https://www.apache.org/licenses/LICENSE-2.0.html
Microsoft.Extensions.Primitives 2.2.0	Copyright © .NET Foundation and Contributors Licensed under Apache 2.0. For the license terms, see: https://www.apache.org/licenses/LICENSE-2.0.html
Microsoft.Extensions.Primitives 8.0.0	Copyright © .NET Foundation and Contributors Licensed under the MIT License. For the license terms, see: https://licenses.nuget.org/MIT
Microsoft.Extensions.WebEncoders 2.2.0	Copyright © Microsoft Corporation Licensed under Apache 2.0. For the license terms, see: https://www.apache.org/licenses/LICENSE-2.0.html
Microsoft.Graph 4.37.0	Copyright 2019 Microsoft Graph Licensed under the MIT License. For the license terms, see: https://www.nuget.org/packages/Microsoft.Graph/5.45.0/License
Microsoft.Graph.Core 2.0.12	Copyright 2019 Microsoft Graph Licensed under the MIT License. For the license terms, see: https://www.nuget.org/packages/Microsoft.Graph.Core/3.1.9/License
Microsoft.Identity.Client 4.61.1	Copyright © Microsoft Corporation Licensed under the MIT License. For the license terms, see: https://github.com/AzureAD/azure-activedirectory-library-for-dotnet/blob/dev/LICENSE
Microsoft.Identity.Client.Extensions.Msal 4.60.3	Copyright © Microsoft Corporation

Component	License or Acknowledgment
	Licensed under the MIT License. For the license terms, see: https://github.com/AzureAD/azure-activedirectory-library-for-dotnet/blob/dev/LICENSE
Microsoft.IdentityModel.Abstractions 6.22.1	Copyright © Microsoft Corporation Licensed under the MIT License. For the license terms, see: https://github.com/AzureAD/azure-activedirectory-library-for-dotnet/blob/dev/LICENSE
Microsoft.IdentityModel.Abstractions 7.3.1	Copyright © Microsoft Corporation Licensed under the MIT License. For the license terms, see: https://github.com/AzureAD/azure-activedirectory-library-for-dotnet/blob/dev/LICENSE
Microsoft.IdentityModel.JsonWebTokens 6.9.0	Copyright © Microsoft Corporation Licensed under the MIT License. For the license terms, see: https://github.com/AzureAD/azure-activedirectory-library-for-dotnet/blob/dev/LICENSE
Microsoft.IdentityModel.JsonWebTokens 7.3.1	Copyright © Microsoft Corporation Licensed under the MIT License. For the license terms, see: https://github.com/AzureAD/azure-activedirectory-library-for-dotnet/blob/dev/LICENSE
Microsoft.IdentityModel.Logging 6.22.0	Copyright © Microsoft Corporation Licensed under the MIT License. For the license terms, see: https://github.com/AzureAD/azure-activedirectory-library-for-dotnet/blob/dev/LICENSE
Microsoft.IdentityModel.Logging 7.3.1	Copyright © Microsoft Corporation Licensed under the MIT License. For the license terms, see: https://github.com/AzureAD/azure-activedirectory-library-for-dotnet/blob/dev/LICENSE
Microsoft.IdentityModel.Protocols 6.22.0	Copyright © Microsoft Corporation Licensed under the MIT License. For the license terms, see: https://github.com/AzureAD/azure-activedirectory-library-for-dotnet/blob/dev/LICENSE

Component	License or Acknowledgment
	<p>see:</p> <p>https://github.com/AzureAD/azure-activedirectory-library-for-dotnet/blob/dev/LICENSE</p>
Microsoft.IdentityModel.Protocol s.OpenIdConnect 6.22.0	<p>Copyright © Microsoft Corporation</p> <p>Licensed under the MIT License. For the license terms, see:</p> <p>https://github.com/AzureAD/azure-activedirectory-library-for-dotnet/blob/dev/LICENSE</p>
Microsoft.IdentityModel.Tokens 6.22.0	<p>Copyright © Microsoft Corporation</p> <p>Licensed under the MIT License. For the license terms, see:</p> <p>https://github.com/AzureAD/azure-activedirectory-library-for-dotnet/blob/dev/LICENSE</p>
Microsoft.IdentityModel.Tokens 7.3.1	<p>Copyright © Microsoft Corporation</p> <p>Licensed under the MIT License. For the license terms, see:</p> <p>https://github.com/AzureAD/azure-activedirectory-library-for-dotnet/blob/dev/LICENSE</p>
Microsoft.Net.Http.Headers 2.2.0	<p>Copyright © Microsoft Corporation</p> <p>Licensed under Apache 2.0. For the license terms, see:</p> <p>https://raw.githubusercontent.com/aspnet/AspNetCore/2.0.0/LICENSE.txt</p>
Microsoft.OpenApi 1.2.3	<p>Copyright © Microsoft Corporation</p> <p>Licensed under the MIT License. For the license terms, see:</p> <p>https://raw.githubusercontent.com/Microsoft/OpenAPI.NET/master/LICENSE</p>
Microsoft.Owin 4.2.1	<p>Copyright © Microsoft Corporation</p> <p>Licensed under Apache 2.0. For the license terms, see:</p> <p>https://raw.githubusercontent.com/aspnet/AspNetCore/2.0.0/LICENSE.txt</p>
Microsoft.Owin 4.2.2	<p>Copyright © Microsoft Corporation</p> <p>Licensed under Apache 2.0. For the license terms, see:</p>

Component	License or Acknowledgment
	https://raw.githubusercontent.com/aspnet/AspNetCore/2.0.0/LICENSE.txt
Microsoft.Owin.Cors 4.2.1	Copyright © Microsoft Corporation Licensed under Apache 2.0. For the license terms, see: https://raw.githubusercontent.com/aspnet/AspNetCore/2.0.0/LICENSE.txt
Microsoft.Owin.Diagnostics 4.2.1	Copyright © Microsoft Corporation Licensed under Apache 2.0. For the license terms, see: https://raw.githubusercontent.com/aspnet/AspNetCore/2.0.0/LICENSE.txt
Microsoft.Owin.Host.HttpListener 4.2.1	Copyright © Microsoft Corporation Licensed under Apache 2.0. For the license terms, see: https://raw.githubusercontent.com/aspnet/AspNetCore/2.0.0/LICENSE.txt
Microsoft.Owin.Host.SystemWeb 4.2.1	Copyright © Microsoft Corporation Licensed under Apache 2.0. For the license terms, see: https://raw.githubusercontent.com/aspnet/AspNetCore/2.0.0/LICENSE.txt
Microsoft.Owin.Hosting 4.2.1	Copyright © Microsoft Corporation Licensed under Apache 2.0. For the license terms, see: https://raw.githubusercontent.com/aspnet/AspNetCore/2.0.0/LICENSE.txt
Microsoft.Owin.Security 4.2.1	Copyright © Microsoft Corporation Licensed under Apache 2.0. For the license terms, see: https://raw.githubusercontent.com/aspnet/AspNetCore/2.0.0/LICENSE.txt
Microsoft.Web.WebView2 1.0.1210.39	Copyright (C) Microsoft Corporation. All rights reserved. Licensed under the Microsoft.Web.WebView2 1.0 license.

Component	License or Acknowledgment
Microsoft.Win32.Registry 4.6.26515.06	Copyright © .NET Foundation and Contributors Licensed under the MIT License. For the license terms, see: https://licenses.nuget.org/MIT
MSTest.TestAdapter 3.0.2	Licensed under the MIT License. For the license terms, see: https://github.com/microsoft/testfx?tab=MIT-1-ov-file#readme
MSTest.TestFramework 3.0.2	Licensed under the MIT License. For the license terms, see: https://github.com/microsoft/testfx?tab=MIT-1-ov-file#readme
Newtonsoft.Json 13.0.1	Copyright © James Newton-King 2008 Licensed under the MIT License. For the license terms, see: https://github.com/JamesNK/Newtonsoft.Json?tab=MIT-1-ov-file#readme
Newtonsoft.Json.Bson 1.0.1	Copyright © James Newton-King 2008 Licensed under the MIT License. For the license terms, see: https://github.com/JamesNK/Newtonsoft.Json?tab=MIT-1-ov-file#readme
NLog 4.7.15	Licensed under the BSD 3-Clause License. For the license terms, see: https://github.com/NLog/NLog/blob/master/LICENSE.txt
NLog.Extended 4.7.15	Licensed under the BSD 3-Clause License. For the license terms, see: https://github.com/NLog/NLog/blob/master/LICENSE.txt
NLog.Web 4.0.0	Licensed under the BSD 3-Clause License. For the license terms, see: https://github.com/NLog/NLog/blob/master/LICENSE.txt
Oracle.ManagedDataAccess 21.13	Licensed under the Oracle Technology Network License Agreement.

Component	License or Acknowledgment
Polly 8.3.0	Licensed under the BSD 3-Clause License. For the license terms, see: https://github.com/App-vNext/Polly?tab=BSD-3-Clause-1-ov-file#readme
Polly 8.4.0	Licensed under the BSD 3-Clause License. For the license terms, see: https://github.com/App-vNext/Polly?tab=BSD-3-Clause-1-ov-file#readme
Polly.Extensions.Http 3.0.0	Licensed under the BSD 3-Clause License. For the license terms, see: https://licenses.nuget.org/BSD-3-Clause
SSH.NET 2023.0.1	Licensed under the MIT License. For the license terms, see: https://github.com/sshnnet/SSH.NET/blob/develop/LICENSE
Swashbuckle.AspNetCore 6.4.0	Licensed under the MIT License. For the license terms, see: https://github.com/domaindrivendev/Swashbuckle.AspNetCore?tab=MIT-1-ov-file#readme
Swashbuckle.AspNetCore.Annotations 6.4.0	Licensed under the MIT License. For the license terms, see: https://github.com/domaindrivendev/Swashbuckle.AspNetCore?tab=MIT-1-ov-file#readme
Swashbuckle.AspNetCore.Swagger 6.4.0	Licensed under the MIT License. For the license terms, see: https://github.com/domaindrivendev/Swashbuckle.AspNetCore?tab=MIT-1-ov-file#readme
Swashbuckle.AspNetCore.SwaggerGen 6.4.0	Licensed under the MIT License. For the license terms, see: https://github.com/domaindrivendev/Swashbuckle.AspNetCore?tab=MIT-1-ov-file#readme
Ubiety.Dns.Core 2.2.1.0	Licensed under Apache 2.0. For the license terms, see: https://github.com/ubiety/Ubiety.Dns.Core?tab=Apache-2.0-1-ov-file#readme
Unity.Abstractions 5.11.1	Licensed under Apache 2.0. For the license terms, see:

Component	License or Acknowledgment
	https://github.com/unitycontainer/abstractions/blob/master/LICENSE
Unity.Abstractions 5.11.7	Licensed under Apache 2.0. For the license terms, see: https://github.com/unitycontainer/abstractions/blob/master/LICENSE
Unity.Container 5.11.1	Licensed under Apache 2.0. For the license terms, see: https://github.com/unitycontainer/unity/blob/master/LICENSE
Unity.Container 5.11.11	Licensed under Apache 2.0. For the license terms, see: https://github.com/unitycontainer/unity/blob/master/LICENSE
Unity.Interception 5.11.1	Licensed under Apache 2.0. For the license terms, see: https://github.com/unitycontainer/unity?tab=Apache-2.0-1-ov-file#readme
WebGrease 1.5.2	Licensed under Apache 2.0. For the license terms, see: https://www.apache.org/licenses/LICENSE-2.0.html
ZstdNet 1.4.5	Licensed under the BSD 3-Clause. For the license terms, see: https://github.com/skbkontur/ZstdNet/blob/master/LICENSE

MIT AngleSharp 0.17.1

License URL is on this page: https://www.nuget.org/packages/AngleSharp/0.16.0?_src=template

SPDX identifier

MIT

License text

MIT License _____

Permission is hereby granted, free of charge, to any person obtaining a copy of _____ (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice (including the next paragraph) shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL ____ BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Component Art Web.UI Suite Enterprise License

Please review the following license agreement before installing or using the Web.UI suite, any individual ComponentArt software component or other software product, and/or all related materials. If you agree to the terms herein then you must click the "YES" button during the software installation process as confirmation before you are permitted to use this software and related documents.

Definitions:

This ComponentArt Inc. End-User Software License Agreement ("EULA") is a legal agreement between you (either as an individual user, corporation or single entity) and ComponentArt Inc. ("ComponentArt") for the Web.UI suite or individual software product - which includes computer software, and may include associated media, printed materials, and "online" or electronic documentation ("SOFTWARE PRODUCT" or "SOFTWARE"). By exercising your rights to install the SOFTWARE PRODUCT, you agree to be bound by the terms of this End User License Agreement ("EULA"), including the limitations and warranty disclaimers. If you do NOT agree to the terms of this EULA, you may not install nor use the SOFTWARE PRODUCT; If this is the case, please uninstall the SOFTWARE PRODUCT from your system immediately, and destroy all copies of the SOFTWARE PRODUCT and all of its component parts, source code, associated documentation, and related materials.

SOFTWARE PRODUCT LICENSE:

The SOFTWARE PRODUCT is protected by copyright laws and international copyright treaties, as well as other intellectual property laws and treaties.

1. GRANT OF LICENSE.

This is a license agreement, and NOT an agreement for sale. ComponentArt retains ownership of the copy of THE SOFTWARE in your possession, and all copies you may be licensed to make. ComponentArt retains all rights not expressly granted to you in this LICENSE. ComponentArt hereby grants to you, and you accept, a non-exclusive, non-transferable license to use, copy and modify THE SOFTWARE only as authorized below.

Provided that you have accepted these terms contained herein by clicking the "YES" button at the end of this Agreement, this EULA grants you the following rights:

Installation and Use:

DEVELOPER LICENSE: For single-version licenses, you are granted a license as a single developer (individual) to the particular licensed version of the SOFTWARE PRODUCT. For subscription-based licenses, you are granted a license as a single developer (individual) to all versions of the particular product released during the period of the subscription.

For the version(s) you are licensed for, you are granted a license as a single individual to distribute the SOFTWARE PRODUCT royalty-free with an unlimited number of different

solutions to an unlimited number of web servers, provided they are developed solely by you. The term "different solutions" is understood to mean non-identical, non-"shrink-wrapped" applications to be resold or re-licensed by you. You may not distribute the product with more than 10 copies of an identical or similarly-functioning ("shrink-wrapped") solution or application. For royalty-free distribution of more than 10 identical or similarly-functioning copies of a solution or application, you must purchase a subscription-level license or higher, and are required to modify the SOFTWARE PRODUCT code as per ComponentArt's instructions.

At no time may the SOFTWARE PRODUCT be used by more than one individual at the same time for development purposes -- nor may the SOFTWARE PRODUCT be distributed for use with applications other than those developed by you.

For subscription-based licenses, you are further licensed as a single individual to distribute the SOFTWARE PRODUCT royalty-free with an unlimited number of solutions or applications to an unlimited number of web servers, provided they are developed solely by you. This includes royalty-free distribution of multiple copies of identical or similarly-functioning ("shrink-wrapped") solutions or applications. For royalty-free distribution of more than 10 identical or similarly-functioning copies of a solution or application, you are required to modify the SOFTWARE PRODUCT code as per ComponentArt's instructions to ensure it cannot be re-used for any purpose outside of your distributed application.

For subscription-based licenses, you are also further licensed to view the source code to the SOFTWARE PRODUCT or part thereof, as permitted by the licensor, and modify it for your own needs. You may only re-distribute the source code as part of a compiled solution that adds significant functionality to THE SOFTWARE PRODUCT, and may not redistribute it in non-compiled form.

For Developer and Subscription-based licenses, you are required to reasonably ensure that the SOFTWARE PRODUCT is not reused by or with any application other than those with which you distribute it. For example, if you install the Menu for ASP.NET control along with a packaged application on a customer's server, that customer is not permitted to use the control independent of your application, and must be informed as such.

CORPORATE SITE LICENSE: You are granted a license for all developers/individuals who are part an entire single collective entity, organization, enterprise, or corporation AT A SINGLE PHYSICAL LOCATION - or up to ten (10) developers/individuals AT SEPARATE PHYSICAL LOCATIONS who are still part of a single collective entity, organization, enterprise or corporation - to all versions of the particular product released during the period of the Corporate Site License subscription.

For the version(s) you are licensed for, you are granted a license to distribute the SOFTWARE PRODUCT royalty-free with an unlimited number of solutions or applications to an unlimited number of web servers, provided they are developed solely within the single organization. The SOFTWARE PRODUCT may be used by an unlimited (or limited, as defined above) number of individuals employed by or belonging to the single organization, at the same time, for development purposes -- and the SOFTWARE PRODUCT may be distributed for use with an unlimited number of applications developed by the collective entity, organization, enterprise or corporation. This includes royalty-free distribution of multiple copies of identical or similarly-functioning ("shrink-wrapped") solutions or applications.

For applications distributed outside of the licensed organization, you are required to reasonably ensure that the SOFTWARE PRODUCT is not reused by or with any application

other than those with which you distribute it. For example, if you install the Menu for ASP.NET control along with a packaged application on a customer's server, that customer is not permitted to use the control independent of your application, and must be informed as such.

For royalty-free distribution of more than 10 identical or similarly-functioning copies of a solution or application, you are required to modify the SOFTWARE PRODUCT code as per ComponentArt's instructions to ensure it cannot be re-used for any purpose outside of your distributed application.

You are further licensed to view the source code to the SOFTWARE PRODUCT or part thereof, as permitted by the licensor, and modify it for your own needs. You may only re-distribute the source code as part of a compiled solution that adds significant functionality to THE SOFTWARE PRODUCT, and may not redistribute it in non-compiled form.

FOR ALL LICENSES: In no case shall you rent, lease, lend, redistribute nor re-license THE SOFTWARE PRODUCT or any related source code to a 3rd party individual or entity, except as outlined above. In no case shall you grant further redistribution rights for THE SOFTWARE PRODUCT to the end-users of your solution.

UNDER NO CIRCUMSTANCES MAY THE SOURCE CODE OR THE COMPILED PRODUCT BE USED AS THE BASIS FOR CREATING A PRODUCT THAT CONTAINS THE SAME, OR SUBSTANTIALLY THE SAME, FUNCTIONALITY AS ANY COMPONENTART INC. PRODUCT.

2. DESCRIPTION OF OTHER RIGHTS AND LIMITATIONS.

MICROSOFT OFFICE 2007 USER INTERFACE: Some code and examples included with the ComponentArt Web.UI software mimic the look and behaviour of the interface introduced in the 2007 release of Microsoft Office. ComponentArt has officially licensed this UI from Microsoft for use in the Web.UI product line. Developers and organizations using Web.UI who wish to create their own products that utilize the Microsoft Office UI must similarly obtain a license from Microsoft. Detailed information on this licensing program is available at <http://msdn.microsoft.com/officeui>.

TERMINATION: Without prejudice to any other rights, ComponentArt Inc. may terminate this EULA if you fail to comply with the terms and conditions of this EULA. In such event, you must destroy all copies of the SOFTWARE PRODUCT and all of its component parts, source code, associated documentation, and related materials.

3. COPYRIGHT.

All title and copyrights in and to the SOFTWARE PRODUCT (including but not limited to any images, photographs, animations, video, audio, music, text, and "applets" incorporated into the SOFTWARE PRODUCT), the accompanying printed materials, and any copies of the SOFTWARE PRODUCT are owned by ComponentArt Inc. The SOFTWARE PRODUCT is protected by Canadian and U.S. copyright laws and international treaty provisions. Therefore, you must treat the SOFTWARE PRODUCT like any other copyrighted material.

4. LIMITED WARRANTY.

NO WARRANTIES. ComponentArt Inc. expressly disclaims any warranty for the SOFTWARE PRODUCT. The SOFTWARE PRODUCT and any related documentation is provided "as is" without warranty of any kind, either expressed or implied, including, without limitation, the implied warranties of merchantability, fitness for a particular purpose, or non-infringement. The entire risk arising out of use or performance of the SOFTWARE PRODUCT remains with you.

5. LIMITATION OF LIABILITY.

NO LIABILITY FOR CONSEQUENTIAL DAMAGES. In no event shall ComponentArt Inc. or its distributors be liable for any damages whatsoever (including, without limitation, damages for loss of business profits, business interruption, loss of business information, or any other pecuniary loss) arising out of the use of or inability to use this ComponentArt Inc. product (THE SOFTWARE PRODUCT) and related materials, even if ComponentArt Inc. has been advised of the possibility of such damages. Because some states do not allow the exclusion or limitation of liability for consequential or incidental damages, the above limitation may not apply to you.

If you have any questions regarding this End User License Agreement, please write to:
ComponentArt Inc.

511 King Street West, Suite 400
Toronto, Ontario M5V 1K4
Canada

Apache 2.0

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or addition to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner.

For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License.

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License.

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution.

You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions.

Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty.

Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability.

In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability.

While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Microsoft .Net Framework 4.8

MICROSOFT SOFTWARE SUPPLEMENTAL LICENSE TERMS

.NET FRAMEWORK 4.8 FOR MICROSOFT WINDOWS OPERATING SYSTEM AND ASSOCIATED LANGUAGE PACKS

Microsoft Corporation (or based on where you live, one of its affiliates) licenses this supplement to you. If you are licensed to use Microsoft Windows operating system software (the "software"), you may use this supplement. You may not use it if you do not have a license for the software. You may use this supplement with each validly licensed copy of the software.

The following license terms describe additional use terms for this supplement. These terms and the license terms for the software apply to your use of the supplement. If there is a conflict, these supplemental license terms apply.

By using this supplement, you accept these terms. If you do not accept them, do not use this supplement.

If you comply with these license terms, you have the rights below.

1. DISTRIBUTABLE CODE. The supplement is comprised of Distributable Code.

"Distributable Code" is code that you are permitted to distribute in programs you develop if you comply with the terms below.

a. Right to Use and Distribute.

- You may copy and distribute the object code form of the supplement.
- Third Party Distribution. You may permit distributors of your programs to copy and distribute the Distributable Code as part of those programs.

b. Distribution Requirements. For any Distributable Code you distribute, you must

- add significant primary functionality to it in your programs;
- for any Distributable Code having a filename extension of .lib, distribute only the results of running such Distributable Code through a linker with your program;
- distribute Distributable Code included in a setup program only as part of that setup program without modification;
- require distributors and external end users to agree to terms that protect it at least as much as this agreement;
- display your valid copyright notice on your programs; and

- indemnify, defend, and hold harmless Microsoft from any claims, including attorneys' fees, related to the distribution or use of your programs.

c. Distribution Restrictions. You may not

- alter any copyright, trademark or patent notice in the Distributable Code;
- use Microsoft's trademarks in your programs' names or in a way that suggests your programs come from or are endorsed by Microsoft;
- distribute Distributable Code to run on a platform other than the Windows platform;
- include Distributable Code in malicious, deceptive or unlawful programs; or
- modify or distribute the source code of any Distributable Code so that any part of it becomes subject to an Excluded License. An Excluded License is one that requires, as a condition of use, modification or distribution, that
- the code be disclosed or distributed in source code form; or
- others have the right to modify it.

2. SUPPORT SERVICES FOR SUPPLEMENT. Microsoft provides support services for this software as described at www.support.microsoft.com/common/international.aspx.

3. MICROSOFT .NET FRAMEWORK BENCHMARK TESTING. The software includes one or more components of the .NET Framework (.NET Components). You may conduct internal benchmark testing of those components. You may disclose the results of any benchmark test of those components, provided that you comply with the conditions set forth at <http://go.microsoft.com/fwlink/?LinkID=66406>. Notwithstanding any other agreement you may have with Microsoft, if you disclose such benchmark test results, Microsoft shall have the right to disclose the results of benchmark tests it conducts of your products that compete with the applicable .NET Component, provided it complies with the same conditions set forth at <http://go.microsoft.com/fwlink/?LinkID=66406>.

MICROSOFT .NET LIBRARY 1.0

MICROSOFT SOFTWARE LICENSE TERMS

MICROSOFT .NET LIBRARY

These license terms are an agreement between Microsoft Corporation (or based on where you live, one of its affiliates) and you. Please read them. They apply to the software named above, which includes the media on which you received it, if any. The terms also apply to any Microsoft

- updates,
- supplements,
- Internet-based services, and
- support services

for this software, unless other terms accompany those items. If so, those terms apply.

BY USING THE SOFTWARE, YOU ACCEPT THESE TERMS. IF YOU DO NOT ACCEPT THEM, DO NOT USE THE SOFTWARE.

IF YOU COMPLY WITH THESE LICENSE TERMS, YOU HAVE THE PERPETUAL RIGHTS BELOW.

1. INSTALLATION AND USE RIGHTS.

a. Installation and Use. You may install and use any number of copies of the software to design, develop and test your programs.

b. Third Party Programs. The software may include third party programs that Microsoft, not the third party, licenses to you under this agreement. Notices, if any, for the third party program are included for your information only.

2. ADDITIONAL LICENSING REQUIREMENTS AND/OR USE RIGHTS.

a. DISTRIBUTABLE CODE. The software is comprised of Distributable Code. "Distributable Code" is code that you are permitted to distribute in programs you develop if you comply with the terms below.

i. Right to Use and Distribute.

- You may copy and distribute the object code form of the software.
- Third Party Distribution. You may permit distributors of your programs to copy and distribute the Distributable Code as part of those programs.

ii. Distribution Requirements. For any Distributable Code you distribute, you must

- add significant primary functionality to it in your programs;
- require distributors and external end users to agree to terms that protect it at least as much as this agreement;
- display your valid copyright notice on your programs; and
- indemnify, defend, and hold harmless Microsoft from any claims, including attorneys' fees, related to the distribution or use of your programs.

iii. Distribution Restrictions. You may not

- alter any copyright, trademark or patent notice in the Distributable Code;
- use Microsoft's trademarks in your programs' names or in a way that suggests your programs come from or are endorsed by Microsoft;
- include Distributable Code in malicious, deceptive or unlawful programs; or
- modify or distribute the source code of any Distributable Code so that any part of it becomes subject to an Excluded License. An Excluded License is one that requires, as a condition of use, modification or distribution, that
- the code be disclosed or distributed in source code form; or
- others have the right to modify it.

3. SCOPE OF LICENSE. The software is licensed, not sold. This agreement only gives you some rights to use the software. Microsoft reserves all other rights. Unless applicable law gives you more rights despite this limitation, you may use the software only as expressly permitted in this agreement. In doing so, you must comply with any technical limitations in the software that only allow you to use it in certain ways. You may not

- work around any technical limitations in the software;
- reverse engineer, decompile or disassemble the software, except and only to the extent that applicable law expressly permits, despite this limitation;
- publish the software for others to copy;
- rent, lease or lend the software;
- transfer the software or this agreement to any third party; or
- use the software for commercial software hosting services.

4. **BACKUP COPY.** You may make one backup copy of the software. You may use it only to reinstall the software.

5. **DOCUMENTATION.** Any person that has valid access to your computer or internal network may copy and use the documentation for your internal, reference purposes.

6. **EXPORT RESTRICTIONS.** The software is subject to United States export laws and regulations. You must comply with all domestic and international export laws and regulations that apply to the software. These laws include restrictions on destinations, end users and end use. For additional information, see www.microsoft.com/exporting.

7. **SUPPORT SERVICES.** Because this software is “as is,” we may not provide support services for it.

8. **ENTIRE AGREEMENT.** This agreement, and the terms for supplements, updates, Internet-based services and support services that you use, are the entire agreement for the software and support services.

9. **APPLICABLE LAW.**

a. **United States.** If you acquired the software in the United States, Washington state law governs the interpretation of this agreement and applies to claims for breach of it, regardless of conflict of laws principles. The laws of the state where you live govern all other claims, including claims under state consumer protection laws, unfair competition laws, and in tort.

b. **Outside the United States.** If you acquired the software in any other country, the laws of that country apply.

10. **LEGAL EFFECT.** This agreement describes certain legal rights. You may have other rights under the laws of your country. You may also have rights with respect to the party from whom you acquired the software. This agreement does not change your rights under the laws of your country if the laws of your country do not permit it to do so.

11. **DISCLAIMER OF WARRANTY.** THE SOFTWARE IS LICENSED “AS-IS.” YOU BEAR THE RISK OF USING IT. MICROSOFT GIVES NO EXPRESS WARRANTIES, GUARANTEES OR CONDITIONS. YOU MAY HAVE ADDITIONAL CONSUMER RIGHTS OR STATUTORY GUARANTEES UNDER YOUR LOCAL LAWS WHICH THIS AGREEMENT CANNOT CHANGE. TO THE EXTENT PERMITTED UNDER YOUR LOCAL LAWS, MICROSOFT EXCLUDES THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT.

FOR AUSTRALIA – YOU HAVE STATUTORY GUARANTEES UNDER THE AUSTRALIAN CONSUMER LAW AND NOTHING IN THESE TERMS IS INTENDED TO AFFECT THOSE RIGHTS.

12. LIMITATION ON AND EXCLUSION OF REMEDIES AND DAMAGES. YOU CAN RECOVER FROM MICROSOFT AND ITS SUPPLIERS ONLY DIRECT DAMAGES UP TO U.S. \$5.00. YOU CANNOT RECOVER ANY OTHER DAMAGES, INCLUDING CONSEQUENTIAL, LOST PROFITS, SPECIAL, INDIRECT OR INCIDENTAL DAMAGES.

This limitation applies to

- anything related to the software, services, content (including code) on third party Internet sites, or third party programs; and
- claims for breach of contract, breach of warranty, guarantee or condition, strict liability, negligence, or other tort to the extent permitted by applicable law.

It also applies even if Microsoft knew or should have known about the possibility of the damages. The above limitation or exclusion may not apply to you because your country may not allow the exclusion or limitation of incidental, consequential or other damages.

Please note: As this software is distributed in Quebec, Canada, some of the clauses in this agreement are provided below in French.

Remarque : Ce logiciel étant distribué au Québec, Canada, certaines des clauses dans ce contrat sont fournies ci-dessous en français.

EXONÉRATION DE GARANTIE. Le logiciel visé par une licence est offert « tel quel ». Toute utilisation de ce logiciel est ? votre seule risque et péril. Microsoft n'accorde aucune autre garantie expresse. Vous pouvez bénéficier de droits additionnels en vertu du droit local sur la protection des consommateurs, que ce contrat ne peut modifier. La ou elles sont permises par le droit locale, les garanties implicites de qualité marchande, d'adéquation ? un usage particulier et d'absence de contrefaçon sont exclues.

LIMITATION DES DOMMAGES-INTÉR?TS ET EXCLUSION DE RESPONSABILITÉ POUR LES DOMMAGES. Vous pouvez obtenir de Microsoft et de ses fournisseurs une indemnisation en cas de dommages directs uniquement ? hauteur de 5,00 \$ US. Vous ne pouvez prétendre ? aucune indemnisation pour les autres dommages, y compris les dommages spéciaux, indirects ou accessoires et pertes de bénéfices.

Cette limitation concerne :

- tout ce qui est relié au logiciel, aux services ou au contenu (y compris le code) figurant sur des sites Internet tiers ou dans des programmes tiers ; et
- les réclamations au titre de violation de contrat ou de garantie, ou au titre de responsabilité stricte, de négligence ou d'une autre faute dans la limite autorisée par la loi en vigueur.

Elle s'applique également, m?me si Microsoft connaissait ou devrait connaître l'éventualité d'un tel dommage. Si votre pays n'autorise pas l'exclusion ou la limitation de responsabilité pour les dommages indirects, accessoires ou de quelque nature que ce soit, il se peut que la limitation ou l'exclusion ci-dessus ne s'appliquera pas ? votre égard.

EFFET JURIDIQUE. Le présent contrat décrit certains droits juridiques. Vous pourriez avoir d'autres droits prévus par les lois de votre pays. Le présent contrat ne modifie pas les droits que vous conf?rent les lois de votre pays si celles-ci ne le permettent pas.

MS-.NET-Library-JS License N/A

MICROSOFT SOFTWARE LICENSE TERMS

MICROSOFT .NET LIBRARY

These license terms are an agreement between Microsoft Corporation (or based on where you live, one of its affiliates) and you. Please read them. They apply to the software named above, which includes the media on which you received it, if any. The terms also apply to any Microsoft

- updates,
- supplements,
- Internet-based services, and
- support services

for this software, unless other terms accompany those items. If so, those terms apply.

BY USING THE SOFTWARE, YOU ACCEPT THESE TERMS. IF YOU DO NOT ACCEPT THEM, DO NOT USE THE SOFTWARE.

IF YOU COMPLY WITH THESE LICENSE TERMS, YOU HAVE THE PERPETUAL RIGHTS BELOW.

1. INSTALLATION AND USE RIGHTS.

a. Installation and Use. You may install and use any number of copies of the software to design, develop and test your programs. You may modify, copy, distribute or deploy any .js files contained in the software as part of your programs.

b. Third Party Programs. The software may include third party programs that Microsoft, not the third party, licenses to you under this agreement. Notices, if any, for the third party program are included for your information only.

2. ADDITIONAL LICENSING REQUIREMENTS AND/OR USE RIGHTS.

a. DISTRIBUTABLE CODE. In addition to the .js files described above, the software is comprised of Distributable Code. ?Distributable Code? is code that you are permitted to distribute in programs you develop if you comply with the terms below.

i. Right to Use and Distribute.

- You may copy and distribute the object code form of the software.
- Third Party Distribution. You may permit distributors of your programs to copy and distribute the Distributable Code as part of those programs.

ii. Distribution Requirements. For any Distributable Code you distribute, you must

- use the Distributable Code in your programs and not as a standalone distribution;
- require distributors and external end users to agree to terms that protect it at least as much as this agreement;
- display your valid copyright notice on your programs; and
- indemnify, defend, and hold harmless Microsoft from any claims, including attorneys' fees, related to the distribution or use of your programs.

iii. Distribution Restrictions. You may not

- alter any copyright, trademark or patent notice in the Distributable Code;
- use Microsoft's trademarks in your programs' names or in a way that suggests your programs come from or are endorsed by Microsoft;
- include Distributable Code in malicious, deceptive or unlawful programs; or
- modify or distribute the source code of any Distributable Code so that any part of it becomes subject to an Excluded License. An Excluded License is one that requires, as a condition of use, modification or distribution, that
 - the code be disclosed or distributed in source code form; or
 - others have the right to modify it.

3. **SCOPE OF LICENSE.** The software is licensed, not sold. This agreement only gives you some rights to use the software. Microsoft reserves all other rights. Unless applicable law gives you more rights despite this limitation, you may use the software only as expressly permitted in this agreement. In doing so, you must comply with any technical limitations in the software that only allow you to use it in certain ways. You may not

- work around any technical limitations in the software;
- reverse engineer, decompile or disassemble the software, except and only to the extent that applicable law expressly permits, despite this limitation;
- publish the software for others to copy;
- rent, lease or lend the software; or
- transfer the software or this agreement to any third party.

4. **BACKUP COPY.** You may make one backup copy of the software. You may use it only to reinstall the software.

5. **DOCUMENTATION.** Any person that has valid access to your computer or internal network may copy and use the documentation for your internal, reference purposes.

6. **EXPORT RESTRICTIONS.** The software is subject to United States export laws and regulations. You must comply with all domestic and international export laws and regulations that apply to the software. These laws include restrictions on destinations, end users and end use. For additional information, see www.microsoft.com/exporting.

7. **SUPPORT SERVICES.** Because this software is "as-is," we may not provide support services for it.

8. **ENTIRE AGREEMENT.** This agreement, and the terms for supplements, updates, Internet-based services and support services that you use, are the entire agreement for the software and support services.

9. **APPLICABLE LAW.**

a. **United States.** If you acquired the software in the United States, Washington state law governs the interpretation of this agreement and applies to claims for breach of it, regardless of conflict of laws principles. The laws of the state where you live govern all other claims, including claims under state consumer protection laws, unfair competition laws, and in tort.

b. **Outside the United States.** If you acquired the software in any other country, the laws of that country apply.

10. **LEGAL EFFECT.** This agreement describes certain legal rights. You may have other rights under the laws of your country. You may also have rights with respect to the party from whom you acquired the software. This agreement does not change your rights under the laws of your country if the laws of your country do not permit it to do so.

11. **DISCLAIMER OF WARRANTY.** THE SOFTWARE IS LICENSED "AS IS." YOU BEAR THE RISK OF USING IT. MICROSOFT GIVES NO EXPRESS WARRANTIES, GUARANTEES OR CONDITIONS. YOU MAY HAVE ADDITIONAL CONSUMER RIGHTS OR STATUTORY GUARANTEES UNDER YOUR LOCAL LAWS WHICH THIS AGREEMENT CANNOT CHANGE. TO THE EXTENT PERMITTED UNDER YOUR LOCAL LAWS, MICROSOFT EXCLUDES THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT.

FOR AUSTRALIA – YOU HAVE STATUTORY GUARANTEES UNDER THE AUSTRALIAN CONSUMER LAW AND NOTHING IN THESE TERMS IS INTENDED TO AFFECT THOSE RIGHTS.

12. **LIMITATION ON AND EXCLUSION OF REMEDIES AND DAMAGES.** YOU CAN RECOVER FROM MICROSOFT AND ITS SUPPLIERS ONLY DIRECT DAMAGES UP TO U.S. \$5.00. YOU CANNOT RECOVER ANY OTHER DAMAGES, INCLUDING CONSEQUENTIAL, LOST PROFITS, SPECIAL, INDIRECT OR INCIDENTAL DAMAGES.

This limitation applies to

- anything related to the software, services, content (including code) on third party Internet sites, or third party programs; and
- claims for breach of contract, breach of warranty, guarantee or condition, strict liability, negligence, or other tort to the extent permitted by applicable law.

It also applies even if Microsoft knew or should have known about the possibility of the damages. The above limitation or exclusion may not apply to you because your country may not allow the exclusion or limitation of incidental, consequential or other damages.

Please note: As this software is distributed in Quebec, Canada, some of the clauses in this agreement are provided below in French.

Remarque : Ce logiciel étant distribué au Québec, Canada, certaines des clauses dans ce contrat sont fournies ci-dessous en français.

EXONÉRATION DE GARANTIE. Le logiciel visé par une licence est offert « tel quel ». Toute utilisation de ce logiciel est à votre seule risque et péril. Microsoft n'accorde aucune autre garantie expresse. Vous pouvez bénéficier de droits additionnels en vertu du droit local sur la protection des consommateurs, que ce contrat ne peut modifier. La ou elles sont permises par le droit locale, les garanties implicites de qualité marchande, d'adéquation à un usage particulier et d'absence de contrefaçon sont exclues.

LIMITATION DES DOMMAGES-INTÉRÊTS ET EXCLUSION DE RESPONSABILITÉ POUR LES DOMMAGES. Vous pouvez obtenir de Microsoft et de ses fournisseurs une indemnisation en cas de dommages directs uniquement à hauteur de 5,00 \$ US. Vous ne pouvez prétendre à aucune indemnisation pour les autres dommages, y compris les dommages spéciaux, indirects ou accessoires et pertes de bénéfices.

Cette limitation concerne :

- tout ce qui est relié au logiciel, aux services ou au contenu (y compris le code) figurant sur des sites Internet tiers ou dans des programmes tiers ; et
- les réclamations au titre de violation de contrat ou de garantie, ou au titre de responsabilité stricte, de négligence ou d'une autre faute dans la limite autorisée par la loi en vigueur.

Elle s'applique également, même si Microsoft connaissait ou devrait connaître l'éventualité d'un tel dommage. Si votre pays n'autorise pas l'exclusion ou la limitation de responsabilité pour les dommages indirects, accessoires ou de quelque nature que ce soit, il se peut que la limitation ou l'exclusion ci-dessus ne s'appliquera pas à votre égard.

EFFET JURIDIQUE. Le présent contrat décrit certains droits juridiques. Vous pourriez avoir d'autres droits prévus par les lois de votre pays. Le présent contrat ne modifie pas les droits que vous confèrent les lois de votre pays si celles-ci ne le permettent pas.

MIT Json.NET N/A

The MIT License (MIT)

Copyright (c) 2007 James Newton-King

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

BSD - Kowalski 2011

Copyright (c) 2004-2011 Jaroslaw Kowalski <jaak@jkwalski.net>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of Jaroslaw Kowalski nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

BSD 3-Clause for App vNext 1.0

New BSD License

=

Copyright (c) 2015-2020, App vNext

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of App vNext nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL <COPYRIGHT HOLDER> BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

BSD - Polly

Copyright (c) 2015-2018, App vNext

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of App vNext nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL <COPYRIGHT HOLDER> BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License Text - DevArt dotConnect for Oracle 7.6

dotConnect for Oracle License Agreement

Copyright 2002-2013, Devart. All Rights Reserved

PLEASE READ THIS LICENSE AGREEMENT CAREFULLY. BY INSTALLING OR USING THIS SOFTWARE, YOU INDICATE THE ACCEPTANCE OF AND AGREE TO BECOME BOUND BY THE TERMS AND CONDITIONS OF THIS LICENSE. IF YOU DO NOT AGREE TO ANY PART OF THE TERMS OF THIS LICENSE, DO NOT INSTALL, USE, OR DISTRIBUTE THIS SOFTWARE OR ITS PART AND PROMPTLY RETURN IT TO DEVART.

LICENSE

This Devart end-user license agreement ("Agreement") is a legal agreement between you (either an individual person or a single legal entity) and Devart, for the use of dotConnect for Oracle software application, source code, demos, intermediate files, printed materials, and online or electronic documentation contained in this installation file. For the purpose of this Agreement, the software program(s) and supporting documentation will be referred to as the "Software".

1. GRANT OF LICENSE

The enclosed Software is licensed, not sold. You have the following rights and privileges, subject to all limitations, restrictions, and policies specified in this Agreement.

1.1. If you are a legally licensed user, depending on the license type specified in the registration letter you have received from Devart upon purchase of the Software, you are entitled to either:

- install and use the Software on one or more computers, provided it is used by 1 (one) for the sole purposes of developing, testing, and deploying applications in accordance with this Agreement (the "Single Developer License"); or
- install and use the Software on one or more computers, provided it is used by up to 4 (four) developers within a single company at one physical address for the sole purposes of

developing, testing, and deploying applications in accordance with this Agreement (the "Team Developer License"); or

- install and use the Software on one or more computers, provided it is used by developers in a single company at one physical address for the sole purposes of developing, testing, and deploying applications in accordance with this Agreement (the "Site License").

1.2. If you are a legally licensed user of the Software, you are also entitled to:

- make one copy of the Software for archival purposes only, or copy the Software onto the hard disk of your computer and retain the original for archival purposes;
- develop and test applications with the Software, subject to the Limitations below;
- create libraries, components, and frameworks derived from the Software for personal use only;
- deploy and register run-time assemblies of the Software, subject to the Redistribution policy defined below.

1.3. You are allowed to use evaluation versions of the Software as specified in the Evaluation section.

No other rights or privileges are granted in this Agreement.

2. LIMITATIONS

Only legally registered users are licensed to use the Software, subject to all of the conditions of this Agreement. Usage of the Software is subject to the following restrictions.

2.1. You may not develop any applications that use or are based on the Software explicitly or implicitly without obtaining an appropriate license from Devart. This includes, but is not limited to, enhancing, modifying, or developing applications, services, web applications, Integration Services packages, Analysis Services projects, or Reporting Services reports that use the Software.

2.2. You may not use the Software in any application that is made available on a hosting basis and provides functionality significantly similar to that of the Software.

2.3. You may not distribute or resell the Software, or any derivative work using it, except under the Redistribution policy defined below. In particular, you may not distribute the Software as part of libraries, components, or frameworks.

2.4. You may not transfer, assign, or modify the Software, in whole or in part. In particular, the Software license is non-transferable, and you may not transfer the Software installation package.

2.5. You may not reverse engineer, decompile, or disassemble the Software.

2.6. You may not reproduce or distribute any Software documentation without express written permission from Devart.

3. REDISTRIBUTION

You are allowed to:

- deploy run-time assemblies of the Software with your applications,
- register run-time assemblies of the Software on a target machine,
- install the Software on a target machine using the Minimal installation type to use the Software with Microsoft Business Intelligence solutions,

provided that:

- you reasonably ensure that the Software assemblies are not redistributed in any form that allows them to be reused by any application other than your solution; and
- you duly inform your customers that they are not allowed to use the Software independently from your solution, and for use of the Software within a development environment your customers need to purchase the appropriate license from Devart.

4. TRANSFER

You may not transfer the Software to any individual or entity without express written permission from Devart. In particular, you may not share copies of the Software under "Single Developer License" and "Team License" with other co-developers without obtaining proper license of these copies for each individual.

5. TERMINATION

Devart may immediately terminate this Agreement without notice or judicial resolution in the event of any failure to comply with any provision of this Agreement. Upon such termination you must destroy the Software, all accompanying written materials, and all copies.

6. EVALUATION

Devart may provide evaluation ("Trial") versions of the Software. You may transfer or distribute Trial versions of the Software as an original installation package only. If the Software you have obtained is marked as a "Trial" version, you may install and use the Software for a period of up to 30 calendar days from the date of installation (the "Trial Period"), subject to the additional restriction that it is used solely for evaluation of the Software and not in conjunction with the development or deployment of any application in production. You may not use applications developed using Trial versions of the Software for any commercial purposes. Upon expiration of the Trial Period, the Software must be uninstalled, all its copies and all accompanying written materials must be destroyed.

7. WARRANTY

The Software and documentation are provided "AS IS" without warranty of any kind. Devart makes no warranties, expressed or implied, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose or use.

8. SUBSCRIPTION AND SUPPORT

The Software is sold on a subscription basis. The Software subscription entitles you to download improvements and enhancement from Devart's web site as they become available, during the active subscription period. The initial subscription period is one year from the date of purchase of the license. The subscription is automatically activated upon purchase, and may be subsequently renewed by Devart, subject to receipt applicable fees. Licensed users of the Software with an active subscription may request technical assistance with using the Software over email from the Software development . Devart shall use its reasonable endeavours to answer queries raised, but does not guarantee that your queries or problems will be fixed or solved.

9. COPYRIGHT

The Software is confidential and proprietary copyrighted work of Devart and is protected by international copyright laws and treaty provisions. You may not remove the copyright

notice from any copy of the Software or any copy of the written materials, accompanying the Software.

This Agreement contains the total agreement between the two parties and supersedes any other agreements, written, oral, expressed, or implied.

Microsoft.Web.WebView2 1.0 License

Copyright (C) Microsoft Corporation. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the

distribution.

- * The name of Microsoft Corporation, or the names of its contributors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Oracle Technology Network License Agreement

Last updated: 30 November 2016

Oracle is willing to authorize Your access to software associated with this License Agreement ("Agreement") only upon the condition that You accept that this Agreement governs Your use of the software. By selecting the "Accept License Agreement" button or box (or the equivalent) or installing or using the Programs You indicate Your acceptance of this Agreement and Your agreement, as an authorized representative of Your company or organization (if being acquired for use by an entity) or as an individual, to comply with the license terms that apply to the software that You wish to download and access. If You are not willing to be bound by this Agreement, do not select the "Accept License Agreement" button or box (or the equivalent) and do not download or access the software.

Definitions

"Oracle" refers to Oracle America, Inc. "You" and "Your" refers to (a) a company or organization (each an "Entity") accessing the Programs, if use of the Programs will be on behalf of such Entity; or (b) an individual accessing the Programs, if use of the Programs will not be on behalf of an Entity. "Contractors" refers to Your agents and contractors

(including, without limitation, outsourcers). "Program(s)" refers to Oracle software provided by Oracle pursuant to this Agreement and any updates, error corrections, and/or Program Documentation provided by Oracle. "Program Documentation" refers to Program user manuals and Program installation manuals, if any. If available, Program Documentation may be delivered with the Programs and/or may be accessed from www.oracle.com/documentation. "Associated Product" refers to the Oracle product(s), if any, and as identified in the Programs documentation or on the Programs download site, with which the Programs are intended to enable or enhance interoperability with Your application(s). "Separate Terms" refers to separate license terms that are specified in the Program Documentation, readmes or notice files and that apply to Separately Licensed Third Party Technology. "Separately Licensed Third Party Technology" refers to third party technology that is licensed under Separate Terms and not under the terms of this Agreement.

License Rights and Restrictions

Oracle grants You a nonexclusive, nontransferable, limited license to, subject to the restrictions stated in this Agreement, (a) internally use the Programs solely for the purposes of developing, testing, prototyping and demonstrating Your applications, and running the Programs for Your own internal business operations; and (b) redistribute unmodified Programs and Programs Documentation pursuant to the Programs Redistribution section below. You may allow Your Contractor(s) to use the Programs, provided they are acting on Your behalf to exercise license rights granted in this Agreement and further provided that You are responsible for their compliance with this Agreement in such use. You will have a written agreement with Your Contractor(s) that strictly limits their right to use the Programs and that otherwise protects Oracle's intellectual property rights to the same extent as this Agreement. You may make copies of the Programs to the extent reasonably necessary to exercise the license rights granted in this Agreement. You may make one copy of the Programs for backup purposes.

Further, You may not:

- remove or modify any Program markings or any notice of Oracle's or a licensor's proprietary rights;

- use the Programs to provide third party training unless Oracle expressly authorizes such use on the Program's download page;

- assign this Agreement or distribute, give, or transfer the Programs or an interest in them to any third party, except as expressly permitted in this Agreement (the foregoing shall not be construed to limit the rights You may otherwise have with respect to Separately Licensed Third Party Technology);

- cause or permit reverse engineering (unless required by law for interoperability), disassembly or decompilation of the Programs; and

- disclose results of any Program benchmark tests without Oracle's prior consent.

The Programs may contain source code that, unless expressly licensed in this Agreement for other purposes (for example, licensed under an open source license), is provided solely for reference purposes pursuant to the terms of this Agreement and may not be modified.

All rights not expressly granted in this Agreement are reserved by Oracle. If You want to use the Programs or Your application for any purpose other than as expressly permitted under this Agreement, You must obtain from Oracle or an Oracle reseller a valid Programs

license under a separate agreement permitting such use. However, You acknowledge that the Programs may not be intended for production use and/or Oracle may not make a version of the Programs available for production or other purposes; any development or other work You undertake with the Programs is at Your sole risk.

Programs Redistribution

We grant You a nonexclusive, nontransferable right to copy and distribute unmodified Programs and Programs Documentation as part of and included in Your application that is intended to interoperate with the Associated Product, if any, provided that You do not charge Your end users any additional fees for the use of the Programs. Prior to distributing the Programs and Programs Documentation, You shall require Your end users to execute an agreement binding them to terms, with respect to the Programs and Programs Documentation, materially consistent and no less restrictive than those contained in this section and the sections of this Agreement entitled "License Rights and Restrictions" (except that the redistribution right granted to You shall not be included; Your end users may not distribute Programs and Programs Documentation to any third parties), "Ownership," "Export Controls," "Disclaimer of Warranties; Limitation of Liability," "No Technical Support" (with respect to Oracle support; You may provide Your own support for Programs at Your discretion), "Audit; Termination (except that Oracle's audit right shall not be included)," "Relationship Between the Parties," and "U.S. Government End Users." You must also include a provision stating that Your end users shall have no right to distribute the Programs and Programs Documentation, and a provision specifying us as a third party beneficiary of the agreement. You are responsible for obtaining these agreements with Your end users.

You agree to: (a) defend and indemnify us against all claims and damages caused by Your distribution of the Programs and Programs Documentation in breach of this Agreement and/or failure to include the required contractual provisions in Your end user agreement as stated above; (b) keep executed end user agreements and records of end user information including name, address, date of distribution and identity of Programs distributed; (c) allow us to inspect Your end user agreements and records upon request; and, (d) enforce the terms of Your end user agreements so as to effect a timely cure of any end user breach, and to notify us of any breach of the terms.

Ownership

Oracle or its licensors retain all ownership and intellectual property rights to the Programs.

Third-Party Technology

The Programs may contain or require the use of third party technology that is provided with the Programs. Oracle may provide certain notices to You in Program Documentation, readmes or notice files in connection with such third party technology. Third party technology will be licensed to You either under the terms of this Agreement or, if specified in the Program Documentation, readmes or notice files, under Separate Terms. Your rights to use Separately Licensed Third Party Technology under Separate Terms are not restricted in any way by this Agreement. However, for clarity, notwithstanding the existence of a notice, third party technology that is not Separately Licensed Third Party Technology shall be deemed part of the Programs and is licensed to You under the terms of this Agreement.

Source Code for Open Source Software

For software that You receive from Oracle in binary form that is licensed under an open source license that gives You the right to receive the source code for that binary, You can

obtain a copy of the applicable source code from <https://oss.oracle.com/sources/> or <http://www.oracle.com/goto/opensourcecode>. If the source code for such software was not provided to You with the binary, You can also receive a copy of the source code on physical media by submitting a written request pursuant to the instructions in the "Written Offer for Source Code" section of the latter website.

Export Controls

Export laws and regulations of the United States and any other relevant local export laws and regulations apply to the Programs . You agree that such export control laws govern Your use of the Programs (including technical data) and any services deliverables provided under this agreement, and You agree to comply with all such export laws and regulations (including "deemed export" and "deemed re-export" regulations). You agree that no data, information, program and/or materials resulting from Programs or services (or direct products thereof) will be exported, directly or indirectly, in violation of these laws, or will be used for any purpose prohibited by these laws including, without limitation, nuclear, chemical, or biological weapons proliferation, or development of missile technology. Accordingly, You confirm:

You will not download, provide, make available or otherwise export or re-export the Programs, directly or indirectly, to countries prohibited by applicable laws and regulations nor to citizens, nationals or residents of those countries.

You are not listed on the United States Department of Treasury lists of Specially Designated Nationals and Blocked Persons, Specially Designated Terrorists, and Specially Designated Narcotic Traffickers, nor are You listed on the United States Department of Commerce Table of Denial Orders.

You will not download or otherwise export or re-export the Programs, directly or indirectly, to persons on the above mentioned lists.

You will not use the Programs for, and will not allow the Programs to be used for, any purposes prohibited by applicable law, including, without limitation, for the development, design, manufacture or production of nuclear, chemical or biological weapons of mass destruction.

Information Collection

The Programs' installation and/or auto-update processes, if any, may transmit a limited amount of data to Oracle or its service provider about those processes to help Oracle understand and optimize them. Oracle does not associate the data with personally identifiable information. Refer to Oracle's Privacy Policy at www.oracle.com/privacy.

Disclaimer of Warranties; Limitation of Liability

THE PROGRAMS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND. ORACLE FURTHER DISCLAIMS ALL WARRANTIES, EXPRESS AND IMPLIED, INCLUDING WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NONINFRINGEMENT .

IN NO EVENT WILL ORACLE BE LIABLE FOR ANY INDIRECT, INCIDENTAL, SPECIAL, PUNITIVE OR CONSEQUENTIAL DAMAGES, OR DAMAGES FOR LOSS OF PROFITS, REVENUE, DATA OR DATA USE, INCURRED BY YOU OR ANY THIRD PARTY, WHETHER IN AN ACTION IN CONTRACT OR TORT, EVEN IF ORACLE HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. ORACLE'S ENTIRE LIABILITY FOR DAMAGES UNDER THIS AGREEMENT SHALL IN NO EVENT EXCEED ONE THOUSAND DOLLARS (U.S. \$1,000) .

No Technical Support

Unless Oracle support for the Programs, if any, is expressly included in a separate, current support agreement between You and Oracle, Oracle's technical support organization will not provide technical support, phone support, or updates to You for the Programs provided under this Agreement.

Audit; Termination

Oracle may audit Your use of the Programs. You may terminate this Agreement by destroying all copies of the Programs. This Agreement shall automatically terminate without notice if You fail to comply with any of the terms of this Agreement, in which case You shall promptly destroy all copies of the Programs.

U.S. Government End Users

Programs and/or Programs Documentation delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the Programs and/or Programs Documentation shall be subject to the license terms and license restrictions set forth in this Agreement. No other rights are granted to the U.S. Government.

Relationship Between the Parties

Oracle is an independent contractor and we agree that no partnership, joint venture, or agency relationship exists between us. We each will be responsible for paying our own employees, including employment related taxes and insurance.. Nothing in this agreement shall be construed to limit either party's right to independently develop or distribute software that is functionally similar to the other party's products, so long as proprietary information of the other party is not included in such software.

Entire Agreement; Governing Law

You agree that this Agreement is the complete agreement for the Programs and this Agreement supersedes all prior or contemporaneous agreements or representations, including any clickwrap, shrinkwrap or similar licenses, or license agreements for prior versions of the Programs. This Agreement may not be modified and the rights and restrictions may not be altered or waived except in a writing signed by authorized representatives of You and of Oracle. If any term of this Agreement is found to be invalid or unenforceable, the remaining provisions will remain effective.

This Agreement is governed by the substantive and procedural laws of the State of California, USA, and You and Oracle agree to submit to the exclusive jurisdiction of, and venue in, the courts of San Francisco or Santa Clara counties in California in any dispute arising out of or relating to this Agreement.

Notices

Should you have any questions concerning this License Agreement, or if you desire to contact Oracle for any reason, please write:

Oracle America, Inc.

500 Oracle Parkway

Redwood City, CA 94065

Oracle Employees: Under no circumstances are Oracle Employees authorized to download software for the purpose of distributing it to customers. Oracle products are available to employees for internal use or demonstration purposes only. In keeping with Oracle's trade compliance obligations under U.S. and applicable multilateral law, failure to comply with this policy could result in disciplinary action up to and including termination.

Copyright 2025 One Identity LLC.

ALL RIGHTS RESERVED.

This guide contains proprietary information protected by copyright. The software described in this guide is furnished under a software license or nondisclosure agreement. This software may be used or copied only in accordance with the terms of the applicable agreement. No part of this guide may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording for any purpose other than the purchaser's personal use without the written permission of One Identity LLC .

The information in this document is provided in connection with One Identity products. No license, express or implied, by estoppel or otherwise, to any intellectual property right is granted by this document or in connection with the sale of One Identity LLC products. EXCEPT AS SET FORTH IN THE TERMS AND CONDITIONS AS SPECIFIED IN THE LICENSE AGREEMENT FOR THIS PRODUCT, ONE IDENTITY ASSUMES NO LIABILITY WHATSOEVER AND DISCLAIMS ANY EXPRESS, IMPLIED OR STATUTORY WARRANTY RELATING TO ITS PRODUCTS INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. IN NO EVENT SHALL ONE IDENTITY BE LIABLE FOR ANY DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE, SPECIAL OR INCIDENTAL DAMAGES (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF PROFITS, BUSINESS INTERRUPTION OR LOSS OF INFORMATION) ARISING OUT OF THE USE OR INABILITY TO USE THIS DOCUMENT, EVEN IF ONE IDENTITY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. One Identity makes no representations or warranties with respect to the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and product descriptions at any time without notice. One Identity does not make any commitment to update the information contained in this document.

If you have any questions regarding your potential use of this material, contact:

One Identity LLC.
Attn: LEGAL Dept
4 Polaris Way
Aliso Viejo, CA 92656

Refer to our website (<http://www.OneIdentity.com>) for regional and international office information.

Patents

One Identity is proud of our advanced technology. Patents and pending patents may apply to this product. For the most current information about applicable patents for this product, please visit our website at <http://www.OneIdentity.com/legal/patents.aspx>.

Trademarks

One Identity and the One Identity logo are trademarks and registered trademarks of One Identity LLC. in the U.S.A. and other countries. For a complete list of One Identity trademarks, please visit our website at www.OneIdentity.com/legal/trademark-information.aspx. All other trademarks are the property of their respective owners.

Legend



WARNING: A WARNING icon highlights a potential risk of bodily injury or property damage, for which industry-standard safety precautions are advised. This icon is often associated with electrical hazards related to hardware.



CAUTION: A CAUTION icon indicates potential damage to hardware or loss of data if instructions are not followed.