

Quest[®] NetVault[®] Plug-in *for Microsoft 365* 14.0 Release Notes

April 2025

These release notes provide information about the Quest[®] NetVault[®] Plug-in *for Microsoft 365* release.

Topics:

- [About this release](#)
- [New features](#)
- [Enhancement](#)
- [Resolved issues](#)
- [Known issues](#)
- [System requirements](#)
- [Product licensing](#)
- [Upgrade and installation instructions](#)
- [More resources](#)
- [Globalization](#)
- [About us](#)

About this release

Quest NetVault (NetVault) Plug-in *for Microsoft 365* (Plug-in *for Microsoft 365*) 14.0 is a major release. For complete product documentation, visit <https://support.quest.com/technical-documents>.

New features

New feature in NetVault Plug-in *for Microsoft 365* 14.0:

- Support for shared Teams channel.

Enhancement

- Updated Microsoft Graph SDK.
- Enhanced Outlook Calendar Performance.

Resolved issues

The following is a list of issues addressed in this release.

Table 1. General resolved issues

Resolved issue	Issue ID
Restoring a user's OneDrive data fails with the error "User's mysite not found."	DNPO365-699
Workaround: Complete the following steps:	
1 Log in to www.office.com with the restored user account credentials.	
2 Navigate to your apps.	
3 Open the SharePoint app.	
4 Open the OneDrive app.	
You should now have access to the user's OneDrive account.	
5 In NetVault, run the restore job of the OneDrive user.	

Known issues

The following is a list of issues, including those issues attributed to third-party products, known to exist at the time of release.

Table 2. General known issues

Known issue	Issue ID
If you perform a granular restore of Outlook or OneDrive, selecting the primary node—OneDrive or Outlook—and clearing any individual user nodes behaves correctly. However, if you select a user node and clear any subnodes, the plug-in restores all items for the selected user. That is, the plug-in ignores the cleared subnodes that are marked with a red X.	DNPO365-253, DNPO365-277
As designed, if a User/Group/SP is deleted and restored with one ID, and you attempt to restore it again, the plug-in must restore it with a new ID as the first ID exists.	DNPO365-523
Workaround: Delete the previously restored object, and then perform the new restore.	
When restoring Azure AD content and the default password "nvbu123*#\$" is used in the Set password for user(s) on the Restore Option screen, the restore job completes with the error "The specified password does not comply with password complexity requirements."	DNPO365-738
Workaround: If the Azure AD user restore fails with aforementioned error, even though the password meets the complexity requirements, provide the same password in the config file under the "Azure AD User Password" stanza and perform the restore again.	
When restoring a modern SharePoint Online team site—which has an associated Office 365 Group that was automatically generated upon site creation—to a nonexistent site, a new site is created but the associated Office 365 Group is not created or associated with the restored site.	DNPO365-751
Web parts of classic SharePoint Online sites do not restore, because they use a specific template.	DNPO365-752

Table 2. General known issues

Known issue	Issue ID
When relocating the backup of a SharePoint Online site to a nonexistent site, a new site is created, but any custom permission levels that were created are not restored because the scope of the permission level is limited to the original site and its subsites.	DNPO365-754
If a SharePoint Online site contains a OneNote notebook, the notebook is not backed up and restored. The remainder of the site contents are restored.	DNPO365-793
If you restore a backup of Teams that includes a Team that was deleted for any reason, the restore does not include all App tabs for the deleted Team. Because a backup job for Teams does not include separate backups for App tabs, some App tabs, including OneNote, Planner, Forms, and Streams, are excluded from the restored Team.	DNPO365-989
Teams channels and few Teams settings do not get restored.	DNPO365-994
Poll(vote) data is completely lost after restore of the Teams.	DNPO365-1024
When restoring a tenant's Azure Active Directory, the owners and user members of the service principal do not restore.	DNPO365-1204
The contents of a wiki app within a Teams channel do not restore.	DNPO365-1238
When a previous version of Plug-in <i>for Microsoft 365</i> that contains a saveset with default options is removed and the latest 13.1 version is installed, then clicking the + button next to plug-in options in the Create Backup Job window causes an unexpected pop-up to hang and the UI to become unresponsive, Workaround: To prevent a pop-up from appearing and causing the WebUI to be unresponsive, before creating the new plug-in set, click Edit and save the existing default plug-in options, and then click the + icon.	DNPO365-1247, NV-1544
Existing files before renaming the folder are restored to the original folder (i.e. folder location before renaming it) and files uploaded to the folder after renaming are restored to renamed folder.	DNPO365-1758
Outlook backup job of On-Premises AD user synced to Azure AD as MailUser with no UserMailbox fails with error message "UnknownError"	DNPO365-1830
Subsite Incremental backup job does Full backup for Document Library	DNPO365-1915
Auto configuration of plug-in fails with error "Invalid credentials" when MFA is enabled for Global Admin	DNPO365-1916
Selecting Groups for the backup from root node and then deselecting all groups except one results in backup failure of the all the group members.	DNPO365-1936
Emojis were not restored in Teams channel messages.	DNPO365-2036
Standard Teams channels were added under hidden channels after restoring the deleted Teams.	DNPO365-2047
The kanban board of the Loop component has not been restored.	DNPO365-2159
When the deleted Teams are restored, an additional empty general channel is generated.	DNPO365-2177
The backup fails for shared mailboxes larger than 50 GB that have no assigned licenses.	DNPO365-2213

System requirements

Before installing Plug-in for Microsoft 365 14.0, ensure that your system meets the requirements outlined in the *Quest NetVault Compatibility Guide* available at <https://support.quest.com/technical-documents>.

Upgrade and compatibility

Plug-in for Microsoft 365 14.0 requires NetVault 13.0 or later. For complete supported-platform information, see the *Quest NetVault Compatibility Guide*.

- i** **NOTE:** When upgrading to M365 14.0, ensure to maintain at least one client with the 13.x plug-in to restore backups of the 13.x plug-in. It is mandatory to install the 14.0 plug-in on a new client if there is only one proxy plug-in. It is recommended to maintain the machine's availability until the backup using the 13.x plug-in has expired.

Product licensing

To obtain the license file for your NetVault Server environment, determine the NetVault Machine ID of your main NetVault Server. Also identify the machine IDs of any clients running application plug-ins, such as Oracle, MySQL, PostgreSQL, SQL Server, and Exchange.

You can use the License Management page to install the product license files.

- [Obtaining a machine ID](#)
- [Installing a license file](#)

Obtaining a machine ID

- 1 Start the NetVault WebUI.
- 2 In the Navigation pane, click **License Management**.
- 3 In the **Clients Details** list, note the machine ID for the applicable Server or Client entry.

Installing a license file

- 1 In the **Navigation** pane, click **License Management**.
- 2 On the **License Management** page, click **Install License**.
Because the NetVault WebUI is tied to a specific NetVault Server and all licenses are installed on the NetVault Server, the program automatically installs the license on the correct machine.
- 3 In the **Choose License File/s** dialog box, click **Select a file**, point to the “.dlv” file that contains the license key, and click **Open**.
- 4 In the dialog box, click **OK** to apply the selected license file.
After the key is applied successfully, a message is displayed.
- 5 To dismiss the message, click **X**.

Upgrade and installation instructions

For upgrade and installation instructions, see the *Quest NetVault Plug-in for Microsoft 365 User's Guide*. If you are upgrading from the 12.1 version of the plug-in, be aware of the following:

- You must use the Microsoft .NET Framework, version 4.7.2 or later, on your NetVault Server and Clients.
- After you complete the upgrade, you must reenter the **Application Password** on the **Configure** dialog box.

CAUTION: Do not use the **Change Settings** option in the WebUI to enter or update the **Application Domain, ID, and Password** settings.

More resources

Additional information is available from the following:

- [Online product documentation](#)
- [NetVault community](#)

Globalization

This section contains information about installing and operating this product in non-English configurations, such as those needed by customers outside of North America. This section does not replace the materials about supported platforms and configurations found elsewhere in the product documentation.

This release supports any single-byte or multi-byte character set. It supports simultaneous operation with multilingual data. This release is targeted to support operations in the following regions: North America, Western Europe and Latin America, Far-East Asia.

NetVault Plug-in for Microsoft 365 14.0 is available in English and Japanese.

About us

Quest provides software solutions for the rapidly-changing world of enterprise IT. We help simplify the challenges caused by data explosion, cloud expansion, hybrid datacenters, security threats, and regulatory requirements. We are a global provider to 130,000 companies across 100 countries, including 95% of the Fortune 500 and 90% of the Global 1000. Since 1987, we have built a portfolio of solutions that now includes database management, data protection, identity and access management, Microsoft platform management, and unified endpoint management. With Quest, organizations spend less time on IT administration and more time on business innovation. For more information, visit www.quest.com.

Technical support resources

Technical support is available to Quest customers with a valid maintenance contract and customers who have trial versions. You can access the Quest Support Portal at <https://support.quest.com>.

The Support Portal provides self-help tools you can use to solve problems quickly and independently, 24 hours a day, 365 days a year. The Support Portal enables you to:

- Submit and manage a Service Request.
- View Knowledge Base articles.
- Sign up for product notifications.
- Download software and technical documentation.
- View how-to-videos.
- Engage in community discussions.
- Chat with support engineers online.
- View services to assist you with your product.

Third-party contributions

This product contains the following third-party components. For third-party license information, go to <https://www.quest.com/legal/license-agreements.aspx>. Source code for components marked with an asterisk (*) is available at <https://opensource.quest.com>.

Table 3. List of third-party contributions

Component	License or acknowledgment
AzureAD 2.0.2.140	MIT Template 2020
Azure.Core 1.24.0.0	MIT Template 2020
Azure.Core.dll 1.43.0	MIT Template 2020
Azure.Identity.dll 1.11.3	MIT Template 2020
Microsoft.Bcl.AsyncInterfaces 6.0.0	©Microsoft. All rights reserved. MIT Template 2020
Microsoft.Exchange.WebServices 15.00	MIT 1.0
Microsoft.Graph 5.58.0	©Microsoft. All rights reserved. MIT N/A
Microsoft.Graph 4.26.0	MIT N/A
Microsoft Graph Beta 0.33.0-preview	©2019 Microsoft Corporation MIT N/A
Microsoft.Graph.Core 3.1.22	©Microsoft. All rights reserved. MIT N/A
Microsoft.Graph.Core.dll 2.0.8.0	MIT N/A
Microsoft.Identity.Client 4.43.1	MIT Template 2020
Microsoft.Identity.Client 4.7.1	©Microsoft Corporation. All rights reserved. Licensed under the MIT License (the "License"). MIT N/A
Microsoft.IdentityModel.Clients.ActiveDirectory 5.3.0	©Microsoft Corporation MIT N/A
Microsoft.IdentityModel.Clients.ActiveDirectory.Platform 3.16.4	©Microsoft Corporation MIT N/A

Table 3. List of third-party contributions

Component	License or acknowledgment
Microsoft.IdentityModel.Logging 6.11.1	©Microsoft Corporation. All rights reserved.
Microsoft.IdentityModel.Tokens 7.6.0	MIT Template 2020
Microsoft.IdentityModel.Logging 6.17.0	©Microsoft Corporation. All rights reserved.
Microsoft.IdentityModel.Tokens 7.6.0	MIT Template 2020
Newtonsoft.Json.dll 6.0.1.17001	©2007 James Newton-King MIT N/A
Newtonsoft.Json 13.0.1	MIT Template 2020
OfficeDevPnP.Core.dll 3.28.2012.0	©Microsoft Corporation. All rights reserved. MIT 1.0
SharePointPnP.IdentityModel.Extensions 1.2.4.0	Copyright (c) 2017 Microsoft SharePoint MIT Template 2020
System Buffers 4.6.28619.1	MIT N/A
System.Memory 4.6.31308.01	MIT 1.0
System.Net.Http.WinHttpHandler 9.0.24	MIT N/A
System.Numerics.Vectors 4.6.26515.06	MIT 1.0
System.Runtime.CompilerServices.Unsafe 6.0.21.52210	MIT Template 2020
System.Spatial 5.6.3	MIT N/A
System.Text.Encodings.Web 9.0.24	MIT Template 2020
System.Text.Json 9.0.24	MIT Template 2020
System.Threading.Tasks.Extensions 4.6.28619.01	MIT 1.0
System.ValueTuple 4.6.26515.06	MIT 1.0

© 2025 Quest Software Inc.

ALL RIGHTS RESERVED.

This guide contains proprietary information protected by copyright. The software described in this guide is furnished under a software license or nondisclosure agreement. This software may be used or copied only in accordance with the terms of the applicable agreement. No part of this guide may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording for any purpose other than the purchaser's personal use without the written permission of Quest Software Inc.

The information in this document is provided in connection with Quest Software products. No license, express or implied, by estoppel or otherwise, to any intellectual property right is granted by this document or in connection with the sale of Quest Software products. EXCEPT AS SET FORTH IN THE TERMS AND CONDITIONS AS SPECIFIED IN THE LICENSE AGREEMENT FOR THIS PRODUCT, QUEST SOFTWARE ASSUMES NO LIABILITY WHATSOEVER AND DISCLAIMS ANY EXPRESS, IMPLIED OR STATUTORY WARRANTY RELATING TO ITS PRODUCTS INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. IN NO EVENT SHALL QUEST SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE, SPECIAL OR INCIDENTAL DAMAGES (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF PROFITS, BUSINESS INTERRUPTION OR LOSS OF INFORMATION) ARISING OUT OF THE USE OR INABILITY TO USE THIS DOCUMENT, EVEN IF QUEST SOFTWARE HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. Quest Software makes no representations or warranties with respect to the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and product descriptions at any time without notice. Quest Software does not make any commitment to update the information contained in this document.

If you have any questions regarding your potential use of this material, contact:

Quest Software Inc.
Attn: LEGAL Dept.
4 Polaris Way
Aliso Viejo, CA 92656

Refer to our website (<https://www.quest.com>) for regional and international office information.




Patents

Quest Software is proud of our advanced technology. Patents and pending patents may apply to this product. For the most current information about applicable patents for this product, please visit our website at <https://www.quest.com/legal>.

Trademarks

Quest Software, Quest, the Quest logo, QoreStor, and NetVault are trademarks and registered trademarks of Quest Software Inc. For a complete list of Quest marks, visit <https://www.quest.com/legal/trademark-information.aspx>. All other trademarks and registered trademarks are property of their respective owners.

Legend

-  **WARNING:** A WARNING icon indicates a potential for property damage, personal injury, or death.
-  **CAUTION:** A CAUTION icon indicates potential damage to hardware or loss of data if instructions are not followed.
-  **IMPORTANT NOTE, NOTE, TIP, MOBILE, or VIDEO:** An information icon indicates supporting information.

