

# Toad<sup>®</sup> for Oracle 2025 R2

## Release Notes

Revised 5/13/2025

### Contents

- About Toad for Oracle** ..... **4**
  - Toad for Oracle resources ..... 4
  - About this release ..... 4
  
- About Toad<sup>®</sup> for Oracle<sup>®</sup> Editions** ..... **5**
  - Toad for Oracle Subscription ..... 5
  - Toad for Oracle non-Subscription ..... 6
  - Toad for Oracle on Mac ..... 8
    - Install ..... 9
    - Uninstall ..... 9
  
- New Features and Enhancements** ..... **10**
  - Toad for Oracle 2025 R2 ..... 10
    - AI Code with GitHub Copilot Preview ..... 10
    - Toolbars ..... 10
  - Toad for Oracle on Mac ..... 10
  - Accessibility ..... 10
  - Connections ..... 11
  - Schema Browser ..... 11
  - Editor ..... 11
  - Data Grids ..... 11
  - Describe Window ..... 11
  - Automation Designer ..... 11
  - User Interface ..... 12
  - Team Coding ..... 12
  - Export File Browser ..... 12
  - DBMS Output ..... 12
  - Oracle Tuning Advisor ..... 12
  - Object Compare ..... 12
  - Trace File Browser ..... 12
  - Object Search ..... 12
  - Compare Data ..... 13
  - FTP ..... 13

Space Manager .....	13
Triggers .....	13
Tablespaces .....	13
Documentation .....	13
Toad for Oracle 2025 R1 .....	13
New Windows and Mac Licensing .....	13
Toad for Oracle on Mac .....	13
Toad for Oracle 2024 R2 .....	14
Product Version .....	14
Toad for Oracle Subscription Editions .....	14
Oracle 23ai Support .....	14
Accessibility .....	14
Schema Browser .....	15
Editor .....	15
Connections .....	15
Data Grids .....	16
Describe Window .....	16
SGA Trace/Optimization .....	16
Connection Colors .....	16
Session Browser .....	16
Font Dialog .....	16
Create Constraint .....	16
Automation Designer .....	16
Code Insight .....	16
DB Health Scan .....	17
Compare Schemas .....	17
Compare Databases .....	17
Manage User Settings .....	17
Workspaces .....	17
Master-Detail Browser .....	17
Project Manager .....	17
Explain Plan .....	17
Team Coding .....	17
utPLSQL .....	18
<b>Discontinued Features .....</b>	<b>20</b>
<b>Resolved issues .....</b>	<b>21</b>
Toad for Oracle 2025 R2 .....	21
Toad for Oracle 2024 R2 .....	23
Toad for Oracle 17.1 .....	26
<b>Known issues .....</b>	<b>29</b>
General known issues .....	29
Oracle client known issues .....	30
Proxy server known issues .....	30
Data Grids known issues .....	31

Code Analysis known issues .....	32
Editor known issues .....	32
Session Browser known issues .....	32
Team Coding known issues .....	33
Unicode known issues .....	33
High DPI known issues .....	34
Toad for Oracle on Mac known issues .....	36
Third-party known issues .....	36
<b>System requirements .....</b>	<b>37</b>
Hardware requirements .....	37
Database requirements .....	38
Network .....	39
Additional requirements .....	39
Virtualization support .....	39
Windows Privileges .....	40
<b>Product licensing .....</b>	<b>41</b>
Legacy Toad for Oracle with offline license keys .....	41
Toad for Oracle Subscription with online licensing (including Editions) .....	41
<b>Getting started with Toad for Oracle .....</b>	<b>43</b>
Upgrade and installation instructions .....	43
User instructions .....	43
Additional resources .....	43
<b>Globalization .....</b>	<b>44</b>
Global Operation Statement .....	44
<b>About us .....</b>	<b>45</b>
Contacting Quest .....	45
Technical support resources .....	45

# About Toad for Oracle

Toad for Oracle provides an intuitive and efficient way for database professionals of all skill and experience levels to perform their jobs with an overall improvement in workflow effectiveness and productivity. With Toad for Oracle you can:

- Understand your database environment through visual representations
- Meet deadlines easily through automation and smooth workflows
- Perform essential development and administration tasks from a single tool
- Deploy high-quality applications that meet user requirements; perform predictably and reliably in production
- Validate database code to ensure the best-possible performance and adherence to best-practice standards
- Manage and share projects, templates, scripts, and more with ease

The Toad for Oracle solutions are built for you, by you. Nearly two decades of development and feedback from various communities like Toad World have made it the most powerful and functional tool available. With an installed-base of over two million, Toad for Oracle continues to be the "de facto" standard tool for database development and administration.

## Toad for Oracle resources

Toad World is a unique and valuable resource available to all Toad users. Toad World provides forums, blogs, videos, product information, Beta releases (when available), and Trial downloads for Toad products. Visit Toad World at: <https://www.toadworld.com>.

Two of the most-often used features of Toad World are the Forums and the Idea Pond.

- On the Idea Pond page, you can submit your ideas to improve Toad and vote for or comment on other ideas. The Toad team takes your suggestions seriously, and you may even hear back from one of our developers on the topic. We encourage all Toad users—from new to experienced—to let us know how we can improve Toad.
- On the Forum page, you can ask a question or start a discussion and view all other forums within the Toad community.

The Toad World blog pages feature a broad range of information, including topics of interest to our industry, as well as instructions from team members on how to use the latest Toad features.

The Toad for Oracle [web-based training](#) is a perfect accompaniment to your product license. This free training walks you through major product features and explains how to perform frequent tasks. You'll also see how to utilize time-saving automation functionality. You'll receive a certificate of completion for each course once you pass the accompanying test.

## About this release

Toad for Oracle 2025 R2 is a minor release, with enhanced features and functionality.

Toad for Oracle 2025 R2 includes component and requirement upgrades. These upgrades address security vulnerabilities previously identified in the third party component.

# About Toad<sup>®</sup> for Oracle<sup>®</sup> Editions

Each Toad for Oracle Edition is packaged with additional Quest products to expand your experience.

## Toad for Oracle Subscription

Toad for Oracle is now available with subscription licensing. The benefits of subscription include:

- All of the great, award-winning Toad features you have grown to love
- Access to our world-class support team, Knowledge Base, how-to videos and more
- Quest Auto Update keeping you on the latest version
- [Online License Management](#) making it easy to assign licenses to individuals, keep track of individual usage, manage organizations, and reassign unused or under-used licenses as needed to ensure license compliance
- Automatic Renewal ensuring that Toad for Oracle Subscription will be continuously available to users
- Invitations to training events like our Ask Toad and Toad Training Tuesdays series

The following products may be part of your Toad for Oracle Subscription Edition:

- [Toad for Oracle](#)
- Benchmark Factory for Databases
- Code Tester for Oracle
- Spotlight on Oracle
- SQL Optimizer for Oracle
- [erwin Data Modeler Lite for Oracle](#)
- Toad Data Modeler

**NOTE:** All Subscription Editions are available in an 'AI Enabled' version, which includes everything in the standard edition plus the AI Explain feature to assist with code comprehension. Read more about AI Explain at [Toad World](#).

The following Toad for Oracle Subscription Editions are available:

<b>Edition</b>	<b>Licensed</b>
Toad for Oracle Base Subscription Edition	Toad <sup>®</sup> for Oracle <sup>®</sup>
Toad for Oracle Professional Subscription Edition	Toad <sup>®</sup> for Oracle <sup>®</sup> Professional
Toad for Oracle Professional DB Admin Subscription Edition	Everything in Toad <sup>®</sup> for Oracle <sup>®</sup> Professional DB Admin Module Add-on Sensitive Data Protection Add-on

<b>Edition</b>	<b>Licensed</b>
Toad for Oracle Xpert Plus Edition	Everything in Toad® for Oracle® Professional DB Admin Edition SQL Optimizer for Oracle®
Toad for Oracle Developer Plus Edition	Everything in Toad® for Oracle® Xpert Plus Code Tester for Oracle® Benchmark Factory® for Databases - Oracle Edition with 100 virtual users
Toad for Oracle DBA Plus with erwin Edition	Everything in Toad® for Oracle® Developer Plus Benchmark Factory® for Databases - Oracle Edition with 500 virtual users Spotlight on Oracle® erwin Data Modeler Lite for Oracle®
Toad for Oracle DBA RAC Plus with erwin Edition	Everything in Toad® for Oracle® DBA Plus with erwin Spotlight on Oracle® with RAC Option
Toad for Oracle DBA Exadata Plus with erwin Edition	Everything in Toad® for Oracle® DBA RAC Plus with erwin – Includes Exadata Spotlight on Oracle® with RAC and Exadata Options
Toad for Oracle DBA Plus	Everything in Toad® for Oracle® Developer Plus Benchmark Factory® for Databases - Oracle Edition with 500 virtual users Spotlight on Oracle® Toad Data Modeler®
Toad for Oracle DBA RAC Plus	Everything in Toad® for Oracle® DBA Plus Spotlight on Oracle® with RAC Option
Toad for Oracle DBA Exadata Plus	Everything in Toad® for Oracle® DBA RAC Plus – Includes Exadata Spotlight on Oracle® with RAC and Exadata Options

**NOTE:** Spotlight on Oracle® includes Spotlight on Unix/Linux, Spotlight on Windows, and Spotlight on Oracle® Data Guard.

## Toad for Oracle non-Subscription

Toad for Oracle non-Subscription uses offline term and perpetual licensing. This is Toad for Oracle's legacy licensing model.

The following products may be part of your Toad for Oracle non-Subscription Edition:

- [Toad for Oracle](#)
- [Benchmark Factory for Databases](#)
- [Code Tester for Oracle](#)
- [Spotlight on Oracle](#)

- [SQL Optimizer for Oracle](#)
- [erwin Data Modeler Lite for Oracle](#)
- [Toad Data Modeler](#)

The following Toad for Oracle non-Subscription Editions are available:

<b>Edition</b>	<b>Licensed</b>
Toad for Oracle Base Edition	Toad® for Oracle®
Toad for Oracle Professional Edition	Toad® for Oracle® Professional
Toad for Oracle Xpert Edition	Everything in Toad® for Oracle® Professional SQL Optimizer for Oracle®
Toad for Oracle Developer Edition	Everything in Toad® for Oracle® Xpert Code Tester for Oracle® Benchmark Factory® for Databases - Oracle Edition
Toad for Oracle DBA with erwin Edition	Everything in Toad® for Oracle® Developer DB Admin Module Add-on Spotlight on Oracle® Benchmark Factory® for Databases - Oracle Edition erwin Data Modeler Lite for Oracle®
Toad for Oracle DBA RAC with erwin Edition	Everything in Toad® for Oracle® DBA with erwin Spotlight on Oracle® with RAC Option
Toad for Oracle DBA Exadata with erwin Edition	Everything in Toad® for Oracle® DBA RAC with erwin – Includes Exadata Spotlight on Oracle® with RAC and Exadata Options
Toad for Oracle DBA Edition	Everything in Toad® for Oracle® Developer DB Admin Module Add-on Spotlight on Oracle® Benchmark Factory® for Databases - Oracle Edition Toad Data Modeler®
Toad for Oracle DBA RAC Edition	Everything in Toad® for Oracle® DBA Spotlight on Oracle® with RAC Option
Toad for Oracle DBA Exadata Edition	Everything in Toad® for Oracle® DBA RAC – Includes Exadata Spotlight on Oracle® with RAC and Exadata Options

**NOTE:** The DB Admin Module can be added to any Toad Edition. Spotlight on Oracle® includes Spotlight on Unix/Linux, Spotlight on Windows, and Spotlight on Oracle® Data Guard.

# Toad for Oracle on Mac

Toad for Oracle is now available for Mac using a new license specific for macOS. Click [here](#) to download the free trial.

It includes the great, award-winning Toad features you have grown to love with a few limitations:

- There is no installer so setting Toad to be read-only or disable internet access using command-line arguments during installation is not possible
- Scheduling tasks and **Utilities | Task Scheduler** are unavailable
- Auto Update is unavailable in the Subscription version
- The edition includes Toad for Oracle; additional Quest products are not included
- Team Coding does not support VCS integration
- Excel Instance and Microsoft Access formats for Export/Import features are unsupported
- Only executables bundled with Toad may be launched (e.g. Toad Script Runner); other external applications and **Utilities | External Tools** are unsupported
- Font choosers may appear to duplicate fonts due to truncation; Courier New, Courier New Baltic, and Courier New Greek, for example, may all show as Courier New
- Toad for Oracle on Mac includes Oracle Instant Client version 19c, which cannot be modified or replaced. The Oracle Client provides additional features, such as Kerberos authentication. By default, the application uses a clientless connection method, but you can optionally switch to using the Oracle Client for database connections.
- Connections
  - Direct connect works as usual
  - TNS and LDAP connections work as usual provided the network configuration files (e.g. tnsnames.ora, ldap.ora, and sqlnet.ora) are found on disk in either of these folders:
    - **\$TNS\_ADMIN**
    - **\$ORACLE\_HOME/network/admin**
  - If **TNS\_ADMIN** and **ORACLE\_HOME** are not defined environment variables you may place the network configuration files in a special folder created by Toad upon first launch for this purpose; only one of these folders will exist depending on your version of Toad:
    - **~/Library/Application Support/Toad for Oracle/TnsAdmin**
    - **~/Library/Application Support/Toad for Oracle Subscription/TnsAdmin**

The following Toad for Oracle on Mac Editions are available:

<b>Edition</b>	<b>Licensed</b>
Toad for Oracle on Mac Professional DB Admin Subscription Edition	Toad® for Oracle® Professional DB Admin Module Add-on Sensitive Data Protection Add-on
Toad for Oracle on Mac Professional DB Admin Edition	Toad® for Oracle® Professional DB Admin Module Add-on

# Install

1. Download the Toad for Oracle on Mac zip file
2. Double-click the zip file; macOS will automatically extract it to the current folder
3. Optionally copy the app folder to the **Applications** folder; macOS will prompt you to do so upon first run if run from any other location

# Uninstall

1. Quit Toad for Oracle
2. Move the app folder to **Trash**
3. Removing the app does not remove Toad for Oracle's configuration files; delete **~/Library/Application Support/Toad for Oracle** for complete removal

For more information about the products in your Toad for Oracle Edition and the minimum system requirements for running these products, see the Toad for Oracle Editions release notes at:

<https://support.quest.com/technical-documents>

# New Features and Enhancements

## Toad for Oracle 2025 R2

### AI Code with GitHub Copilot Preview

- Toad for Oracle Subscription now supports GitHub Copilot with an AI-enabled license.
- License administrators must enable the AI Code feature for the license and for each user who needs access.
- Requires GitHub Copilot account.
- Read more about AI Code at [Toad World](#).

### Toolbars

The default toolbar layout has been streamlined to reduce complexity and highlight the most commonly used features.

### Toad for Oracle on Mac

Now includes Oracle Instant Client 23.7 in addition to 19.3.

### Accessibility

- Improved screen reader support in:
  - Export Dataset
  - Export DDL
  - Various Editor popup assistants
  - Login and Add/Edit Login Record dialogs
  - Buttons labeled with "..."

# Connections

- Error dialogs now display connection details.
- You can now specify wallet location and SSLServerDNMatch for Direct connections.
- The "Containers" submenu in the Connection Bar's context menu is now sorted alphabetically.
- The main "Test Connections" toolbar button opens a dialog to select sessions for test/reconnect.
- Connection colors can be overridden when a specific role is enabled for the session.
- Support added for importing SQL Developer connections.

# Schema Browser

- Proxy users can now be displayed bidirectionally.
- Drop object dialogs now show the schema name if it differs from the login schema.
- Quick filters now search favorite folder names.
- New option added to select BLOB/CLOB columns to avoid loading large data via database links. See **Toad Options | Schema Browser | Data Tab | Select BLOB/CLOB columns**
- Improved usage of GDI and User Object resources.

# Editor

- Dock layout performance has been improved by creating UI controls only when needed.
- Options added to show deleted and externally modified files with strikethrough and italic text, respectively, in the tab caption (enabled by default). See **Toad Options | Editor | Display**.

# Data Grids

Added a "Copy Column Names" option to the context menu.

# Describe Window

You can now save the object list without including schema or connection details.

# Automation Designer

- Connection errors are now included in the log output.
- The search feature (Ctrl+F) now searches within action property values.
- Added a "Get command line" option to the context menu to generate the command for running the action.

## User Interface

- Updated visual appearance for:
  - Data Pump Export
  - Data Pump Import
  - Export DDL
- Directional buttons (Up, Down, Left, Right) are now used consistently across the interface to move items.

## Team Coding

New "Show popup on error" option in Team Coding Configuration shows VCS errors in a message box (enabled by default). When disabled, errors appear only in the log.

## Export File Browser

Added the ability to export all tables to CSV.

## DBMS Output

Added a "Use CLOBs" option (enabled by default). When disabled, VARCHAR2 is used.

## Oracle Tuning Advisor

A new "Send to" button lets you send SQL to the Editor, Toad Script Runner, SQL\*Plus, or the "Show SQL" window.

## Object Compare

New feature added to convert column datatypes using DBMS\_REDEFINITION.

## Trace File Browser

- Local trace files can now be purged.
- File loading operations can now be canceled.

## Object Search

The search text box is now focused when the window opens.

# Compare Data

Added "Query" to the list of object types, allowing SQL to be used as a source or target.

# FTP

New option added to the Remote System context menu to convert UTC timestamps to the local time zone (enabled by default).

# Space Manager

Added the ability to specify grantees during setup.

# Triggers

Script generation is now more efficient in the Export DDL, Compare Schemas, and Generate Schema Script windows.

# Tablespaces

The Tablespaces administration window now includes a column for BigFile information.

# Documentation

All local documentation, except Toad.chm, has been removed. Documentation is now available at <https://support.quest.com/toad-for-oracle/technical-documents>. In-product links will redirect to this site.

# Toad for Oracle 2025 R1

## New Windows and Mac Licensing

One license, endless possibilities! Now enjoy seamless support for both Windows and macOS with a single, unified license key.

**Note:** Requires the purchase of new Win+Mac combo license.

## Toad for Oracle on Mac

Toad for Oracle on Mac includes Oracle Instant Client version 19c, which cannot be modified or replaced. The Oracle Client provides additional features, such as Kerberos authentication. By default, the application uses a

clientless connection method, but you can optionally switch to using the Oracle Client for database connections.

# Toad for Oracle 2024 R2

## Product Version

Toad for Oracle now uses a product version corresponding to the year of release, e.g **2024 R2** for the second release in 2024.

## Toad for Oracle Subscription Editions

All Subscription Editions are available in an 'AI Enabled' version, which includes everything in the standard edition plus the AI Explain feature to assist with code comprehension. Read more about AI Explain at [Toad World](#).

## Oracle 23ai Support

- SQL Firewall (**Database menu | Administer | SQL Firewall**) **Note:** Requires DB Admin module
- Tablespace Shrink
- Logical Partition Tracking
- Open pluggable databases in hybrid read-only mode
- Hybrid partitioned tables with interval and auto list partitioning
- Rename LOBs without moving them
- Concurrent refreshes in materialized views
- Read-only users
- Enable/disable dictionary protection
- Individual columns in Unified Audit Policies
- VECTOR datatypes
- VECTOR indexes
- Staging tables
- Create Tablespace window defaults to 'bigfile'

## Accessibility

- Improved keyboard navigation in Toad Options.
- Data Grid context menu activates with F10.
- Editor caret width is configurable (**Toad Options | Editor | Display**).

- Editor shortcut to toggle focus between dock panel and edit area (F6) is now customizable (**Toad Options | Toolbars/Menus | Shortcuts**).
- A new 'Focus Toolbars' feature has been added to the Window menu, enabling you to highlight and interact with a specific toolbar. You can navigate through toolbar buttons using the TAB key and activate them with ENTER. This feature can also be accessed via the customizable shortcut Ctrl+` (**Toad Options | Toolbars/Menus | Shortcuts**).
- A 'Docked Panels' feature has been added to the Window menu, allowing you to highlight a specific docked panel.
- Improved keyboard navigation in the 'Add Multiple Logins' and 'Edit Login' windows available from the database login window.

## Schema Browser

- The roles filter now includes an option to exclude roles managed by Oracle.
- The 'Drop Index' confirmation dialog includes an option to drop any constraints that would otherwise prevent the index from being dropped, avoiding the ORA-02429 error. If selected, both the constraint and the index will be dropped.
- Custom queries and filters can be saved globally for a specific table name (**Toad Options | Schema Browser | Data**).
- The 'Data' tab filter utilizes the date format set in the options (**Toad Options | Data Grids | Data**).
- The base and log tables for Materialized View Logs are displayed on the 'Info' tab.
- Introduced the option to enable or disable Unified Audit Policies.
- Introduced icons to indicate whether Unified Audit Policies are enabled.

## Editor

- Advanced options have been added to control editor rendering, enhancing appearance on high-DPI displays (**Toad Options | Editor | Behavior**).
- Shift + Right-clicking on a database object name displays the Schema Browser context menu.
- An option has been added to collapse all regions at any level when using 'Fold All' (**Toad Options | Editor | Behavior**).
- Single Record View displays the table name.

## Connections

- An option has been added to disconnect after a specified period of inactivity (**Toad Options | Oracle | Connections**).
- A connection timeout option has been added to abandon slow connection attempts (**Toad Options | Oracle | Connections**). Applies to clientless connections only.

## Data Grids

- Improved appearance on high-DPI displays.
- Rearranged the context menu to make the most frequently used feature easier to access.

## Describe Window

- Introduced a refresh button.

## SGA Trace/Optimization

- Renamed to 'Shared Pool Browser.'
- Individual statements can be purged from the shared pool.

## Connection Colors

- Introduced a 'Suggest' feature to recommend a color based on user-defined rules.

## Session Browser

- Introduced 'Styles' to the context menu of the 'Sessions' tab grid.

## Font Dialog

- The font chooser dialog can be filtered and will retain your recent selections.

## Create Constraint

- A warning is displayed if you are about to create a circular foreign key constraint.

## Automation Designer

- Enhanced the placement of actions when double-clicking in the palette.

## Code Insight

- An option has been added to filter by 'Contains text' or 'Starts with text' (**Toad Options | Editor | Code Assist**).

## DB Health Scan

- Informational and statistical items no longer contribute to the pass/fail status.
- Failures are now reported as the count of failed checks instead of the total number of failures.

## Compare Schemas

- 'ALTER TYPE' is utilized, when feasible, to synchronize types and prevent errors associated with 'CREATE OR REPLACE TYPE' when dependencies are present.

## Compare Databases

- Introduced a preview panel.

## Manage User Settings

- Introduced the ability to restore individual settings from backup.

## Workspaces

- Introduced a 'Cancel' button to halt workspace loading.

## Master-Detail Browser

- Added "Current Schema" option to make configuration files portable across different schemas with the same tables.

## Project Manager

- A filter has been added to refine nodes.

## Explain Plan

- Additional 'Copy to Clipboard' actions have been added to copy content as an image or XML.

## Team Coding

- Introduced a 'Locked By' field in both the Schema Browser and the Editor.
- Introduced an option to designate either the operating system username or the database login username as the lock user.

# utPLSQL

- Introduced support for utPLSQL 3.14.

You can find the most up-to-date list of new features for this release in the *Toad for Oracle Release Notes* found at: <https://support.quest.com/toad-for-oracle/technical-documents>.



# Discontinued Features

**Knowledge Xpert.** Knowledge Xpert is no longer available on Toad World. Beginning with release 13.1, Toad components no longer reference the online Knowledge Xpert.

**Ask a Question.** The **Go to Toad World** and **Ask a Question** commands on the Toad World toolbar have been replaced. To ask a question, click the **Forums** toolbar button to go directly to the forum. To go to Toad World, click the **Forums** or the **Browse Blogs** toolbar buttons. You can also use the Help menu: **Help | Toad World | Forums**. This change is found in Toad for Oracle 13.1 or later.

**Integration with Toad Intelligence Central.** Beginning with Toad for Oracle 13.1, Toad no longer provides integration with Toad Intelligence Central. The Toad Intelligence Central window is not available and you cannot publish scripts, files, Code Analysis results, and other resources to a Toad Intelligence Central server using Toad for Oracle. You cannot connect to Toad Intelligence Central through Toad for Oracle.

# Resolved issues

The following is a list of issues addressed and enhancements implemented in this release of Toad for Oracle.

## Toad for Oracle 2025 R2

The following list of resolved issues includes issues received from the Toad for Oracle forum, Toad Beta users, and exception data collected from the Toad Improvement Program.

Issue ID	Link to Forum Post	Resolved Issue
TOR-5157	<a href="#">link</a>	Display Scaling: Tooltips/hints shown in the wrong location in a multiple monitor environment with differing resolutions.
TOR-7140	<a href="#">link</a>	Workspaces: When auto-loading a workspace fails, the workspace is saved in its partially loaded state.
TOR-8203	<a href="#">link</a>	Compare Databases: Profile differences are shown incorrectly.
TOR-8530	<a href="#">link</a>	Connections: "Net: error 99" error is shown is a TYPE is modified in between uses within a SELECT.
TOR-8625	<a href="#">link</a>	Workspaces: Editor tab shows that a file is both deleted and modified if it was temporarily unavailable when the workspace was loaded.
TOR-8633	<a href="#">link</a>	Single Record Viewer: Fields are not wide enough to show TIMESTAMP data.
TOR-8665		Compare Files: When a comparison is shown as a result of a Compare Schemas the Run button's hint is "Reload and recompare files" which is misleading.
TOR-8667	<a href="#">link</a>	New Version Dialog: A date/time conversion error is shown in the new version dialog when a new version of Toad has been released.
TOR-8678	<a href="#">link</a>	Editor: An Access Violation occurs when changing the active session in some cases.
TOR-8693	<a href="#">link</a>	Editor: An Access Violation occurs when opening the Editor when the desktop layout has been customized.
TOR-8694	<a href="#">link</a>	Connections: If a connection fails, Toad attempts to open an HTML document in your default text editor.

Issue ID	Link to Forum Post	Resolved Issue
TOR-8703	<a href="#">link</a>	Object Palette: The columns panel does not remember its height between showings.
TOR-8741	<a href="#">link</a>	Connections: The Window Bar does not group connections correctly when multiple connections are made to the same user@db.
TOR-8744	<a href="#">link</a>	Instance Manager: Ping fails when a TNS entry uses 'localhost', and the database test does not continue after the ping fails.
TOR-8746	<a href="#">link</a>	Team Coding: The lock status may be incorrect if Toad was previously closed while objects were still checked out.
TOR-8747		Workspaces: Workspaces fail to load with a "data error" in some environments, e.g. Chinese.
TOR-8850		Team Coding: An object can be dropped even when Team Coding is configured for Git and the user is not logged in.
TOR-8857		Connections: A "cannot open file" error occurs in clientless connection mode when WALLET_LOCATION is set to a path enclosed in double quotes.
TOR-8875	<a href="#">link</a>	Editor: The Find Unused Variables feature incorrectly flags used variables in TRIGGER DDL statements.
TOR-8882	<a href="#">link</a>	Team Coding: Differences cannot be merged if the local package spec file contains a synonym statement.
TOR-8889		Compare Schemas: The "Convert datatypes with DBMS_REDEFINITION" option does not work unless "Add/Reorder columns with DBMS_REDEFINITION" option is also used.
TOR-8892		Scripts: Toad generates an incorrect script for XML indexes.
TOR-8893		Compare Schemas: Toad generates an incorrect sync script for XML indexes.
TOR-8895		Schema Browser: The "Configure" option is missing from the object type right-click menu when all but one type are set to hidden.
TOR-8898	<a href="#">link</a>	Schema Browser: Scheduled run times for scheduler jobs are sorted as strings instead of as dates.
TOR-8904	<a href="#">link</a>	Generate Schema Script: It's not possible to export a subset of constraint types; all constraints must be selected to generate the script.
TOR-8931	<a href="#">link</a>	Script Execution: Newlines in the script output differ from those produced by SQL*Plus in some cases.
TOR-8932	<a href="#">link</a>	Data Grids: If the connection is made in clientless mode, Access Violations occur when entering numeric data that uses a format different from the one configured in Toad Options.
TOR-8968	<a href="#">link</a>	macOS: Access Violation occurs when viewing formatter options in Toad Options, preventing any changes to the settings.

Issue ID	Link to Forum Post	Resolved Issue
TOR-9002	<a href="#">link</a>	Editor: When the "Set modified flag off after compiling from database" option is enabled, edits made after compiling PL/SQL with errors do not update the tab caption to indicate the text is modified.
TOR-9039	<a href="#">link</a>	DBMS Output: An ORA-03120 error is raised when fetching output in some cases.
TOR-9113	<a href="#">link</a>	Alter Datafile: When setting the size using a decimal value (e.g., 1.5 GB), Toad briefly displays the incorrect unit (e.g., 1.5 MB) after clicking OK.
TOR-9119	<a href="#">link</a>	Team Coding: Reverting a checked-out table to its VCS version silently drops and recreates the table, resulting in unexpected data loss, without warning.
TOR-9124	<a href="#">link</a>	Automation Designer: The Connection Iterator action passes the connection only to its immediate child actions; deeper nested actions use the first connection instead.
TOR-9125		macOS: On first run, a "Cannot update client files" error, and possibly others, may appear in certain cases.
TOR-9131	<a href="#">link</a>	Connections: An Access Violation occurs when a connection fails and the TNS record is located in a file referenced through an IFILE directive.
TOR-9142	<a href="#">link</a>	Schema Browser: Subpartitions of hash partitions are unsupported in the Script tab and Create/Alter Table windows.
TOR-9157	<a href="#">link</a>	Automation Designer: If a connection fails, an error dialog is displayed but does not include any connection details.
TOR-9173		Code Insight: Exception declarations are not shown.
TOR-9237		Connections: Connection to mounted, but not opened database results in errors.
TOR-9307		Document Recovery: After a crash, Toad displays the Recover Documents window; however, if a second crash occurs, Toad does not prompt to recover documents on the next restart.
TOR-9315	<a href="#">link</a>	Alter Tablespace: When the window opens, the General tab briefly appears before automatically switching to the Files tab.

## Toad for Oracle 2024 R2

The following list of resolved issues includes issues received from the Toad for Oracle forum, Toad Beta users, and exception data collected from the Toad Improvement Program.

Issue ID	Link to Forum Post	Resolved Issue
TOR-5153	<a href="#">link</a>	Editor: Wrong desktop is assigned after reordering tabs.
TOR-6187	<a href="#">link</a>	Code Insight: Join conditions based on referential integrity are not shown.
TOR-6446	<a href="#">link</a>	Editor: 'Load object at caret' does not respect the option to load package/type spec and body as a pair.
TOR-7853	<a href="#">link</a>	Connections: "Net: Invalid input arguments" error upon connecting to some databases in clientless mode.
TOR-8187		Debugger: Stepping into Java Source throws an error.
TOR-8188		Extract DDL: Table scripts exclude the object_table_substitution clause.
TOR-8194		Schema Browser: Create user script excludes private synonyms if the script is generated for multiple, selected users.
TOR-8196	<a href="#">link</a>	Compare Schemas: REVOKE ROLE command appears before its comment in the sync script.
TOR-8205		Session Browser: Refreshing the page results in a brief flicker before the data fully loads.
TOR-8206		Schema Browser: ORA-01009 error is raised when selecting the SYSTEM tablespace.
TOR-8216	<a href="#">link</a>	Add Login Record: TNS dropdown only populates when TNS_ADMIN environment variable is defined.
TOR-8232		Schema Browser: Script tab for object table excludes NOT NULL constraints.
TOR-8233	<a href="#">link</a>	Editor: EDIT command generates a read-only grid when the "OCI Array Buffer Size" option is set to "Manual".
TOR-8245	<a href="#">link</a>	Editor: Inline parameter assistance cancels and leaves artifacts when clicking elsewhere in the Editor while the assistance is showing.
TOR-8247	<a href="#">link</a>	Automation Designer: Export Dataset action shows "Parameters are out of sync" message in some cases.
TOR-8299		Command Line: Running Toad.exe with the "-c" option to make a connection does not work if Toad is running and the "Allow multiple copies of Toad" option is unchecked.
TOR-8303	<a href="#">link</a>	Editor: Filename paths shown as tab hints stop working in some cases.
TOR-8305		Object Compare: The sync script tab is missing when comparing objects with identical schema and object names across two connections.
TOR-8314		Connections: An access violation occurs when connecting to a schema having an expired password if no Oracle clients are installed.
TOR-8330	<a href="#">link</a>	Editor: Character and caret misplacement when using Windows scaling other

Issue ID	Link to Forum Post	Resolved Issue
		than 100% with some font and size combinations, e.g. Consolas 14 pt and others.
TOR-8331		Team Coding: Getting the latest revision fails if the character case of the file extension differs between the local and remote files.
TOR-8334		Database Browser: A "Password not supplied" error occurs when connecting as an externally authenticated user.
TOR-8335		Toolbars: The Window menu identifies the incorrect window as active in some cases.
TOR-8336		SQL Recall: Statements dragged to the Editor are missing the statement terminator.
TOR-8337		Login Window: The LDAP dropdown does not populate after unchecking "Connect using Oracle client".
TOR-8338		Session Browser: The splitter position is incorrect when using the left/right layout and switching to another window.
TOR-8382		Database Health Check: An error is shown when the "list segments which can't extend" option is used and there are tablespaces which cannot extend.
TOR-8387		DBMS Output: Fetching output results in an ORA-02005 error with some clients.
TOR-8390	<a href="#">link</a>	Editor: The EDIT command occasionally triggers an unexpected ORA-00904 error.
TOR-8396	<a href="#">link</a>	Automation Designer: The Export Dataset action fails to replace substitution variables if there are comments or trailing whitespace on lines preceding them.
TOR-8414		Editor: In some cases Toad hangs when selecting text when the Brace Highlighting option is set to 'Innermost pair in scope'
TOR-8417		Team Coding: Files with special characters in their filenames are not displayed in the Team Coding Manager's list of VCS files.
TOR-8437	<a href="#">link</a>	macOS: Toad on macOS will not start with some locale settings, e.g. Korean.
TOR-8445	<a href="#">link</a>	Data Grid: Object Editor shows incorrect columns and throws an Access Violation after scrolling in some cases.
TOR-8463		SFTP: Connecting with a private key that was created with a passphrase results in a "Logon failed 280: Error decoding key: The specified password is not correct" error.
TOR-8477		Compare Data: A "Cannot insert null" error is thrown in some cases.
TOR-8478		Schema Browser: An error occurs when expanding Unified Audit Policies in treeview mode.

Issue ID	Link to Forum Post	Resolved Issue
TOR-8496		Report Editor: Buttons on the vertical toolbar in the FastReport Editor will disappear after mousing over them on Windows Server.
TOR-8497		Editor: Selecting text and replacing all occurrences of it using the Find & Replace dialog with the "from cursor" option excludes the selected text.
TOR-8499	<a href="#">link</a>	Export DDL: Table scripts are incorrect with respect to automatic and interval partitions when the "Storage Objects   Partitions" option is set to ALL or DEFAULT/MAXVALUE.
TOR-8521	<a href="#">link</a>	Data Grids: The '...' button to choose a filename is disabled in the Export Dataset dialog when the Output selection is changed from Clipboard to File.

## Toad for Oracle 17.1

The following list of resolved issues includes issues received from the Toad for Oracle forum, Toad Beta users, and exception data collected from the Toad Improvement Program.

Issue ID	Link to Forum Post	Resolved Issue
TOR-6106	<a href="#">link</a>	Connections: Timezone data is incorrect when querying some databases using "no client" mode.
TOR-7625	<a href="#">link</a>	Color Schemes: Some buttons on the login window lack a border when using color schemes on Windows Server 2016.
TOR-7709	<a href="#">link</a>	Toolbars: The window menu, shown to the left of the File menu for maximized windows, duplicates its menu items each time it is clicked.
TOR-7768	<a href="#">link</a>	Connections: The connection bar "Containers" menu is out of sync after an ALTER SESSION SET CONTAINER statement is executed in the Editor.
TOR-7824	<a href="#">link</a>	Script Execution: The elapsed time shown in the progress dialog is incorrect in some cases.
TOR-7839		Execution: Access Violation occurs when using "no client" mode and selecting RAW datatype over a database link.
TOR-7868	<a href="#">link</a>	Connection Bar: The "Reconnect all" menu item is disabled at times it should be enabled.
TOR-7874	<a href="#">link</a>	Editor: Compiling a package having an error indicates the wrong line as having the error.
TOR-7880	<a href="#">link</a>	Export Dataset: The default extension for Excel should be .xlsx and for Access it should be .accdb.
TOR-7882	<a href="#">link</a>	Mac: Editor takes a long time to load if CAPS lock is enabled.

Issue ID	Link to Forum Post	Resolved Issue
TOR-7888	<a href="#">link</a>	Editor: Goto Line (Ctrl+G) throws an exception in some cases.
TOR-7906		Data Grids: ORA-00903 error is raised when updating data of a LONG RAW field.
TOR-7909	<a href="#">link</a>	Schema Browser: Tab key does not advance through all fields properly in the Filter/Sort dialog.
TOR-7912		Debugger: Access Violation occurs in some cases if the background session is disconnected.
TOR-7955	<a href="#">link</a>	Connection Bar: Opening a window from the "Frequently used" menu of an inactive session's connection bar button opens the window for the active session, instead.
TOR-7963		Export Dataset: Exporting to Excel does not include data for CLOB fields exceeding 32767 characters.
TOR-7969	<a href="#">link</a>	Workspaces: Access Violation occurs when loading a workspace in some cases.
TOR-7971	<a href="#">link</a>	Automation Designer: The Compare Schemas action uses CREATE instead of CREATE OR REPLACE in the sync script when executed using a parameter file that was created with Toad for Oracle 16.3 or older.
TOR-7982		Code Analysis: Running Code Analysis with the SQL Scan option enabled causes Toad to disappear in some environments.
TOR-7988	<a href="#">link</a>	Schema Browser: The Alter Table dialog includes the schema in ALTER TABLE RENAME COLUMN statements when the "Show SQL without schema" menu item is chosen.
TOR-7989	<a href="#">link</a>	Toolbars/Menus: Setting a custom shortcut for Print Preview does not work.
TOR-7996	<a href="#">link</a>	Workspaces: Creating a new Editor tab after opening a workspace does not always activate the new tab.
TOR-7997	<a href="#">link</a>	Editor: The Load DB Object window has an empty, gray panel when the "Show source" checkbox is unchecked.
TOR-8002		Connections: The Reconnect button is unavailable on the dialog shown for ORA-00045 errors.
TOR-8006		Automation Designer: The Format Files action modifies reserved word character case and does not format the code
TOR-8007	<a href="#">link</a>	Automation Designer: Variable substitutions are not made to the Export Dataset action's SQL text if the SQL has been modified after mapping substitution variables to Automation Designer variables.
TOR-8012	<a href="#">link</a>	Session Browser: Quickly clicking on nodes in the left side navigator causes the Session Browser to process each click and slow down for a bit as it catches up.

Issue ID	Link to Forum Post	Resolved Issue
TOR-8040		General: Long error message text is truncated in error dialogs if using a dark color scheme.
TOR-8044		Schema Browser: The Tables Script tab truncates constraint text longer than 4000 characters.
TOR-8047	<a href="#">link</a>	Master-Detail Browser: An error occurs when setting a filter having a comment on the first line.
TOR-8056		Schema Browser: Filters set on the Invalid Objects tab do not affect indexes.
TOR-8063		Connections: Connecting to an Oracle Cloud database without a client raises an ORA-12506 in some cases.
TOR-8081	<a href="#">link</a>	Statspack Browser: Copying a SQL Summary row to clipboard causes Toad to freeze for a while..
TOR-8083	<a href="#">link</a>	Data Import Wizard: Custom date format does not accept dot or dash as date separator.
TOR-8086	<a href="#">link</a>	Script Execution: DESC PACKAGE excludes functions and procedures without parameters.
TOR-8093	<a href="#">link</a>	Data Grids: Saving a blob to file omits the extension if it is not specified in the filename.
TOR-8096	<a href="#">link</a>	Data Grids: CTRL+F to find data selects wrong columns.
TOR-8103		Project Manager: Files loaded in external application always use the default association from Windows instead of the association defined in the Project Manager settings.
TOR-8116	<a href="#">link</a>	Login Window: Connection made to the wrong database after editing a previously used connection's alias in the grid and selecting a different database from the right side dropdown and clicking Connect.
TOR-8117	<a href="#">link</a>	Data Grids: Record Count does not respect filtered records.
TOR-8172	<a href="#">link</a>	Automation Designer: Changing the output file extension of an Export Dataset action using Excel file format from .xlsx to .xls will change the extensions of other Export Dataset actions also exporting to Excel file format.
TOR-8178		Automation Designer: Format Files action introduces a mix of CRLF and LF end of line characters.

You can find the most up-to-date list of resolved issues for this release in the *Toad for Oracle Release Notes* found at: <https://support.quest.com/toad-for-oracle/technical-documents>.

# Known issues

The following is a list of issues, including those attributed to third-party products, known to exist in this release line at the time of the current release.

## General known issues

Known Issue	Issue ID
Toad's help cannot be opened from an installation path that contains Unicode characters.	72966
<p>If you check "Indexes" on the Scripts tab for snapshots, then the primary key for the snapshot will be included in the script, even though the CREATE MATERIALIZED VIEW statement implicitly creates this primary key.</p> <p>Toad currently does not differentiate between indexes created explicitly on the snapshot and indexes created automatically when the snapshot is created.</p> <p><i>Workaround:</i> If you are running the generated script to recreate the snapshot, then you can simply ignore the error that occurs when the script tries to recreate the primary key index for the snapshot. If you do not normally create indexes on snapshots, then you can uncheck "Indexes" when generating the snapshot script.</p>	N/A
<p>If you use 11g Oracle ODP.NET client or any other client that does not have the oci.dll in the BIN directory, Toad has the following problems:</p> <ol style="list-style-type: none"><li>1. Client shows as invalid</li><li>2. Client version is not detected</li><li>3. As a result of #2, columns of the following datatypes are not shown in the Schema Browser table data: CLOB, BLOB, NCLOB, XMLTYPE, TIMESTAMP, INTERVAL, BINARY_DOUBLE, and BINARY_FLOAT</li></ol>	N/A
<p>Debugger</p> <p>If there is an exception during debugging on a 10Gr2 or greater database, REFCURSOR output and DBMS output will not be available when debugging is completed. This is due to the target session not being available.</p> <p><i>Workaround:</i> To see REFCURSOR output and DBMS output, execute the procedure without the debugger.</p>	N/A
<p>Connections</p> <p>While Toad supports LDAP connectivity, some features of Toad depend on tnsnames.ora file to operate correctly, such as Toad Script Runner (TSR).</p>	N/A

Known Issue	Issue ID
<p>Schema Browser</p> <p>Sometimes after pressing "Compile invalid objects", you may get ORA-20000, ORA-06512, or ORA-06512 errors. This could mean that you do not have the privileges to compile the object, but it also happens when the schema contains a package body that does not have an associated spec.</p> <p><i>Workaround:</i> Look in the schema that you are trying to compile to see whether there are any orphan package bodies. If it is your own schema, then do:select * from user_objects o1 where object_type = "PACKAGE BODY" and not exists (select "x" from user_objects o2 where o2.object_name = o1.object_name and o2.object_type = "PACKAGE") Then drop any orphan package bodies that are found.</p>	N/A
<p>Virtualization</p> <p>An access violation error may display when you close Toad in a Citrix XenApp environment.</p>	76354
<p>Import/Export</p> <p>Constraint scripts from Export DDL do not contain the "using index" or "tablespace" clause.</p>	59228

## Oracle client known issues

Known Issue	Issue ID
<p>In some cases, connecting to an 11g database using a 19c or 21c client may result in a hang when cancelling a query or when using Code Insight.</p> <p><i>Workaround:</i> Use an 18c or older client when connecting to an affected database.</p>	N/A
<p>All versions of Oracle client 19c leak memory when working with LOB types. This includes simple SELECT statements against a table containing LOB types.</p>	N/A
<p>Queries that return fields with a BOOLEAN datatype result in a 'Datatype is not supported' error when using the Oracle 23ai client.</p> <p><i>Workaround:</i> Use an older Oracle client or make the connection without using a client.</p>	N/A

## Proxy server known issues

Known Issue	Issue ID
<p>Toad does not support Proxy Automatic Configuration (PAC) scripts; however, Toad does allow you to specify Quest-specific proxy settings to work around this limitation. By default Toad will use non-PAC proxy settings configured within Windows automatically.</p>	72966

### Apply settings system-wide:

HKEY\_LOCAL\_MACHINE\Software\Quest Software\Internet Settings:

## Known Issue

## Issue ID

- ProxyEnable (DWORD): 1 = enable proxy override at this level, 0 = don't enable proxy override at this level
- ProxyServer (string): semicolon-delimited "<protocol>=<server>:<port>" entries
  - For a shared proxy server across multiple protocols:
    - a single "<server>:<port>" entry is all that's needed (ex: "127.0.0.1:8888")
  - For individual proxy servers by protocol, specify multiple entries:
    - ex: "https=127.0.0.1:8888;http=127.0.0.1:8080;ftp=127.0.0.1:6300"

For 32-bit applications on a 64-bit machine:

- Key: HKEY\_LOCAL\_MACHINE\Software\WOW6432Node\Quest Software\Internet Settings:

### Apply settings to your own account:

HKEY\_CURRENT\_USER\Software\Quest Software\Internet Settings:

- Same keys as above

### Notes for use:

1. Override proxy settings will only be included if the corresponding ProxyEnable value is set to "1". Otherwise, it's ignored.
2. HKLM (system-wide) server settings will override Windows settings.
3. HKCU (local) server settings will override HKLM and Windows settings.
4. Users can also edit both the system proxy settings (existing in Toad 14.0) and now their user-specific proxy settings (from HKCU) within Toad's Proxy Settings dialog (View | Options | Online); however, system-wide settings (from HKLM) will not be editable inside of Toad since they're more for administrators in silent installs or system-wide configs.

## Data Grids known issues

### Known Issue

### Issue ID

You may receive an "ORA-00902 invalid datatype" error when editing an object, nested table, or varray data if you have redefined the data type for that data during the current session.

N/A

*Workaround:* If you redefine an object type, nested table, or varray and then need to edit data in a table based on that type, end your current connection and begin a new one.

Full table data is not displaying in the live data grid (results from F9) if the data contains "zero" characters (ASCII 0). In this case, all data after the zero character will not show in the grid.

*Workaround:* Double click on the data cell in the data grid to view full contents of data in a popup editor.

# Code Analysis known issues

Known Issue	Issue ID
Saving results to a database: When dealing with nested procedures, Code Analysis can only insert run data from procs one level deep.	N/A
Saving PL/SQL results to a database may fail or save invalid data to the database for invalid PL/SQL objects. <i>Workaround:</i> To ensure PL/SQL results are saved to the database correctly, verify the validity of all objects before running Code Analysis.	N/A

# Editor known issues

Known Issue	Issue ID
Toad errors when you query on a field of Oracle collection types. <i>Workaround:</i> Execute using SQL*Plus.	64373
When spooling to an unpinned output window, the window becomes unresponsive and errors are given when Toad is closed ("Canvas does not allow drawing"). <i>Workaround:</i> Keep the output window pinned.	68523
If you use a non fixed-width font, the results are misaligned in the of Script Output tab in Editor after executing a SQL script. <i>Workaround:</i> Go to Options   Scripts and select a fixed-width font for script output.	62234

# Session Browser known issues

Known Issue	Issue ID
The Program name in the Session Browser may be blank or may be the full path to the executable instead of just the executable name. This depends on the Oracle client, not on Toad.	N/A
In RAC databases, version 10.1.0.3 (and possibly other 10.1 versions), the query used to populate the "Current Statement" in the Session Browser fails with the following error: Runtime error occurred: 12801 (ORA-12801: error signaled in parallel query server PZ99, instance <instance name> ORA-01008: not all variables bound) This problem does not occur in Non-RAC environments. <i>Workaround:</i> Clear the "Use RAC Views" checkbox, and log into the appropriate instance of the database, if necessary.	N/A

# Team Coding known issues

Known Issue	Issue ID
Creating a new revision or attempting to force a check-in to Visual Studio Team Services may result in a "404: Not Found" error. The current version of Team Foundation Server used by Visual Studio Team Services compares the source being uploaded with the source already in the repository. If the source has not changed, it may incorrectly return an error rather than allowing the forced revision. This appears to be a Microsoft issue. As a result, these two commands may fail.	N/A
When using the Team Foundation Server internal client and Team Foundation Server 2012 or 2013 alternate Team Project Collections, workspaces created outside of Toad are not visible from within Toad. A workspace may be created from Toad by clicking the 'New' button during the Team Foundation Server log in. This is not an issue when using the Team Foundation Server external client.	<b>114334</b>
Team Coding is disabled for mixed-case object names.	N/A
With CVS, Toad may fail to retrieve the list of projects for you to select from in the CVS browser or in the Code Control Groups configuration. <i>Workaround:</i> See "Missing CVS\Entries File Error" in the online help.	N/A
Team Coding and Clearcase: Dynamic Views are not supported via SCC interface. Snapshot Views must be used instead. (Rational case ID v0830629, Rational Defect # CMBU00053934)	N/A

# Unicode known issues

Known Issue	Issue ID
The following features in Toad do not support Unicode: <ul style="list-style-type: none"><li>• ASM Manager</li><li>• Export File Browser</li><li>• Hex Editor</li></ul> In addition, Java itself does not allow Unicode class names or file names. This is relevant to the Java Manager, Editor, and Schema Browser.	N/A
Editor options to highlight object names may not work for object names that contain Unicode characters.	N/A
Script Execution in Editor: Error offset can be incorrect when running scripts with multi-byte object names.	N/A
XML (Plain) format creates bad XML if Unicode string values and Unicode column names are exported through Export Dataset.	N/A
Import mapping for Unicode characters is incorrect if the characters are not a fixed width (such as Korean).	63221

Known Issue	Issue ID
In Team Coding, objects with Unicode <i>contents</i> are supported, objects with Unicode <i>names</i> are not. Supported Version Control Providers do not support Unicode names.	N/A
The OCI option ORA_NCHAR_LITERAL_REPLACE affects the NCHAR String Literal Replacement behavior when connected to non-Unicode databases. The option can be enabled or disabled. See the "Enable ORA_NCHAR_LITERAL_REPLACE" option (View   Options   Oracle   General). The option has adverse behavior regardless of its value. <ul style="list-style-type: none"> <li>• <b>Enabled</b> - ORA-01756 error when executing SQL using the Q-quote operator where the end delimiter appears within the string literal and is followed by a single quote that is also part of the string literal. The single quote does not have to immediately follow the delimiter.</li> <li>• <b>Disabled</b> - NCHAR string literal corruption when connected to non-Unicode database.</li> </ul>	N/A

## High DPI known issues

Known Issue	Issue ID
Changing the default Editor font when Windows high DPI settings are in use, i.e. scaling greater than 100%, may result in negative effects, including: <ul style="list-style-type: none"> <li>• Character misplacement</li> <li>• Disproportionate spacing</li> <li>• Text selection visualization not aligning with character boundaries</li> <li>• Incorrect text edits when modifying text using a block selection</li> </ul> <p>Advanced options for controlling Editor rendering have been introduced in Toad for Oracle 2024 R2 to help alleviate these issues. See the <b>Editor   Behavior</b> page in Toad Options.</p> <ul style="list-style-type: none"> <li>• Drawing technology <ul style="list-style-type: none"> <li>• Controls which drawing API is used to render text and other elements.</li> <li>• Default technology makes Toad susceptible to high DPI issues, but it may allow for sharper text on 4k and other Ultra HD (UHD) displays.</li> <li>• DirectWrite technology resolves high DPI issues and may allow for sharper text on displays less than 4k, but on 4k/UHD displays text may appear fuzzy.</li> <li>• DirectWrite technology must be used to enable font ligatures in supporting fonts, e.g. Fira Code.</li> </ul> </li> <li>• Buffered draw <ul style="list-style-type: none"> <li>• Controls whether drawing is buffered by first drawing to a bitmap rather than directly to the screen and then copying the bitmap to the screen.</li> <li>• Buffered drawing avoids flickering but does take longer.</li> <li>• Enabling this option is recommended.</li> </ul> </li> </ul>	N/A

- Font quality
  - Controls which anti-aliasing method is used to render text.
  - LCD Optimized is recommended based on internal tests on different displays.

If you see high DPI issues and wish to use the Default technology, there are a few workarounds:

- Choose a font that is not susceptible to the issues.
  - The following table lists popular coding fonts and sizes. Combinations that work well are identified by a check mark.

Size	Cascadia Code	Consolas	Courier New	Fira Code	JetBrains Mono	Source Code Pro
5	✓	✓	✓		✓	✓
6			✓		✓	✓
7	✓	✓				
8		✓		✓		
9	✓		✓		✓	✓
10		✓	✓	✓	✓	✓
11	✓	✓	✓	✓	✓	✓
12		✓		✓		
14	✓					
16				✓		
18	✓	✓		✓		
20	✓	✓	✓		✓	✓

- Change the high DPI settings for Toad.exe from the Compatibility tab of the file's properties dialog to override the high DPI scaling behavior and set its value to Application.
  - On some displays this setting causes some UI elements to scale incorrectly and may need to be reverted.
- Use 100% scaling in Windows.

**Toolbars**

N/A

(Affects Windows Server 2019 only)

Toolbar button images may disappear when you mouse over them if the "High DPI scaling override" option is set to "System (Enhanced)" in the Windows file properties dialog for Toad.exe.

# Toad for Oracle on Mac known issues

Known Issue	Issue ID
<p>The "Allow multiple copies of Toad to be loaded" option is nonfunctional.</p> <p>The option allows multiple copies of Toad to be opened on Windows, but does not work on macOS. The option has been disabled.</p> <p><i>Workaround:</i> Review macOS documentation for instructions on how to open a new instance of an app on Mac.</p>	N/A
<p>The "File   Fast Exit" feature is nonfunctional.</p> <p>The feature allows for quickly closing Toad without prompting to save work. It has been disabled.</p>	N/A
<p>The Quit menu item from Apple's Toad for Oracle menu is nonfunctional if an Editor is open.</p>	N/A
<p>Editor is slow to open if CAPS lock is enabled.</p> <p><i>Workaround:</i> Turn off CAPS lock before opening Editor.</p>	N/A
<p>Bold text and other UI painting issues after installing Team Coding database objects.</p> <p><i>Workaround:</i> Restart Toad.</p>	N/A
<p>TNSPING is unavailable in the Login window. It is available in Toad for Oracle on Windows.</p>	N/A

## Third-party known issues

Known Issue	Issue ID
<p>Help</p> <p>(Affects the 64-bit version of Toad only)</p> <p>If IE9 is installed, clicking a link in the Help file may crash Toad 64-bit, even if IE9 is not the default browser.</p> <p><i>Workaround:</i> Users who have IE9 installed can open Help from outside of Toad.</p>	N/A

# System requirements

This section contains the hardware, software, and privileges required to run Toad for Oracle, as well as the database and virtual environments that Toad for Oracle supports.

## Hardware requirements

Requirement	Details
Processor	<ul style="list-style-type: none"><li>1 GHz processor - Toad for Oracle 32/64 bit</li><li>Apple Silicon (M-series processors) - Toad for Oracle on Mac</li></ul>
Memory	<ul style="list-style-type: none"><li>1 GB RAM - Toad for Oracle 32 bit</li><li>2 GB RAM - Toad for Oracle 64 bit</li><li>2 GB RAM - Toad for Oracle on Mac</li></ul> <p><b>NOTE:</b> The memory required may vary based on the following:</p> <ul style="list-style-type: none"><li>Applications that are running on your system</li><li>Size and complexity of the database</li><li>Amount of database activity</li><li>Number of concurrent users accessing the database</li></ul>
Hard disk space	<ul style="list-style-type: none"><li>600 MB - Toad for Oracle 32/64 bit</li><li>2 GB - Toad for Oracle on Mac</li></ul>
Operating system	<ul style="list-style-type: none"><li>Windows 10</li><li>Windows 11</li><li>Windows Server 2016</li><li>Windows Server 2019</li><li>Windows Server 2022</li><li>macOS 11</li><li>macOS 12</li><li>macOS 13</li><li>macOS 14</li><li>macOS 15</li></ul>

# Database requirements

Requirement	Details
Database client	<p>An Oracle client is optional.</p> <p>Connecting to a database without an Oracle client has the following considerations:</p> <ul style="list-style-type: none"><li>• Features requiring Oracle utilities will be unavailable including, but not limited to: SQL*Plus, Data Pumps, Import/Export Utilities, SQL Loader, TKProf, TNSPing, Wrap.</li><li>• Oracle Net Services configuration files are required for some connection methods, e.g. TNS requires tnsnames.ora and LDAP requires both ldap.ora and sqlnet.ora. These files may be placed in the folder specified by your TNS_ADMIN environment variable or in the same folder as Toad.exe.</li></ul> <p>The following Oracle clients are supported:</p> <ul style="list-style-type: none"><li>• Oracle Client or Instant Client 10.2.0.5</li><li>• Oracle Client or Instant Client 11.2.0.1/11.2.0.3</li><li>• Oracle Client or Instant Client 12c Release 1 and 2</li><li>• Oracle Client or Instant Client 18c</li><li>• Oracle Client or Instant Client 19c</li><li>• Oracle Client or Instant Client 21c</li><li>• Oracle Client or Instant Client 23c/23ai</li></ul> <p><b>NOTE:</b> You must use the 32-bit version of Toad with the 32-bit Oracle client, and the 64-bit version of Toad with the 64-bit Oracle client.</p>
Database server	<p><b>Oracle versions:</b></p> <ul style="list-style-type: none"><li>• 10g Release 2</li><li>• 11g Release 1 and 2</li><li>• 12c Release 1 and 2</li><li>• 18c</li><li>• 19c</li><li>• 21c</li><li>• 23c/23ai</li></ul> <p><b>IMPORTANT:</b> It is recommended that your client version be of the same release (or later) as your database server. This is an Oracle recommendation to prevent performance issues.</p>
Cloud database service	Oracle Database as a Service on Amazon EC2 and Oracle Cloud

# Network

- Internet Protocol Version 6 (IPv6) is being adopted by the US Federal Government and industries around the world. In its most basic format, the new protocol uses 128-bit addresses instead of 32-bit addresses, which are used by the current IPv4 to route packets over the Internet. Toad for Oracle features, such as FTP, access the Internet through third-party vendors that are IPv6 compliant, such as /nSoftware's IP\*Works. For access to Web sites by way of the Toad Online window, Toad simply invokes the user-defined or default Web browser.
- Toad for Oracle Subscription editions require the user to sign in when using the product. This enables the product to verify the user's identity and to check that they are entitled to use the subscription. To complete this entitlement check internet access is required to connect to Quest Software's Licensing Servers.
- Toad for Oracle Subscription edition is bundled with Quest Auto Update, a service to periodically check for and deliver product updates. Quest Auto Update requires internet access and must be able to reach the cloud service at <https://autoupdate.toadworld.com>.

## Additional requirements

Requirement	Details
Additional Software	<ul style="list-style-type: none"><li>• Microsoft Internet Explorer 6.0 or later (to view video from the <b>Jump</b> list within Toad, and to view the product documentation in HTML format).</li><li>• Microsoft Office 2016 and recent earlier releases are supported for Word and Excel output.</li><li>• Adobe Acrobat Reader 7.0 or later (to view the product documentation in PDF format).</li><li>• Microsoft .NET Framework 4.0 to support the Toad for Oracle Editions Installer.</li></ul>

## Virtualization support

Type	Details
Application virtualization	Citrix® XenApp
Desktop virtualization (VDI)	vWorkspace™ 7.0 has been tested.
Server virtualization	Oracle VM 3.1 has been tested. VMware ESX Server 3.5, 4.0, and 5.5 have been tested.

**NOTE:** Toad may work in virtualization environments other than the ones listed.

# Windows Privileges

In order to install and run Toad, make a connection, and do basic operations, you must have the following privileges.

Operating System	Requirements
Windows non-Server	<ul style="list-style-type: none"><li>• Read access to the Oracle client folder</li></ul>
Windows Server	<ul style="list-style-type: none"><li>• Read/write privileges on the Oracle Home directories that you use for your connections</li></ul>

**NOTE:** Toad for Oracle Subscription edition is bundled with Quest Auto Update, a service to periodically check for and deliver product updates. Installation requires administrator privileges on all supported operating systems.

**NOTE:** Other functionality in Toad may require additional privileges.

# Product licensing

## Legacy Toad for Oracle with offline license keys

### **To activate a trial**

1. Go to the trial download web page: <https://www.quest.com/products/toad-for-oracle/software-downloads.aspx>, accessed through the product page.
2. Select the Toad for Oracle Edition that you want to try.
3. Log in to your account or register.
4. Accept the license terms.
5. Download the trial file.

### **To activate a purchased commercial license**

1. Go to the Quest Support website: <https://support.quest.com/>
2. Type the name of the product that you want to activate in the **Enter your product to find support** field.
3. Select **Download New Releases**.
4. Download the installer file.

### **NOTES:**

- License keys compatible with Toad for Oracle 9.7 and earlier versions are no longer supported.
- Only the newer 48-character license keys are supported.
- If you have an older license type, the Editions installer points you to the license web page where you can update it.
- Toad supports cumulative licensing. You can add multiple licenses, including those for add-ons like Sensitive Data Protection, to Toad. Toad will use the licenses providing the highest degree of features.

## Toad for Oracle Subscription with online licensing (including Editions)

Toad for Oracle Subscription requires you to sign in with your Quest.com account. Licenses are tied to your account giving you the flexibility to use Toad from multiple computers without having to move your license.

### ***Sign in with existing Quest.com account***

1. Enter your account email address and password when prompted
2. If you already have a Toad for Oracle Subscription license, no further action is needed
3. If you do not have a Toad for Oracle Subscription license, see **Activating a new license** below

### ***Create a new Quest.com account***

1. Select **Sign up for a new account**
2. Enter your account details and select **Sign Up**
3. A confirmation email is sent containing a verification code
4. Enter the code from the email and select **Verify**

#### **NOTES:**

- It may take a few minutes for the verification email to arrive
- Check your spam/junk folders for the email sent from supportadmin@quest.com if you do not receive it
- For additional assistance, please contact [Quest support](#)

### ***Activating a new license***

1. Toad for Oracle Subscription automatically provides a fully functioning, 30-day Trial license
2. To purchase a new license, click **Buy Now** from Toad's title bar
3. After completing your transaction, restart Toad and your license is automatically detected
4. To manage licenses, select **Account Settings** beneath your account shown at the top-right of Toad

**NOTE:** You can view your licenses from within Toad by selecting **Help | Licensing**

# Getting started with Toad for Oracle

Toad for Oracle is distributed in the Toad for Oracle Editions at <https://support.quest.com/download-product-select>.

## Upgrade and installation instructions

Please refer to the Toad for Oracle *Installation Guide* at <https://support.quest.com/technical-documents> for installation and upgrade instructions.

Upgrades for Toad for Oracle can install side-by-side with any previous versions you have installed. You can run the new and previous versions concurrently.

The first time you run the new version of Toad, the settings files from the previous version are automatically imported. To start with a clean set of user files, go to **Utilities | Copy User Settings**, then select **Create a clean set of user files from the base installation**.

**NOTE:** Toad supports importing settings only if the new version is within two releases of the previous version. If your versions are more than two releases apart, you need to install an intermediate version to successfully import the files.

## User instructions

To get started with using Toad for Oracle, see the *Guide to Using Toad* at <https://support.quest.com/technical-documents>. For detailed information about any Toad window or feature, see the online help, which can be accessed from the **Help** menu.

## Additional resources

Additional information is available from the Toad for Oracle Community on Toad World:  
<https://www.toadworld.com/products/toad-for-oracle>

# Globalization

## Global Operation Statement

This section contains information about installing and operating this product in non-English configurations, such as those needed by customers outside of North America. This section does not replace the materials about supported platforms and configurations found elsewhere in the product documentation.

This release was not enabled and tested for international operation. Only U.S. English configurations of this product and U.S. English datasets are fully supported. Support for non-ASCII characters or non-English configurations may work appropriately, but these configurations have not been tested and this release should be used with caution in these environments.

This release has the following known capabilities or limitations: Toad 13.1 is a Unicode application. As such, it has support for any Oracle Unicode character set, such as UTF8 or AL32UTF8. There are some features in Toad which use or invoke Oracle Utilities or applications which are not themselves Unicode applications. Their functionality is therefore limited to the character set of the client on which Toad is running, and NLS\_LANG must be carefully set to match the Windows character set

We have also observed issues with US7ASCII when used with non Latin characters.

# About us

## We are more than just a name

We are on a quest to make your information technology work harder for you. That is why we build community-driven software solutions that help you spend less time on IT administration and more time on business innovation. We help you modernize your data center, get you to the cloud quicker and provide the expertise, security and accessibility you need to grow your data-driven business. Combined with Quest's invitation to the global community to be a part of its innovation, and our firm commitment to ensuring customer satisfaction, we continue to deliver solutions that have a real impact on our customers today and leave a legacy we are proud of. We are challenging the status quo by transforming into a new software company. And as your partner, we work tirelessly to make sure your information technology is designed for you and by you. This is our mission, and we are in this together. Welcome to a new Quest. You are invited to Join the Innovation™.

## Our brand, our vision. Together.

Our logo reflects our story: innovation, community and support. An important part of this story begins with the letter Q. It is a perfect circle, representing our commitment to technological precision and strength. The space in the Q itself symbolizes our need to add the missing piece — you — to the community, to the new Quest.

## Contacting Quest

For sales or other inquiries, visit [www.quest.com/contact](http://www.quest.com/contact).

## Technical support resources

Technical support is available to Quest customers with a valid maintenance contract and customers who have trial versions. You can access the Quest Support Portal at <https://support.quest.com>.

The Support Portal provides self-help tools you can use to solve problems quickly and independently, 24 hours a day, 365 days a year. The Support Portal enables you to:

- Submit and manage a Service Request
- View Knowledge Base articles
- Sign up for product notifications
- Download software and technical documentation
- View how-to-videos
- Engage in community discussions

- Chat with support engineers online
- View services to assist you with your product

**© 2025 Quest Software Inc. ALL RIGHTS RESERVED.**

This guide contains proprietary information protected by copyright. The software described in this guide is furnished under a software license or nondisclosure agreement. This software may be used or copied only in accordance with the terms of the applicable agreement. No part of this guide may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording for any purpose other than the purchaser's personal use without the written permission of Quest Software Inc.

The information in this document is provided in connection with Quest Software products. No license, express or implied, by estoppel or otherwise, to any intellectual property right is granted by this document or in connection with the sale of Quest Software products. EXCEPT AS SET FORTH IN THE TERMS AND CONDITIONS AS SPECIFIED IN THE LICENSE AGREEMENT FOR THIS PRODUCT, QUEST SOFTWARE ASSUMES NO LIABILITY WHATSOEVER AND DISCLAIMS ANY EXPRESS, IMPLIED OR STATUTORY WARRANTY RELATING TO ITS PRODUCTS INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. IN NO EVENT SHALL QUEST SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE, SPECIAL OR INCIDENTAL DAMAGES (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF PROFITS, BUSINESS INTERRUPTION OR LOSS OF INFORMATION) ARISING OUT OF THE USE OR INABILITY TO USE THIS DOCUMENT, EVEN IF QUEST SOFTWARE HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. Quest Software makes no representations or warranties with respect to the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and product descriptions at any time without notice. Quest Software does not make any commitment to update the information contained in this document.

If you have any questions regarding your potential use of this material, contact:

Quest Software Inc.

Attn: LEGAL Dept

4 Polaris Way

Aliso Viejo, CA 92656

Refer to our Web site (<https://www.quest.com>) for regional and international office information.

**Patents**

Quest Software is proud of our advanced technology. Patents and pending patents may apply to this product. For the most current information about applicable patents for this product, please visit our website at <https://www.quest.com/legal>.

**Trademarks**

Quest, the Quest logo, Toad for Oracle, Toad, and Join the Innovation are trademarks and registered trademarks of Quest Software Inc. For a complete list of Quest marks, visit <https://www.quest.com/legal/trademark-information.aspx>. All other trademarks and registered trademarks are property of their respective owners.

Toad for Oracle Release Notes

Updated - 5/13/2025

Version - 2025 R2