

# Benchmark Factory<sup>®</sup> 9.1

## Release Notes

Thursday, June 5, 2025

### Contents

- [About Benchmark Factory](#)
- [New Features](#)
- [Resolved Issues and Enhancements](#)
- [Known Issues](#)
- [Third-Party Known Issues](#)
- [System Requirements](#)
- [Product Licensing](#)
- [Getting Started](#)
- [Globalization](#)
- [About Us](#)

## About Benchmark Factory

Quest Software is pleased to make available Benchmark Factory<sup>®</sup> 9.1 to meet your database workload testing needs. Benchmark Factory is a database performance and code scalability testing tool that simulates users and transactions on the database and replays production workload in non-production environments. With Benchmark Factory developers, DBAs, and QA teams can validate that their databases will scale as user loads increase, application changes are made, and platform changes are implemented.

Benchmark Factory is available for Oracle<sup>®</sup>, SQL Server<sup>®</sup>, IBM<sup>®</sup> DB2<sup>®</sup>, SAP<sup>®</sup>, MySQL, PostgreSQL, MariaDB, and other databases via ODBC connectivity. Benchmark Factory:

- Simulates thousands of concurrent users with a minimal amount of hardware.
- Simulates database production workloads.
- Reports tests results with built-in reporting features.

Upon completion of a test execution, all test results are collected and stored in the repository for data analysis and reporting. Benchmark Factory collects a variety of informative and detailed statistics that include:

- Overall server throughput (measured in transactions per second/minute or bytes transferred).
- Detailed transaction executed statistics by individual agent workstations producing a load.

[Back to Top](#)

# New Features

## Benchmark Factory 9.0

This release of Benchmark Factory includes the following new features and enhancements.

### Database Support

This release of Benchmark Factory includes support for the following database versions:

- Oracle 21c
- SQL Server 2022
- PostgreSQL 11, 12, 13, 14, 15, 16
- MariaDB 10.x, 11.x
- MySQL 8.0.36
- IBM® DB2® for z/OS 12, 13

### Operating System Support

#### Windows operating system:

- Microsoft Windows 11
- Microsoft Windows Server 2022

#### Linux operating system:

- CentOS 8.x, 9.x (64-bit)
- RHEL 8.x, 9.x (64-bit)
- Oracle Linux 8.x, 9.x (64-bit)

#### Cloud support:

- AWS RDS platform for MySQL, MSSQL, MariaDB
- Azure SQL database

See [Resolved Issues](#) for more enhancements and resolved issues in this release of Benchmark Factory.

## Learn More

Learn more and connect with the community at the [Benchmark Factory Community](#) page on Toad World.

- Find interesting blogs and other useful information.
- Ask questions in the forum.
- Link to Commercial, Trial, and Freeware downloads.
- Find Benchmark Factory documentation.

# Deprecated Features

## Database versions

- SQL Server 2005, 2008, and 2008 R2
- PostgreSQL 9.4 and older

## Database Servers

IBM® DB2® for z/OS 9.x and 10.x

## Operating System Versions

### Windows operating system:

- Microsoft® Windows Server® 2008 R2 Service Pack 1
- Microsoft Windows® 7 Service Pack 1
- Microsoft windows 8
- Microsoft windows 8.1

[Back to Top](#)

# Resolved Issues and Enhancements

The following is a list of issues addressed and enhancements implemented in this release of Benchmark Factory.

Feature	Resolved Issue	Defect ID
Filter options	When users attempt to exclude multiple filter options using the Capture Scenario Wizard, Benchmark Factory (BMF) only recognizes the latest option and ignores the earlier ones.	BMF-5793
Azure Managed Instance SQL	Benchmark Factory displays an error when users enter a long hostname while connecting to an Azure Managed Instance SQL Database.	BMF-5726
Capture	Benchmark Factory displays an error when users attempt to capture a SQL command of more than 8,000 characters.	BMF-5725
Capture and Replay	When users capture the database workload and replay the captured trace file on the Oracle 19c PDB database, the data in the target database is getting modified.	BMF-5708
Compare report	The Compare report generated through the execution of Capture and Replay for Oracle is not displaying the following reports: <ul style="list-style-type: none"><li>• Capture AWR Report</li><li>• AWR Comparison Report</li><li>• Replay AWR Report</li></ul>	BMF-5707
Capture and Replay	Benchmark Factory is displaying an error when users execute Capture and Replay on the Oracle 19c PDB database to view the Playback AWR Report.	BMF-5706

For the most recent list of resolved issues, see the Benchmark Factory 9.1 Release Notes at: <https://support.quest.com/benchmark-factory-for-database/technical-documents>.

[Back to Top](#)

## Known Issues

The following is a list of issues known to exist at the time of this release.

Feature	Known Issue	Defect ID
Capture and Replay	Oracle workload: Capturing using the trace file method is not available and is disabled when connected to an Oracle 12c pluggable database (PDB).	N/A
Capture and Replay	Oracle workload: In Benchmark Factory 7.2 or later, if you attempt to use Oracle capture files created in an earlier version of Benchmark Factory (6.9.3 or earlier) and .NET Framework 2.0 is not installed, Windows may prompt you to install it (for example, in Windows 8 or later). <b>Workaround:</b> Install .NET Framework 2.0 (3.5).	N/A

Feature	Known Issue	Defect ID
Capture and Replay	Oracle workload: Capturing using the trace file method is not available and is disabled when connected to an Oracle RAC system.	N/A
Capture and Replay	<b>Issue:</b> If you start a trace file capture using the current version of Benchmark Factory and then start another trace file capture using version 7.2 (or earlier) on the same database, the earlier version of Benchmark Factory cannot detect the current version performing a capture. This can result in an invalid capture. <b>Solution:</b> For best results, do not perform trace file captures using both the current and an earlier version of Benchmark Factory concurrently on the same database.	N/A
Capture and Replay	SQL Server workload: After capturing activity from a user logged-in using Windows authentication, attempting to replay the capture using the ODBC profile results in the following error: "Could not obtain information about Windows NT group/user '<group/user>', error code 0x5." <b>Workaround:</b> Use a domain account to start SQL Server service and make sure the account can connect to the Active Directory of <i>Domain</i> .	N/A
Capture and Replay	Oracle workload: In an Oracle capture and replay, Benchmark Factory cannot generate the Statspack report if the local replay directory is mapped to drive "B." This is because Benchmark Factory must have drive B open to execute a background .bat file during oracle capture and replay. <b>Workaround:</b> Do not map your local replay directory to drive "B" when running an Oracle capture and replay in which you chose to generate the Statspack report.	109221
Capture and Replay	In an Oracle 12c container database (CDB), Benchmark Factory cannot replay an existing workload that was captured in an earlier version of an Oracle database. In an Oracle 12c container database, a user name (common user) is prefixed with "c##" by default.	N/A
Capture and Replay	Oracle Capture Using FGAC: When performing an Oracle Capture using the FGAC method, if the application has a trigger with a multi-schema select, additional transactions will be recorded.	N/A
Connections - Teradata ODBC	When creating or modifying a Teradata ODBC connection, if the Teradata DSN has incorrect connection information and you click <b>Test Connection</b> in the Connection dialog , Benchmark Factory might close unexpectedly.	BMF-1497
Connections - Transaction Wizard and IBM CLI Driver	When using the 64-bit version of Benchmark Factory, the Transaction Wizard stops working when using the IBM DB2 CLI Driver profile to connect the database which created objects using the ODBC Driver.	N/A
Connections - Microsoft Oracle ODBC Driver	When using Microsoft's Oracle ODBC driver for either testing or for Benchmark Factory repository access, there is an issue with the ODBC driver. It does not work with CLOB data.	N/A

Feature	Known Issue	Defect ID
Connections - Oracle ODBC driver	When using the Oracle 11g R2 Client and Oracle 32-bit ODBC driver in a Windows 64-bit environment, the Oracle 32-bit ODBC driver requires an 8-byte int data type. <b>Workaround:</b> Use the Oracle native client or Oracle 32-bit ODBC driver.	N/A
Connections - SQL Server DB-Library (Obsolete) Connection	If you run a benchmark test using a Microsoft SQL Server DB-Library (Obsolete) connection to SQL Server 2014, and you have the "Recreate objects and reload data every execution" option selected, you might encounter the following error: "DB-Library Message - Insert bulk is not supported over this access protocol" <b>Workaround:</b> Use the Microsoft SQL Server ODBC driver or SQL Server native connection.	N/A
Connections - SQL Server DB-Library (Obsolete) Connection	Attempting to run a benchmark test using a Microsoft SQL Server DB-Library (Obsolete) connection to SQL Server 2014 results in an error. <b>Workaround:</b> Use the Microsoft SQL Server ODBC driver or SQL Server native connection.	N/A
Connections - IBM DB2 CLI Driver	A profile created with a DB2 ODBC data source may crash Benchmark Factory if the IBM DB2 client catalog becomes broken/corrupted.	N/A
Connections - IBM DB2 CLI Driver	Attempting to connect using an IBM DB2 CLI ODBC connection from Benchmark Factory running as a limited user (not Administrator) could result in the following error: "[IBM][CLI Driver]SQL1031N the database directory cannot be found on the indicated file system." <b>Workaround:</b> Run Benchmark Factory as Administrator.	N/A
Connections	In Windows 10, if you open a New Connection dialog, create an SAP data source and then attempt to create a SQL Server data source, Benchmark Factory might close unexpectedly.	BMF-555
General - Benchmark Factory Console	Benchmark Factory does not support data types that are created by the user.	N/A
Industry Standard Benchmark Testing	<b>Background:</b> This issue applies to benchmark testing using a SQL Server or SAP native connection when the Refresh data retention option is selected in the Test Options tab. <b>Issue Description:</b> In a test where the connection is lost while tables are loading, if you reconnect and attempt to rerun the job, Benchmark Factory might error with the following messages: "The Expected Total rows are not the same as the Actual Total rows," or "a duplicate key was found" (when creating an index). The test is then canceled due to errors. <b>Resolution:</b> Recreate and run a new job against your selected database using the native connection.	N/A
Industry Standard Benchmark Testing	If testing against a database other than Oracle, SQL Server, DB2, SAP, or MySQL, and using the Object/Data Retention option <b>Refresh data using backup sets</b> , backup sets might not be created resulting in a canceled test.	114266

Feature	Known Issue	Defect ID
Benchmark Test - Scalable Hardware Test	<p>Attempting to use a native connection to run a Scalable Hardware benchmark test in which the objects were created using an ODBC connection and the objects are not recreated will result in a failed test with errors. The reverse is also true.</p> <p><b>Solution:</b> When running a Scalable Hardware test using a native connection and objects were created using an ODBC connection (or vice versa) always recreate the objects.</p>	N/A
Installation (uninstall)	<p>Beginning with release 7.1.1 in Windows 7 or later, if you have multiple editions of Benchmark Factory installed side-by-side (e.g., a Beta and a Commercial edition), and then uninstall one edition, you might encounter the following error when attempting to run a job:</p> <p>" This object does not represent an OLE control"</p> <p><b>Workaround:</b> Do one of the following:</p> <ul style="list-style-type: none"> <li>• Open the Benchmark Factory application directory for the edition that is displaying the error. Then right-click the Benchmark Factory executable (BFactory.exe) and select <b>Run As Administrator</b>.</li> <li>• Or run the installer in Repair mode. To do this, right-click the .msi installer used to install the edition that is displaying the error and select <b>Repair</b>.</li> </ul>	ST115773
Integration with other Toad products	<p>Applies in Toad for Oracle suites (12.5 or later): When the database connection or the SQL statement contains Chinese characters, attempting to send SQL from SQL Optimizer for Oracle to Benchmark Factory results in an error. This issue only occurs when Spotlight on Oracle is launched prior to the other applications mentioned here.</p> <p><b>Workaround:</b> Always launch Benchmark Factory and SQL Optimizer for Oracle prior to launching Spotlight on Oracle if sending SQL from SQL Optimizer to Benchmark Factory.</p>	N/A
Licensing	<p>License keys compatible with Benchmark Factory 5.8.1 (or earlier) are no longer supported. See <a href="#">Product Licensing</a> for instructions on how to upgrade an earlier-version license key.</p>	N/A
Licensing	<p>If your current Benchmark Factory license key is a 21-digit format (x-xxxxx-xxxxx-xxxxx-xxxxx) and you want to use the 64-Bit installation, you will need to request a new license key. Please obtain the new key before installing the new release. To obtain a new key, please refer to the Licensing Assistance page on our support portal: <a href="https://support.quest.com/licensing-assistance">https://support.quest.com/licensing-assistance</a>.</p>	N/A
Oracle Database Privileges	<p>In Oracle 12c, the RESOURCE role no longer includes the UNLIMITED TABLESPACE system privilege. Therefore, Benchmark Factory users with the RESOURCE role must also be granted the UNLIMITED TABLESPACE privilege.</p>	N/A
Repository	<p>In a new installation (not an upgrade) of Benchmark Factory 7.2 or later, a Standard (Limited) user may encounter a Repository error when attempting to launch the application. The issue involves the SQLite database that is used as the default database in a new installation of Benchmark Factory 7.2 or later.</p> <p><b>Workaround:</b> Do one of the following:</p> <ul style="list-style-type: none"> <li>• Run Benchmark Factory using an Administrator account.</li> </ul>	BMF-202

Feature	Known Issue	Defect ID
	<ul style="list-style-type: none"> <li>In the directory containing the SQLite database file, grant <i>Write</i> permission to all users. This directory is located in the following location in Windows 7: C:\ProgramData\Quest Software\BMF\Repository.</li> </ul>	
Repository	If you created a Data Source Name for the BMF MySQL ODBC Driver in a previous release (6.9.3 or 7.0), attempting to edit this DSN results in an error.	N/A

## Third-Party Known Issues

Feature	Known Issue	Defect ID
Connections - Oracle	<p>If you have multiple Oracle clients installed, after connecting using one Oracle home, attempting another connection using a different Oracle home results in an error.</p> <p><b>Workaround:</b> Close and then re-open Benchmark Factory.</p>	N/A
Connections - SAP	<p>When creating a new SAP connection, if you partially define an SAP ASE ODBC DSN, then click "Cancel," and then switch to the Native tab of the New Connection dialog (or select a different connection type), Benchmark Factory quits unexpectedly. This is a known issue with the SAP ASE ODBC driver.</p> <p>To create a native SAP connection, use the Native tab of the New Connection dialog. To create an SAP ODBC connection, finish defining the SAP ODBC DSN in the ODBC tab of the New Connection dialog.</p>	N/A
Connections - MySQL ODBC	<p>On Windows Server 2012 R2, attempting to run a TPC-C, TPC-D, or TPC-H benchmark test using the MySQL ODBC connection could cause Benchmark Factory to unexpectedly close. There is a known issue with the MySQL 8.0 ODBC driver on a Windows Server 2012 R2 system in which the latest updates are not installed.</p> <p><b>Workaround:</b> Ensure the latest Windows Server 2012 R2 updates are installed, or use MySQL ODBC driver version 5.3.</p>	N/A

[Back to Top](#)

# System Requirements

Before installing Benchmark, ensure your system meets the following minimum hardware and software requirements:

Requirement	Details
<b>Repository</b>	Benchmark Factory cannot run without a repository, and during installation a SQLite file-based repository is installed. After installation, you can select a repository of your choice. Benchmark Factory supports the following databases: <ul style="list-style-type: none"><li>• Oracle<sup>®</sup></li><li>• SQL Server<sup>®</sup></li><li>• MySQL</li><li>• SQLite</li><li>• MariaDB</li><li>• SAP SQL Anywhere<sup>®</sup> (Adaptive Server<sup>®</sup> Anywhere)</li></ul>
<b>Memory</b>	512 MB of RAM recommended <b>Note:</b> The memory required may vary based on the following: <ul style="list-style-type: none"><li>• Applications that are running on your system.</li><li>• Size and complexity of the database.</li><li>• Amount of database activity.</li><li>• Number of concurrent users accessing the database.</li></ul>
<b>Platform</b>	1.0 GHz x86 or x64 compatible CPU
<b>Browser Requirements</b>	Benchmark Factory requires Internet Explorer <sup>®</sup> 9 or later.
<b>Hard Disk Space</b>	120 MB of disk space for installation <b>Note:</b> The disk space required may vary based on options selected for installation.
<b>Operating System</b>	Microsoft Windows 10 Microsoft Windows 11 Microsoft Windows Server 2012 Microsoft Windows Server 2016 Microsoft Windows Server 2019 Microsoft Windows Server 2022
<b>.NET Framework</b>	.NET Framework 2.0 is required to use Oracle workloads captured using Benchmark Factory 6.9.3 or earlier.
<b>Additional Software</b>	The Visual Studio Runtime for Windows is required. See <a href="#">Visual C++ Redistributable</a> to download this software.
<b>Database Server</b>	Oracle <sup>®</sup> 10g R2, 11G, 12c, 18c, 19c, and 21c Requires Oracle 12c or later client libraries <b>Note:</b> Oracle Capture/Replay of workloads does not support Oracle databases earlier than 9i. PostgreSQL 9.5, 9.6, 10, EnterpriseDB Postgres 10, 11, 12, 13, 14, 15, and 16 SQL Server <sup>®</sup> 2012, 2014, 2016, 2017, 2019, and 2022 <ul style="list-style-type: none"><li>• Benchmark Factory has been tested against SQL Server 2019 and 2022 running on Windows and Linux.</li></ul>

Requirement	Details
	<p><b>Note:</b> Beginning with Benchmark Factory 8.1, a SQL Server client is no longer distributed along with Benchmark Factory. To create a SQL Server native connection, ensure a SQL Server client is installed.</p> <p>SAP® ASE 15.5, 15.7, 16</p> <p>IBM® DB2® for LUW 9.x through 10.x, 11.x</p> <p>IBM® DB2® for z/OS 11.1, 12, 13</p> <p>MariaDB 10.x, 11.x</p> <p>MySQL 5.5, 8.0.36</p> <p><b>Note:</b> The 32-bit version of Benchmark Factory requires the 32-bit versions of the client libraries (including ODBC drivers). The 64-bit version requires 64-bit client libraries.</p>
<b>ODBC Database Server</b>	Benchmark Factory supports almost all databases that you can connect to using an ODBC 3.x or later driver.
<b>Cloud Database Service</b>	<p>Oracle Database as a service</p> <p>AWS RDS platform for MSSQL, MySQL, and MariaDB</p> <p>Azure SQL database</p> <p><b>Note:</b> Capture and Replay functionality is not supported on cloud databases because users do not have SYS admin privileges.</p>

#### Benchmark Factory Agent for Linux (64-bit)

Databases	CentOS	RHEL	Oracle Linux
PostgreSQL	7.x, 8.x, 9.x	7.x, 8.x, 9.x	7.x, 8.x, 9.x
Oracle	7.x, 8.x	7.x, 8.x	7.x, 8.x
MySQL	7.x, 8.x, 9.x	7.x, 8.x, 9.x	7.x, 8.x, 9.x
Microsoft SQL Server	7.x	7.x	7.x

**Note:** RHEL 9, CentOS 9, and Oracle Linux 9 are not supported by Oracle client.

Supported Databases for Load Testing: PostgreSQL, Oracle, MySQL and Microsoft SQL Server

**Note:** Testing against an Oracle database needs Oracle client installed on the same Linux machine as the Agent.

## Virtualization Support

Before installing Benchmark Factory, review the following for virtualization support:

Requirement	Details
<b>Application Virtualization</b>	<p>Benchmark Factory has been tested with the following:</p> <ul style="list-style-type: none"> <li>Citrix XenApp 6.5</li> </ul>

[Back to Top](#)

# Product Licensing

## *To activate a trial license*

1. In the Licensing dialog, enter your license (Authorization) key.
2. Enter the site message included with the license key.

## *To activate a purchased commercial license*

1. In the Licensing dialog, enter your license (Authorization) key.
2. Enter the site message included with the license key.

## Earlier-Version License Keys

License keys compatible with Benchmark Factory 5.8.1 and earlier versions are no longer supported.

If you need help finding your license number or an upgrade key, please contact the License Administration team at: <https://support.quest.com/licensing-assistance>.

# Getting Started

## Contents of the Release Package

The Benchmark Factory release package contains the following products:

1. Benchmark Factory version 9.1
2. Product Documentation, including:
  - User Guide
  - Online Help
  - Release Notes

# Globalization

This section contains information about installing and operating this product in non-English configurations, such as those needed by customers outside of North America. This section does not replace the materials about supported platforms and configurations found elsewhere in the product documentation.

This release is Unicode-enabled and supports any character set. In this release, all product components should be configured to use the same or compatible character encodings and should be installed to use the same locale and regional options. This release is targeted to support operations in the following regions: North America, Western Europe and Latin America, Central and Eastern Europe, Far-East Asia, Japan.

# About Us

## We are more than just a name

We are on a quest to make your information technology work harder for you. That is why we build community-driven software solutions that help you spend less time on IT administration and more time on business innovation. We help you modernize your data center, get you to the cloud quicker and provide the expertise, security and accessibility you need to grow your data-driven business. Combined with Quest's invitation to the global community to be a part of its innovation, and our firm commitment to ensuring customer satisfaction, we continue to deliver solutions that have a real impact on our customers today and leave a legacy we are proud of. We are challenging the status quo by transforming into a new software company. And as your partner, we work tirelessly to make sure your information technology is designed for you and by you. This is our mission, and we are in this together. Welcome to a new Quest. You are invited to Join the Innovation.

## Our brand, our vision. Together.

Our logo reflects our story: innovation, community and support. An important part of this story begins with the letter Q. It is a perfect circle, representing our commitment to technological precision and strength. The space in the Q itself symbolizes our need to add the missing piece—you—to the community, to the new Quest.

## Contact Quest

For sales or other inquiries, visit [www.quest.com/contact](http://www.quest.com/contact).

## Technical Support Resources

Technical support is available to Quest customers with a valid maintenance contract and customers who have trial versions. You can access the Quest Support Portal at <https://support.quest.com>.

The Support Portal provides self-help tools you can use to solve problems quickly and independently, 24 hours a day, 365 days a year. The Support Portal enables you to:

- Submit and manage a Service Request
- View Knowledge Base articles
- Sign up for product notifications
- Download software and technical documentation
- View how-to-videos
- Engage in community discussions
- Chat with support engineers online
- View services to assist you with your product

[Back to Top](#)

© 2025 Quest Software Inc.  
ALL RIGHTS RESERVED.

This guide contains proprietary information protected by copyright. The software described in this guide is furnished under a software license or nondisclosure agreement. This software may be used or copied only in accordance with the terms of the applicable agreement. No part of this guide may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording for any purpose other than the purchaser's personal use without the written permission of Quest Software Inc.

The information in this document is provided in connection with Quest Software products. No license, express or implied, by estoppel or otherwise, to any intellectual property right is granted by this document or in connection with the sale of Quest Software products. EXCEPT AS SET FORTH IN THE TERMS AND CONDITIONS AS SPECIFIED IN THE LICENSE AGREEMENT FOR THIS PRODUCT, QUEST SOFTWARE ASSUMES NO LIABILITY WHATSOEVER AND DISCLAIMS ANY EXPRESS, IMPLIED OR STATUTORY WARRANTY RELATING TO ITS PRODUCTS INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. IN NO EVENT SHALL QUEST SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE, SPECIAL OR INCIDENTAL DAMAGES (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF PROFITS, BUSINESS INTERRUPTION OR LOSS OF INFORMATION) ARISING OUT OF THE USE OR INABILITY TO USE THIS DOCUMENT, EVEN IF QUEST SOFTWARE HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. Quest Software makes no representations or warranties with respect to the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and product descriptions at any time without notice. Quest Software does not make any commitment to update the information contained in this document.

If you have any questions regarding your potential use of this material, contact:

Quest Software Inc.  
Attn: LEGAL Dept  
4 Polaris Way  
Aliso Viejo, CA 92656

Refer to our web site ([www.quest.com](http://www.quest.com)) for regional and international office information.

### **Patents**

This product includes patent pending technology. For the most current information about applicable patents for this product, please visit our website at [www.quest.com/legal](http://www.quest.com/legal).

### **Trademarks**

Quest, Quest Software, Benchmark Factory, Foglight, Spotlight, SQL Navigator, Toad, SharePlex, and the Quest logo are trademarks of Quest Software Inc. in the U.S.A. and other countries. For a complete list of Quest Software trademarks, please visit our website at [www.quest.com/legal](http://www.quest.com/legal). Microsoft, Windows, Windows Server, Visual Studio, SQL Server, SharePoint, Access and Excel are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. Oracle is a trademark or registered trademark of Oracle and/or its affiliates in the United States and other countries. Citrix® and XenApp™ are trademarks of Citrix Systems, Inc. and/or one or more of its subsidiaries, and may be registered in the United States Patent and Trademark Office and in other countries. SAP is the registered trademark of SAP AG in Germany and in several other countries. IBM and DB2 are registered trademarks of International Business Machines Corporation. All other trademarks, servicemarks, registered trademarks, and registered servicemarks are property of their respective owners.

[Back to Top](#)