erwin Data Intelligence v15.1

Upgrade Instructions for v15.1 PR

- Information: v15.1 is a PR on the v15.0 GA.

- Important Upgrade Note:
    - To deploy the v15.1 PR, you need to be on the 15.0 GA version

- If you are on an older version (v13.x or v14.x)
    - You cannot directly deploy the v15.1 PR on your older version
    - You should first upgrade to v15.0 GA by following the upgrade process mentioned here – Upgrade to v15.0

- If you are on v15.0, deploy the v15.1 PR by executing the following steps

Steps to apply v15.1 PR

1. Stop the tomcat server
2. Clear the tomcat cache i.e. delete the contents of the tomcat/work/Catalina/localhost folder
3. Clear Tomcat log files and temp files
4. Take the backup of your current webapps/erwinDISuite folder
5. If SAML is enabled - take a backup of your SAML configurations (IDP file if this is deployed inside the webapps folder – especially inside the Classes folder)
6. Please take the backup of database.properties file present in webapp/erwinDISuite/WEB-INF/database
7. Take the Database backup

8. Remove the classes folder from the webapp/erwinDISuite/WEB-INF folder.
9. If exists, remove the following folder webapps/erwinDISuite/JavaScripts/*Bootstrap4.6*
10. If exists, remove the following jars from webapp/erwinDISuite/WEB-INF/lib/ *snowflake-jdbc-3.14.4.jar*
11. Extract the file *erwinDI_v15.1_PR.zip* and copy the contents from erwinDISuite folder into tomcat/webapps/erwinDISuite folder.
12. Run the DDL script on the DISuite database
13. Restart the tomcat server
14. Clear the browser cache & Login to the application

Note*:
idp.xml files will be overwritten, please take backup if SAML is configured.
database.properties file will be overwritten.