



StoragePoint 6.5

Advanced Installation Guide



© 2026 Quest Software Inc. ALL RIGHTS RESERVED.

This guide contains proprietary information protected by copyright. The software described in this guide is furnished under a software license or nondisclosure agreement. This software may be used or copied only in accordance with the terms of the applicable agreement. No part of this guide may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording for any purpose other than the purchaser's personal use without the written permission of Quest Software Inc.

The information in this document is provided in connection with Quest Software products. No license, express or implied, by estoppel or otherwise, to any intellectual property right is granted by this document or in connection with the sale of Quest Software products. EXCEPT AS SET FORTH IN THE TERMS AND CONDITIONS AS SPECIFIED IN THE LICENSE AGREEMENT FOR THIS PRODUCT, QUEST SOFTWARE ASSUMES NO LIABILITY WHATSOEVER AND DISCLAIMS ANY EXPRESS, IMPLIED OR STATUTORY WARRANTY RELATING TO ITS PRODUCTS INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. IN NO EVENT SHALL QUEST SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE, SPECIAL OR INCIDENTAL DAMAGES (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF PROFITS, BUSINESS INTERRUPTION OR LOSS OF INFORMATION) ARISING OUT OF THE USE OR INABILITY TO USE THIS DOCUMENT, EVEN IF QUEST SOFTWARE HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. Quest Software makes no representations or warranties with respect to the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and product descriptions at any time without notice. Quest Software does not make any commitment to update the information contained in this document.

If you have any questions regarding your potential use of this material, contact:

Quest Software Inc.
Attn: LEGAL Dept.
20 Enterprise, Suite 100
Aliso Viejo, CA 92656

Refer to our Web site (<https://www.quest.com>) for regional and international office information.


Patents


Quest Software is proud of our advanced technology. Patents and pending patents may apply to this product. For the most current information about applicable patents for this product, please visit our website at <https://www.quest.com/legal>.

Trademarks

Quest and the Quest logo are trademarks and registered trademarks of Quest Software Inc. and its affiliates. For a complete list of Quest marks, visit <https://www.quest.com/legal/trademark-information.aspx>. All other trademarks and registered trademarks are property of their respective owners.

Legend

 **CAUTION:** A caution icon indicates potential damage to hardware or loss of data if instructions are not followed.

 **IMPORTANT, NOTE, TIP, MOBILE OR VIDEO:** An information icon indicates supporting information.

Quest® StoragePoint

Updated February 2026

Contents

Planning the StoragePoint Implementation	4
Minimum Server Software Requirements	5
StoragePoint Database Sizing	7
Advanced Installation	9
Install or Upgrade StoragePoint	9
Setting up StoragePoint	26
Repair StoragePoint	28
AppServer Install	34
StoragePoint Management Shell	37
Change StoragePoint Database Name or Server	38
Remove StoragePoint	41
Solution Deployment Timeout Setting	47
About Us	50
Contacting Quest	50
Technical Support Resources	50

Planning the StoragePoint Implementation

Preparation

StoragePoint is installed as a SharePoint solution on a single SharePoint web front-end (WFE), making for simple installation and deployment to the SharePoint farm. This section will outline the necessary software and security prerequisites needed to install StoragePoint.

Before configuring StoragePoint there are few things to consider and understand. This section will touch on each of these and provide some guidance and best practices.

Minimum Server Software Requirements

SharePoint (pick one)

SharePoint Server Subscription Edition	
Operating System	Windows Server 2019 Standard or Datacenter Windows Server 2022 Standard or Datacenter
SharePoint Server	SharePoint Server Subscription Edition
Other Server Software	SQL Server 2019 Enterprise Edition with Cumulative Update (CU5) or later

SharePoint Server 2019	
Operating System	Windows Server 2016 Standard or Datacenter Windows Server 2019 Standard or Datacenter
SharePoint Server	SharePoint Server 2019
Other Server Software	Microsoft SQL Server 2016 Enterprise Editions, Microsoft SQL Server 2017 Enterprise Editions for Windows

SharePoint Server 2016	
Operating System	Windows Server 2012 R2 or Windows Server 2016
SharePoint Server	SharePoint Server 2016
Other Server Software	SQL Server 2014 SP1, 64 bit Enterprise Edition, SQL Server 2016 RTM Enterprise Edition or SQL Server 2017

Server Hardware Requirements

StoragePoint does not have any hardware requirements beyond what is prescribed by Microsoft SharePoint. For reference, those can be reviewed here:

Subscription Edition - <https://learn.microsoft.com/en-us/sharepoint/install/system-requirements-for-sharepoint-subscription-edition>

2019 - <https://docs.microsoft.com/en-us/sharepoint/install/hardware-and-software-requirements-2019>

2016 - [https://technet.microsoft.com/en-us/library/cc262485\(v=office.16\).aspx](https://technet.microsoft.com/en-us/library/cc262485(v=office.16).aspx)

Security Requirements

The User Account used to perform the install must be a SharePoint Farm Administrator.

Also review FileShare and Content Database Rights in the StoragePoint Reference Guide>Managing Storage Profiles, when a profile is created.

Screen Resolution Requirements

StoragePoint requires a minimum screen resolution of 1024 x 768 for optimizing the user interface on the StoragePoint pages that are linked from the main menu on Application Administration in Central Administration.

Internet Browser Requirements

Microsoft Edge is the recommended browser for use with StoragePoint interface. Other browsers may work, but are not verified as supported for all functions.

.NET Framework Requirements

StoragePoint for SharePoint 2016, 2019, and Subscription Edition requires .NET Framework 4.8.

Temporary Storage Requirements

The amount of temporary storage needed to support the timer jobs depends on the number of threads being used for the timer job. It is recommended that 10GB per thread, for each timer job running concurrently, be available on the server running the timer job. Most timer jobs can use a Controller/Worker configuration to spread this over multiple servers. The temporary storage location can be configured on General Settings or during installation to use something other than the default (AppData/Local/Temp).

SharePoint 2019/SharePoint SE Modern UI considerations

SharePoint 2019 and SharePoint Server Subscription Edition (SharePoint SE) have an updated look and feel for the user interface. StoragePoint links will work on this new user interface, but some additional configuration is necessary.

A Site Collection Feature will be deployed to SharePoint 2019 farms as of the 5.9.1 release, and for SharePoint SE as of the 6.2 release. This feature should be enabled on the site collection for full StoragePoint user interface functionality.

Before activating the Site Collection Feature, an App Catalog must be configured for the web application, as well as an App Management service application.


Please reference the following articles for provisioning these resources.

<https://docs.microsoft.com/en-us/sharepoint/administration/configure-an-environment-for-apps-for-sharepoint#configure-the-subscription-settings-and-app-management-service-applications>

<https://docs.microsoft.com/en-us/sharepoint/administration/manage-the-app-catalog>

There are some PowerShell script examples in the PowerShell and API Guide for provisioning these resources.

When these steps are done, open the Site Collection Features (Gear Icon>Site Info>View All Site Settings), scroll to StoragePoint Custom Actions and SPFx Extension and click Activate.



StoragePoint Database Sizing

StoragePoint database is used to track RBS provider activities in a SharePoint farm. This means that StoragePoint database will grow at a rate proportional to the number of documents added to the content databases. The Unused BLOB Cleanup timer job (found on the Profile Timer job page) is critical for keeping StoragePoint database size to a minimum.

Sizing the StoragePoint database can be based on the following estimations:

- Synchronous profiles: average increase on the StoragePoint database size is approximately 16 MB per 1 GB in the RBS store.
- Asynchronous profiles: average increase on the StoragePoint database size is approximately 26 MB per 1 GB in the RBS store.



NOTE: The estimation was tested and carried out under the following conditions:

- StoragePoint database on SQL 2019 instance (cumulative update 20), operating in compatibility mode with SQL Server 2019 (150)
- Autogrow/MaxSize: 64 MB/Unlimited
- FileSystem adapter: no encryption and no compression used
- Used files: .txt, .zip, .pdf, Office (.docx, .xlsx, .pptx)

Additionally, Microsoft has restrictions on content database sizing that must be [followed](#).

Advanced Installation

Install or Upgrade StoragePoint

Install or Upgrade StoragePoint

This section will walk through the process of installing StoragePoint for the first time in the SharePoint farm or upgrading an existing installation.

! **CAUTION:** An upgrade is irreversible. Before proceeding with any install, make sure proper preparation has been completed. As an added precaution it is advisable to back-up the StoragePoint configuration database prior to performing any upgrade.

i **NOTE:** To install bits on an app server outside of the farm, please see [Advanced Options, Install AppServer](#).

1. Refer to the welcome e-mail with instructions on how to download the StoragePoint software. This e-mail will be sent after registering for a trial or making a software purchase. Follow the instructions and download the software to one of the SharePoint WFEs or download it to another location and copy it to one of the WFEs.
2. Once downloaded or copied to a WFE within the farm or single-server environment, right click on the executable and click Run as Administrator to launch the StoragePoint Install Wizard.
3. Click Install StoragePoint. The Evaluation Guide or this Quick Start Guide can also be loaded. Please note that both of these documents are PDFs, so please have Adobe Acrobat Reader or some other PDF viewer installed.

WELCOME TO THE STORAGEPOINT INSTALL WIZARD.

The installation wizard will install StoragePoint.

1 Save time, know how to install and evaluate.



[Read the Evaluation Guide](#)



[Read the Quick Start Guide](#)


2 Start installing.




[Install StoragePoint](#)

This program is protected by copyright law and international treaties.


If SharePoint has been upgraded, and software for a previous version is being installed, a message similar to the one below will be displayed. StoragePoint installers are unique to each SharePoint version. Visit the Quest Support site for the latest StoragePoint version [download](#).




4. A welcome screen is displayed. Click Next.




5. (Install only) Select the I Accept radio button, and click Next.
(Optional) To save a copy of the License Agreement, click the Print button and follow the prompts to save the file locally.



6. Enter the destination for installing the StoragePoint. Click Browse to select something other than the default location. Click Install.



7. After the files are placed in the drive, make sure the Run StoragePoint Configuration Wizard checkbox is selected. Click Finish.



This message may display briefly to indicate that StoragePoint is looking for other installed software that may not be compatible with StoragePoint externalization.



8. The StoragePoint Configuration Wizard will launch. Click Next.

StoragePoint Configuration Wizard

StoragePoint

Welcome to the StoragePoint configuration wizard




This configuration wizard will install and deploy StoragePoint to your SharePoint farm.

Previous

Next


Cancel

9. The installer will now perform a series of system checks to make sure the system is ready for StoragePoint to be installed. If all system checks pass then click Next.



- i** **NOTE:** If a system check fails it will be denoted with a red X and the install will not be able to continue until the issue(s) are resolved. The installer will also check whether the most recent supported SharePoint CU is installed.
- i** **NOTE:** Unless a server is running only in a web server role, it will be detected as an app server. The bits will most likely deploy successfully, but use the [AppServer Install](#) if needed. If unsure, run the following PowerShell script to see the servers in the farm: `Get-SPServer | Select Name, Role`
- i** **NOTE:** 'App Management service application is created.' and 'Some SP web application(s) are not provided with App Calatog Site' options are only displayed for SharePoint 2019 and Subscription Edition.

10. UPGRADE ONLY: Choose Upgrade and Click Next.



The image shows a 'StoragePoint Configuration Wizard' dialog box. The title bar reads 'StoragePoint Configuration Wizard'. Below the title bar, the main heading is 'Upgrade or Remove'. To the right of the heading is the 'StoragePoint by Quest' logo, which consists of a blue cube icon with a downward arrow and the text 'StoragePoint by Quest'. Below the heading, the text says 'Please select the operation you wish to perform'. The main content area contains the question 'Another version of StoragePoint is already configured. What would you like to do?'. There are two radio button options: 'Upgrade' (selected) and 'Remove'. The 'Upgrade' option is described as 'Upgrades StoragePoint on all web front end servers in the SharePoint farm.' The 'Remove' option is described as 'Retracts the solution from all web applications and deletes it from the SharePoint solution store.' At the bottom of the dialog, there is a note: 'Please click the Next button to start the selected operation.' Below the note are three buttons: 'Previous', 'Next' (highlighted with a blue border), and 'Cancel'.

11. Enter the license key.

i | **NOTE:** There may be more than one registration key depending on what licenses are installed. Please make sure to use the correct key. There are different keys for production and non-production licenses.

i | **NOTE:** If a Trial license key is being activated, all StoragePoint features except deleting storage profiles and the Recall timer job will stop working at the end of the trial period.


Verify the number of WFE servers in the farm. This can be less than the number requested with the license. An explanation in the Reason for Override field must be entered if the Override box is checked.

Provide the credentials for an account that has local administrator rights on the WFE(s). The activation and provisioning job that runs requires this access to register certain components on each WFE.

StoragePoint Configuration Wizard

Activate License

Specify license key and activate software.




Enter License Key
License Key:

Verify Web Front End Count
Web Front End Servers in Farm:

Provide Local Administrator Credentials for All Farm Servers
Login Name: (DOMAIN\user or user)
Password:

Select Online or Offline Activation
 Activate Online (requires an Internet connection on this server)
 Activate Offline (obtain a license file on another machine and upload here)

Advanced Settings
StoragePoint Proxy Settings 

Previous **Next** Cancel

StoragePoint Proxy Settings

Use the optional StoragePoint Proxy Settings dialog to configure proxy settings for connecting to the license server. This setting can be edited on General Settings after the installation is complete.

StoragePoint Proxy Settings ×

Configure proxy settings for StoragePoint

Enable StoragePoint Proxy Settings

Server

Port

Username

Password

OK Cancel

12. Select the Activate Online option and click Next (go to Step 19) or if the server does not have an Internet connection, click Activate Offline and go to the next step.
13. (OPTIONAL) If the Active Offline option was selected, there will be a screen with Activation Data generated. The data is already selected; copy the data.

14. Click the link or open a browser on a computer with access to the internet and navigate to <https://support.quest.com/offline-activation>
15. Paste the Activation Data in the top field and click Activate.
16. There will be an error if an invalid registration key is entered. If all values entered are valid there will be a file download dialog. Save the file to a location that is accessible by the server where the license activation is being performed.
17. Back on the Offline Activation window, upload the license key file by clicking on the Browse... button.
 - a. Navigate to the location where the file was saved.
 - b. Select the file and click Open.

See Automatic (Internet) Activation or Manual Activation in the Administration Guide for more information on this process.

18. Click Next on the Offline Activation window.
19. Provide the name of the database server where the StoragePoint configuration database will be installed. The database name and SA credentials can be modified if the currently logged on user does not have database and object create privileges on the specified SQL Server instance.

i | **NOTE:** If SQL AlwaysON is being used, On Database Creation Login Credentials dialog, enter the name of the Listener in the Database Server field.

Click Test Connection to make sure the supplied values are valid.

Click Next.

Database Creation Login Credentials



Specify credentials to use to create the database

Database Server

\INSTANCE

Database Name

StoragePoint

Database Authentication (for creating database)

Windows authentication (using Windows account running this utility)

SQL Server authentication

Account

Password

(Advanced) Edit Connection String Directly

Test Connection

Previous


Next

Cancel

20. Provide the credentials that will be used to access the StoragePoint configuration database. We recommend using the default setting, which will access the database via the app pool account(s) that the SharePoint web application(s) run under.

Click Test Connection to test the connection based on selected authentication method.

Click Next.




The screenshot shows the 'StoragePoint Configuration Wizard' window. The title bar reads 'StoragePoint Configuration Wizard'. Below the title bar, the main heading is 'Access Credentials' in bold. To the right of the heading is the StoragePoint logo, which consists of a blue cube with a downward arrow and the text 'StoragePoint by Quest'. Below the heading is the instruction 'Specify StoragePoint access settings'. The main content area is titled 'Database Authentication (for accessing database within StoragePoint)'. It contains two radio button options: 'Windows authentication using SharePoint app pool account (recommended)' (which is selected) and 'SQL Server authentication'. Below the 'SQL Server authentication' option are two text input fields labeled 'Account' and 'Password'. To the right of these fields is a 'Test Connection' button. Below the authentication options is the 'Advanced Settings' section, which includes 'Edit Connection String Directly' and 'Temp Folder Settings', both with gear icons. At the bottom of the main content area is the text 'Click Next to Create or Upgrade Database'. At the very bottom of the window are three buttons: 'Previous', 'Next', and 'Cancel'.

Advanced Settings

Edit Connection String Directly


Use the optional text filed to manually edit the SQL database connection string.



The screenshot shows the 'Edit Connection String Directly' dialog box. It has a title bar with the text 'Edit Connection String Directly' and a gear icon. Below the title bar is a text area containing the following SQL connection string: `Server=.;Database=StoragePoint;Trusted_Connection=True;App=Windows SharePoint Services;Timeout=15;Enlist=false;`


Temp Folder Settings

Use the optional Temp Folder Settings to allocate a location and size limit for temporary storage of StoragePoint files. This setting can be edited on General Settings.




The dialog box is titled "Temp Folder Settings" and has a close button (X) in the top right corner. Below the title bar, the text "Temp Folder Settings" is repeated. There are two input fields: "Temp Folder Location" with a folder icon to its right, and "Temp Folder Size" with a text box followed by "MB". Below these fields is a paragraph of explanatory text: "Provide a location and size used to hold temporary files for StoragePoint. The temp location is where StoragePoint temporarily moves BLOBs to, while externalization rules are analyzed. By default it uses the system temp folder." At the bottom right, there are "OK" and "Cancel" buttons.

- i** **NOTE:** There will be an error similar to this if an invalid server/instance name or authentication credentials are entered for connection to the SQL server. Click Previous to go back and repair the error.




The solution file will now be installed on the local server and deployed to the all servers in the farm.



This page will periodically refresh to update the provisioning status. This process can take upwards of 5 minutes depending on the size of the farm.

- i** | **NOTE:** If the deployment process fails for any reason the error will be presented in the installer. Click Next to see more information about the error, or Click Close to exit the installer.


21. After the install, restart IIS and the SharePoint timer service. Click OK.




Copy to Clipboard will copy these instructions and make them available for pasting into a text editor for later reference or to create a script.

Run Now will immediately perform the iisreset and stop and start the timer services on all servers in the farm where StoragePoint was deployed.

22. Upon completion of the deployment process the progress status will change to All operations successfully completed. Click Next.



23. The installation process is complete. Click Close.



A browser window will be opened and to the StoragePoint *License Management* page in *SharePoint Central Administration*.



NOTE: While StoragePoint is now deployed to the farm, BLOBs will not be externalized until the software is configured. See the *Setting Up StoragePoint* section in the Reference Guide.

Setting up StoragePoint

StoragePoint is entirely managed within SharePoint Central Administration on the Application Management page. Once there, farm-wide storage profile defaults can be established, and the storage endpoints and profile(s) can be managed.

The general high-level steps to follow when setting up StoragePoint to run within the SharePoint farm are as follows:

1. Configure StoragePoint Logging. (OPTIONAL)
 - a. This step will establish how verbose StoragePoint logs information and errors.
 - b. Go to the Configuring StoragePoint Logging section of the StoragePoint Reference Guide for detailed instructions on performing this step.
2. Configure the StoragePoint System Cache (OPTIONAL)


- a. This step will establish the temporary location for BLOBs during Asynchronous operations. If a cloud-based storage platform is being used or any of the additional capabilities associated with asynchronous operations, then this is a required step.
 - b. Go to the System Cache section of the StoragePoint Reference Guide for details on performing this step.
3. Configure the Default Values, General Settings and Farm Wide Timer Jobs. (OPTIONAL)
 - a. This step will establish default values for newly-created endpoints and storage profiles. If defaults are not configured then newly-created endpoints and storage profiles will be blank. This step will allow the administrator to monitor the health and activity of the storage endpoints, as long as capacity thresholds are established when endpoints are created. It will also set up the frequency of migration jobs for archiving and asynchronous externalization.
 - b. Go to the General Settings section of the StoragePoint Reference Guide for detailed instructions on performing this step.
4. Configure the Storage Endpoints. (REQUIRED)
 - a. This step will create the storage location(s) (endpoints) where content will be externalized. One or more endpoints can be defined per storage profile. They can be created from the Storage and Backup Endpoints link in StoragePoint's Central Administration section or from within the Storage Profile user interface.
 - b. Go to the Manage Storage Endpoints section of the StoragePoint Reference Guide for detailed instructions on performing this step.
5. Create one or more storage profiles. (REQUIRED)
 - a. This step will create the storage profile(s) that will dictate how BLOBs are externalized. New storage profiles can be scoped only by content database.
 - b. Go to the Managing Storage Profiles section of the StoragePoint Reference Guide for detailed instructions on performing this step.
6. Configure Archiving Setting for each storage profile. (OPTIONAL)
 - a. This step will enable less accessed content to be moved to less expensive tiers of storage.
 - b. Go to the Archiving section of the StoragePoint Reference Guide for detailed instructions on performing this step.
7. Configure the Unused BLOB Cleanup Job for the Storage Profile.
 - a. This step involves scheduling how frequently the Unused BLOB Cleanup Job is run.
 - b. There are important considerations to keep in mind when scheduling this job. Please see the Unused BLOB Cleanup Job Considerations section of the StoragePoint Reference Guide for more information.
8. Run an Externalize job for each configured Storage Profile. (OPTIONAL)
 - a. This step assumes that there is an existing content database for which to externalize the existing BLOBs.
 - b. Go to the Configure Storage Profile Timer Jobs section of the StoragePoint Reference Guide for detailed instructions on performing this step.

Once these steps are completed, the BLOBs within the SharePoint farm will start externalizing to their configured locations (endpoints).


Repair StoragePoint

A Repair function may be necessary in some situations, such as if it is being used on a SharePoint farm that is also using Content Matrix.


1. For Windows Server 2016 or later, go to the start menu>Metalogix>StoragePoint>Metalogix StoragePoint Configuration Wizard.




Conversely, for Windows Server 2012 or 2012 R2, go to Search and type 'StoragePoint Configuration Wizard'.



2. The configuration wizard opens. Click Next.




- The installer will now perform a series of system checks to make sure the system is ready for StoragePoint to be modified. If all system checks pass click Next.



- i** **NOTE:** If a system check fails it will be denoted with a red X and the install will not be able to continue until the issue(s) are resolved. The installer will also check whether the most recent supported SharePoint CU is installed.

i | **NOTE:** 'App Management service application is created.' and 'Some SP web application(s) are not provided with App Calatog Site' options are only displayed for SharePoint 2019 and Subscription Edition.

4. With Repair selected, click Next.



StoragePoint Configuration Wizard

Repair or Remove

Please select the operation you wish to perform


StoragePoint is already configured. What would you like to do?

- Repair**
Retract the solution from the fam and deploy it again.
- Remove**
Retract the solution from the fam and remove it from the SharePoint solution store.
- (Cannot remove because storage profiles have been detected.)**


Please click the Next button to start the selected operation.

Previous Next Cancel

- The solution file will now be removed from and re-deployed to all the servers in the farm.



- After the repair, an IIS and SharePoint timer restart is necessary. Click on the Run Now button to perform this immediately. Then click OK.



- Upon completion of the deployment process the progress status will change to All operations successfully completed. Click Next.

StoragePoint Configuration Wizard

Repairing

Please wait while StoragePoint is repaired



All operations successfully completed.

Previous

Next

Close

8. The repair process is complete. Click *Close*.

StoragePoint Configuration Wizard

Repair Successfully Completed



Details:

```
***** SOLUTION RETRACTION *****
      : The solution was successfully retracted.
      : The solution was successfully retracted.

***** SOLUTION DEPLOYMENT (1) *****
      : The solution was successfully deployed.
      : The solution was successfully deployed.

***** Upgrading StoragePoint SPFx extensions (Modern UI) *****
SPFx Upgrade SUCCEEDED: SPFx extensions have been upgraded successfully
```

Previous

Next


Close

AppServer Install

If there are application or search servers that need the StoragePoint bits installed to facilitate Microsoft Office integration with SharePoint, these are the steps which will put the dll files to the GAC. Generally, the regular install will take care of this, but if a server didn't receive the bits during deployment, this utility will take care of it. This utility is also used to remove the bits from a server.


The SharePoint Foundation web service must be running on the app server in order to install. It is also required if the app server will be used to run any StoragePoint or SharePoint timer jobs.

1. Once downloaded or copied to the app server within the farm or single-server environment, simply double-click the executable to launch the StoragePoint installer.
2. Run through the installation steps as normal, but uncheck the box to Run the StoragePoint Configuration Wizard before clicking Finish.




3. Find the Tools folder.

For Windows Server 2016 or later, go to the start menu>Metalogix>StoragePoint>Tools>App Server Local Install.



For Windows Server 2012 or 2012 R2, go to Search and type App Server Local Install.



4. A new command prompt window will open.



5. Enter the required option based on your current SharePoint version, e.g. "1" (without quotes) if your SharePoint version is 2013, and press Enter. The following actions will be loaded: Install, Remove, or Quit."

```

App Server Local Install
Enter "1" for SharePoint 2016
Enter "2" for SharePoint 2019
Enter "3" for SharePoint SE
Enter "q" for Quit
3
Select Action:
Enter "1" for Install
Enter "2" for Remove
Enter "q" for Quit
  
```

6. Enter "1" (without quotes) and press Enter to install. The installation process will begin.

```

App Server Local Install
Select Action:
Enter "1" for Install
Enter "2" for Remove
Enter "q" for Quit
1
Installing "StoragePoint Build (6.4.249)" on AppServer

Download cache deleted successfully

Assembly C:\Program Files\Metalogix\StoragePoint\AppServer\AlphaFS.dll successfully added to the cache
Assembly C:\Program Files\Metalogix\StoragePoint\AppServer\AWSSDK.Core.dll successfully added to the cache
Assembly C:\Program Files\Metalogix\StoragePoint\AppServer\AWSSDK.S3.dll successfully added to the cache
Assembly C:\Program Files\Metalogix\StoragePoint\AppServer\Azure.Core.dll successfully added to the cache
Assembly C:\Program Files\Metalogix\StoragePoint\AppServer\Azure.Storage.Blobs.dll successfully added to the cache
Assembly C:\Program Files\Metalogix\StoragePoint\AppServer\Azure.Storage.Common.dll successfully added to the cache
Assembly C:\Program Files\Metalogix\StoragePoint\AppServer\Bluethread.EsuApilib.dll successfully added to the cache
Assembly C:\Program Files\Metalogix\StoragePoint\AppServer\Bluethread.ScspClient.dll successfully added to the cache
Assembly C:\Program Files\Metalogix\StoragePoint\AppServer\Bluethread.SharePoint.Activation.Client.dll successfully added to the cache
Assembly C:\Program Files\Metalogix\StoragePoint\AppServer\Bluethread.SharePoint.StoragePoint.ActivationUtils.dll successfully added to the cache
Assembly C:\Program Files\Metalogix\StoragePoint\AppServer\Bluethread.SharePoint.StoragePoint.Adapters.AmazonS3.dll successfully added to the cache
Assembly C:\Program Files\Metalogix\StoragePoint\AppServer\Bluethread.SharePoint.StoragePoint.Adapters.Atmos.dll successfully added to the cache
Assembly C:\Program Files\Metalogix\StoragePoint\AppServer\Bluethread.SharePoint.StoragePoint.Adapters.Azure.dll successfully added to the cache
Assembly C:\Program Files\Metalogix\StoragePoint\AppServer\Bluethread.SharePoint.StoragePoint.Adapters.CASstor.dll successfully added to the cache
  
```

7. When complete, the screen will display a message that the install has been registered successfully. Press any key to close the window.

```

Administrator: App Server Local Install
Assembly C:\Program Files\Metalogix\StoragePoint\AppServer\System.Runtime.CompilerServices.Unsafe.dll successfully added to the cache
Assembly C:\Program Files\Metalogix\StoragePoint\AppServer\System.Text.Encodings.Web.dll successfully added to the cache
Assembly C:\Program Files\Metalogix\StoragePoint\AppServer\System.Text.Json.dll successfully added to the cache
Assembly C:\Program Files\Metalogix\StoragePoint\AppServer\System.Threading.Tasks.Extensions.dll successfully added to the cache
Assembly C:\Program Files\Metalogix\StoragePoint\AppServer\System.ValueTuple.dll successfully added to the cache
Assembly C:\Program Files\Metalogix\StoragePoint\AppServer\Telarik.Web.UI.dll successfully added to the cache

Number of assemblies processed = 64
Number of assemblies installed = 64
Number of failures = 0

All StoragePoint assemblies have been installed to GAC


.\RootBin\Bluethread.SharePoint.StoragePoint.Interfaces.dll
.\RootBin\Bluethread.SharePoint.StoragePoint.StoragePointAPI.dll
.\RootBin\FPCore.dll
.\RootBin\FPLibrary.dll
.\RootBin\fpas64.dll
.\RootBin\fpparser.dll
.\RootBin\FPStreams.dll
.\RootBin\FPUtills.dll
.\RootBin\FPXML.dll
.\RootBin\pai_module.dll
10 File(s) copied

Processing for "StoragePoint Build (6.4.249)" on AppServer Complete
Press any key to continue . . .
  
```

i | **NOTE:** There is no upgrade or repair option. If StoragePoint is upgraded, remove the existing app server bits and install the new bits on the app server that were downloaded with the upgrade.

i | **NOTE:** Any IIS and timer job recycling must be done manually.


To uninstall the app server bits, click the executable. Select the version of SharePoint, then enter 2 to remove.




StoragePoint Management Shell

StoragePoint Management Shell will make the StoragePoint-specific PowerShell cmdlets available. For more information on the cmdlets, please see the following [page](#) on the website.

For Windows Server 2016 or later, go to the Start menu>Metalogix>StoragePoint>StoragePoint Management Shell.




For Windows Server 2012 or 2012 R2, go to Search and type StoragePoint Management Shell.



Change StoragePoint Database Name or Server

This option allows the database to be renamed, or specify another server or StoragePoint database to be used.

For Windows Server 2016 or later, go to the Start menu>Metalogix>StoragePoint>Tools>Change StoragePoint Database Server




For Windows Server 2012 or 2012 R2, go to Search and type Change StoragePoint Database Server.



i **NOTE:** Using this on a farm that is already in use is similar to restoring a StoragePoint database. Some restoration of endpoint information will be needed, as well as a recall and externalization of all content that is under StoragePoint control.

Provide the name of the database server where the StoragePoint configuration database will be installed. The database name and SA credentials can be modified if the currently logged on user does not have database and object create privileges on the specified SQL Server instance.


Click *Test Connection* to make sure the supplied values are valid.

A screenshot of the "StoragePoint Configuration Wizard" dialog box. The title bar says "StoragePoint Configuration Wizard". The main heading is "Database Creation Login Credentials" with the StoragePoint by Quest logo to the right. Below the heading is the instruction "Specify credentials to use to create the database". The form contains the following fields and options:

- "Database Server" text box containing "\INSTANCE"
- "Database Name" text box containing "StoragePoint"
- "Database Authentication (for creating database)" section with two radio buttons:
 - "Windows authentication (using Windows account running this utility)"
 - "SQL Server authentication"
- Below the radio buttons are "Account" and "Password" text boxes.
- An unchecked checkbox labeled "(Advanced) Edit Connection String Directly".
- A "Test Connection" button.
- At the bottom of the dialog are three buttons: "Previous", "Next" (highlighted with a blue border), and "Cancel".

Click *Next*.

Provide the credentials that will be used to access the StoragePoint configuration database. We recommend using the default setting, which will access the database via the app pool account(s) that the SharePoint web application(s) run under. Click *Test Connection* to test the connection based on selected authentication method.




The image shows the 'StoragePoint Configuration Wizard' window, specifically the 'Access Credentials' step. The title bar reads 'StoragePoint Configuration Wizard'. Below the title, the section is titled 'Access Credentials' with the StoragePoint by Quest logo to the right. The main instruction is 'Specify StoragePoint access settings'. Under 'Database Authentication (for accessing database within StoragePoint)', there are two radio button options: 'Windows authentication using SharePoint app pool account (recommended)' (which is selected) and 'SQL Server authentication'. Below the SQL Server option are text boxes for 'Account' and 'Password'. In the 'Advanced Settings' section, there are two gear icons for 'Edit Connection String Directly' and 'Temp Folder Settings'. A 'Test Connection' button is located to the right of the Advanced Settings. At the bottom of the wizard, there are 'Previous', 'Next', and 'Cancel' buttons. A message at the bottom center says 'Click Next to Create or Upgrade Database'.

Advanced Settings

Edit Connection String Directly


Use the optional text filed to manually edit the SQL database connection string.



The image shows the 'Edit Connection String Directly' dialog box. It has a title bar with the text 'Edit Connection String Directly' and a gear icon. The main area contains a text box with the following SQL connection string: `Server=;Database=StoragePoint;Trusted_Connection=True;App=Windows SharePoint Services;Timeout=15;Enlist=false;`

Temp Folder Settings


Use the optional Temp Folder Settings to allocate a location and size limit for temporary storage of StoragePoint files. This setting can be edited on General Settings.



The dialog box is titled "Temp Folder Settings" and has a close button (X) in the top right corner. Below the title bar, the text "Temp Folder Settings" is repeated. There are two input fields: "Temp Folder Location" with a folder icon to its right, and "Temp Folder Size" followed by "MB". Below these fields is a paragraph of text: "Provide a location and size used to hold temporary files for StoragePoint. The temp location is where StoragePoint temporarily moves BLOBs to, while externalization rules are analyzed. By default it uses the system temp folder." At the bottom right, there are "OK" and "Cancel" buttons.

StoragePoint Proxy Settings

Use the optional StoragePoint Proxy Settings dialog to configure proxy settings for connecting to the license server. This setting can be edited on General Settings.



The dialog box is titled "StoragePoint Proxy Settings" and has a close button (X) in the top right corner. Below the title bar, the text "Configure proxy settings for StoragePoint" is displayed. There is a checkbox labeled "Enable StoragePoint Proxy Settings" which is currently unchecked. Below the checkbox are four input fields: "Server", "Port" (with the value "0" entered), "Username", and "Password". At the bottom right, there are "OK" and "Cancel" buttons.

Remove StoragePoint


This section will walk through the process of removing an existing StoragePoint installation. For installation steps, see the StoragePoint Quick Start Guide.

- ! **CAUTION:** Removing StoragePoint from a farm where content is externalized will leave that content irretrievable. Therefore, recall content for all active Storage Profiles and deactivate the EBS Provider, if applicable, before removing StoragePoint from the SharePoint farm. See the Deactivating the EBS Provider section of the Reference Guide for more information.




NOTE: StoragePoint must be present to allow for continued management of Large File content through SharePoint. Please see Large File Support in the Reference Guide for more information.


1. Launch the StoragePoint Installer. Click Start Installing.




2. Click Remove.




3. Click OK to begin the StoragePoint retraction.



4. The configuration wizard opens. Click Next.




5. The installer will now perform a series of system checks to make sure the system is ready for StoragePoint to be modified. If all system checks pass click Next.




i **NOTE:** If a system check fails it will be denoted with a red X and the install will not be able to continue until the issue(s) are resolved. The installer will also check whether the most recent supported SharePoint CU is installed.

i **NOTE:** 'App Management service application is created.' and 'Some SP web application(s) are not provided with App Catalog Site' options are only displayed for SharePoint 2019 and Subscription Edition.


6. Click Next.




The solution file will now be removed from all servers in the farm. This process can take upwards of 5 minutes depending on the size of the farm.




7. Upon completion of the uninstall process the progress status will change to All operations successfully completed. Click Next.



8. The uninstall process is complete. Click Close.




9. The Installation wizard will complete the uninstall. Click Finish.




Solution Deployment Timeout Setting

If the deployment of the solution needs more time than the default 15 minutes, a setting can be added to the setup configuration file to add more time. This may be necessary for larger farms or servers with less than optimal performance, but still operational for hosting SharePoint.

1. Launch the StoragePoint Installer. This will place files in the StoragePoint installation path specified during the installer.



2. Go to the location of the files and update the properties on Setup.exe.config to enable write.



3. Open the file in Notepad and add the following: <add key="LongOperationTimeout" value="9000000"/>, where 9000000 is the amount of time in milliseconds to wait for solution deployment to complete. Save the file. Mark the file as Read Only.

```
<add key="InputControlsResponseTimeout" value="3000"/>
<add key="LicenseVerificationTimeout" value="60000"/>
<add key="DeploymentSTPSolutionTimeout" value="600000"/>
<add key="LongOperationTimeout" value="9000000"/>
```

4. Continue with the StoragePoint configuration wizard. The new timeout setting will be visible during deployment.

About Us

Quest Software creates technology and solutions that build the foundation for enterprise AI. Focused on data management and governance, cybersecurity and platform modernization, Quest helps organizations address their most pressing challenges and make the promise of AI a reality. Around the globe, more than 45,000 companies including over 90% of the Fortune 500 count on Quest Software. For more information, visit www.quest.com or follow Quest Software on [X \(formerly Twitter\)](#) and [LinkedIn](#).

Contacting Quest

For sales or other inquiries, visit www.quest.com/contact.

Technical Support Resources

Technical support is available to Quest customers with a valid maintenance contract and customers who have trial versions. You can access the Quest Support Portal at <https://support.quest.com>

The Support Portal provides self-help tools you can use to solve problems quickly and independently, 24 hours a day, 365 days a year. The Support Portal enables you to:

- Submit and manage a Service Request
- View Knowledge Base articles
- Sign up for product notifications
- Download software and technical documentation
- View how-to-videos
- Engage in community discussions
- Chat with support engineers online
- View services to assist you with your product