Toad® for Oracle 2026 R2

Release Notes

Revised 8/28/2026

Contents

About Toad for Oracle **4**
Toad for Oracle resources 4
About this release 4

About Toad® for Oracle®Editions **5**
Toad for Oracle on Mac 6
Install 7
Uninstall 7

New Features and Enhancements **8**
Toad for Oracle 2026 R2 8
Toad Chat 8
Schema Browser 8
Editor 8
Connections 8
Data Grids 9
Session Browser 9
Debugger 9
Explain Plan 9
LogMiner 9
Generate Schema Script 9
Compare Multiple Tables 9
Database Links 9
Toad Options 10
TNSNames Editor 10
Accessibility 10
General 10
Toad for Oracle 2026 R1 10
Installer (.msi) 10
Session Browser 10
Database Browser 11
Connections 11
Workspaces 12

Data Grids ... 12
Export Dataset ... 12
Team Coding ... 12
Automation Designer ... 12
Editor ... 12
Window Menu ... 12
Schema Browser ... 12
Trace File Browser ... 13
SQLNET Editor ... 13
TNSNames Editor ... 13
Execute Procedure ... 13
Administer Tablespaces ... 13
Recover Documents ... 13
UI ... 13
Quest Script Runner ... 13
Toad for Oracle 2025 R3 ... 14
Installer ... 14
Licensing ... 14
High DPI and Icons ... 14
AI Code with GitHub Copilot ... 14
Performance Improvements ... 14
Connections and Login Window ... 14
Workspaces ... 15
Connections Toolbar ... 15
Windows Toolbar ... 15
Toolbars ... 15
Schema Browser ... 15
Session Browser ... 15
ADDM/AWR Reports ... 16
HTML Database Doc Generator ... 16
Datagrids ... 16
Export DDL ... 16
Object Search ... 16
Spool SQL ... 16

Resolved issues ... 17
Toad for Oracle 2026 R2 ... 17
Toad for Oracle 2026 R1 ... 19
Toad for Oracle 2025 R3 ... 21

Known issues ... 23
General known issues ... 23
Oracle client known issues ... 24
Proxy server known issues ... 24
Data Grids known issues ... 25
Code Analysis known issues ... 26

Editor known issues 26
Session Browser known issues 26
Team Coding known issues 26
Unicode known issues 27
High DPI known issues 28
Toad for Oracle on Mac known issues 30
Third-party known issues 30

System requirements 31
Hardware requirements 31
Database requirements 32
Network 33
Additional requirements 33
Virtualization support 33
Windows Privileges 34

Product licensing 35
Trial licensing 35
Subscription licensing 35
Offline licensing 35

Getting started with Toad for Oracle 36
Upgrade and installation instructions 36
User instructions 36
Additional resources 36

Globalization 37
Global Operation Statement 37

Third-Party Notices 38
Third-Party Notices 38

About us 39
Contacting Quest 39
Technical support resources 39

About Toad for Oracle

Toad for Oracle provides an intuitive and efficient way for database professionals of all skill and experience levels to perform their jobs with an overall improvement in workflow effectiveness and productivity. With Toad for Oracle you can:

- Understand your database environment through visual representations
- Meet deadlines easily through automation and smooth workflows
- Perform essential development and administration tasks from a single tool
- Deploy high-quality applications that meet user requirements; perform predictably and reliably in production
- Validate database code to ensure the best-possible performance and adherence to best-practice standards
- Manage and share projects, templates, scripts, and more with ease

The Toad for Oracle solutions are built for you, by you. Nearly two decades of development and feedback from various communities like Toad World have made it the most powerful and functional tool available. With an installed-base of over two million, Toad for Oracle continues to be the "de facto" standard tool for database development and administration.

Toad for Oracle resources

Toad World is a unique and valuable resource available to all Toad users. Toad World provides forums, product information, and Beta releases (when available) for Toad products. Visit Toad World at: https://forums.toadworld.com.

Two of the most-often used features of Toad World are the Forums and the Idea Pond.

- On the Idea Pond page, you can submit your ideas to improve Toad and vote for or comment on other ideas. The Toad team takes your suggestions seriously, and you may even hear back from one of our developers on the topic. We encourage all Toad users—from new to experienced—to let us know how we can improve Toad.
- On the Forum page, you can ask a question or start a discussion and view all other forums within the Toad community.

The Toad for Oracle web-based training is a perfect accompaniment to your product license. This free training walks you through major product features and explains how to perform frequent tasks. You'll also see how to utilize time-saving automation functionality. You'll receive a certificate of completion for each course once you pass the accompanying test.

About this release

Toad for Oracle2026 R2 is a minor release, with enhanced features and functionality.

Toad for Oracle 2026 R2 includes component and requirement upgrades. These upgrades address security vulnerabilities previously identified in the third party component.

About Toad® for Oracle®Editions

Toad for Oracle Edition features:

- All of the great, award-winning Toad features you have grown to love
- Access to our world-class support team, Knowledge Base, how-to videos and more
- Quest Auto Update keeping you on the latest version
    - Available with 64-bit editions on Windows
    - Please refer to the Toad for Oracle *Installation Guide* at https://support.quest.com/technical-documents for instructions on disabling Quest Auto Update
- Online License Management making it easy to assign licenses to individuals, keep track of individual usage, manage organizations, and reassign unused or under-used licenses as needed to ensure license compliance
- Automatic renewal of Subscription licenses ensuring that Toad for Oracle will be continuously available to users
- Invitations to training events like our Ask Toad and Toad Training Tuesdays series

Each Toad for Oracle Edition is packaged with additional Quest products to expand your experience.

The following products may be part of your Toad for Oracle Edition:

- Toad for Oracle
- Benchmark Factory for Databases
- Code Tester for Oracle
- Spotlight on Oracle
- SQL Optimizer for Oracle
- erwin Data Modeler Lite for Oracle
- Toad Data Modeler

The following Toad for Oracle Editions are available:

Edition	Licensed
Toad for Oracle Base Edition	Toad® for Oracle®
Toad for Oracle Professional Edition	Toad® for Oracle® Professional
Toad for Oracle Professional DB Admin Edition	Everything in Toad® for Oracle® Professional DB Admin Module Add-on Sensitive Data Protection Add-on
Toad for Oracle Xpert Plus Edition	Everything in Toad® for Oracle® Professional DB Admin Edition SQL Optimizer for Oracle®

Edition	Licensed
Toad for Oracle Developer Plus Edition	Everything in Toad® for Oracle® Xpert Plus Code Tester for Oracle® Benchmark Factory® for Databases - Oracle Edition with 100 virtual users
Toad for Oracle DBA Plus with erwin Edition	Everything in Toad® for Oracle® Developer Plus Benchmark Factory® for Databases - Oracle Edition with 500 virtual users Spotlight on Oracle® erwin Data Modeler Lite for Oracle®
Toad for Oracle DBA RAC Plus with erwin Edition	Everything in Toad® for Oracle® DBA Plus with erwin Spotlight on Oracle® with RAC Option
Toad for Oracle DBA Exadata Plus with erwin Edition	Everything in Toad® for Oracle® DBA RAC Plus with erwin – Includes Exadata Spotlight on Oracle® with RAC and Exadata Options
Toad for Oracle DBA Plus	Everything in Toad® for Oracle® Developer Plus Benchmark Factory® for Databases - Oracle Edition with 500 virtual users Spotlight on Oracle® Toad Data Modeler®
Toad for Oracle DBA RAC Plus	Everything in Toad® for Oracle® DBA Plus Spotlight on Oracle® with RAC Option
Toad for Oracle DBA Exadata Plus	Everything in Toad® for Oracle® DBA RAC Plus – Includes Exadata Spotlight on Oracle® with RAC and Exadata Options

NOTE: All editions are available in an 'AI Enabled' version, which includes everything in the standard edition plus the AI Explain feature to assist with code comprehension. Read more about AI Explain at Toad World.

NOTE: Spotlight on Oracle® includes Spotlight on Unix/Linux, Spotlight on Windows, and Spotlight on Oracle® Data Guard.

NOTE: Ancillary products are not available for all platforms.

Toad for Oracle on Mac

Toad for Oracle is available for Mac. Click here to download the free trial.

It includes the great, award-winning Toad features you have grown to love with a few limitations:

- There is no installer so setting Toad to be read-only or disable internet access using command-line arguments during installation is not possible
- Scheduling tasks and **Utilities | Task Scheduler** are unavailable
- Quest Auto Update is unavailable
- The edition includes Toad for Oracle; additional Quest products are not included

- Team Coding does not support VCS integration
- Excel Instance and Microsoft Access formats for Export/Import features are unsupported
- Only executables bundled with Toad may be launched (e.g. Toad Script Runner); other external applications and **Utilities | External Tools** are unsupported
- Font choosers may appear to duplicate fonts due to truncation; Courier New, Courier New Baltic, and Courier New Greek, for example, may all show as Courier New
- Toad for Oracle on Mac includes Oracle Instant Client versions 19c and 23c, which cannot be modified or replaced. The Oracle Client provides additional features, such as Kerberos authentication. By default, the application uses a clientless connection method, but you can optionally switch to using the Oracle Client for database connections.
- Connections
    - Direct connect works as usual
    - TNS and LDAP connections work as usual provided the network configuration files (e.g. tnsnames.ora, ldap.ora, and sqlnet.ora) are found on disk in either of these folders:
        - **$TNS_ADMIN**
        - **$ORACLE_HOME/network/admin**
    - If **TNS_ADMIN** and **ORACLE_HOME** are not defined environment variables you may place the network configuration files in a special folder created by Toad upon first launch for this purpose:
        - **~/Library/Application Support/Quest Software/TnsAdmin**

Install

1. Download the Toad for Oracle on Mac package installer
2. Double-click the package installer to install

Uninstall

1. Quit Toad for Oracle
2. Move the app folder to **Trash**
3. Removing the app does not remove Toad for Oracle's configuration files; delete **~/Library/Application Support/Quest Software/Toad for Oracle** for complete removal

For more information about the products in your Toad for Oracle Edition and the minimum system requirements for running these products, see the Toad for Oracle Editions release notes at:
https://support.quest.com/technical-documents

New Features and Enhancements

Toad for Oracle 2026 R2

Toad Chat

- AI-powered chat interface for natural language conversation with AI to generate, explain, optimize, and validate code, as well as answer questions about using Toad for Oracle.
- Includes an embedded Toad MCP server. This enables AI to invoke Toad features such as script execution and Code Analysis. This MCP server operates exclusively within Toad and cannot be used independently or accessed outside of Toad.
- Requires an AI-enabled Subscription license.

Schema Browser

- Faster DDL script creation.
- Remembers last used quick filter type (wildcard or regex pattern matching).
- View scripts on the Script tab are now retrieved from TEXT_VC when DBA_VIEWS.TEXT is null.
- PASSWORD_CHANGE_DATE field now displayed for users.
- Added Resource Type to the right side Info tab for Profiles.
- *SHIFT+DEL* of a tablespace now includes contents and datafiles by default.

Editor

- Added support for Copilot next edit suggestions, an inline editing feature that predicts your next edit location and suggests changes.
- Improved active tab contrast in several dark modes.

Connections

- Added **Bypass save prompts** option in the close connection confirmation dialog (hold *SHIFT* and choose "close connection") for fast shutdown behavior.

Data Grids

- New Search/Filter Panel that searches and filters across all cells in the grid in a single operation (disabled by default; enable via **Right-Click | Appearance**).

Session Browser

- Added options to control default expansion state of session nodes.

Debugger

- Mouseover hints are now optional with a configurable delay period.

Explain Plan

- Added option to use Oracle's built-in plan table by default, falling back to Toad's plan table only if Oracle's is not found.

LogMiner

- Added ability to paste in file names to mine.
- Added ability to browse an Oracle directory for files to mine.
- Minor user interface improvements.

Generate Schema Script

- Improved SQL for table columns when a filter is in use.
- Added debug logging messages.

Compare Multiple Tables

- Added a script to create an ACL if needed to use a DB Link.

Database Links

- Added support for Credential objects.

Toad Options

- Added **Object Name Drop Downs** settings on the **General** page to control incremental filtering, highlighting, and partial match behavior on object name dropdowns throughout Toad.

TNSNames Editor

- Identifies duplicate entries when you click **Syntax Check**.

Accessibility

- Improved screen reader support across Toad, including Schema Browser dialogs, Session Browser, ASH Browser, data grids, dropdown controls, password fields, Options window, and numerous Create/Alter object dialogs.
- Main menu font style and size are now configurable in **Toad Options | Toolbars/Menus**.

General

- WebView2 (the rendering engine behind Edge and Chrome) now used internally instead of Internet Explorer.
- Added "Database" as a window caption text option.

Toad for Oracle 2026 R1

Installer (.msi)

- Added a command-line restriction option to prevent Toad from prompting to install additional software included with your licensed edition (for example, **RESTRICTIONS=es**). This is useful for automated deployments and controlled environments. See the **Installation Guide** for the full command-line reference.

Session Browser

- The current session is now displayed in green text instead of red.
- Blocked sessions are displayed in red text.
- Blocking sessions are displayed in bold red text.
- Lock details are shown on hover over blocked or blocking session icons, matching the information in the **Lock Details** column (hidden by default).
- Blocked and blocking session details are now available for all supported Oracle versions.

- Sessions can be grouped by any column, or combination of columns, using the **Column grouping...** option from the Sessions grid context menu.
- Session grouping preferences are remembered, allowing quick switching between different groupings.
- Added a search control that filters and highlights matches across all visible columns.
- The Sessions grid now includes advanced data grid features such as column filtering and a column visibility selector.
- The **Limit** filter controls are now hidden by default, as column filtering supersedes them. They can be re-enabled via the **Filter** tool button dropdown.
- Column order can now be configured more easily using the **Column ordering...** option from the Sessions grid context menu; drag-and-drop reordering is still supported.
- Added a new toolbar button to save the current column layout, enabling quick switching between layout profiles.
- Added new **Expand All** and **Collapse All** toolbar buttons.
- Introduced an **Auto resize columns** option (enabled by default) to automatically size columns to their data after refresh. When disabled, a manual **Resize columns** option is available.
- Renamed columns:
  - **SerialNum** renamed to **Serial#**.
  - **OSProgram** renamed to **Process_Program**.
- Added a new **SQL_Exec_Start** column.
- Removed the following columns:
  - **LockWait**
  - **Wait_Class_ID**
  - **Wait_Class#**
  - **Shard_DDL_Status** (still visible when connected to a sharded database)
- Added a **Blocking/Blocked Sessions** subtab to the **Locks** tabs.
- Improved performance when loading session data.

Database Browser

- Added icons to distinguish blocked and blocking sessions.
- Introduced a new **Lock Details** column explaining why sessions are blocked or blocking.

Connections

- Added a **Close Connections** option to the Connections Bar context menu, allowing multiple connections to be closed by database, schema, connection color, or relative position.
- New connections are automatically marked as favorites when **Show Favorites Only** is enabled.
- The selected connection mode is now displayed in the connection error dialog.

Workspaces

- Added support for importing and exporting workspaces.

Data Grids

- ANYDATA values are now displayed and editable via the popup editor.
- Added an option to hide grouped columns; this option is enabled by default (see **Data Grids | Data | Hide columns** in **Toad Options**).
- Column layouts can now be saved and loaded.

Export Dataset

- Added a **Multivalue** option for Select, Insert, and Merge statements output formats (reflects the Table Value Constructor change in Oracle 23c).

Team Coding

- Added an option to limit Git revision history to improve check out performance.
- Check In and Check Out operations no longer force the Output panel to open.

Automation Designer

- Automatic app backups now use file names based on the app name.

Editor

- The default tab style has been updated to match lower dock panels and better highlight the active tab. This can be changed in **Options | Editor | Display | Document tab style**. The previous default was **Skin**.
- The Find dialog now includes an **All Editors** scope to search across all open editor tabs.

Window Menu

- Added a **Back to...** menu item for quickly returning to the most recently used window.

Schema Browser

- Pressing *Shift+Del* on a table now pre-selects the **Purge** checkbox in the confirmation dialog.
- The **Lock Account** dialog now includes an **Expire Password** option, and the **Expire Password** dialog now includes a **Lock Account** option.

Trace File Browser

- DML and COMMIT statements are now identified when they occur inside a LOOP.

SQLNET Editor

- Added support for Data Encryption and Integrity parameters.

TNSNames Editor

- The editor is now non-modal when launched from the Utilities menu.
- Added a **Sort Entries** option to the context menu to alphabetically sort entries.
- Added filtering support to limit TNS entry visibility in the left-side tree view.

Execute Procedure

- PL/SQL cursor output is now displayed in an embedded grid when double-clicked, replacing the modal dialog used in previous versions.

Administer Tablespaces

- The **Database | Administer | Tablespaces** window now includes an IO tab.

Recover Documents

- All windows configured to auto-open with a new session are now restored when recovering documents and their associated sessions.

UI

- Updated several icons to improve visibility.

Quest Script Runner

- Added support for DBMS Output.
- Execution timing is now displayed.
- The current caret position is now shown in the status bar.

Toad for Oracle 2025 R3

Installer

- A single installer supports all editions. Toad for Oracle can handle all license types without requiring separate installers for online subscription or offline licenses.

Licensing

- Subscription licenses can be activated directly on your device for offline use.

High DPI and Icons

- Full support for High DPI displays.
- New SVG-based icons improve clarity and refresh the interface design.

AI Code with GitHub Copilot

- AI Code with GitHub Copilot is now generally available to all users with AI-enabled licenses.
- Learn more about AI Code at https://blog.quest.com/product-post/introducing-toad-integration-with-github-copilot/.

Performance Improvements

- Faster application startup.
- Improved responsiveness when switching between maximized windows.
- Significant performance gains in Export DDL, Generate Schema Script, and Compare Schemas when extracting DDL for many objects.
- Export Dataset window opens faster in certain cases.
- Jump Search results are displayed more quickly.

Connections and Login Window

- The **Change Session** button includes sorting options.
- The **Change Session** button includes a menu of recently used connections.
- The **Connect as** property is available for color suggestion rules.
- The **Security** column in the Login window displays **SSH**, **TCPS**, or **Native** values.

- A new **Auto-select last connection** option has been added to the Login window. When disabled, grouped connections appear collapsed when the window opens.
- The Login window displays a warning when multiple `tnsnames.ora` files are found in the search paths.

Workspaces

- Added a **Close Editor without prompts** option when loading a workspace.
- Added a **Show confirmation dialog** option when loading a workspace.
- Workspace-related options have been moved to a secondary dialog.

Connections Toolbar

- Improved visibility with higher contrast for the active button.
- Buttons for encrypted or SSH connections display a lock icon.

Windows Toolbar

- Improved visibility with higher contrast for the active button.

Toolbars

- Added filtering to the Customize dialog on the Commands tab.

Schema Browser

- **Lock Date** and **Expiry Date** timestamps are displayed for users in the right-side overview grid.
- New options allow configuring tab styles (Tabs, Buttons, or Flat Buttons).
- SYS views are shown for databases that are mounted but not opened.
- Favorites tab supports custom sorting by dragging objects when the tree is not sorted by a column.
- Objects can be dragged from other windows (e.g., Object Search or Schema Browser) into the Favorites tab.
- The **Users | Roles** tab includes filtering capabilities.
- The **Unified Audit Policy | Enablement** tab shows success and failure status.

Session Browser

- Added icons to identify blocking and blocked sessions.
- A new **Show SQL** button is available in the Kill Sessions, Disconnect Sessions, and Start Trace dialogs.
- The **Limit** filter includes **Module**, **Action**, and **Client Info** fields.

ADDM/AWR Reports

- Added an option to query CDB views. When disabled, DBA views are used instead.

HTML Database Doc Generator

- Updated visual design.

Datagrids

- The total number of selected rows is displayed when multiple rows are selected.

Export DDL

- Updated visual design.
- Added **Another Schema** as a destination option.

Object Search

- The grid filter is cleared each time the window opens.

Spool SQL

- Added an option to include **OCI Describe** statements (enabled by default).

You can find the most up-to-date list of new features for this release in the *Toad for Oracle Release Notes* found at: https://support.quest.com/toad-for-oracle/technical-documents.

Resolved issues

The following is a list of issues addressed and enhancements implemented in this release of Toad for Oracle.

Toad for Oracle 2026 R2

The following list of resolved issues includes issues received from the Toad for Oracle forum, Toad Beta users, and exception data collected from the Toad Improvement Program.

Issue ID	Link to Forum Post	Resolved Issue
TOR-9873	link	DPI Awareness: Various user interface issues on macOS when the "Application DPI Awareness" and "SVG Icons" options are used with a color scheme.
TOR-9943		Describe: F4 (Describe) is slow when utPLSQL is installed.
TOR-9951	link	DPI Awareness: The query progress indicator in Toad's status bar does not scale correctly on high DPI displays.
TOR-9952	link	DPI Awareness: The Editor Desktop toolbar grows in size when moving Toad between displays set at different scaling.
TOR-9955		Compare Multiple Tables: DB links requiring double quotes are not handled properly.
TOR-9962	link	Connections: Toad windows set to single instance, i.e. one per Toad, will change the connection unexpectedly in some cases.
TOR-9964	link	Schema Browser: Tables | Contraints tab does not respect the "Show constraint text in grid" option after resetting columns.
TOR-9972	link	Object Compare: Sync Script is unavailable in Toad for Oracle Xpert Edition.
TOR-9977		Export Dataset: Fixed Field format does not account for the width of NUMBER column names.
TOR-9983	link	About Window: The Help | About window paints poorly under dark mode and licensing details are difficult to read.
TOR-9987		Session Browser: The "Last Call" column incorrectly shows the time the Session Browser was last refreshed instead of the last time each session ran a

Issue ID	Link to Forum Post	Resolved Issue
		query.
TOR-9989	link	Login Window: Multiple tnsnames.ora files warning false positive in some cases.
TOR-9990	link	Editor: Some tab styles look poor with certain color schemes.
TOR-10001	link	Generate Schema Script: Scheduler items are not always included in the script despite being selected in the object type options.
TOR-10003		Logging: EFCreateError exception is raised when writing to Licensing.log when multiple instances of Toad are run via CyberArk.
TOR-10012	link	Session Browser: Performance issues and errors are possible when querying for tables with locks.
TOR-10021	link	Schema Browser: Filter/Sort dialog produces invalid SQL for NVARCHAR2 columns.
TOR-10022	link	Schema Browser: Rebuild Table does not remove LOB storage clauses when CLOB columns are changed to VARCHAR.
TOR-10024	link	Workspaces: Loading a workspace duplicates package code that was split to separate tabs per Toad's file splitting options.
TOR-10025	link	Editor: The active tab is difficult to identify under some color schemes.
TOR-10032	link	Compare Data: Comparing CLOB data on Oracle database 10g results in an exception.
TOR-10034	link	Session Browser: Performance degradation when the number of active sessions is large (thousands).
TOR-10038	link	Editor: The Code Insight and Code Snippets popups have sizing issues the first time they are shown when a color scheme is used.
TOR-10040	link	Editor: The Increase/Decrease Indent buttons have reversed images.
TOR-10042	link	Low Switch Frequency Map: Color settings are not observed.
TOR-10049		LogMiner: Files selected from SYS.V_$ARCHIVED_LOG may contain NULL for the NAME column resulting in blank entries in the list of files to mine.
TOR-10062	link	Team Coding: An Access Violation occurs when breaking a lock if VCS is not configured.
TOR-10073		Session Browser: Parallel query nodes default to expanded.
TOR-10077	link	Project Manager: Unable to paste text into the filter edit.
TOR-10082	link	Session Browser: Sessions are expanded by default, a change from prior versions. See the "New in this Release" section of this document for new default expansion state options.

Issue ID	Link to Forum Post	Resolved Issue
TOR-10110	link	Schema Browser: The "Rename View" feature does not enable/disable properly when logged in as SYSDBA.
TOR-10112	link	Toolbars: The toolbar customization dialog has a Description field that is unused and adds confusion.
TOR-10113	link	Toolbars: The toolbar customization dialog has selection issues when the Windows "Ease of Access | Make everything bigger" option is used.
TOR-10164	link	Data Grids: Numbers are sorted as strings when the "memory sorting" option is used.
TOR-10171		Schema Browser: The "Refresh Schema Browser" options always show as unchecked in Toad Options | Schema Browser | Left Hand Side.
TOR-10185	link	DPI Awareness: The SQL Recall status bar is not scaled properly.
TOR-10216	link	Editor: The popup variable edit dialog throws a "Failed to set calendar date or time" error when modifying a DATE value if Windows locale settings are set to Turkish (Türkiye).
TOR-10222		Licensing: Unable to activate an online Subscription license for offline use when network restrictions block access to community-downloads.quest.com.

Toad for Oracle 2026 R1

The following list of resolved issues includes issues received from the Toad for Oracle forum, Toad Beta users, and exception data collected from the Toad Improvement Program.

Issue ID	Link to Forum Post	Resolved Issue
TOR-5140	link	Editor: An Access Violation occurs when selecting from a table that contains a user-defined type with an ANYDATA field.
TOR-7229	link	Script Execution: Scripts fail to execute when Windows Exploit Protection is used to force High-Entropy ASLR on the Toad process.
TOR-9120		Export DDL: DDL can be invalid if all partitions of interval partitioned table are system-named
TOR-9573	link	Datagrids: Column filter on timestamp columns allows only one character of input
TOR-9714	link	Edit Login Window: Oracle clients not shown in dropdown
TOR-9727		Export Dataset: An incorrect script is generated for disabled compound

Issue ID	Link to Forum Post	Resolved Issue
		triggers.
TOR-9748	link	Schema Browser: RHS does not change when clicking spec/body of same package on invalid objects tab
TOR-9759	link	Pivot Grids: Grand totals not always shown when scientific notation option is disabled
TOR-9786	link	Data Grid: Modified but unposted string values are lost when the cell is double-clicked.
TOR-9792		Licensing: Unable to generate an offline Subscription license.
TOR-9793	link	Additional Privileges Required Dialog does not appear if color scheme enabled, causing Toad to be locked
TOR-9812	link	Data Compare: False diffs found on different-connection comparisons with multi-col PK involving both VARCHAR2 and non-VARCHAR2 columns
TOR-9822		SQL Recall: Semicolon added after pl/sql block which ends with a slash, resulting in invalid code
TOR-9829	link	Schema Browser: User Status IN ROLLOVER not supported
TOR-9832	link	Toad jumps to active virtual desktop when license is checked
TOR-9837	link	Connections: Unable to reconnect lost SSH connection.
TOR-9841	link	Editor: The active tab is difficult to identify, and the open document tab style does not match the dock panel style.
TOR-9848	link	Accessibility: Windows Text Cursor setting caused access violation on Windows Server connected through RDP or VDI
TOR-9857	link	Data Grid: The Filter dialog only accepts 1 character of text for some columns.
TOR-9858		Schema Browser: The Script tab for a foreign key constraint includes the DROP statement but does not include the CREATE statement.
TOR-9863	link	Editor: Find Text fails to locate some valid matches when the "Exclude comments" option is used.
TOR-9864	link	Dark Mode/Color Schemes: Some edit controls and buttons lack borders.
TOR-9874		Team Coding: A "VCS Provider is not logged in" error is incorrectly shown when running a DROP TABLE statement in the Editor if no VCS provider is configured, even when the table is not controlled by a Team Project.
TOR-9885	link	Editor: Zoom return to Default button sizing issues on High-DPI displays.
TOR-9891	link	Connection Colors: Role override color is not checked after reconnect
TOR-9942		Schema Browser: Calls are made to the utPLSQL framework even when the "Enable utPLSQL Integration" option is unchecked.

Toad for Oracle 2025 R3

The following list of resolved issues includes issues received from the Toad for Oracle forum, Toad Beta users, and exception data collected from the Toad Improvement Program.

Issue ID	Link to Forum Post	Resolved Issue
TOR-8677	link	Editor: The bookmark margin is hidden after changing the Editor's Drawing Style option.
TOR-9129	link	Datagrid: Grouped values shown in scientific notation
TOR-9333	link	Export DDL: Can't specify sequence options when exporting tables
TOR-9334		Export DDL and Generate Schema Script: Export is very slow when thousands of objects are being exported
TOR-9336	link	Data Grids: Color scheme lost after opening options window
TOR-9339	link	Export DDL: Foreign Key constraints create 2 files
TOR-9349	link	Color Schemes: Popup message from Login window's security icon is hard in dark schemes because of poor color contrast
TOR-9350		Formatter: Leading comments move far to the right when formatting a text selection.
TOR-9380		Subscription: A "901:id_token is missing..." error occurs on startup after upgrading Toad for Oracle Subscription.
TOR-9382	link	Connections Bar: "Set Container" command does not get passed to background query sessions
TOR-9394	link	Execute Procedure: (CURSOR) popup dialog stays on top of all other windows
TOR-9395	link	Editor: Set Parameters dialog anonymous block has incorrect datatype
TOR-9397	link	Editor: Set Parameters dialog's "Save/restore settings as default" causing incorrect anonymous block code in some cases
TOR-9398		Editor: An "Access is denied" exception is shown when changing the active Editor tab if JavaScript is disabled.
TOR-9404	link	Editor: File loaded from OneDrive is shown as Externally Modified
TOR-9414	link	Compare Schemas: Trigger validity incorrectly flagged as a difference when comparing database version 12c or newer against pre-12c.
TOR-9416		Editor: An "Unspecified error" exception is shown when changing the active Editor tab.

Issue ID	Link to Forum Post	Resolved Issue
TOR-9429	link	Editor: Execute via SQL*Plus doesn't follow relative paths in script
TOR-9449	link	Team Coding: "Set define off" DDL option not working
TOR-9451		SQL*Loader: Can't connect when called from Toad if password contains '@'
TOR-9455	link	Connections: Multiple "alter session" commands can be configured in options, but only one is run
TOR-9456	link	Data Compare: False differences sometimes shown if source and target databases have different NLS_SORT value
TOR-9470	link	Editor: Query timing inconsistent with Spool SQL output
TOR-9474	link	Automation Designer: Script action shows 45925 days as elapsed time
TOR-9539	link	Export Dataset: SQL error when window opens if exporting from grid with Database Link to non-Oracle database
TOR-9540		Export DDL: Application Roles not extracted correctly in Oracle version 23ai.
TOR-9548		Login Window: Grid fails to select last used connection when multiple group levels exist
TOR-9555	link	Export Dataset: Multiple parameters not passed to source SQL file
TOR-9566	link	Automation Designer: Export DDL fails with "Directory does not exist was was not created", even though it creates directory
TOR-9568		Workspaces: Editor connected to wrong DB after connection failure while loading workspace
TOR-9572	link	Editor: 'dpMessages has no parent window' error sometimes occurs after dragging messages panel to a different location
TOR-9589		Workspaces: Encoding not restored in Editor tabs with database objects, leading to access violation when Editor auto-backup runs
TOR-9591	link	Single Column Export: Prior output folders and extensions not remembered
TOR-9711	link	Editor: Can't close after connection lost if package checked out in Team Coding

You can find the most up-to-date list of resolved issues for this release in the *Toad for Oracle Release Notes* found at: https://support.quest.com/toad-for-oracle/technical-documents.

Known issues

The following is a list of issues, including those attributed to third-party products, known to exist in this release line at the time of the current release.

General known issues

Known Issue	Issue ID
Toad's help cannot be opened from an installation path that contains Unicode characters.	72966
If you check "Indexes" on the Scripts tab for snapshots, then the primary key for the snapshot will be included in the script, even though the CREATE MATERIALIZED VIEW statement implicitly creates this primary key. Toad currently does not differentiate between indexes created explicitly on the snapshot and indexes created automatically when the snapshot is created. *Workaround:* If you are running the generated script to recreate the snapshot, then you can simply ignore the error that occurs when the script tries to recreate the primary key index for the snapshot. If you do not normally create indexes on snapshots, then you can uncheck "Indexes" when generating the snapshot script.	N/A
If you use 11g Oracle ODP.NET client or any other client that does not have the oci.dll in the BIN directory, Toad has the following problems: 1. Client shows as invalid 2. Client version is not detected 3. As a result of #2, columns of the following datatypes are not shown in the Schema Browser table data: CLOB, BLOB, NCLOB, XMLTYPE, TIMESTAMP, INTERVAL, BINARY_DOUBLE, and BINARY_FLOAT	N/A
Debugger If there is an exception during debugging on a 10Gr2 or greater database, REFCURSOR output and DBMS output will not be available when debugging is completed. This is due to the target session not being available. *Workaround*: To see REFCURSOR output and DBMS output, execute the procedure without the debugger.	N/A
Connections While Toad supports LDAP connectivity, some features of Toad depend on tnsnames.ora file to operate correctly, such as Toad Script Runner (TSR).	N/A

Known Issue	Issue ID
Schema Browser Sometimes after pressing "Compile invalid objects", you may get ORA-20000, ORA-06512, or ORA-06512 errors. This could mean that you do not have the privileges to compile the object, but it also happens when the schema contains a package body that does not have an associated spec. *Workaround:* Look in the schema that you are trying to compile to see whether there are any orphan package bodies. If it is your own schema, then do:select * from user_objects o1 where object_type = "PACKAGE BODY" and not exists (select "x" from user_objects o2 where o2.object_name = o1.object_name and o2.object_type = "PACKAGE") Then drop any orphan package bodies that are found.	N/A
Virtualization An access violation error may display when you close Toad in a Citrix XenApp environment.	76354
Import/Export Constraint scripts from Export DDL do not contain the "using index" or "tablespace" clause.	59228
Auto Update The Auto Update feature, which automatically downloads and notifies you of product updates, is not available in the 32-bit edition of Toad for Oracle. *Workaround*: Visit the Quest Support Portal to download product updates.	N/A

Oracle client known issues

Known Issue	Issue ID
In some cases, connecting to an 11g database using a 19c or 21c client may result in a hang when cancelling a query or when using Code Insight. *Workaround:* Use an 18c or older client when connecting to an affected database.	N/A
All versions of Oracle client 19c leak memory when working with LOB types. This includes simple SELECT statements against a table containing LOB types.	N/A

Proxy server known issues

Known Issue	Issue ID
Toad does not support Proxy Automatic Configuration (PAC) scripts; however, Toad does allow you to specify Quest-specific proxy settings to work around this limitation. By default Toad will use non-PAC proxy settings configured within Windows automatically. **Apply settings system-wide:** HKEY_LOCAL_MACHINE\Software\Quest Software\Internet Settings:	72966

Known Issue	Issue ID

- ProxyEnable (DWORD): 1 = enable proxy override at this level, 0 = don't enable proxy override at this level
- ProxyServer (string): semicolon-delimited "<protocol>=<server>:<port>" entries
    - For a shared proxy server across multiple protocols:
        - a single "<server>:<port>" entry is all that's needed (ex: "127.0.0.1:8888")
    - For individual proxy servers by protocol, specify multiple entries:
        - ex: "https=127.0.0.1:8888;http=127.0.0.1:8080;ftp=127.0.0.1:6300"

For 32-bit applications on a 64-bit machine:

- Key: HKEY_LOCAL_MACHINE\Software\WOW6432Node\Quest Software\Internet Settings:

Apply settings to your own account:

HKEY_CURRENT_USER\Software\Quest Software\Internet Settings:

- Same keys as above

Notes for use:

1. Override proxy settings will only be included if the corresponding ProxyEnable value is set to "1". Otherwise, it's ignored.
2. HKLM (system-wide) server settings will override Windows settings.
3. HKCU (local) server settings will override HKLM and Windows settings.
4. Users can also edit both the system proxy settings (existing in Toad 14.0) and now their user-specific proxy settings (from HKCU) within Toad's Proxy Settings dialog (View | Options | Online); however, system-wide settings (from HKLM) will not be editable inside of Toad since they're more for administrators in silent installs or system-wide configs.

Data Grids known issues

Known Issue	Issue ID
You may receive an "ORA-00902 invalid datatype" error when editing an object, nested table, or varray data if you have redefined the data type for that data during the current session. *Workaround:* If you redefine an object type, nested table, or varray and then need to edit data in a table based on that type, end your current connection and begin a new one.	N/A
Full table data is not displaying in the live data grid (results from F9) if the data contains "zero" characers (ACII 0). In this case, all data after the zero character will not show in the grid. *Workaround*: Double click on the data cell in the data grid to view full contents of data in a popup editor.	

Code Analysis known issues

Known Issue	Issue ID
Saving results to a database: When dealing with nested procedures, Code Analysis can only insert run data from procs one level deep.	N/A
Saving PL/SQL results to a database may fail or save invalid data to the database for invalid PL/SQL objects. *Workaround:* To ensure PL/SQL results are saved to the database correctly, verify the validity of all objects before running Code Analysis.	N/A

Editor known issues

Known Issue	Issue ID
Toad errors when you query on a field of Oracle collection types. *Workaround:* Execute using SQL*Plus.	64373
When spooling to an unpinned output window, the window becomes unresponsive and errors are given when Toad is closed ("Canvas does not allow drawing"). *Workaround:* Keep the output window pinned.	68523

Session Browser known issues

Known Issue	Issue ID
The Program name in the Session Browser may be blank or may be the full path to the executable instead of just the executable name. This depends on the Oracle client, not on Toad.	N/A
In RAC databases, version 10.1.0.3 (and possibly other 10.1 versions), the query used to populate the "Current Statement" in the Session Browser fails with the following error: Runtime error occurred: 12801 (ORA-12801: error signaled in parallel query server PZ99, instance <instance name> ORA-01008: not all variables bound) This problem does not occur in Non-RAC environments. *Workaround:* Clear the "Use RAC Views" checkbox, and log into the appropriate instance of the database, if necessary.	N/A

Team Coding known issues

Known Issue	Issue ID
Creating a new revision or attempting to force a check-in to Visual Studio Team Services may result in a "404: Not Found" error. The current version of Team Foundation Server used by Visual	N/A

Known Issue	Issue ID
Studio Team Services compares the source being uploaded with the source already in the repository. If the source has not changed, it may incorrectly return an error rather than allowing the forced revision. This appears to be a Microsoft issue. As a result, these two commands may fail.	
When using the Team Foundation Server internal client and Team Foundation Server 2012 or 2013 alternate Team Project Collections, workspaces created outside of Toad are not visible from within Toad. A workspace may be created from Toad by clicking the 'New' button during the Team Foundation Server log in. This is not an issue when using the Team Foundation Server external client.	**114334**
Team Coding is disabled for mixed-case object names.	N/A
With CVS, Toad may fail to retrieve the list of projects for you to select from in the CVS browser or in the Code Control Groups configuration. *Workaround:* See "Missing CVS\Entries File Error" in the online help.	N/A
Team Coding and Clearcase: Dynamic Views are not supported via SCC interface. Snapshot Views must be used instead. (Rational case ID v0830629, Rational Defect # CMBU00053934)	N/A

Unicode known issues

Known Issue	Issue ID
The following features in Toad do not support Unicode: • ASM Manager • Export File Browser • Hex Editor In addition, Java itself does not allow Unicode class names or file names. This is relevant to the Java Manager, Editor, and Schema Browser.	N/A
Editor options to highlight object names may not work for object names that contain Unicode characters.	N/A
Script Execution in Editor: Error offset can be incorrect when running scripts with multi-byte object names.	N/A
XML (Plain) format creates bad XML if Unicode string values and Unicode column names are exported through Export Dataset.	N/A
Import mapping for Unicode characters is incorrect if the characters are not a fixed width (such as Korean).	63221
In Team Coding, objects with Unicode *contents* are supported, objects with Unicode *names* are not. Supported Version Control Providers do not support Unicode names.	N/A
The OCI option ORA_NCHAR_LITERAL_REPLACE affects the NCHAR String Literal Replacement behavior when connected to non-Unicode databases. The option can be enabled or disabled. See the "Enable ORA_NCHAR_LITERAL_REPLACE" option (View | Options | Oracle |	N/A

Known Issue	Issue ID
General). The option has adverse behavior regardless of its value. • **Enabled** - ORA-01756 error when executing SQL using the Q-quote operator where the end delimiter appears within the string literal and is followed by a single quote that is also part of the string literal. The single quote does not have to immediately follow the delimiter. • **Disabled** - NCHAR string literal corruption when connected to non-Unicode database.	

High DPI known issues

Known Issue	Issue ID

NOTE: The following known issues occur only when the **Application DPI Awareness** option is disabled in **Toad Options | General**. This option is enabled by default.
 	
Changing the default Editor font when Windows high DPI settings are in use, i.e. scaling greater than 100%, may result in negative effects, including:
• Character misplacement
• Disproportionate spacing
• Text selection visualization not aligning with character boundaries
• Incorrect text edits when modifying text using a block selection
 	
Advanced options for controlling Editor rendering have been introduced in Toad for Oracle 2024 R2 to help alleviate these issues. See the **Editor | Behavior** page in Toad Options.
• Drawing technology
  • Controls which drawing API is used to render text and other elements.
  • Default technology makes Toad susceptible to high DPI issues, but it may allow for sharper text on 4k and other Ultra HD (UHD) displays.
  • DirectWrite technology resolves high DPI issues and may allow for sharper text on displays less than 4k, but on 4k/UHD displays text may appear fuzzy.
  • DirectWrite technology must be used to enable font ligatures in supporting fonts, e.g. Fira Code.
• Buffered draw
  • Controls whether drawing is buffered by first drawing to a bitmap rather than directly to the screen and then copying the bitmap to the screen.
  • Buffered drawing avoids flickering but does take longer.
  • Enabling this option is recommended.
	N/A

- Font quality
  - Controls which anti-aliasing method is used to render text.
  - LCD Optimized is recommended based on internal tests on different displays.

If you see high DPI issues and wish to use the Default technology, there are a few workarounds:

- Enable the **Application DPI Awareness** option in **Toad Options | General**.
- Choose a font that is not susceptible to the issues.
  - The following table lists popular coding fonts and sizes. Combinations that work well are identified by a check mark.

Size	Cascadia Code	Consolas	Courier New	Fira Code	JetBrains Mono	Source Code Pro
5	✓	✓	✓		✓	✓
6			✓		✓	✓
7	✓	✓				
8		✓		✓		
9	✓		✓		✓	✓
10		✓	✓	✓	✓	✓
11	✓	✓	✓	✓	✓	✓
12		✓		✓		
14	✓					
16				✓		
18	✓	✓		✓		
20	✓	✓	✓		✓	✓

- Change the high DPI settings for Toad.exe from the Compatibility tab of the file's properties dialog to override the high DPI scaling behavior and set its value to Application.
  - On some displays this setting causes some UI elements to scale incorrectly and may need to be reverted.
- Use 100% scaling in Windows.

Toolbars (Affects Windows Server 2019 only) Toolbar button images may disappear when you mouse over them if the "High DPI scaling override" option is set to "System (Enhanced)" in the Windows file properties dialog for Toad.exe.	N/A

Toad for Oracle on Mac known issues

Known Issue	Issue ID
The "Allow multiple copies of Toad to be loaded" option is nonfunctional. The option allows multiple copies of Toad to be opened on Windows, but does not work on macOS. The option has been disabled. *Workaround*: Review macOS documentation for instructions on how to open a new instance of an app on Mac.	N/A
The "File | Fast Exit" feature is unavailable.	N/A
The Quit menu item from Apple's Toad for Oracle menu is nonfunctional if an Editor is open.	N/A
Editor is slow to open if CAPS lock is enabled. *Workaround*: Turn off CAPS lock before opening Editor.	N/A
Bold text and other UI painting issues after installing Team Coding database objects. *Workaround*: Restart Toad.	N/A
TNSPING is unavailable in the Login window. It is available in Toad for Oracle on Windows.	N/A
Oracle configuration files, such as tnsnames.ora, do not support POSIX paths. Toad for Oracle on Mac runs using the Wine compatibility layer and relies on Windows-style paths. The Y: drive is mapped to your macOS Home folder. All file references within Oracle configuration files should use the Y: drive to point to files in your Home folder or its subfolders. For example, to reference a tnsnames.ora file in your Documents folder, use: IFILE = Y:\Documents\tnsnames.ora Other references, such as WALLET_LOCATION, must also use Windows-style paths with the Y: drive.	N/A

Third-party known issues

Known Issue	Issue ID
Help (Affects the 64-bit version of Toad only) If IE9 is installed, clicking a link in the Help file may crash Toad 64-bit, even if IE9 is not the default browser. *Workaround*: Users who have IE9 installed can open Help from outside of Toad.	N/A

System requirements

This section contains the hardware, software, and privileges required to run Toad for Oracle, as well as the database and virtual environments that Toad for Oracle supports.

Hardware requirements

Requirement	Details
Processor	• 1 GHz processor - Toad for Oracle 32/64 bit • Apple Silicon (M-series processors) - Toad for Oracle on Mac
Memory	• 1 GB RAM - Toad for Oracle 32 bit • 2 GB RAM - Toad for Oracle 64 bit • 2 GB RAM - Toad for Oracle on Mac **NOTE:** The memory required may vary based on the following: • Applications that are running on your system • Size and complexity of the database • Amount of database activity • Number of concurrent users accessing the database
Hard disk space	• 1.5 GB - Toad for Oracle 32/64 bit • 2 GB - Toad for Oracle on Mac
Operating system	• Windows 10 • Windows 11 • Windows Server 2016 • Windows Server 2019 • Windows Server 2022 • Windows Server 2025 • macOS 11 • macOS 12 • macOS 13 • macOS 14

Requirement	Details
	• macOS 15 • macOS 26

Database requirements

Requirement	Details
Database client	An Oracle client is optional. Connecting to a database without an Oracle client has the following considerations: • Features requiring Oracle utilities will be unavailable including, but not limited to: SQL*Plus, Data Pumps, Import/Export Utilities, SQL Loader, TKProf, TNSPing, Wrap. • Oracle Net Services configuration files are required for some connection methods, e.g. TNS requires tnsnames.ora and LDAP requires both ldap.ora and sqlnet.ora. These files may be placed in the folder specified by your TNS_ADMIN environment variable or in the same folder as Toad.exe. The following Oracle clients are supported: • Oracle Client or Instant Client 10.2.0.5 • Oracle Client or Instant Client 11.2.0.1/11.2.0.3 • Oracle Client or Instant Client 12 Release 1 and 2 • Oracle Client or Instant Client 18 • Oracle Client or Instant Client 19 • Oracle Client or Instant Client 21 • Oracle Client or Instant Client 23 up to 23.26 **NOTE:** The client's architecture (32-bit or 64-bit) must match that of Toad.
Database server	**Oracle versions:** • 10g Release 2 • 11g Release 1 and 2 • 12c Release 1 and 2 • 18c • 19c • 21c • 23c/23ai • 26ai

Requirement	Details
	IMPORTANT: It is recommended that your client version be of the same release (or later) as your database server. This is an Oracle recommendation to prevent performance issues.
Cloud database service	Oracle Database as a Service on Amazon EC2 and Oracle Cloud

Network

- Internet Protocol Version 6 (IPv6) is being adopted by the US Federal Government and industries around the world. In its most basic format, the new protocol uses 128-bit addresses instead of 32-bit addresses, which are used by the current IPv4 to route packets over the Internet. Toad for Oracle features, such as FTP, access the Internet through third-party vendors that are IPv6 compliant, such as /nSoftware's IP*Works. For access to Web sites by way of the Toad Online window, Toad simply invokes the user-defined or default Web browser.
- Toad for Oracle Subscription licenses require the user to sign in when using the product. This enables the product to verify the user's identity and to check that they are entitled to use the subscription. To complete this entitlement check internet access is required to connect to Quest Software's Licensing Servers.
- Toad for Oracle on Windows 64-bit includes Quest Auto Update, a service that periodically checks for and delivers product updates. Quest Auto Update requires internet access and must be able to reach the cloud service at https://autoupdate.toadworld.com.

Additional requirements

Requirement	Details
Additional Software	• Microsoft Office 2016 and recent earlier releases are supported for Word and Excel output. • Microsoft .NET Framework 4.8 or newer to support the Toad for Oracle Edition Installer.

Virtualization support

Type	Details
Application virtualization	Citrix® XenApp
Desktop virtualization (VDI)	vWorkspace™ 7.0 has been tested.
Server virtualization	Oracle VM 3.1 has been tested. VMware ESX Server 3.5, 4.0, and 5.5 have been tested.

NOTE: Toad may work in virtualization environments other than the ones listed.

Windows Privileges

In order to install and run Toad, make a connection, and do basic operations, you must have the following privileges.

Operating System	Requirements
Windows non-Server Windows Server	• Read access to the Oracle client folder • Read/write privileges on the Oracle Home directories that you use for your connections

NOTE: Toad for Oracle on Windows 64-bit includes Quest Auto Update, a service that periodically checks for and delivers product updates. Installation requires administrator privileges.

NOTE: Other functionality in Toad may require additional privileges.

Product licensing

Trial licensing

A free 30-day trial license is automatically provided to new users after you sign in to Toad for Oracle with your Quest account.

To activate a trial

1. Download and install Toad for Oracle from https://www.quest.com/products/toad-for-oracle/
2. Open Toad and click **Sign In or Start Free Trial** to sign in

   NOTE: You will need to sign up for a Quest account if you do not have one.

To purchase a commercial license

1. Click **Buy Now** on the trial banner displayed at the top of Toad
2. Select the edition that is right for you and complete your purchase using the same email address used for your Quest account
3. After receiving your purchased license, open **Help | Licensing** and click **Refresh**

Subscription licensing

Open Toad and select **Sign In or Start Free Trial** to sign in with your Quest account. Any Toad for Oracle subscription licenses associated with your account will be retrieved automatically.

For detailed instructions on license management, including how to activate an online managed license for offline use, see the Licensing Tutorial at https://www.quest.com/video/licensing-tutorial-in-toad-for-oracle.

Offline licensing

You can apply offline license files (.xml) and legacy offline licenses (with a license key and site message) in Toad using the **Help | Licensing** window or from the sign in dialog.

For detailed instructions on license management, see the Licensing Tutorial at https://www.quest.com/video/licensing-tutorial-in-toad-for-oracle.

Getting started with Toad for Oracle

Toad for Oracle is distributed in the Toad for Oracle Editions at https://support.quest.com/download-product-select.

Upgrade and installation instructions

Please refer to the Toad for Oracle *Installation Guide* at https://support.quest.com/technical-documents for installation and upgrade instructions.

Upgrades for Toad for Oracle can install side-by-side with any previous versions you have installed. You can run the new and previous versions concurrently.

The first time you run the new version of Toad, the settings files from the previous version are automatically imported. To start with a clean set of user files, go to **Utilities | Manage User Settings...**, then select **Reset to a clean set of user files from the base installation**.

> **NOTE:** Toad supports importing settings only if the new version is within two releases of the previous version. If your versions are more than two releases apart, you need to install an intermediate version to successfully import the files.

User instructions

To get started with using Toad for Oracle, see the *Guide to Using Toad* at https://support.quest.com/technical-documents. For detailed information about any Toad window or feature, see the online help, which can be accessed from the **Help** menu.

Additional resources

Additional information is available from the Toad for Oracle Community on Toad World:

https://www.toadworld.com/products/toad-for-oracle

Globalization

Global Operation Statement

This section contains information about installing and operating this product in non-English configurations, such as those needed by customers outside of North America. This section does not replace the materials about supported platforms and configurations found elsewhere in the product documentation.

This release was not enabled and tested for international operation. Only U.S. English configurations of this product and U.S. English datasets are fully supported. Support for non-ASCII characters or non-English configurations may work appropriately, but these configurations have not been tested and this release should be used with caution in these environments.

This release has the following known capabilities or limitations: Toad is a Unicode application. As such, it has support for any Oracle Unicode character set, such as UTF8 or AL32UTF8. There are some features in Toad which use or invoke Oracle Utilities or applications which are not themselves Unicode applications. Their functionality is therefore limited to the character set of the client on which Toad is running, and NLS_LANG must be carefully set to match the Windows character set

We have also observed issues with US7ASCII when used with non Latin characters.

Third-Party Notices

Third-Party Notices

Third-party components included in this product are available from https://support.quest.com/technical-documents/toad-for-oracle.

- For third-party license information, go to https://www.quest.com/legal/license-agreements.aspx.
- For third-party source code, go to https://opensource.quest.com.

If you are unable to access or would like a copy of the third-party licenses emailed to you, please send a request via email to support@quest.com.

About us

We are more than just a name

We are on a quest to make your information technology work harder for you. That is why we build community-driven software solutions that help you spend less time on IT administration and more time on business innovation. We help you modernize your data center, get you to the cloud quicker and provide the expertise, security and accessibility you need to grow your data-driven business. Combined with Quest's invitation to the global community to be a part of its innovation, and our firm commitment to ensuring customer satisfaction, we continue to deliver solutions that have a real impact on our customers today and leave a legacy we are proud of. We are challenging the status quo by transforming into a new software company. And as your partner, we work tirelessly to make sure your information technology is designed for you and by you. This is our mission, and we are in this together. Welcome to a new Quest. You are invited to Join the Innovation™.

Our brand, our vision. Together.

Our logo reflects our story: innovation, community and support. An important part of this story begins with the letter Q. It is a perfect circle, representing our commitment to technological precision and strength. The space in the Q itself symbolizes our need to add the missing piece — you — to the community, to the new Quest.

Contacting Quest

For sales or other inquiries, visit www.quest.com/contact.

Technical support resources

Technical support is available to Quest customers with a valid maintenance contract and customers who have trial versions. You can access the Quest Support Portal at https://support.quest.com.

The Support Portal provides self-help tools you can use to solve problems quickly and independently, 24 hours a day, 365 days a year. The Support Portal enables you to:

- Submit and manage a Service Request
- View Knowledge Base articles
- Sign up for product notifications
- Download software and technical documentation
- View how-to-videos
- Engage in community discussions

- Chat with support engineers online
- View services to assist you with your product

© 2026 Quest Software Inc. ALL RIGHTS RESERVED.

This guide contains proprietary information protected by copyright. The software described in this guide is furnished under a software license or nondisclosure agreement. This software may be used or copied only in accordance with the terms of the applicable agreement. No part of this guide may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording for any purpose other than the purchaser's personal use without the written permission of Quest Software Inc.

The information in this document is provided in connection with Quest Software products. No license, express or implied, by estoppel or otherwise, to any intellectual property right is granted by this document or in connection with the sale of Quest Software products. EXCEPT AS SET FORTH IN THE TERMS AND CONDITIONS AS SPECIFIED IN THE LICENSE AGREEMENT FOR THIS PRODUCT, QUEST SOFTWARE ASSUMES NO LIABILITY WHATSOEVER AND DISCLAIMS ANY EXPRESS, IMPLIED OR STATUTORY WARRANTY RELATING TO ITS PRODUCTS INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. IN NO EVENT SHALL QUEST SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE, SPECIAL OR INCIDENTAL DAMAGES (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF PROFITS, BUSINESS INTERRUPTION OR LOSS OF INFORMATION) ARISING OUT OF THE USE OR INABILITY TO USE THIS DOCUMENT, EVEN IF QUEST SOFTWARE HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. Quest Software makes no representations or warranties with respect to the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and product descriptions at any time without notice. Quest Software does not make any commitment to update the information contained in this document.

If you have any questions regarding your potential use of this material, contact:

Quest Software Inc.

Attn: LEGAL Dept

4 Polaris Way

Aliso Viejo, CA 92656

Refer to our Web site (https://www.quest.com) for regional and international office information.

Patents

Quest Software is proud of our advanced technology. Patents and pending patents may apply to this product. For the most current information about applicable patents for this product, please visit our website at https://www.quest.com/legal.

Trademarks

Quest, Quest Software, Toad, the Toad logo, and the Quest logo are trademarks and registered trademarks of Quest Software Inc. For a complete list of Quest marks, visit https://www.quest.com/legal/trademark-information.aspx. All other trademarks and registered trademarks are property of their respective owners.

Toad for Oracle Release Notes
Updated - 8/28/2026
Version - 2026 R2