

Rapid Recovery License Portal 6.1.0

User Guide



© 2017 Dell Inc.
ALL RIGHTS RESERVED.

This guide contains proprietary information protected by copyright. The software described in this guide is furnished under a software license or nondisclosure agreement. This software may be used or copied only in accordance with the terms of the applicable agreement. No part of this guide may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording for any purpose other than the purchaser's personal use without the written permission of Dell Inc.

The information in this document is provided in connection with Dell products. No license, express or implied, by estoppel or otherwise, to any intellectual property right is granted by this document or in connection with the sale of Dell products. EXCEPT AS SET FORTH IN THE TERMS AND CONDITIONS AS SPECIFIED IN THE LICENSE AGREEMENT FOR THIS PRODUCT, DELL ASSUMES NO LIABILITY WHATSOEVER AND DISCLAIMS ANY EXPRESS, IMPLIED OR STATUTORY WARRANTY RELATING TO ITS PRODUCTS INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. IN NO EVENT SHALL DELL BE LIABLE FOR ANY DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE, SPECIAL OR INCIDENTAL DAMAGES (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF PROFITS, BUSINESS INTERRUPTION OR LOSS OF INFORMATION) ARISING OUT OF THE USE OR INABILITY TO USE THIS DOCUMENT, EVEN IF DELL HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. Dell makes no representations or warranties with respect to the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and product descriptions at any time without notice. Dell does not make any commitment to update the information contained in this document.

If you have any questions regarding your potential use of this material, :


Dell Inc.
Attn: LEGAL Dept
5 Polaris Way
Aliso Viejo, CA 92656


Refer to our web site (software.dell.com) for regional and international office information.


Trademarks

Dell, the Dell logo, and AppAssure are trademarks of Dell Inc. and/or its affiliates. Other trademarks and trade names may be used in this document to refer to either the entities claiming the marks and names or their products. Dell disclaims any proprietary interest in the marks and names of others.

Legend

 **CAUTION:** A CAUTION icon indicates potential damage to hardware or loss of data if instructions are not followed.

 **WARNING:** A WARNING icon indicates a potential for property damage, personal injury, or death.

 **IMPORTANT NOTE, NOTE, TIP, MOBILE, or VIDEO:** An information icon indicates supporting information.

Rapid Recovery License Portal User Guide
Updated - March 2017
Software Version - 6.1.0

Contents

Getting Started with the Rapid Recovery License Portal	5
About the License Portal	5
About the License Portal Server	5
Understanding User Accounts	6
Supported Web Browsers	6
Navigating the License Portal	6
Getting Started with the Rapid Recovery License Portal	7
About Obtaining License Numbers and License Keys	8
How to Obtain the License Number	8
License Portal Registration and License Keys	8
Registering your License on the License Portal	9
Logging on to the License Portal	10
Resetting your Password	11
Managing Licenses in the Rapid Recovery License Portal	12
Downloading Software from the License Portal	12
Downloading and Adding an AppAssure 5 or RapidRecovery Core to the License Portal	13
Downloading and Adding an AppAssure 5 or RapidRecovery Agent to the License Portal	13
Downloading Software for AppAssure Appliances	14
Using the Dashboard	14
Performing Global Searches in the License Portal	14
Configuring Personal Settings	15
Configuring Email Notifications Settings	16
Changing your Password	16
Managing Users	17
Viewing and Searching for Users	17
Viewing and Working with User Details	18
Inviting Users and Setting User Privileges	18
Editing User Roles	19
Deleting a User	19
Approving a User	21
Managing Groups	21
Understanding Groups	21
Viewing and Searching for Groups	22
Viewing and Working with Group Details	23
Adding a Group or Subgroup	23
Deleting a Group	24
Editing Group Information	24
Editing Branding Settings for the Root Group	25
Adding Company and Billing Information for a Group	25
Modifying Metadata Settings for the Root Group	27
Managing Licenses	28

About AppAssure Software License Types	28
About AppAssure Appliance Licensing	29
Understanding License Pools	29
Downloading or Viewing your License Key	30
Viewing License Numbers	30
Viewing License Pool Information for a Group	31
Changing the License Pool for Software Groups	31
Allocating Virtual and Physical Licenses for MSPs	32
Changing the License Type for a Subgroup	32
Extending an Appliance License	33
Moving an Appliance License	33
Detaching an Appliance License from a Core	33
Assigning an Appliance License	34
Understanding Billing for Software Licenses	34
Understanding Billing for Appliance Licenses	34
Understanding Disposing of Software Licenses	34
Adding a License to the License Portal	35
Managing Registered Agent Machines	35
Viewing and Searching for Registered Agent Machines	35
Viewing and Working with Machine Details	36
Working with Agent Machines	37
Managing Cores	38
Viewing and Searching for Cores	38
Viewing and Working with Core Details	39
Working with Core Machines	39
Viewing Core Settings	40
Working with License Portal Reports	42
About the License Portal Reports	42
Generating Reports and Setting up Report Subscriptions	47
Managing Report Subscriptions	47
Third Party Legal Notices	48
Index	49

Getting Started with the Rapid Recovery License Portal

This chapter describes the License Portal and how to get started, including information about registration, accounts, and more. It includes the following topics:

- [About the License Portal](#)
- [Navigating the License Portal](#)
- [Getting Started with the Rapid Recovery License Portal](#)
- [About Obtaining License Numbers and License Keys](#)
- [Registering your License on the License Portal](#)
- [Logging on to the License Portal](#)

About the License Portal

The Rapid Recovery License Portal provides access for you to download software, register AppAssure appliances, and manage license subscriptions. From the License Portal, you can register your account, download and add AppAssure 5 Core and Agents, manage groups, track group activity, register machines, register appliances, invite users, and generate reports. Refer to the following topics for more information about the License Portal:

- [About the License Portal Server](#)
- [Understanding User Accounts](#)

About the License Portal Server

The License Portal server is a Web portal that resides at a managed hosting location and provides around-the-clock support and availability.

The License Portal server controls access to product downloads and allows you to track AppAssure deployments, view reports, and manage licenses.

The general workflow for using the License Portal is as follows:

- A user registers on the License Portal and creates an account.
- During the registration process, the License Portal automatically creates a default root group for the account and gives it a name.
- When the user logs on, the License Portal represents the user as an account for that session.
- For each account, a groups page displays all of the user's groups. A managed service provider can, for example, create separate groups for each customer and then create subgroups to further segregate agents and cores. The user can also use groups to view all cores and agents when logging on to the License Portal.
- A user can generate reports for each account to view different statistics, which can be helpful when managing customers. For more information, see the topic, [Working with License Portal Reports](#).
- A user with administrative rights can also edit licenses at subgroup levels.

NOTE: At the root group, only a Dell Software administrator may change license settings. For assistance, please contact your sales representative.

Understanding User Accounts

When logged on, a user account has access rights to a group or subgroups. Subgroups to which a user is linked inherit the user's access rights.

Within the Rapid Recovery License Portal, available privilege types consist of the following roles and a user can have multiple roles per user group:

- **Owner.** Full control to create, edit, and delete users, groups, cores, and agents. The owner also receives email notification about approving or denying users that are registered via subdomain.
- **Admin.** Full control to create, edit, and delete users, groups, cores, and agents. Admins can also approve or deny users on the License Portal Users page.
- **Reader.** Read rights for all of the information in the License Portal.

Supported Web Browsers

The following Web browsers are supported for using the Rapid Recovery License Portal.

- Microsoft Internet Explorer (IE) 9, IE 10, IE 11
- Mozilla Firefox - latest version as of the printing of this guide.
- Google Chrome - latest version as of the printing of this guide.

Navigating the License Portal

You can use the navigation links on the left side of the License Portal pages to navigate to specific areas of functionality for a currently selected group as described in the following table.

NOTE: Navigation using the left menu is in context of the currently selected group. If you have the proper permissions to access more than one group, "bread crumb" links in the top menu allow you to navigate between groups. You can also access and navigate between groups by going to the Groups page.

Table 1. Navigation Links in Left Menu of License Portal

Navigation Link	Description
Dashboard	Presents a visual summary of status information (using charts and tables) about protected machines and licenses in your environment.
Licensing	Allows you to manage licenses if you have proper permissions.
Groups	Allows you to view and manage groups and subgroups. You can add subgroups and view all subgroups for the current group as well as edit and delete groups depending on your permissions.
Cores	Allows you to view and manage the AppAssure 5 Cores in your environment.
Machines	Allows you to view and manage the AppAssure 5 Agents in your environment.
Users	Allows you to view, invite, and manage users in your environment depending on your permissions.
Downloads	Provides links for you to download the AppAssure 5 software.
Reports	Provides the ability to generate reports about License Portal activity and export them to a variety of formats.
Settings	Provides the ability to modify group information, including billing information, branding, and advanced license settings such as service polling and grace period.

At the top right area of the License Portal pages, you can access the links described in the following table.

Table 2. Navigation Links at Top of License Portal Pages

Navigation Link	Description
User Name	Displays the email address of the user who is logged on to the License Portal. This link provides access to Personal Settings for you to modify account profile information about the user, including logon credentials. This section also provides a link to log you out of the License Portal session.
Help	Provides access to Rapid Recovery License Portal documentation, a Contact Us page, and an About page. By default, the Contact Us page displays a dialog box that includes contact information for Dell. If your License Portal has been customized, this dialog box might display your organization's contact information.

Getting Started with the Rapid Recovery License Portal

The purpose of the Rapid Recovery License Portal is to allow you to manage the AppAssure software licenses that are deployed by you and your customers as well as track any AppAssure appliance licenses that you have installed. Your customers are represented as groups in the License Portal, and each group has its own set of users and properties. As your groups or customers deploy AppAssure 5 software, you can track the activity for monitoring and billing purposes.

Refer to the following topics for information on quickly getting started with the Rapid Recovery License Portal:

- For information about obtaining a license key, see the topic, [About Obtaining License Numbers and License Keys](#).
- For information about how to register on the License Portal, see the topic, [Registering your License on the License Portal](#).
- You can create groups to represent your customers or your organization's workgroups as needed. For details on how to create a group, see the topic, [Adding a Group or Subgroup](#).

- You can invite customers or other users to join the groups you create as needed. For details on how to invite users, see the topic, [Inviting Users and Setting User Privileges](#).

About Obtaining License Numbers and License Keys

A software license key is required to download the AppAssure 5 or RapidRecovery Core and AppAssure 5 or RapidRecovery Agent software and to configure and protect machines. Refer to the following topics for information about the general process of getting your license key and downloading software.

How to Obtain the License Number

When you purchase software or appliances, you will receive a license number via email for your sales order. This license number is associated with any of your software license keys for the AppAssure 5 or RapidRecovery Core and Agent software.

- ① **NOTE:** The email address to which the license number email is sent is the email address associated with the end user field on the sales order. If this field is blank, the email is sent to the customer contact or MSP email address that is listed on the sales order.

If you do not receive this email at the email address that you are expecting, please check with your internal purchase ordering contact or contact your Dell sales representative for further help in verifying the sales order end user email information or any other additional help in acquiring your license key. Software customers who do not have a license number or who are having difficulties activating their licenses should contact Dell Software to enable the license at: <https://support.software.dell.com/licensing-assistance>. If possible, please have your Dell order number and end user email information that was provided on the sales order available prior to contacting Dell Software for licensing assistance to ensure faster service.

License Portal Registration and License Keys

To download AppAssure 5 or RapidRecovery software, you can visit the Rapid Recovery License Portal at the website URL that was provided to you (for example in the email you received upon purchase), and register for a License Portal account. Upon successful registration, you can log on to the License Portal to activate and download software.

When you download software from the License Portal, a software license key is generated and included in the downloaded installer. A different license key is generated when the type of license changes (for example, if you are upgrading from a trial to enterprise license). Upon purchase of software, you may also receive your software license key as a file attachment in an email from Dell Software, which will be sent to the end user email address associated with your contract. You can view license keys within the License Portal.

If you have purchased an AppAssure appliance, your appliance is configured with a 30-day temporary software license key. To obtain a permanent software license key, you must log on to the License Portal at the website URL provided to you. You need to enter your license number to obtain a permanent software license key, and then go to your AppAssure Core UI to enter the license key in the AppAssure software.


- ① **NOTE:** When you register for a License Portal account, an email confirmation is sent to the email address you entered during your account registration process.

Registering your License on the License Portal

You need to register your license to download and use AppAssure or Rapid Recovery software or appliances. If you do not currently have a License Portal account, you need to register for an account to access the Rapid Recovery License Portal.

When an initial user account is created for your organization in the License Portal, it is created as a default user with administrative rights. This account also has the root group associated with it, meaning it can have subgroups but has no parent group.

When you have received your license number, you can easily register it with your account. If you do not have a license number, you can register for a trial account and then add your full license later. This trial account will have a trial license, which means all user accounts, subgroups, and agents added to this account also will have trial licenses until a valid full license has been activated. Users with the administrator role can edit the license settings in subgroups.

 **NOTE:** At the root group, only a Dell Software administrator may change license settings. For assistance, please contact your Dell Software sales representative.

To register for a License Portal account

- 1 On the License Portal Welcome page, click the **Register** link to register for an account, or click the link included in the welcome email from Dell that includes your license information.

The Register page appears.

- 2 Enter the account information as described in the following table.

Table 3. License Portal account information

Field	Description
First Name	Enter the first name of the user. NOTE: This is a required entry.
Last Name	Enter the last name of the user. NOTE: This is a required entry.
Email Address	Enter a unique email address for the user. If you have already purchased your license, you should enter the end user email address that Dell Software has associated with your contract when you purchased the license. This email address should have received a License Number Confirmation Email. Alternately, you can enter an email address of any user who is already in your company's group. NOTE: This is a required entry.
Password	Enter a password for this account. NOTE: The password you enter must be at least eight characters long. For optimal security when creating a password, it is best to use a combination of upper and lowercase characters in combination with numeric and unique symbols.

- 3 Do one of the following:
 - If you have a license already, enter the License Number you wish to register. (You can enter multiple license numbers if you have them. Press the Enter key after you enter a number to add additional numbers.)
 - If you have not yet purchased a license, you can download a free trial and add the license numbers later. To download a trial, select the **Download Free Trial** link.
- 4 Enter a company name with which the account is associated as needed.
- 5 (optional) Click **Details** to expand the registration details and to enter the following information for the user account as needed.

Table 4. License Portal account details

Field	Description
Phone	Enter a phone number for the user account.
Street	Enter a street address for the user account.
City	Enter a city for the user account.
Zip Code	Enter a zip code for the user account.
Country	Select a country. NOTE: If you select the United States as the country, you need to enter the state.
State	Select a state for the user account if you selected the United States as the country.

6 Click **Register**.

After registration you are logged on to the License Portal and have the ability to download the AppAssure 5 or RapidRecovery Core software installer.

You might also receive an email confirming a new registration. This email includes a hyperlink for you to activate a newly created account.

7 If you receive a confirmation email after registering, click the hyperlink provided to activate your account.

NOTE: When you click the activation link in the activation email, you have more access to License Portal functionality, including the ability to manage your License Portal account.

NOTE: You can also add license numbers from within the License Portal. For more information, see the topic, [Adding a License to the License Portal](#).

Logging on to the License Portal

If you have previously registered on the License Portal, you need to enter your email address and password to log on.

If you have forgotten your logon information, you can reset your password by clicking the link, **Forgot your password?**. For more information on resetting your password, see the topic, [Resetting your Password](#).

NOTE: If you have not registered at the License Portal, you need to do so to download software. For more information about registering and obtaining a license key, see [About Obtaining License Numbers and License Keys](#).

To log on to the License Portal

1 Navigate to the License Portal, for example, at the website URL that was provided to you in the email you received upon purchase.


The Welcome page appears.

2 In the Email Address text box, enter the email address you associated with your License Portal account during the registration process.

3 In the Password text box, enter the password you defined for this account during the registration process.

NOTE: If you have forgotten your password, click **Forgot your password?**. You are prompted to enter your email address, and then a new password is sent to that email address with instructions.

4 Click **Log On**.

 **NOTE:** The first time you log on to the License Portal, the Downloads page appears so that you can download the trial Core software. For subsequent logons, the Licensing page appears.

Resetting your Password

If you have forgotten your password, you can easily reset it.

To reset your password

- 1 On the Welcome page of the License Portal, click the link, **Forgot your password?**.
The Reset Password page opens.
- 2 Enter the email address associated with the user account for which you want to reset your password, and click **Submit**. You will receive an email containing instructions for resetting your password.
- 3 Check your email for the password reset link, and click the recovery link in the email you received.
- 4 On the Password Reset page, enter your new password. The Password Reset Success page opens. You also receive an email confirming your password reset.
- 5 You can log on with the new password.

Managing Licenses in the Rapid Recovery License Portal

This chapter describes how to use the License Portal, including how to access and manage AppAssure licenses. It includes the following topics:

- [Downloading Software from the License Portal](#)
- [Performing Global Searches in the License Portal](#)
- [Configuring Personal Settings](#)
- [Configuring Email Notifications Settings](#)
- [Changing your Password](#)
- [Managing Users](#)
- [Managing Groups](#)
- [Managing Licenses](#)
- [Managing Registered Agent Machines](#)
- [Managing Cores](#)
- [Working with License Portal Reports](#)


Downloading Software from the License Portal

From the Downloads page, you can easily download and install AppAssure or RapidRecovery software. When you download software from this page and then install it on your machine(s), the associated AppAssure or RapidRecovery component is added to the License Portal so that you can manage the associated licenses. Refer to the following topics for more information:

- [Downloading and Adding an AppAssure 5 or RapidRecovery Core to the License Portal](#)
- [Downloading and Adding an AppAssure 5 or RapidRecovery Agent to the License Portal](#)
- [Downloading Software for AppAssure Appliances](#)


Downloading and Adding an AppAssure 5 or RapidRecovery Core to the License Portal

The AppAssure 5 or RapidRecovery Core, which is installed on a dedicated server, stores and manages the agents and backups of all protected machines in your environment. From the License Portal, you can download and run the AppAssure 5 or RapidRecovery Core installer. When the software is installed on the server, the Core is added to the License Portal so that you can manage associated licenses.


 **NOTE:** Only users with administrative rights can download a core.

To download and add an AppAssure 5 or RapidRecovery Core to the License Portal

- 1 In the left navigation area of the License Portal, click **Downloads**.
- 2 Select the product type as either **AppAssure** or **RapidRecovery**.
- 3 Under the Windows-based Applications heading, next to Core Installer or Core Web Installer, click the **Download** button.

 **NOTE:** The Core Installer downloads the executable file in one task, while the Core Web Installer streams a download of the latest version of the AppAssure 5 or RapidRecovery Core, which runs directly from the Web and lets you pause and resume the process as needed. A license key is automatically generated and presented for you to enter to activate the subscription. The license key also appears in the confirmation email you receive after choosing your download option.

- 4 Click **Run** in the subsequent dialog boxes to install the software.


 **NOTE:** When the automatic installation of the Core executable file is complete, the Welcome screen appears.

For more information about installing the AppAssure 5 or RapidRecovery Core, see the *Dell AppAssure 5 or RapidRecovery Deployment Guide*.

Downloading and Adding an AppAssure 5 or RapidRecovery Agent to the License Portal

The AppAssure 5 or RapidRecovery Agent is comprised of the agent services and software that enable protection of your data. You install agent software on the Windows and Linux machines that you want to protect in your environment (for example, on an Exchange server, SQL server, Linux server, and so on). The agent tracks changed data blocks on the disk volume of the machine and creates snapshot images of the data to send to an associated Core.

From the License Portal, you can download and run the AppAssure 5 or RapidRecovery Agent installer. When the software is installed on a machine, the agent is added to the License Portal so that you can manage associated licenses.

 **NOTE:** You must have administrative privileges to download and add agents.

To download and add an AppAssure 5 or RapidRecovery Agent to the License Portal

- 1 In the left navigation area of the License Portal, click **Downloads**.
- 2 Under the Windows-based Applications or Linux-based Applications heading, next to the agent installer version you want to download, click **Download**, and then click **Run** in the resulting installer dialog box to install the software.

For Windows, you can choose from the following platform versions:

- x64 Windows Agent installer
- x86 Windows Agent installer

For Linux, you can choose from the following platform versions:

- x64 CentOS /RedHat Enterprise Linux Agent installer
- x86 CentOS/RedHat Enterprise Linux Agent installer
- x64 Ubuntu Agent installer
- x86 Ubuntu Agent installer
- x64 SUSE Linux Enterprise Server Agent installer
- x86 SUSE Linux Enterprise Server Agent installer

For more information about installing the AppAssure 5 or RapidRecovery Agent on your machines, see the *Dell AppAssure 5 or RapidRecovery Deployment Guide*.

Downloading Software for AppAssure Appliances

If you have a DL Series appliance, you need to use the Recovery and Update Utility (RUU) to upgrade to the latest version of AppAssure or RapidRecovery software (Do not use the Core Installer). The RUU is available in the Appliance Applications section of the Downloads page.

To download software for AppAssure appliances

- 1 In the left navigation area of the License Portal, click **Downloads**.
- 2 Under the Appliance-based Applications heading, next to the software you want to download, click **Download**, and then click **Run** in the resulting installer dialog box to install the software.

Using the Dashboard

You can view the License Portal Dashboard for a quick summary of License Portal status information. Depending on the selected group, Information about protected machines and licenses in your environment is displayed in charts and tables for at-a-glance viewing.

To use the dashboard

- In the left navigation area of the License Portal, click **Dashboard**.
Graphs are displayed for the current group, showing current Machine information, including Active, Expired, Blocked, Paused, and Total machines. Current amount of protected data is also displayed. License information is displayed for Physical and Virtual active licenses, as applicable. The amount of Used Protected Data (GB) is also displayed.

Performing Global Searches in the License Portal


At the top of the License Portal pages, you can perform a global search for cores, agent machines, groups, or users. To help you with your search, when you enter search text, suggested input appears if available.

For easy navigation, results are returned on a Search Results page organized by Groups, Cores, Machines, or Users according to what is found. You can easily view details about and perform a number of actions on an entity that is returned in Search Results.

NOTE: “Fuzzy” search is supported in global searches, meaning that results are returned based on close matching or relevance and not always exact matches.

Also note that if a change is made in the License Portal, it may take up to 10 minutes to be propagated to the search engine and to appear in search results.

To perform a global search in the License Portal

- 1 At the top of the License Portal, in the Search text box, enter the text for which you want to search.
 **NOTE:** You can search for cores, agent machines, groups, or users; and, for groups, you can search by the license number or license key as well.
- 2 Press the Enter key, or click the Search icon (which looks like a magnifying glass).
Results are returned on the Search Results page. If no results are found, a message appears, stating “No results found.”
- 3 On the Search Results page, click the Groups, Cores, Machines, or Users tab as applicable, to locate the specific entity for which you were searching.
- 4 Click the name of the entity to view details.
The Details page includes identifying information, a history of modifications as well as information about associated entities, such as groups or machines, as applicable.
- 5 On the Details page, you can click a variety of actions depending on the type of entity you are viewing. For more information about the Details pages and associated actions, see the following topics:
 - [Viewing and Working with User Details](#)
 - [Viewing and Working with Group Details](#)
 - [Viewing and Working with Machine Details](#)
 - [Viewing and Working with Core Details](#)

Configuring Personal Settings

You can customize personal settings for your License Portal account, such as your email address, name, and more. Complete the following steps to configure personal settings.

To configure personal settings

- 1 Click your user name, which is your email address, in the upper right corner of the License Portal, and then click **Personal Settings**.
The Account Profile page appears with the Personal Settings tab open.
- 2 To change your email address, click **Change** next to User ID, and then, in the Change Login Email Addresses dialog box, enter a new email address. (For security, you also need to enter your current password.)
- 3 On the Personal Settings tab, in the First Name text box, edit your first name as necessary.
- 4 In the Last Name text box, edit your last name as necessary.
- 5 In the Language menu, select a default language for this account.
- 6 In the Time Zone menu, select a default time zone for this account.
- 7 Optionally, in the Comments text box, you can enter a description for the account.
- 8 Click **Save**.

Configuring Email Notifications Settings

You can modify email notification settings for a user account, such as specifying when to be notified by email when a particular event occurs.

Complete the following steps to configure email notification settings.

To configure email notification settings

- 1 In the upper right area of the License Portal, click your user name, which is your email address, and then click **Personal Settings**.

The Account Profile page appears.

- 2 Click the **Email Notifications** tab.
- 3 Select the options to notify your account when an event occurs. You can choose from the following options:
 - My account email address changed.
 - My password has been changed.
 - Account logon attempt failed.
 - I successfully logged onto my account.
 - A core was downloaded.
 - License pool has exceeded the limit.
 - License pool has changed.
 - A user was added.
 - A user was deleted.
 - A group was added.
 - A group was deleted.
 - I was appointed as the group owner.
 - A core grace period will expire soon.
 - A core grace period has already expired.

- 4 Click **Save**.

Changing your Password

On the Change Password tab in the Account Profile page, you can change the password for your account.

To change your password

- 1 In the upper right area of the License Portal, click your user name, which is your email address, and then click **Personal Settings**.

The Account Profile page appears.

- 2 Click the **Change Password** tab.
- 3 In the Current Password text box, enter the current password for your account.
- 4 In the New Password text box, enter the new password for your account.

NOTE: Passwords must contain a minimum of eight characters. For optimal security when creating a password, it is best to use a combination of upper and lowercase characters in combination with numeric and unique symbols. The new password cannot be a password that you have previously used.

- 5 In the Confirm New Password text box, re-enter the new password.
- 6 Depending on the characters you choose for a password, the strength of the password appears as either:
 - Very Weak
 - Weak
 - Normal
 - Strong
 - Very Strong
- 7 Click **Change Password**.

Managing Users

Within the License Portal, you can easily view and manage users. As an administrator, you can perform the following actions for a user: invite users to a group, set or modify access privileges, delete users, or assign users to groups. Refer to the following topics for more information about managing users.

- [Viewing and Searching for Users](#)
- [Viewing and Working with User Details](#)
- [Inviting Users and Setting User Privileges](#)
- [Editing User Roles](#)
- [Deleting a User](#)
- [Approving a User](#)

Viewing and Searching for Users

Users are associated with groups and can be viewed from the User area of the License Portal. Admin users can invite new users to a group.

NOTE: To view the users in a group, the logged on user must have administrative privileges in the current user group.

To view and search for users

- 1 In the left navigation area of the License Portal, click **Users**.
- 2 You can view the following details for users in a group:
 - **Status** - The status of the user as either Active or Pending Approval.
 - **Full Name** - The first and last name of this user.
 - **Email address** - The email address associated with this user account.
 - **Last logon date** - The date this user last logged on.
 - **Home group** - The group to which this user belongs.
 - **Roles** - The type of role this user has.
- 3 To sort the list of users in the table, click the column heading by which you want to sort.

- 4 To filter the list of users or search for users, do the following:
 - a To search by name, email, or group, enter text in the text boxes that appear in the Full Name, Email, and Home Group columns.
 - b To search by last logon date, click the drop-down calendar in the Last Login column, and select a date or date range.
Any search results appear in the table below the search options you specified.
 - 5 To start a new search, click the link, **Clear Filters**, in the Actions column.
- NOTE:** You can export the list of users as needed. To export, on the **Export** drop-down menu, click **Export to XLS** or **Export to PDF** as appropriate. Microsoft Excel 2010 and higher are supported export formats.

Viewing and Working with User Details

In the License Portal you can view a variety of detailed information about a user, such as identifying information and modification history.

To view and work with user details

- 1 In the left navigation area of the License Portal, click **Users**.
- 2 In the Actions column of the user for which you want to view details, click the Details icon.
In the Details dialog box, you can view the user's email address, role, the root group to which this user belongs, and a history of modifications to this user account.
- 3 Click the following actions for this user as needed:
 - **Revoke all Privileges** - To revoke the user's privileges from all the groups on the License Portal. Once privileges are revoked, the user cannot log on to the portal.
 - **Edit Privileges** - To change the user's access privileges to License Portal functionality. For more information about setting user privileges for this user, see the topic, [Editing User Roles](#).

Inviting Users and Setting User Privileges

From within the License Portal, you can invite users into a group or subgroup and set roles for those users.

NOTE: You must have administrative rights to invite, remove, or edit a user.

To invite users and set user roles

- 1 On the Users page, click **Invite New User**.
The Invite New User dialog box appears.
- 2 In the Invite New User dialog box, enter the information as described in the following table, and then click **Add**.

Table 5. User Account Information

Field	Description
First Name	Enter the first name for the user. NOTE: This is a required entry.
Last Name	Enter the last name for the user. NOTE: This is a required entry.

Table 5. User Account Information

Field	Description
User ID	Enter a unique email address for the user. NOTE: This is a required entry.
User Rights	Select the appropriate role to assign to the user to control access to License Portal features and content. You can choose from the following and a user can have multiple roles per user group: <ul style="list-style-type: none">• Owner. Provides full access to the portal including the ability to create, edit, and delete users, groups, cores, and agents. The owner also receives email notification about approving or denying users that are registered via subdomain.• Admin. Provides full access to the portal including the ability to create, edit, and delete users, groups, cores, and agents.• Reader. Provides view-only access to the portal.

Editing User Roles

Complete the steps in the following procedure to edit user roles and associated privileges.

NOTE: A user's access rights are inherited by their subgroup.

To edit user security privileges

- 1 On the Users page, in the Actions column for the user you want to modify, do one of the following:
 - Click the **Details** icon and then click **Edit Privileges**.
 - Click the **Privileges** icon.

NOTE: If you have numerous users in the group, you can easily filter the list of users and search to locate the user you want to modify. See the topic, [Viewing and Searching for Users](#) for more information.

The User Security dialog box appears.

- 2 Select the appropriate role for this user. You can choose from the following, and a user can have multiple roles per user group:
 - **Owner.** Provides full access to the portal including the ability to create, edit, and delete users, groups, cores, and agents. An owner also receives email notification about approving or denying users that are registered via subdomain.
 - **Admin.** Provides full access to License Portal content, including the ability to create, edit, and delete users, groups, cores, and agents.
 - **Reader.** Provides view-only access to License Portal content.
- 3 Click **Save**. The newly assigned privilege level appears in the Privileges column.

Deleting a User

Complete the following steps to remove a user from the current group.

To delete a user

- 1 On the Users page, in the Actions column for the user you want to delete, click the **Delete** icon.
A confirmation message appears for you to verify that you want to remove the user from the current group.

2 Click **OK** to confirm.

Approving a User


As an administrator, you can easily approve a pending user for an existing group in the License Portal when users register themselves via a subdomain.

To approve a user

- 1 In the left navigation area of the License Portal, click **Users**.
- 2 On the Users page, select a user (with the pending status), and then click **Approve**.
(Similarly, if you want to deny a user, click **Disapprove**.)
- 3 Click **OK** to approve the user.
The user is approved for the root group, down to all subgroups.

Managing Groups

Within the License Portal, you can easily view and manage groups and subgroups. As an administrator, you can add subgroups and view all subgroups for the current group as well as edit and delete groups.

 **NOTE:** Navigation using the left menu is in context for the currently selected group. If you have the proper permissions to access more than one group, “bread crumb” links in the top menu allow you to navigate between groups. You can also access and navigate between groups by going to the Groups page.

Refer to the following topics for more information about managing groups.

- [Understanding Groups](#)
- [Viewing and Searching for Groups](#)
- [Viewing and Working with Group Details](#)
- [Adding a Group or Subgroup](#)
- [Deleting a Group](#)
- [Editing Group Information](#)
- [Editing Branding Settings for the Root Group](#)
- [Adding Company and Billing Information for a Group](#)

Understanding Groups

Two types of groups are available in the License Portal and are based on software and appliances. Groups contain at least one user with access rights assigned to it. When an initial user account is created for your organization in the License Portal, it is created as a default user with administrative rights. When this registered user logs in, the License Portal represents the account as a root group, meaning it can have subgroups but has no parent group.

Software Groups

Groups can represent partners, companies, and subgroups within companies. They include organization information, can have an unlimited number of cores, and can include other groups, with no limit to depth. They also contain license pools and license pool amounts. The number zero (0) represents an unlimited license pool. For a subgroup, the number zero (0) signifies that licenses are drawn from the parent license pool. For more information about license pools and license allocation in groups, see the topic [Understanding License Pools](#).

Appliance Groups

AppAssure appliances have one global group for all appliances, and each appliance has a unique license key that comes with a set of license restrictions (capacity, number of agents, and so on). Customers with both software and appliance (or software capacity) licenses typically have two groups in the License Portal: a software group with one license key for all software cores, and an appliance, or software capacity, group that has as many keys as purchased appliances, each unique to an appliance.

Viewing and Searching for Groups

Complete the following steps to search for and view the groups in your License Portal account.

- NOTE:** Navigation using the left menu is in context for the currently selected group. If you have the proper permissions to access more than one group, “bread crumb” links in the top menu allow you to navigate between groups. You can also access and navigate between groups by going to the Groups page.
- If you see a message about a group being blocked, you need to contact Dell Software support or your sales representative for assistance.

To view and search for groups

- 1 In the left navigation area of the License Portal, click **Groups**.
- 2 On the Groups page, you can view the following details for groups:
 - **Status** - The status of the group as either Active or Blocked.
 - **Name** - The name of the group.
 - **License** - The type of license associated with this group.
 - **Used License Pool** - Pools used by this group. This refers to the number of physical licensed agents in this group.
 - **Cores** - Number of AppAssure 5 or RapidRecovery Cores in this group.
- 3 You can expand a group in the list to view any related subgroups.
- 4 To select a group, click the hyper-linked group name in the groups table.

NOTE: If you have proper access, you can select and view the root group by clicking the first bread crumb link that appears at the top of the License Portal groups page.
- 5 To sort the list of groups in the table, click the column heading by which you want to sort.
- 6 To filter the groups list or search for groups, do the following:
 - a To search by name, in the text box in the Name column, enter text for a group name.
 - b To search by license pool or number of cores, click the drop-down menu in the Used License Pool or Cores column, and enter a number or numeric range.Any search results are returned in the Group table.
- 7 To start a new search, click the link, **Clear Filters**. in the Actions column.

NOTE: You can export the list of users as needed. To export, on the **Export** drop-down menu, click **Export to XLS** or **Export to PDF** as appropriate. Microsoft Excel 2010 and higher are supported export formats.

Viewing and Working with Group Details

In the License Portal you can view a variety of detailed information about a group, such as identifying information and modification history.

To view and work with group details

- 1 In the left navigation area of the License Portal, click **Groups**.
- 2 In the Actions column of the group for which you want to view details, click the Details icon.
In the Details dialog box, you can view detailed information about the group including status, license type, group owner, the number of associated cores and agent machines, number of users, and group type (such as Software or Appliances). A history of modifications to this group is also displayed.
- 3 To delete this group from within the Details dialog box, click **Delete**.

Adding a Group or Subgroup

Complete the following steps to add a group or to add a subgroup to an existing group.

- 1 If you own and are managing appliances in the License Portal, you have the ability to add software groups for your AppAssure 5 or RapidRecovery Cores. When you are creating groups and you have both software and appliance licenses, you need to ensure that you have selected Software Capacity (for appliances) or Software as appropriate for viewing the proper license(s) in the proper group(s).
License keys for appliances and software are different and are not interchangeable; therefore, if you want to use AppAssure 5 or RapidRecovery Core software (for replicating appliance agent snapshots to a core, for example), you need to create a new software group for that Core. (You will need the license key to download and activate the Core.)

- 1 | **NOTE:** Only users with administrative rights can add groups and subgroups.

To add a group or subgroup

- 1 If you have both software and appliance licenses, at the top of the License Portal, click **Software** or **Software Capacity** on the drop-down as needed to select the type of group you are creating. (To add a sub-group, navigate to the group to which you want to add a sub-group.)
- 2 On the Groups page, do the following:
 - Click **Add Group**.
 - If you are creating a subgroup, navigate to and select a group to which you want to add a subgroup, and then click **Add Group**.

If you have numerous groups in the table, you can easily filter the list of groups and search to locate the group to which you want to add a subgroup. See the topic, [Viewing and Searching for Groups](#) for more information.

- 3 In the Add Group dialog box, enter a name for the new group.


- 1 | **NOTE:** The Group Name is required.

- 4 In the Description text box, enter a description for the group, as needed.
- 5 Click **Add**.

Deleting a Group

You can easily delete a group on the Groups page of the License Portal. When you delete a group, all users, agents, cores and subgroups of the group are also deleted.

Complete the steps in the following procedure to delete a group.

 | **NOTE:** Only users with administrative rights can add or delete groups and subgroups.

To delete a group

- 1 On the Groups page, select a group, and then click **Delete**.
- 2 In the Confirmation dialog box, click **OK**.

Editing Group Information

In the License Portal, you can modify a variety of group settings. Complete the steps in the following procedure to modify identifying information for a group.

 | **NOTE:** You must have proper permissions in the system to modify or add groups.

Refer to the following topics for more information about modifying other group settings.

- For information about modifying branding settings for the root group, see the topic, [Editing Branding Settings for the Root Group](#).
- For information about adding or modifying company or billing information for a group, see the topic, [Adding Company and Billing Information for a Group](#).
- For information about modifying metadata settings to collect additional server information for better insights on core and agent usage for reporting and billing, see the topic, [Modifying Metadata Settings for the Root Group](#).
- For information about modifying license pools or license types for a group, see the topic, [Managing Licenses](#).

To edit group information

- 1 On the Groups page, in the Actions column of the group you want to modify, click the Settings icon. (You can also click Settings in the left navigation area of the License Portal if the group you want to modify is currently selected.)

The Settings dialog box opens, displaying the Group Info tab.

- 2 Enter the group information as described in the following table.

Table 6. Group Information

Field	Description
Group Name	Enter a name for the group. The group name is used to identify the group. NOTE: This is a required text box.
Owner	Displays the email address of the user who owns this group. This user represents the administrator for the group, who controls user registration and access. This user receives email notifications when users register for an account on a subdomain.
Subdomain	For a root group, if you have proper access, you can enter the subdomain for portal access. The subdomain represents the first part of the URL that directs users to the License Portal. NOTE: This field only appears for a root group. Also, note that the subdomain should consist of only letters and numbers with no spaces.

Table 6. Group Information

Field	Description
Reference ID	You can enter a reference ID to help you identify this group.
Description	Enter a description for the group.

- 3 You can select the **Show in Reports** checkbox to ensure the group appears in group-related reports.
- 4 Click **Save**.

Editing Branding Settings for the Root Group

The License Portal allows administrators with proper access to re-brand certain settings for the root group, such as images, logos or contact information. Complete the following steps to edit the branding settings for the root group.

To edit branding settings for the root group

- 1 Ensure that the root group is currently selected.
- 2 In the left navigation area of the License Portal, click **Settings**. (You can also click Settings in the left navigation area of the License Portal if the group you want to modify is currently selected.)

The Group Settings dialog box opens, displaying the Group Info tab.

- 3 Click the **Rebranding** tab.
- 4 Enter the branding information as described in the following table.

Table 7. Rebranding Information

Field	Description
Select Image	Browse to locate and select the image (with the .png, .jpg., or .gif file extension) you want to use to re-brand the License Portal with your company's logo.
Select Icon	Browse to locate and select the icon (with the .ico file extension) you want to use to re-brand the License Portal with your company's icon.
Contact Us	Select the set of Contact Information you would like to use for your License Portal. You can select one of the following options: <ul style="list-style-type: none">• Dell Software Contacts. Uses the default Dell contact information for AppAssure products.• Same as Company Info. Uses the contact information that is entered on the Company Info tab.• Custom Contacts. Lets you enter custom contact information in the contact fields.

- 5 You can click **Reset Branding** to revert settings back to the Dell Software defaults.
- 6 Click **Save**.

Adding Company and Billing Information for a Group

Complete the following steps to add company and billing information for a group or subgroup.

To add company and billing information for a group

- 1 On the Groups page, in the Actions column for the group you want to modify, click the Settings icon. The Settings dialog box opens, displaying the Group Info tab.
- 2 Click the **Company Info** tab.

- 3 In the Company Info tab, enter the company information as described in the following table.

Table 8. Company Information

Field	Description
Company Name	Used to identify the company. Enter the name of the company.
Company Contact	Used to establish a point of contact for the company. Enter the name for the company contact.
Company Phone	Used to specify contact information for the company contact. Enter a phone number for the company contact.
Company Email	Used to specify contact information for the company contact. Enter an email address for the company contact.
Company Country	Used to identify the country in which the company is located. Select the country in which the company is located.
Company State (If US)	Used to specify the state where the company is located, if located in the United States of America. Select the state in which the company is located.
Company City	Used to specify the city where the company is located. Enter the city where the company is located.
Company Address	Used to specify the physical address of the company. Enter the physical address for the company.
Company Zip Code (If US)	Used to specify the postal address for the company's physical address. Enter the zip code for the company's physical address.

- 4 If the billing information is the same as the company information, ensure that the option **Billing information is the same as company information** is selected.
- 5 If the billing information differs from the company information, clear the checkbox, **Billing information is the same as company information**, and enter the billing information as described in the following table.

Table 9. Billing Information

Field	Description
Billing Name	Enter the name of the responsible party. The name is used to identify the party responsible for paying for services.
Billing Contact	Enter the name of the individual who is responsible for payment. It is used to establish a point of contact who is responsible for payment.
Billing Phone	Enter a phone number for the responsible party. The number is used to specify the contact information for the responsible party.
Billing Email	Enter an email address for the responsible party. It is used to specify the contact information for the responsible party.
Billing Country	Select the country where the responsible party is located. It is used to identify the country in which the responsible party is located.
Billing State (If US)	Select the state where the responsible party is located. It is used to specify the state where the responsible party is located, if located in the United States of America.
Billing City	Enter the city where the responsible party is located. It is used to specify the city where the responsible party is located.
Billing Address	Enter the physical address for the responsible party. It is used to specify the physical address where the responsible party is located.
Billing Zip Code (If US)	Enter a zip code for the physical address for the responsible party. It is used to specify the postal address for the physical address of the responsible party.

- 6 Click **Save**.

Modifying Metadata Settings for the Root Group

The License Portal allows administrators with proper access to collect additional server information/metadata for better insights on core and agent usage for reporting and billing. Complete the following steps to edit the metadata settings for the root group.

To edit metadata settings for the root group

- 1 Ensure that the root group is currently selected.
- 2 In the left navigation area of the License Portal, click **Settings**.
The Group Settings dialog box opens, displaying the Group Info tab.
- 3 Click the **Advanced** tab.
- 4 Select the appropriate checkboxes for the extended metadata you would like to collect. You can select from the following:

Table 10. Type of metadata collected

Metadata type	Description of information collected
SQL Server	The SQL Server metadata per agent, such as if the agent has a SQL server, the server version, and number of databases
Exchange	The Exchange Server metadata per agent, such as if the agent has an Exchange server, the server version, and number of databases
Encryption	<ul style="list-style-type: none">• For an agent, whether it is Encrypted• For a core, the number of encryption keys
Virtualization	<ul style="list-style-type: none">• Whether a machine is virtualized• If the machine is virtualized, the type of virtual host (for example: Hyper-V, VMware, XenServer, EC2, or VirtualBox)

Managing Licenses

The License Portal server manages licenses and license expiration on a machine-by-machine basis for AppAssure 5 or RapidRecovery software agents. Licensing for AppAssure DL Series appliances is based on the capacity of the repositories on the appliance.

Refer to the following topics for more information about understanding and managing licenses in the License Portal.

- [About AppAssure Software License Types](#)
- [About AppAssure Appliance Licensing](#)
- [Understanding License Pools](#)
- [Downloading or Viewing your License Key](#)
- [Viewing License Numbers](#)
- [Viewing License Pool Information for a Group](#)
- [Changing the License Pool for Software Groups](#)
- [Changing the License Type for a Subgroup](#)
- [Extending an Appliance License](#)
- [Moving an Appliance License](#)
- [Detaching an Appliance License from a Core](#)
- [Assigning an Appliance License](#)
- [Understanding Billing for Software Licenses](#)
- [Understanding Billing for Appliance Licenses](#)
- [Understanding Disposing of Software Licenses](#)
- [Adding a License to the License Portal](#)

About AppAssure Software License Types


The three types of software licenses that are available are:

- **Trial.** A 14-day license. Upon expiration of a trial license, the machine for which the trial license was active is automatically deactivated and receives the status, “Expired.” A trial license can be extended one time by the group administrator user from a 14-day to a 28-day license. If a registered user’s account migrates from a trial to a subscription license, the user cannot register for another trial license.
- **Subscription.** A license that is valid for a limited time (for example, 90 days).
- **Enterprise.** A perpetual license that represents a number of available licenses that can be used when adding new agents.

A License Portal account can be associated with either a subscription or enterprise license. The default is a subscription license and is defined by the user when the account is created. Only administrators can change license types for subgroups in which the root group does not have non-trial licenses. For information about changing the license type for a subgroup, see the topic, [Changing the License Type for a Subgroup](#).

The license type can be established for a group and all subgroups. In this case, for example, if the license type defined for the group is subscription, all subgroups of the group also have a subscription license.

When a license expires, the agent license expires, and the agent stops taking snapshots.

 **NOTE:** Licensing for the AppAssure DL Series appliance is based on the capacity of the repositories on the appliance. This approach differs from the AppAssure software. For more information, see the topic, [About AppAssure Appliance Licensing](#).

About AppAssure Appliance Licensing

Licensing for the AppAssure DL Series appliance can be an agent-based appliance package or based on the capacity of the repositories on the appliance. If you have purchased an AppAssure appliance, your appliance is configured with a 30-day temporary software license. To obtain a permanent license key, you must log on to the Rapid Recovery License Portal to register the appliance. You need to enter the appliance license number to obtain the permanent license key file, and then change or add the license key in the AppAssure 5 or RapidRecovery Core software.

Refer to the following topics for more information about working with appliances in the License Portal.

- For information about registering your appliance on the License Portal, see the topic, [Resetting your Password](#).
- For information about changing a license key in the AppAssure software, see the topic, “Changing A License Key” in your *DL Series User's Guide* at dell.com/support/manuals.
- For more information about licensing and billing for appliances, refer to the topic [Understanding Billing for Appliance Licenses](#).

Understanding License Pools

This topic describes how licenses are allocated (using License Pools) in the Rapid Recovery License Portal, including how licenses are allocated among groups, how offline machines are handled in the license pool count, and how licenses can be released back into the pool.

Refer to the following topics for more information about working with license pools.

- For more information about changing the license pool, see the topic, [Changing the License Pool for Software Groups](#).
- For information about viewing license pools, see the topic [Viewing License Pool Information for a Group](#).

How Licenses Are Allocated among Groups

A license pool is used to administer (non-trial) software licenses in the Rapid Recovery License Portal. The number assigned to the pool indicates how many licenses can be allocated. Each group maintains a number (or pool) of allocated licenses, and a license pool with an Unlimited designation, represents an unlimited pool of licenses. For a subgroup, licenses are drawn from the parent license pool. License pools can be set at group and subgroup levels and at the Core level for appliances. See the topic [Understanding Groups](#) for more information about groups and licenses and how they differ for software and appliances.

For example, if the license pool is set to 50, a group can allocate a maximum of 50 licenses across the group and subgroups. Once the threshold of group licenses is met, if additional agent licenses are needed, these agents need to use trial licenses, and a notification email is sent to the group administrator about the license pool being exceeded. If the license pool is set to Unlimited for the group, an unlimited number of licenses can be distributed for the group.

Administrators can also choose to define a value for the license pool and set an option to “draw licenses from a parent group.” Doing so specifies that no less than the quantity of licenses defined for the license pool are allocated.

Therefore, license pools can have the following states in the License Portal:

- Unlimited - An unlimited number of licenses can be distributed for the group.
- Non-zero numeric value - The limit imposed on the licenses that can be distributed for the group.
- Disabled - The usage of certain type of agents (or all) agents for protection purposes is disabled for this group/core.
- Drawn from parent - The subgroups share the limits from the parent group.

The display of License Pool information in the License Portal also depends on your license pool settings and requirements, the types of machines being protected (that is, if you have protected physical machines as well

as virtual machines), and the type of license and group (for example, if you have a capacity-based license). Users might see the following categories in the License Pool section of the Licensing page.

- **License Pool** - The limit that applies to the sum of protected physical machines and protected virtual machines.
- **Physical License Pool** - A limit on the number of physical protected machines.
- **Virtual License Pool** - A limit on the number of protected Virtual Machines, if applicable.
- **Capacity License Pool** - A limit that applies to the data in use, that is, the sum all used space on protected volumes.

Groups generally use either just the (total) License Pool, or the Physical License Pool and Virtual License Pool together.

How Licenses Can Be Added Back to the License Pool

In the License Portal, you can block agents or downgrade agents to a trial license, which frees the associated licenses and adds them back to the license pool. For information about how to block or downgrade an agent, see the topic, [Working with Agent Machines](#).

- NOTE:** Offline machines still consume licenses. If you need to move a license from one AppAssure 5 or RapidRecovery Core to another, you should delete an agent that consumes a license from the Core. The license is added back to the license pool and can then be used by another core.

Downloading or Viewing your License Key

When you purchase software or appliances, you will receive a license number associated with your account that will also be associated with any software license keys for the AppAssure 5 or RapidRecovery Core and Agent software.

You can easily download a license key file for your AppAssure or RapidRecovery software (or view your license key for your AppAssure AppAssure 5.4.1 versions and earlier) from within the License Portal.

To download or view your license key

- 1 In the left navigation area of the License Portal, click **Licensing**.
- 2 On the License page, on the **License Key** drop-down menu, click one of the following:
 - **License Key** - To download the license key file to your browser.
 - **Legacy Key** - To view the license key (for AppAssure 5.4.1 versions and prior). The License Key dialog box appears showing the license key associated with the current group.

Viewing License Numbers

When you purchase software or appliances, you will receive a license number associated with your account that will also be associated with any software license keys for the AppAssure 5 or RapidRecovery Core and Agent software.

You can easily view your license numbers from within the License page.

To view license numbers

- 1 In the left navigation area of the License Portal, click **Licensing**.
- 2 For software groups, on the License page, click the **License Numbers** link. The License Numbers dialog box appears to display your registered license numbers.

NOTE: If you have a non-phone home (NPH) license key (for an appliance group), you can request to have an email sent to you that contains the key. The email will be sent only to the registered user. To do so, on the License page, click the **NPH Keys** link.

- 3 For an appliance group, on the License page, the table displays appliance-only license numbers. If you have both appliances and software licenses, you can click **Add License**, which opens the License Numbers dialog box, to view all license number (both software and appliance).

For information about adding license numbers, see the topic, [Adding a License to the License Portal](#).

Viewing License Pool Information for a Group

The License Portal displays the number of available, used, and reserved software licenses for a group. License pools and license constraints are shown only if restrictions are imposed over the license metrics.

For more information about understanding license pools, see the topic, [Understanding License Pools](#).

To view license pool information for a group

- 1 Ensure the group for which you want to view licensing information is currently selected on the Groups page of the License Portal.
- 2 In the left navigation area of the License Portal, click **Licensing**.

The Licensing page displays license type as well as a License Pool section as applicable to the license type that shows available licenses for adding new agents, the number of licenses currently being used, and the licenses currently Reserved, if any, for subgroups.

NOTE: Depending on your license pool settings and group types, you might see four categories of License Pool information, including information about licenses allocated for physical and virtual machines or capacity-based licensing. Therefore, this page can potentially display a Total License Pool, Physical License Pool, Virtual License Pool, or Capacity License Pool.

For Software Capacity/appliance groups, the License page also shows license constraints. For appliance-based licensed Cores, you will only see the constraints for total repository size.

For more information about license pools and how licenses are allocated among groups, see the topic, [Understanding License Pools](#).

For information about changing license pools for subgroups, see the topic, [Changing the License Pool for Software Groups](#).

Changing the License Pool for Software Groups

As business drivers change, you can reallocate software licenses between subgroups as needed. Two things to consider when redistributing license pools are:

- You cannot reduce the size of the license pool to a number that is less than the sum of the combined and allocated group and subgroup licenses.
- You cannot reduce the license pool to a number that is less than the sum of the license pool for subgroups. The maximum value for the license pool for a subgroup is calculated in the same way.

For more information about license pools and license pool consumption, see the topic, [Understanding License Pools](#).


NOTE: Only users with administrative rights can change license pools for a subgroup. An administrator can edit license settings at the root group only when adding a new license number.

To change the license pool

- 1 Ensure that the group for which you want to modify the license pool is currently selected.
- 2 On the Licensing page, in the License Pool menu, select and configure one of the following options as needed.
 - **Reserve** - Specify a number of licenses to hold in reserve for the group. This number cannot exceed the number in the parent group.
 - **Draw from Parent** - (For subgroups) Select this option to allocate licenses from the available licenses in the parent group.
 - **Disabled** - Select this option to disable the license pool. If you select this option, you will not be able to add agents to the group, and licenses cannot be consumed by this group. An agent would be added with a trial license in this case.
- 3 Click **Apply Changes**.

Allocating Virtual and Physical Licenses for MSPs

If you have an MSP license type for a software group and have a limited number of virtual and physical machine licenses, you can reallocate the number of licenses reserved for virtual and physical machines as needed. You can adjust the licenses at the root group level only. For more information about license pools and license pool consumption, see the topic, [Understanding License Pools](#).


 **NOTE:** Only users with administrative rights can change license pools and allocate licenses. An administrator can edit license settings at the root group only when adding a new license number.

To adjust the number of licenses reserved for physical and virtual licenses

- 1 Ensure that the root group is selected.
- 2 In the left navigation area of the License Portal, click **Licensing**.
- 3 Do one of the following to adjust license allocation:
 - In the Physical License drop-down and/or in the Virtual License drop-down, specify a number for the Reserved license count.
 - Using the slider, move the slider to adjust the number of licenses to allocate to virtual or physical licenses. Moving the slider left allocates more virtual licenses; moving the slider right allocates more physical licenses.

Changing the License Type for a Subgroup

Complete the following steps to change the license type for a subgroup. For more information about the available license types, see the topic, [About AppAssure Software License Types](#).

 **NOTE:** Only users with administrative rights can change license types for a subgroup. An administrator can edit license settings at the root group only when adding a new license number.

To change the license type for a subgroup

- 1 Ensure that the group for which you want to modify the license type is currently selected.
- 2 On the Licensing page, in the License Type drop-down, select **Enterprise**, **Trial**, or **Subscription**.
 - For a Subscription license type, you can click **Never Expires** or click **Expires On** to select an expiration date.
 - To apply the Subscription license type to all related subgroups, click **Apply to all subgroups**.
 - ① | **NOTE:** When an agent license expires, the agent stops taking snapshots.
- 3 Click **Apply Changes**.

Extending an Appliance License

If you have proper permissions, you can extend an existing license for your appliance after your initial purchase, for example, add a license that you purchased to extend the capacity parameters of a current license.

To extend an appliance license

- 1 On the License page, click the license you want to extend to view details.
- 2 On the License Details page, under Additional Licenses, add the new license number.
- 3 View details under License Constraints for Core to verify the license details (for example, the capacity expansion parameter).

Moving an Appliance License

If you have multiple cores, you can move or assign a license for your appliance to a core in a different subgroup.

To move an appliance license between groups

- 1 On the License page, select the license you want to move.
- 2 Click **Move**.
- 3 In the Move to Another Group dialog box, from the New Group drop-down menu, select the subgroup to which to move the license.
- 4 Click the **Move** button.
- 5 Navigate to the License page for the subgroup to which you moved the license.
- 6 Select the license, and then click **Assign**.
- 7 In the Assign License dialog box, under Select Core, select the core to which to assign this license.
- 8 Click the **Assign** button.

Detaching an Appliance License from a Core

You can easily remove a current license for your appliance from being associated with a Dell AppAssure or RapidRecovery Core without deleting the license. This is useful, for example, if you want to keep a license from being currently allocated or make a license available to be assigned to another subgroup.


- ① | **NOTE:** When you detach a license, the Core with which the license was associated cannot contact the License Portal and will stop taking snapshots if a new license is not applied during the grace period of ten days.

To detach an appliance license

- 1 On the License page, select the license you want to detach from a core.
- 2 Click **Detach**.
- 3 In the Detach License dialog box, click the **Detach** button.

Assigning an Appliance License

In the License Portal, you can assign an appliance license that you have added to the License Portal to an existing Dell AppAssure or RapidRecovery Core.

 **NOTE:** You can also assign a license by applying the license key on the Core side, that is, if the same license was not previously detached from the Core explicitly on the License Portal.

To assign a license

- 1 On the License page, select the license you want to assign.
- 2 In the Core column, click **Assign**.
- 3 In the Assign License dialog box, under Select Core, select the core to which to assign this license.
- 4 Click the **Assign** button.

Understanding Billing for Software Licenses

Subscription licenses are paid on a monthly basis and therefore include all enabled, registered, and deactivated agents. Collectively, all agents for the billing month account for the total subscription licenses for that period. Agents that were deactivated in the previous billing month are not included in the calculation.

Users pay for the licenses that they need, which is determined at the time of purchase. Bills are generated on the first day of each month for the previous month.

Enterprise licenses are licenses in perpetuity, and therefore, monthly billing does not occur for them.

Understanding Billing for Appliance Licenses

Subscription licenses for appliances are paid on a monthly basis and, therefore, include all enabled, registered, and deactivated capacity. Collectively, all capacity for the billing month accounts for the total subscription licenses for that period. Capacity that was deactivated in the previous billing month is not included in the calculation.

Users pay for the licenses that they need, which is determined at the time of purchase. Bills are generated on the first day of each month for the previous month.

Understanding Disposing of Software Licenses

You can choose to dispose of a license by downgrading the license, blocking an agent or core, deleting a core, or uninstalling the AppAssure 5 or RapidRecovery application. When you do so, the license is allocated back into the license pool.

For more information about downgrading or blocking an agent or core, see the topics, [Working with Core Machines](#) and [Working with Agent Machines](#).

Adding a License to the License Portal

Once you are logged in to the License Portal, you can add license numbers. This is helpful when you have purchased additional licenses or have upgraded a license.

For information about extending a license (for example, to add capacity to an existing license) see the topic, [Extending an Appliance License](#).

To add a license number

- 1 In the left navigation area of the License Portal, click **Licensing** (ensuring that the group for which you want to add a license number is currently selected.)
- 2 Click the **License Numbers** link. The License Numbers dialog box appears.
- 3 Click **Add**.
- 4 In the Manage License Number dialog box, enter the license number, and then click **Activate**.

A notification of successful registration appears, which also lists the software license key or includes a software license file for you to download. This notification includes the instructions for you to apply the software license key to your appliance as follows:

- a Launch the AppAssure Core Console for your appliance.
 - b Navigate to Core Configuration - Licensing.
 - c Click **Change License Key**.
 - d Copy and paste the software license key. Or, if you have a license file, browse to and specify the file location.
 - e Save your changes.
- 5 Click **OK**.

Managing Registered Agent Machines

The Machines area of the License Portal displays the AppAssure 5 or RapidRecovery Agents for the current group. This view lets you view and manage licenses on a machine-by-machine basis.

Refer to the following topics for more information about viewing and managing agent machines.

- [Viewing and Searching for Registered Agent Machines](#)
- [Viewing and Working with Machine Details](#)
- [Working with Agent Machines](#)

Viewing and Searching for Registered Agent Machines

In the License Portal, you can easily view and search for registered agent machines.

To view and search for registered agent machines


- 1 Ensure that the group for which you want to view machines is currently selected.
- 2 In the left navigation area of the License Portal, click **Machines**.

A list of agents appears in a table on the Machines page. The following information is displayed for the machines.

- **Status** - The status of the machine as active, paused, or blocked. If an agent is paused, it does not take snapshots but can be resumed from the associated Core. The license is also still counted

in the pool, If an agent is blocked, snapshots cannot be resumed from the Core; the agent must be “unblocked”. The license of a blocked machine is not counted in the pool.

- **Display Name** - The display name of the machine.
 - **Group** - The group to which this machine belongs.
 - **Core** - The Core to which this agent belongs.
 - **Replicated To** - The Core to which this agent is sending replication snapshots if applicable.
 - **License** - The type of license for this machine.
 - **License Expires** - The expiration status and the date the license expires, if applicable; for example, Expired, Never, a future date, and so on.
 - **Version** - The version of AppAssure 5 or RapidRecovery Agent software installed on this agent.
- 3 To sort the list of machines in the table, click the column heading by which you want to sort.
 - 4 To filter the machines list or search for machines, do the following:
 - a To search by name, in the text box in the Machine Name column, enter text for a machine name.
 - b To search by license pool or number of cores, click the drop-down menu in the Used License Pool or Cores column, and enter a number or numeric range.
- Any search results are returned in the table.
- 5 To start a new search, click the link, **Clear Filters**. in the Actions column.

 **NOTE:** You can export the list of users as needed. To export, on the **Export** drop-down menu, click **Export to XLS** or **Export to PDF** as appropriate. Microsoft Excel 2010 and higher are supported export formats.

Viewing and Working with Machine Details

In the License Portal you can view a variety of detailed information about a machine, such as identifying information and modification history.

To view machine details

- 1 In the left navigation area of the License Portal, click **Machines**.
- 2 In the Actions column of the machine for which you want to view details, click **Details**.

In the Details dialog box, you can view detailed information about the machine.

This information includes: Status, License type, the associated core machine type, amount of protected data (in GB), version of AppAssure 5 or RapidRecovery software, IP address, expiration date (if applicable), the machine to which this machine is replicated (if applicable), gateway address, Operating System, and last heartbeat (which is the last time this machine checked in with the License Portal). A history of modifications made to this machine is also displayed.

- 3 Click the following actions for this machine as needed:
 - **Pause Protection** - To pause protection for this machine, which temporarily stops the machine from taking snapshots. It can then be resumed from the associated Core.
 - **Upgrade** - To upgrade the license on this machine (for example, from trial to enterprise or subscription). You must have enough licenses in the pool to support the upgrade.
 - **Extend License** - Extends the expiration date of a trial license, which extends the expiration date by two weeks for the agent machine. An Administrator can extend the expiration date once per agent.

Working with Agent Machines

In the Machines area of the License Portal, you can complete a variety of tasks, including pausing protection for agent machines, upgrading or downgrading the licenses for agent machines, and more.

To work with agent machines

- In the left navigation area of the License Portal, click **Machines**, select the machine(s) you want to work with, and, in the menu above the machines table, click the action you want to perform as described in the following table. (You can use the mouse to point and select multiple machines.)


 **NOTE:** If you have a large number of machines, for your convenience, you can easily filter the machines list to search for a specific machine. See the topic, [Viewing and Searching for Registered Agent Machines](#) for more information about searching the list of machines.

Table 11. Agent Machine Options

Option	Description
Pause Protection	Pauses protection for a machine. When you pause a machine, you temporarily stop the machine from taking snapshots. It can then be resumed from the associated Core. NOTE: When a machine is paused, it is still counted in the license pool.
Resume Protection	Resumes protection of the machine, which starts taking snapshots again. NOTE: You can also resume and pause protection from the Core.
Downgrade	Downgrades the license version (for example, from enterprise or subscription to trial) and removes the machine from the license pool. This is helpful if you do not want to consume the license pool. NOTE: Users with administrator privileges can downgrade a machine one time. Downgrades apply for non-trial agents.
Upgrade	Upgrades the license (for example, from trial to enterprise or subscription). You must have enough licenses in the pool to support the upgrade.
Extend License	When downgrading to a trial license, it automatically goes to expired status, You can extend the expiration date using this command, which extends the expiration date for two weeks for the agent. An Administrator can extend the expiration date once per agent.
Block	Blocks the agent. Blocking is helpful, for example, in the event that a customer needs to block an agent but does not have access to the remote core. When you block an agent machine, you block the functionality to take snapshots and stop consumption of the license pool. A blocked agent is still billed for the current month. It is not billed for the next month. The License Status displays as "Blocked."
Unblock	Makes a blocked agent visible again. When you unblock, you can select from the following options. <ul style="list-style-type: none">Unblock and Resume - Unblocks the agent and makes it active again.Unblock and Pause - Unblocks the agent, but the agent cannot take snapshots. It can be resumed from the Core.Unblock and Downgrade - Unblocks the agent and downgrades the license to a trial license so that it is not consuming your license pool.

Managing Cores

The Cores area of the License Portal displays the AppAssure 5 or RapidRecovery Cores for the current group. This view lets you view and manage licenses on a machine-by-machine basis. Refer to the following topics for more information about viewing and managing AppAssure Cores.

- [Viewing and Searching for Cores](#)
- [Viewing and Working with Core Details](#)
- [Working with Core Machines](#)

Viewing and Searching for Cores

In the License Portal, you can easily view and search for core machines.

To view and search for Cores

- 1 Ensure that the group for which you want to view cores is currently selected.
- 2 In the left navigation area of the License Portal, click **Cores**.


A list of cores appears in a table on the Cores page. The following information is displayed for the cores.

- **Status** - The status of the machine as active or blocked. If a core is blocked it is no longer protecting data, and the license of a blocked machine is not counted in the pool.
- **Display Name** - The display name of the core machine.
- **Group** - The group to which this core belongs.
- **Machines** - The number of protected agent machines associated with this core.
- **Replicated Machines** - The number of agent machines replicated to this core.
- **Protected Data** - The sum (in GB) of protected space used for protected and replicated agents.
- **Last Contact** - The last date that the Core contacted the License Portal.
- **Version** - The version of AppAssure 5 or RapidRecovery Core software installed on this core.

- 3 To sort the list of cores in the table, click the column heading by which you want to sort.
- 4 To filter the list of cores or search for cores, do the following:
 - a To search by name, in the text box in the Display Name column, enter text for a core name.
 - b To search by protected data, click the drop-down menu in the Protected Data column and enter a range of data amounts in GB.
 - c To search by date of last contact, click the drop-down menu in the Last Contact column and enter a date range.

Any search results are returned in the table.

- 5 To start a new search, click the link, **Clear Filters**. in the Actions column.

 **NOTE:** You can export the list of users as needed. To export, on the **Export** drop-down menu, click **Export to XLS** or **Export to PDF** as appropriate. Microsoft Excel 2010 and higher are supported export formats.

Viewing and Working with Core Details

In the License Portal you can view a variety of detailed information about a core, such as identifying information and modification history.

To view and work with core details

- 1 In the left navigation area of the License Portal, click **Cores**.
- 2 In the Actions column of the Core for which you want to view details, click the Details icon.

In the Details dialog box, you can view detailed information about the Core including, the status, IP address, group to which this core belongs, number of associated machines, amount of space consumed in the repository or amount of protected data (in GB), version of AppAssure 5 or RapidRecovery software, gateway address, operating system, and last heartbeat (which is the last communication with the License Portal).

A history of modifications made to this Core as well as a list of the associated agent machines are also displayed. You can click the following actions for this core as needed:

- **Delete** - To delete the Core from the License Portal.
- **Block** - To block the Core, which blocks the agents that it is protecting. This prohibits the agents from taking snapshots. It also stops the consumption of the license pool and changes the License Status to “Blocked.”

Working with Core Machines

In the Cores area of the License Portal, you can perform a variety of tasks, including blocking and deleting cores. When you block a core machine, you automatically block the agents that it is protecting, which prohibits the agents from taking snapshots and stops consumption of the license pool.

To work with core machines

- 1 In the left navigation area of the License Portal, click **Cores**.


 **NOTE:** If you have a large number of cores, for your convenience, you can easily filter the cores list to search for a specific core. See the topic, [Viewing and Searching for Cores](#) for more information about searching the list of machines.
- 2 Select the Core(s), and, in the menu above the table, click the action you want to perform as described in the following table. (You can use the mouse to point and select multiple cores.)

Table 12. Core Options

Option	Description
Block	Blocks the Core. When you block a core, it blocks the agents that it is protecting, which prohibits the agents from taking snapshots. It also stops the consumption of the license pool. A blocked core is still billed for the current month. It is not billed for the next month. The License Status displays as “Blocked.”
Unblock	Makes a blocked core visible again. When you unblock, you can select from the following options. <ul style="list-style-type: none">• Unblock and Resume - Unblocks the Core and makes associated agents active again.• Unblock and Pause - Unblocks the Core, but the agents cannot take snapshots. You must navigate to the agents to resume protection. NOTE: When a machine is paused, it is still counted in the license pool. <ul style="list-style-type: none">• Unblock and Downgrade - Unblocks the Core and downgrades the license to a trial license so that it is not consuming your license pool.

Table 12. Core Options

Option	Description
Delete	Deletes the Core from the License Portal.
Detach	Detaches a license from the Core, for example, removes a current license for your appliance from being associated with a Core without deleting the license.

Viewing Core Settings

On the Licensing page, as an administrator, you can view certain core settings and associated limits that apply to the AppAssure 5 or RapidRecovery Cores in your groups. These settings include total repository size, snapshot interval, log truncation, virtual standby exports, and more. The settings that are displayed are determined by the type of and number of licenses you have purchased.

To view core settings

- 1 In the left navigation area of the License Portal, click **Licensing**.
- 2 Under the heading, License Constraints for Core, you can view the settings described in the following table.

Table 13. Core Settings

Setting	Possible Values and Description
Total repository size on the core	<ul style="list-style-type: none"> • No limit - The size of the repository is not limited. • Limit to - The size of the repository is limited to a specified size in TB.
Repositories count	<ul style="list-style-type: none"> • No limit - The number of repositories is not limited. • Limit to - The number of repositories is limited to a specific number.
DVM repository on CIFS share or NAS	<ul style="list-style-type: none"> • Allowed - This feature is allowed. • Not Allowed - This feature is not allowed.
Minimum snapshot interval	<ul style="list-style-type: none"> • No limit - There is no limit specified for the snapshot interval. • Minimum - The snapshot interval is set to a minimum specified number of minutes before a snapshot is taken.
Maximum snapshots per day	<ul style="list-style-type: none"> • No liAppAssure 5 or RapidRecoverymit - There is no limit specified for the snapshot interval. • Maximum - The snapshot interval is set to a maximum specified number of snapshots that can be taken per day.
Rollup retention policy	<ul style="list-style-type: none"> • Custom - There is a custom rollup retention policy for this core.
Simultaneous rollups	<ul style="list-style-type: none"> • No limit - There is no limit specified for simultaneous rollups. • Limit to - Simultaneous rollups are limited to a specified number.
Replication source cores (inbound)	<ul style="list-style-type: none"> • No limit - There is no limit specified for the number of replication source cores. • Limit to - The number of replication source cores is limited to a specified number. • Disable - This feature is disabled.

Table 13. Core Settings

Setting	Possible Values and Description
Replication target cores (outbound)	<ul style="list-style-type: none"> No limit - There is no limit specified for the number of replication target cores. Limit to - The number of replication target cores is limited to a specified number. Disable - This feature is disabled.
Virtual standby exports	<ul style="list-style-type: none"> No limit - There is no limit specified for the number of virtual standby exports allowed. Limit to - The number of virtual standby exports is limited to a specified number. Disable - This feature is disabled.
Encryption keys	<ul style="list-style-type: none"> No limit - There is no limit specified for the number of encryption keys allowed. Limit to - The number of encryption keys is limited to a specified number. Disable - This feature is disabled.
Archive to cloud	<ul style="list-style-type: none"> Allowed - This feature is allowed. Not Allowed - This feature is not allowed.
Mountability check	<ul style="list-style-type: none"> Auto or manual - Mountability checks can be performed manually or automatically. Auto only - Mountability checks are limited to the automatic setting only. Manual only - Mountability checks are to be performed manually only. Disable - This feature is disabled.
Attachability check	<ul style="list-style-type: none"> Auto or manual - Attachability checks can be performed manually or automatically. Auto only - Attachability checks are limited to the automatic setting only. Manual only - Attachability checks are to be performed manually only. Disable - This feature is disabled.
Exchange log truncation	<ul style="list-style-type: none"> Auto or manual - Exchange log truncation can be performed manually or automatically. Auto only - Exchange log truncation is limited to the automatic setting only. Manual only - Exchange log truncation is to be performed manually only. Disable - This feature is disabled.
SQL log truncation	<ul style="list-style-type: none"> Auto or manual - SQL log truncation can be performed manually or automatically. Auto only - SQL log truncation is limited to the automatic setting only. Manual only - SQL log truncation is to be performed manually only. Disable - This feature is disabled.

Working with License Portal Reports

In the Rapid Recovery License Portal you can generate reports about License Portal activity for any group. You can export the reports to any of the following formats: XLS, XLSX, PDF, RTF, MHT, TXT, CSV, or Image. Refer to the following topics for more information about License Portal reports:

- [About the License Portal Reports](#)
- [Generating Reports and Setting up Report Subscriptions](#)
- [Managing Report Subscriptions](#)

About the License Portal Reports

The License Portal offers reports for the following categories.

- [Summary Category](#)
- [User Category](#)
- [Group Category](#)
- [Cores Category](#)
- [License Category](#)
- [Drill-Down Reports](#)

Summary Category

The following report is available for the Summary category.

- **Dashboard Report** - Displays the total number of machines for a group and all its subgroups. It includes the following information:
 - The number of active licenses for a period of time.
 - Total space protected for a period of time.
 - Graphic, which shows a ratio of all machines by status.

The Dashboard Report also contains the following drill-downs:

- Total machines
- Active machines
- Inactive machines
- Blocked machines
- Expired machines

User Category

The reports described in the following table are available for the User category.

Table 14. Types of Reports for User Category

Report	Description
List of Users	Displays all users, including those added and deleted.
Added Users	Displays the list of users added during a specified period of time. You can use this report to view the group and all subgroups.
Deleted Users	Displays the list of users that were deleted during a specified period of time.

Group Category

The reports described in the following table are available for the Group category.

Table 15. Types of Reports for Group Category

Report	Description
List of Groups	Displays all the subgroups in the selected group (any depth). It contains the following drill-downs: <ul style="list-style-type: none">• Group Name• Group Path, which leads to the Group Page
Added Groups	Displays the list of groups that were added to the group or any subgroup during a specified time span. It contains the following drill-downs: <ul style="list-style-type: none">• Group Name• Group Path, which leads to the Group Page.
Deleted Groups	Displays the list of deleted groups within a current group or its subgroups over a specified time span.

Cores Category

The reports described in the following table are available for the Cores category.

Table 16. Types of Reports for Cores Category

Report	Description
List of Cores	Shows the list of cores in a selected group, including all subgroups. It contains the following drill-downs: <ul style="list-style-type: none">• Group Name• Group Path, which leads to the Group Page.
Added Cores	Displays the list of cores that were added over a period of time, including groups and all subgroups. It contains the following drill-downs: <ul style="list-style-type: none">• Core Name• Group• Group Path, which leads to the Group Page
Deleted Cores	Displays the list of cores that were deleted over a period of time. It includes the group and all subgroups. It contains the following drill-downs: <ul style="list-style-type: none">• Group Name• Group Path, which leads to the Group Page

Machines Category

The reports described in the following table are available for the Machines category.

Table 17. Types of Reports for Machines Category

Report	Description
List of Machines	Shows the list of machines in a selected group, including all the subgroups. It includes the following drill-downs: <ul style="list-style-type: none">• Machine Name• Group• Group Path, which leads to the Group Page
Added Machines	Displays the list of machines that were added over a period of time, including groups and all subgroups. It contains the following drill-downs: <ul style="list-style-type: none">• Machine Name• Group• Group Path, which leads to the Group Page
Paused/Inactive Machines	Displays the list of machines that were paused/inactive over a period of time, including groups and all subgroups. It contains the following drill-downs: <ul style="list-style-type: none">• Machine Name• Group• Group Path, which leads to the Group Page
Deleted Machines	Displays the list of machines that were deleted over a period of time. It includes the group and all subgroups. It contains the following drill-downs: <ul style="list-style-type: none">• Group Name• Group Path, which leads to the Group Page

License Category

The reports listed in the following table are available for the License category.

Table 18. Types of Reports for License Category

Report	Description
Activated Licenses Report	Displays the list of machines that were activated over a specified period. It contains the following drill-downs: <ul style="list-style-type: none">• Machine Name• Group• Group Path, which leads to the Group Page
Active Licenses Report	Displays a list of active licenses for a group and its subgroups. It contains the following drill-downs: <ul style="list-style-type: none">• Machine Name• Group• Group Path, which leads to the Group Page
Blocked Licenses Report	Displays a list of blocked licenses for a group and its subgroups. It contains the following drill-downs: <ul style="list-style-type: none">• Machine Name• Group• Group Path, which leads to the Group Page

Table 18. Types of Reports for License Category

Report	Description
Expired Licenses Report	Displays a list of expired licenses for a group and its subgroups. It contains the following drill-downs: <ul style="list-style-type: none">• Machine Name• Group• Group Path, which leads to the Group Page
Trial Licenses Report	Displays the list of trial licenses for a group and its subgroups. It contains the following drill-downs: <ul style="list-style-type: none">• Machine Name• Group• Group Path, which leads to the Group Page

Drill-Down Reports

Many reports support drill-down, for which, you can click links in a report, and a corresponding report appears. For example, when you click a group name, the report for the selected group appears.

The following drill-down reports are available:

- **Total machines.** Shows the number of machines for the selected group, including all subgroups. You can drill-down to view the following:
 - Machine Name
 - Group
 - Group Path
 - Current status
 - Company name
 - Current space protected
- **Active machines.** Shows the number of active machines for the selected group, including all subgroups. You can drill down to view the following:
 - Machine Name
 - Group
 - Group Path
 - Current status
 - Activation Date
 - Days Active
 - Current space protected
- **Inactive machines.** Shows the number of inactive machines for the selected group, including all subgroups. You can drill down to view the following:
 - Machine Name
 - Group
 - Group Path
 - Current status
 - Company name
 - Deactivation Date
 - Days Inactive

- Current space protected
- **Expired Machines.** Shows the number of expired machines for the selected group, including all subgroups. You can drill down to view the following:
 - Machine Name
 - Group
 - Group Path
 - Current status
 - Company name
 - Current space protected
- **Blocked machines.** Shows the number of machines for a selected group and its subgroups, including machines blocked by AppAssure. You can drill down to view the following:
 - Machine Name
 - Group
 - Group Path
 - Current status
 - Company name
 - Block Date
 - Days Blocked
 - Current space protected
- **Machine Name.** Shows the machine details and machine's core details.
- **Group/Group Name.** Displays group details.
- **Path/Group Path.** Redirects to the group path that was clicked.

Generating Reports and Setting up Report Subscriptions

You can easily generate License Portal reports and set up report subscriptions. Refer to the topic, [About the License Portal Reports](#), for information about the different types of reports available in the License Portal.

To generate a report and set up a report subscription

- 1 Ensure the group for which you want a report is currently selected.
- 2 In the left navigation area of the License Portal, click Reports.
- 3 Select a report category, the type of report to run, and then click **Go**.
- 4 To subscribe to this report on a recurring basis, click **Subscribe**, and then do the following:
 - a In the Subscribe dialog box, select a subscription type as Daily, Weekly, or Monthly.
 - b Click **Add** to automatically run the report on a recurring basis.
 - c For information about managing your report subscriptions, see the topic, [Managing Report Subscriptions](#).

Managing Report Subscriptions

You can tailor your subscriptions to have reports electronically sent on a daily, weekly, or monthly basis.

For more information about reports and setting up report subscriptions, refer to the following topics.

- See the topic, [About the License Portal Reports](#), for more information about the different types of reports available in the License Portal.
- See the topic, [Generating Reports and Setting up Report Subscriptions](#), for more information about setting up report subscriptions.

To manage report subscriptions

- 1 In the upper right area of the License Portal, click your user name, which is your email address, and then click **Personal Settings**.
- 2 On the Account Profile page, click the **Subscriptions** tab.
- 3 To modify the frequency of your report subscription, do the following:
 - a In the Actions column, click the Actions drop-down list for the report subscription you want to modify, and then click **Edit Subscription**.
 - b In the Settings dialog box, from the drop down menu, select one of the following report frequency options, and then click **Save**:
 - **Daily**. The selected report is sent every day.
 - **Weekly**. The selected report is sent every Friday.
 - **Monthly**. The selected report is sent at the end of each month.
- 4 To unsubscribe from a report, on the Actions drop-down list for the report from which you want to unsubscribe, click **Unsubscribe**.

Third Party Legal Notices

The Rapid Recovery License Portal contains some third-party software components whose authors require attribution. Some of these third parties also require that we reproduce their license agreements. These components are listed below, and the corresponding licenses (if required) may be found on our website at:

<http://software.dell.com/legal/third-party-licenses.aspx>

Third Party Legal Notices

Component	Notes
Angular.js 1.2.7	Copyright © 2010-2015 Google, Inc. License: MIT
AWS SDK for .NET 1.5.4.1	Copyright © 2009-2015 Amazon.com, Inc. or its affiliates License: Apache 2.0
Bootstrap 3.1.0	Copyright © 2011-2015 Twitter, Inc. License: MIT
Castle Windsor 3.3.0	Copyright © 2004-2015 Castle Project License: Apache 2.0
Google Charts	Copyright © 2015 Google Inc. All rights reserved. License: Google APIs Terms of Service Dec 9, 2011
IdentityServer3 2.x	Copyright © 2015 Brock Allen, Dominick Baier License: Apache 2.0
iTextSharp 4.1.2	Copyright © 1999-2009 Bruno Lowagie and Paulo Soares License: Mozilla Public License (MPL) 1.1
jQuery UI 1.9.2	Copyright © 2015 The jQuery Foundation License: MIT
jQuery-grid-plugin 4.4.1	Copyright © 2015 The jQuery Foundation License: MIT
Lucene.Net 3.0.3	Copyright © 2006-2012 The Apache Software Foundation License: Apache 2.0
Microsoft ASP.NET MVC 5.x	Copyright © 2015 Microsoft License: Apache 2.0
Microsoft Azure SDK for .NET 2.5	Copyright © 2015 Microsoft License: Apache 2.0
Microsoft Windows Azure Storage 2.0.6	Copyright © 2015 Microsoft License: Apache 2.0
NLog 2.0	Portions copyright 2011 Jaroslaw Kowalski License: BSD - Kowalski 2011
Quartz.NET 2.1.2	Copyright © 2015 Terracotta, Inc. License: Apache 2.0

A

- about the License Portal, 5
- about the License Portal server, 5
- account registration, 9
- accounts, about, 6
- activating an account, 10
- adding a license, 35
- adding agent, 13
- adding core, 13
- admin user privilege, 6
- agent
 - downloading and adding to License Portal, 13
- agent machine
 - blocking, 37
- AppAssure DL Series appliance licensing, 29
- appliance licensing, about, 29
- appliances
 - adding service tags in the license portal, 35
 - registering, 9
- approving users, 21
- assigning an appliance license, 34
- attachability checks, 41

B

- billing for appliance licenses, about, 34
- billing for software licenses, about, 34
- billing information, adding, 25
- blocking a core, 39
- blocking an agent, 37
- branding settings, 25
- browsers, supported, 6

C

- capacity license pool, about, 30
- changing your password, 16
- company information
 - adding, 25
- core
 - downloading and adding to License Portal, 13
 - license constraints for Core settings, 40
- cores
 - attachability check setting, 41
 - blocking, 39

- deleting, 40
- detaching, 40
- Exchange log truncation setting, 41
- mountability check setting, 41
- number of encryption keys setting, 41
- replication source cores setting, 40
- replication target cores setting, 41
- simultaneous rollups setting, 40
- snapshot intervals setting, 40
- SQL log truncation setting, 41
- total repository size setting, 40
- unblock, 39
- viewing and searching, 38
- viewing core settings, 40
- viewing details, 39
- virtual standby exports setting, 41
- working with, 38, 39

D

- deleting a core, 40
- deleting users, 19
- detaching a core, 40
- detaching an appliance license, 33
- downgrade license, 37
- downloading agent, 13
- downloading core, 13
- draw from parent, 32

E

- editing user security privileges, 19
- email address
 - change for account, 15
- email notifications, configuring, 16
- Exchange log truncation, 41
- expired trial license, extending, 37
- extending an appliance license, 33

F

- forgot your password, 11

G

- getting started, 7
- group

- information, editing, 24
- license pool information, viewing, 31
- groups
 - about, 21
 - adding, 23
 - billing information, adding, 25
 - changing license pool, for software groups, 31
 - changing license type, 32
 - company information, adding, 25
 - deleting, 24
 - editing branding settings, 25
 - managing, 21
 - metadata settings, 27
 - rebranding the root group, 25
 - searching for, 22
 - software group type for appliance users, 32
 - viewing, 22
 - viewing details, 23

L

- licence pools
 - virtual license pool, 30
- license
 - adding, 35
 - assigning for an appliance, 34
 - detaching from a core for your appliance, 33
 - extending for an appliance, 33
 - moving between subgroups for an appliance, 33
 - upgrading, 35
- license constraints for Core settings, 40
- license key
 - about, 8
 - downloading file, 30
 - obtaining, 8
 - viewing, 30
- license number
 - about, 8
 - adding, 35
 - obtaining, 8
- license numbers
 - viewing, 30
- license pool
 - changing for software groups, 31
 - viewing for a group, 31
- license pool information, 31
- license pools
 - about, 29
 - allocating virtual and physical licenses, 32
 - allocating virtual and physical licenses for subscription license types, 32
 - blocked agents, 29
 - capacity license pool, about, 30

- disabled, 32
- downgrading agents, 29
- how licenses are allocated, 29
- offline machines, 29
- physical license pool, 30
- License Portal
 - about, 5
 - accounts, about, 6
 - downloading a core, 13
 - downloading an agent, 13
 - logging on, 10
 - navigation, 6
 - searching, 14
 - supported Web browsers, 6
- license portal
 - getting started, 7
- License Portal account
 - about, 6
 - activating, 10
 - registering, 9
- License Portal Server
 - about, 5
- License Portal users, 17
- license type
 - changing for a subgroup, 32
 - upgrading, 37
- license types, 28
 - enterprise, 28
 - for appliances, 29
 - subscription, 28
 - trial, 28
- license, upgrading, 37
- licenses
 - adding, 35
 - billing for appliance licenses, 34
 - billing for software licenses, 34
 - disposing of software licenses, 34
 - draw from parent, 32
 - extending, 37
 - managing, 28
 - reserved, 32
- licensing
 - about license types, 28
 - allocating virtual and physical licenses for subscription license type, 32
 - for appliances, 29
- logging on to License Portal, 10

M

- machine
 - blocking, 37
 - unblocking, 37

- machines
 - agent, adding, 13
 - core, adding, 13
 - downgrade license, 37
 - extending trial license, 37
 - pause protection, 37
 - registered, managing, 35
 - resume protection, 37
 - upgrade license, 37
 - viewing and searching, 35
 - viewing details, 36
 - working with, 37
- managing registered machines, 35
- metadata settings, core and agent, 27
- mountability check, 41
- moving an appliance license, 33

N

- navigating the License Portal, 6
- NPH key
 - sending in email, 31
- number of encryption keys, 41

O

- obtaining a license key and license number, 8
- owner role, 6
- owner user privilege, 6

P

- password
 - changing, 16
 - resetting, 11
- pause protection for agent machines, 37
- personal settings
 - configuring, 15
 - configuring email notifications, 16
- physical license pool, about, 30
- physical licenses
 - allocating for subscription license types, 32

R

- reader role, 6
- rebranding, 25
- registered machines
 - managing, 35
- registering an appliance, 9
- replication source cores, 40
- replication target cores, 41
- report subscriptions, 47
- reports
 - about, 42

- Added Groups Report, 43
- Added Users Report, 42
- Cores Category, 43
- Dashboard Report, 42
- Deleted Groups Report, 43
- Deleted Users Report, 42
- drill downs, 45
- generating, 47
- Group Category, 43
- License Category, 44
- List of Groups Report, 43
- List of Users Report, 42
- Machines Category, 43
- recurring, 47
- subscribing, 47
- subscriptions, managing, 47
- subscriptions, setting up, 47
- Summary Category, 42
- User Category, 42
- working with, 42

- reserve licenses, 32
- resetting your license portal password, 11
- resume protection for agent machines, 37
- rgot, 11
- roles, 18, 19
 - owner, 6
 - reader, 6

S

- searching for cores, 14, 38
- searching for machines, 14, 35
- searching the license portal, 14
- searching, for groups, 14, 22
- security privileges
 - setting, 18
- service tag
 - adding, 35
- service tags
 - adding, 35
 - registering, 9
 - viewing, 30
- settings
 - configuring personal settings, 15
 - editing branding settings, 25
 - email notifications, configuring, 16
- simultaneous rollups, 40
- snapshot interval, 40
- software capacity group, 23
- software group, 23
 - allocating physical and virtual licenses, 32
- software licenses, about, 28
- SQL log truncation, 41

- subscription license
 - allocating virtual and physical licenses, 32
- subscriptions, 47
- supported Web browsers, 6

T

- total repository size on the core, 40

U

- unblocking a core, 39
- unblocking an agent, 37
- upgrading a license, 35
- upgrading the license, 37
- user accounts, about, 6
- user privilege, 6
- user privileges, about, 6
- user roles, 18, 19
- user security privileges
 - editing, 19
 - setting, 18
- users
 - approving, 21
 - assigning roles, 18
 - deleting, 19
 - editing roles, 19
 - editing security privileges, 19
 - inviting, 18
 - setting security privileges, 18
 - viewing, 17
 - viewing details, 18

V

- viewing cores, 38
- viewing license numbers and service tags, 30
- viewing machines, 35
- virtual license pool, about, 30
- virtual licenses
 - allocating for subscription license types, 32
- virtual standby exports, 41

W

- Web browsers, supported, 6