

One Identity Active Roles 7.3

Add_on Manager Release Notes

June 2018

This document provides information about the Active Roles Add_on Manager 7.3.

- [About Active Roles Add_on Manager](#)
- [New features](#)
- [Known issues](#)
- [System requirements](#)
- [Getting started with Active Roles Add_on Manager 7.3](#)

About Active Roles Add_on Manager

Active Roles Add_on Manager is an application for installation and management of add-ons for Active Roles. With Active Roles Add_on Manager, you can add and remove Active Roles add-ons, and create new add-ons using Add-on Editor.

New features

Active Roles Add_on Manager 7.3 adds support for Active Roles 7.3. You can now install and use Add_on Manager in conjunction with the latest Active Roles version 7.3.

Known issues

The following is a list of issues known to exist at the time of Active Roles Add_on Manager 7.3 release.

Table 1: Known issues

Known Issue	Defect ID
<p>After you install an add-on that creates Web Interface customization items, you may encounter the following issue: the Web Interface does not display customization items created by the add-on.</p> <p><i>Workaround</i></p> <p>Click the Reload command in the Web Interface.</p>	179835
<p>After you install an add-on that creates a virtual attribute, you may encounter the following issue: the virtual attribute is not displayed in the Advanced Properties dialog box of an object.</p> <p><i>Workaround</i></p> <p>Reconnect to the Administration Service after you install the add-on.</p>	180508
<p>After you install an add-on that creates a virtual attribute and a Web Interface customization item that uses this virtual attribute, you may encounter an error when opening a Web Interface site.</p> <p><i>Workaround</i></p> <p>Restart Internet Information Services (IIS) on the Web server running the Web Interface (for example, by entering the iisreset command at a command prompt).</p> <p>If there is a replication group in your Active Roles environment, do the following:</p> <ol style="list-style-type: none">1. After the changes are propagated to all replication partners, click the Reload command in the Web Interface. <p>If the Web Interface does not open, enter the following in the address bar of your browser to reload the Web Interface: <site url>/customization/metadata-Reload.aspx?ReloadFromWorkingCopy=1</p> <ol style="list-style-type: none">2. After the changes are propagated to all replication partners, restart Internet Information Services (IIS) on the Web server running the Web Interface (for example, by entering the iisreset command at a command prompt).	180524
<p>When you use Add-on Manager to uninstall an add-on, you may encounter the following error: "Object 'objectDN' was not found." This error may occur when the add-on modifies an existing object during installation, and then this object</p>	180700

Known Issue**Defect ID**

is deleted by a user after the add-on has been installed.

Workaround

Uninstall the add-on from the command line using the /ForceUninstall parameter. For example: AddOnManager.exe /UninstallAddon /AddonName:"My Addon" /ForceUninstall /Service:"servicename" /User:"Domain\User" /Password:"password"

After you uninstall an add-on that creates a virtual attribute and a Web Interface customization item that uses that virtual attribute, you may encounter the following behavior in the Web Interface: The Web Interface customization item created by the add-on is not removed. You may also encounter the following error in the Web Interface: "An error occurred during the last operation."

180721

Workaround

Use the following steps to resolve this issue:

1. Click the **Reload** command in the Web Interface.

If the Web Interface does not open, enter the following URL in the address bar of your browser to reload the Web Interface: <site url>/customization/metadata-Reload.aspx?ReloadFromWorkingCopy=1

i **IMPORTANT:** If there is a replication group in your Active Roles environment, reload the Web Interface only after the changes are propagated to all replication partners.

2. Restart Internet Information Services (IIS) on the Web server running the Web Interface (for example, by entering the iisreset command at a command prompt).

i **IMPORTANT:** If there is a replication group in your Active Roles environment, restart IIS only after the changes are propagated to all replication partners.

After you install an add-on that creates Web Interface customization items, you may encounter the following behavior in the Web Interface: The Web Interface customization items created by the add-on are not displayed. This issue may occur if you provide incorrect user name and password for reloading Web Interface sites.

180808

Workaround

Click the **Reload** command in the Web Interface.

When you install Add-on Manager from the command line, you may encounter the following error: "Command line option syntax error. Type Command /? for Help." This error may occur if one or several parameters of the command

183252

contain more than 255 characters.

Workaround

Edit the command line parameters (for example, the path to a file) so that each parameter is no more than 255 characters long.

System requirements

Before installing Active Roles Add_on Manager 7.3, ensure that your system meets the following minimum hardware and software requirements.

Table 2: System Requirements

Requirement	Details
Platform	Any of the following: <ul style="list-style-type: none"> • Intel 64 (EM64T) • AMD64 1 GHz processor or faster
Memory	At least 1 GB of RAM
Hard Disk Space	At least 100 MB of free disk space
Operating System	Any of the following: <ul style="list-style-type: none"> • Microsoft Windows Server 2008 R2, Standard or Enterprise edition, Service Pack 1 • Microsoft Windows Server 2012, Standard or Datacenter edition • Microsoft Windows Server 2012 R2, Standard or Datacenter edition • Microsoft Windows 7, Ultimate, Professional or Enterprise edition, 64-bit (x64), Service Pack 1 • Microsoft Windows 8, Professional or Enterprise edition, 64-bit (x64) • Microsoft Windows 8.1, Professional or Enterprise edition, 64-bit (x64) • Microsoft Windows Server 2016, Standard or Datacenter edition

Requirement	Details
Microsoft .NET Framework	Microsoft .NET Framework 4.6.2
Active Roles Console	Console (MMC Interface) of Active Roles version 7.3, 64-bit (x64)
Microsoft Windows PowerShell	Windows PowerShell 5.1 or later
Web Browser	Windows Internet Explorer 11.0 or later

Upgrade and compatibility

Active Roles Add_on Manager 7.3 is compatible with Active Roles 7.3 only. You can install Active Roles Add_on Manager 7.3 side-by-side with an earlier version of Active Roles Add_on Manager on the same computer.

Getting started with Active Roles Add_on Manager 7.3

- [Upgrade and installation instructions](#)
- [Add-on Manager command line interface](#)
- [Using Add-on Editor](#)
- [Additional resources](#)

Upgrade and installation instructions

To upgrade Active Roles Add_on Manager to version 7.3, first upgrade your Active Roles installation to version 7.3, and then use the following instructions to install and configure Active Roles Add_on Manager 7.3.

To install and configure Add-on Manager

1. Run the Add-on Manager Setup program, and complete the Setup wizard to install Add-on Manager.
2. In the configuration wizard that appears after you complete the Setup wizard, choose from the options to specify the Active Roles Administration Service on which you want to use Add-on Manager, and then click **Register**:

- If you choose the **Any available Administration Service** option, the wizard registers Add-on Manager with the nearest Administration Service, connecting to that Administration Service with the credentials of your current logon account. In this case, your current logon account must be Active Roles Admin.
- If you choose the **Administration Service on this computer** option, the wizard registers Add-on Manager with the Administration Service that runs on the computer you specify, connecting to that Administration Service with the user name and password you supply. Ensure that you supply the user name and password of Active Roles Admin.

You can install Active Roles Add_on Manager 7.3 side-by-side with an earlier version of Active Roles Add_on Manager on the same computer. Another option is to install Active Roles Add_on Manager 7.3 on a different computer. If you no longer need the earlier version of Add-on Manager, you can uninstall it from Program and Features in Control Panel.

Add-on Manager command line interface

You can use Add-on Manager from the command line. For a complete command line reference, switch to the Add-on Manager installation folder at the command prompt and run the following command: **AddOnManager.exe /?**

Using Add-on Editor

Add-on Editor is a tool for creating and editing add-ons. Add-on Editor creates a functional add-on which you can use immediately after it was created. After Add-on Editor generates an add-on, you can always customize it by adding objects and scripts to your add-on.

Creating an add-on

You can use the following steps to create an add-on:

1. To open Add-on Editor, click **Create New** on the Add-on Manager application page in the Active Roles console, or click **Add-on Editor** on the **Start** menu.
2. In the **Connect to Administration Service** dialog box, select the Active Roles Administration Service you want Add-on Editor to connect to, and specify a user name and password.
3. On the **Create or Edit Add-on** page, select the option **Create a new add-on** and click **Next**.

4. On the **General Add-on Settings** page, fill in the provided text boxes and click **Next**.
5. On the **Add-on Objects** page, select Active Roles objects and Web Interface customization items for your add-on:
 - To add Active Roles objects, click **Add Active Roles Objects**. Then, on the **Add Active Roles Objects** page, select check boxes to specify the objects to be included in the add-on, and click **OK**.
 - To add Web Interface customization items, click **Add WI Customization items**. Then, on the **Add Web Interface Customization Items** page, specify the configuration from which you want to export customization items, select check boxes to specify the items to be included in the add-on, and click **OK**.
6. Once you have selected add-on objects, click **Next** to continue.
7. On the **Save Add-on** page, select the file your add-on will be saved to, and click **Next**.
8. On the **Ready to Create Add-on** page, review the settings for your add-on. If you want to specify advanced settings, click the **Advanced** button.
9. On the **Advanced Settings** page, configure the following settings for your add-on and click **OK**:
 - **Show in Raw mode only** Select this check box if you want Add-on Manager to display your add-on only when the Active Roles console is in Raw view mode.
 - **Show Uninstall link** Select this check box to have Add-on Manager provide the **Uninstall** command for your add-on in the Active Roles console. If you don't select this check box, the only way to uninstall your add-on is by using Add-on Manager command line. For a list of command-line options, type `AddOnManager.exe /?` at a command prompt.
 - **Show Add-on Configuration page** By default, the add-on title link on the Add-on Manager page opens the **Add-on Details** dialog box. If your add-on has a configuration page, you can configure the add-on title link to open the configuration page. Select the **Show Add-on Configuration page** check box and supply the DN of the application object included in your add-on if you want the add-on title link to open the configuration page for your add-on.
 - **Web Interface customization label** Use this text box to enter the Web Interface customization label. All Web Interface customization items added by this add-on will be marked in the add-on XML by this label. By default, the label consists of the add-on name and version.
 - **Show Web Interface customization link** Select this check box to have Add-on Manager provide the **Web Interface Customization** link for your add-on in the Active Roles console. By clicking that link, you can select Web Interface configurations and sites you want your add-on to customize, and apply customization items to the selected configurations and sites.

- **Apply customization to Site for Administrators** Select this check box for your add-on to apply Web Interface customization items to the Active Roles Web Interface site for Administrators.
 - **Apply customization to Site for Help Desk** Select this check box for your add-on to apply Web Interface customization items to the Active Roles Web Interface site for Help Desk.
 - **Apply customization to Site for Self-Service** Select this check box for your add-on to apply Web Interface customization items to the Active Roles Web Interface site for Self-Administration.
 - In the **System Requirements** area, specify minimum and maximum versions of the Active Roles product supported by your add-on.
 - In the **Required add-ons** area, click **Add** to specify add-ons that must be installed before installation of your add-on.
 - **Pre-install script** Select this check box to specify a script to run before installing your add-on and enter the script in the text box. Note: Add-on Manager supports only PowerShell scripts.
 - **Post-install script** Select this check box to specify a script to run after installing your add-on and enter the script in the text box.
 - **Pre-uninstall script** Select this check box to specify a script to run before uninstalling your add-on and enter the script in the text box.
 - **Post-uninstall script** Select this check box to specify a script to run after uninstalling your add-on and enter the script in the text box.
10. Click **Finish** to create the add-on.

Editing an add-on

You can use the following steps to edit an add-on:

1. To open Add-on Editor, click **Create New** on the Add-on Manager application page in the Active Roles console, or click **Add-on Editor** on the **Start** menu.
2. In the **Connect to Administration Service** dialog box, select the Active Roles Administration Service you want Add-on Editor to connect to, and specify a user name and password.
3. On the **Create or Edit Add-on** page, select the option **Edit the following add-on** and click **Browse** to select the add-on file. Click **Next**.
4. On the **General Add-on Settings** page, if necessary, edit the information about your add-on and click **Next**.
5. On the **Add-on Objects** page, review Active Roles objects and Web Interface customization items included in your add-on:
 - To add Active Roles objects, click **Add Active Roles Objects**. Then, on the **Add Active Roles Objects** page, select check boxes to specify the objects to

be included in the add-on, and click **OK**.

- To add Web Interface customization items, click **Add WI Customization items**. Then, on the **Add Web Interface Customization Items** page, specify the configuration from which you want to export customization items, select check boxes to specify the items to be included in the add-on, and click **OK**.
6. Once you have selected add-on objects, click **Next** to continue.
 7. On the **Save Add-on** page, select the file your add-on will be saved to, and click **Next**.
 8. On the **Ready to Create Add-on** page, review the settings for your add-on. If you want to specify advanced settings, click the **Advanced** button.
 9. On the **Advanced Settings** page, configure the following settings for your add-on and click **OK**:
 - **Show in Raw mode only** Select this check box if you want Add-on Manager to display your add-on only when the Active Roles console is in Raw view mode.
 - **Show Uninstall link** Select this check box to have Add-on Manager provide the **Uninstall** command for your add-on in the Active Roles console. If you don't select this check box, the only way to uninstall your add-on is by using Add-on Manager command line. For a list of command-line options, type `AddOnManager.exe /?` at a command prompt.
 - **Show Add-on Configuration page** By default, the add-on title link on the Add-on Manager page opens the **Add-on Details** dialog box. If your add-on has a configuration page, you can configure the add-on title link to open the configuration page. Select the **Show Add-on Configuration page** check box and supply the DN of the application object included in your add-on if you want the add-on title link to open the configuration page for your add-on.
 - **Web Interface customization label** Use this text box to enter the Web Interface customization label. All Web Interface customization items added by this add-on will be marked in the add-on XML by this label. By default, the label consists of the add-on name and version.
 - **Show Web Interface customization link** Select this check box to have Add-on Manager provide the **Web Interface Customization** link for your add-on in the Active Roles console. By clicking that link, you can select Web Interface configurations and sites you want your add-on to customize, and apply customization items to the selected configurations and sites.
 - **Apply customization to Site for Administrators** Select this check box for your add-on to apply Web Interface customization items to the Active Roles Web Interface site for Administrators.
 - **Apply customization to Site for Help Desk** Select this check box for your add-on to apply Web Interface customization items to the Active Roles Web Interface site for Help Desk.

- **Apply customization to Site for Self-Service** Select this check box for your add-on to apply Web Interface customization items to the Active Roles Web Interface site for Self-Administration.
 - In the **System Requirements** area, specify minimum and maximum versions of the Active Roles product supported by your add-on.
 - In the **Required add-ons** area, click **Add** to specify add-ons that must be installed before installation of your add-on.
 - **Pre-install script** Select this check box to specify a script to run before installing your add-on and enter the script in the text box. Note: Add-on Manager supports only PowerShell scripts.
 - **Post-install script** Select this check box to specify a script to run after installing your add-on and enter the script in the text box.
 - **Pre-uninstall script** Select this check box to specify a script to run before uninstalling your add-on and enter the script in the text box.
 - **Post-uninstall script** Select this check box to specify a script to run after uninstalling your add-on and enter the script in the text box.
10. Click **Finish** to save your change to the add-on.

Additional resources

Join the [Active Roles Community](#) to get the latest product information, find helpful resources, test the product betas, and participate in discussions with the Active Roles team and other community members.

About us

Contacting us

For sales or other inquiries, visit <https://www.oneidentity.com/company/contact-us.aspx> or call +1-800-306-9329.

Technical support resources

Technical support is available to One Identity customers with a valid maintenance contract and customers who have trial versions. You can access the Support Portal at <https://support.oneidentity.com/>.

The Support Portal provides self-help tools you can use to solve problems quickly and independently, 24 hours a day, 365 days a year. The Support Portal enables you to:

- Submit and manage a Service Request
- View Knowledge Base articles
- Sign up for product notifications
- Download software and technical documentation
- View how-to-videos
- Engage in community discussions
- Chat with support engineers online
- View services to assist you with your product

Copyright 2018 One Identity LLC.

ALL RIGHTS RESERVED.

This guide contains proprietary information protected by copyright. The software described in this guide is furnished under a software license or nondisclosure agreement. This software may be used or copied only in accordance with the terms of the applicable agreement. No part of this guide may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording for any purpose other than the purchaser's personal use without the written permission of One Identity LLC .

The information in this document is provided in connection with One Identity products. No license, express or implied, by estoppel or otherwise, to any intellectual property right is granted by this document or in connection with the sale of One Identity LLC products. EXCEPT AS SET FORTH IN THE TERMS AND CONDITIONS AS SPECIFIED IN THE LICENSE AGREEMENT FOR THIS PRODUCT, ONE IDENTITY ASSUMES NO LIABILITY WHATSOEVER AND DISCLAIMS ANY EXPRESS, IMPLIED OR STATUTORY WARRANTY RELATING TO ITS PRODUCTS INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. IN NO EVENT SHALL ONE IDENTITY BE LIABLE FOR ANY DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE, SPECIAL OR INCIDENTAL DAMAGES (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF PROFITS, BUSINESS INTERRUPTION OR LOSS OF INFORMATION) ARISING OUT OF THE USE OR INABILITY TO USE THIS DOCUMENT, EVEN IF ONE IDENTITY HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. One Identity make no representations or warranties with respect to the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and product descriptions at any time without notice. One Identity do not make any commitment to update the information contained in this document.

If you have any questions regarding your potential use of this material, contact:

One Identity LLC.

Attn: LEGAL Dept

4 Polaris Way

Aliso Viejo, CA 92656

Refer to our Web site (<http://www.OneIdentity.com>) for regional and international office information.




Patents

One Identity is proud of our advanced technology. Patents and pending patents may apply to this product. For the most current information about applicable patents for this product, please visit our website at <http://www.OneIdentity.com/legal/patents.aspx>.

Trademarks

One Identity and the One Identity logo are trademarks and registered trademarks of One Identity LLC. in the U.S.A. and other countries. For a complete list of One Identity trademarks, please visit our website at www.OneIdentity.com/legal. All other trademarks are the property of their respective owners.

Legend

-  **WARNING: A WARNING icon indicates a potential for property damage, personal injury, or death.**
-  **CAUTION: A CAUTION icon indicates potential damage to hardware or loss of data if instructions are not followed.**
-  **IMPORTANT, NOTE, TIP, MOBILE, or VIDEO:** An information icon indicates supporting information.

Active Roles Add_on Manager Release Notes
Updated - June 2018
Version - 7.3