



# Foglight® Consolidation Advisor 7.1.0

## **User Guide**



© 2023 Quest Software Inc.

## ALL RIGHTS RESERVED.

This guide contains proprietary information protected by copyright. The software described in this guide is furnished under a software license or nondisclosure agreement. This software may be used or copied only in accordance with the terms of the applicable agreement. No part of this guide may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording for any purpose other than the purchaser's personal use without the written permission of Quest Software Inc.

The information in this document is provided in connection with Quest Software products. No license, express or implied, by estoppel or otherwise, to any intellectual property right is granted by this document or in connection with the sale of Quest Software products. EXCEPT AS SET FORTH IN THE TERMS AND CONDITIONS AS SPECIFIED IN THE LICENSE AGREEMENT FOR THIS PRODUCT, QUEST SOFTWARE ASSUMES NO LIABILITY WHATSOEVER AND DISCLAIMS ANY EXPRESS, IMPLIED OR STATUTORY WARRANTY RELATING TO ITS PRODUCTS INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. IN NO EVENT SHALL QUEST SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE, SPECIAL OR INCIDENTAL DAMAGES (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF PROFITS, BUSINESS INTERRUPTION OR LOSS OF INFORMATION) ARISING OUT OF THE USE OR INABILITY TO USE THIS DOCUMENT, EVEN IF QUEST SOFTWARE HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. Quest Software makes no representations or warranties with respect to the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and product descriptions at any time without notice. Quest Software does not make any commitment to update the information contained in this document.

If you have any questions regarding your potential use of this material, contact:

Quest Software Inc.  
Attn: LEGAL Dept.  
4 Polaris Way  
Aliso Viejo, CA 92656

Refer to our website (<https://www.quest.com>) for regional and international office information.


## Patents


Quest Software is proud of our advanced technology. Patents and pending patents may apply to this product. For the most current information about applicable patents for this product, please visit our website at <https://www.quest.com/legal>.

## Trademarks

Quest Software, Quest, and the Quest logo are trademarks and registered trademarks of Quest Software Inc. For a complete list of Quest marks, visit <https://www.quest.com/legal/trademark-information.aspx>. All other trademarks and registered trademarks are property of their respective owners.

## Legend

 **WARNING:** A WARNING icon indicates a potential for property damage, personal injury, or death.

 **CAUTION:** A CAUTION icon indicates potential damage to hardware or loss of data if instructions are not followed.

 **IMPORTANT NOTE, NOTE, TIP, MOBILE, or VIDEO:** An information icon indicates supporting information.

Foglight Consolidation Advisor User Guide  
Foglight Version - 7.1.0  
Cartridge Version - 7.1.0

# Contents

<b>Using Foglight Consolidation Advisor</b> .....	<b>4</b>
Installation Requirements .....	4
Dashboard location .....	4
Homepage .....	5
Consolidation Recommendation page .....	6
<b>Working with bare metal servers</b> .....	<b>8</b>
Managing the Bare Metal Server List .....	8
Adding a new server .....	8
Editing existing servers .....	9
Deleting existing servers .....	9
Importing server list .....	9
Exporting server list .....	10
<b>Creating and Managing Consolidations</b> .....	<b>11</b>
Setting Consolidation Parameters .....	11
Performance Impact .....	11
Analysis Period .....	12
Creating a consolidation .....	12
Saving a consolidation list .....	14
Loading a consolidation list .....	14
Deleting a consolidation list .....	14
<b>Understanding Consolidation Models</b> .....	<b>15</b>
Running a model .....	15
Viewing Recommendations .....	15

# Using Foglight Consolidation Advisor

Foglight Consolidation Advisor helps you to plan future consolidations of your virtual and physical servers by calculating the combined load of VMware virtual machines and physical hosts and recommend the hardware needed to run the combined load. The load is defined as the total use of the following resources:

- CPU (in Hz)
- Memory (in GB)
- Storage (in GB/TB)
- IOPS (in commands/sec)

The recommendation will be a list of hardware needed to run the combined load. You will be able to define a set of servers you are considering for deployment in your environment. Consolidation Advisor will choose from this list of servers and will spread the load evenly.

## Installation Requirements

Foglight Consolidation Advisor comes installed on Foglight Evolve, and can be installed on a Foglight Management Server.

Foglight Consolidation Advisor requires the following cartridges for data collection:

- CommonAnalytics-7\_1\_0.car
- Virtual-VMware-7\_1\_0.car

While Foglight Evolve comes with these cartridges pre-installed and enabled, a stand-alone Foglight release requires that these components be installed on the Foglight Management Server. For more information about installing Foglight Consolidation Advisor and for details about system requirements and version compatibility, see the *Foglight Consolidation Advisor Release Notes*.

## Dashboard location

After installing Foglight Consolidation Advisor, the Consolidation Advisor entry appears under *Homes*.

### **To access the Foglight Consolidation Advisor dashboard:**

- 1 Log in to the Foglight browser interface.
- 2 Ensure that the navigation panel is open.  
To open the navigation panel, click the right-facing arrow on the left.
- 3 On the navigation panel, under Dashboards, click **Consolidation Advisor**.  
The **Consolidation Advisor** dashboard opens.

Figure 1. Consolidation Advisor dashboard



# Consolidation Advisor dashboard introduction

The Consolidation Advisor dashboard consists of the following UI elements:

- [Homepage](#)
- [Consolidation Recommendation page](#)

## Homepage

The Consolidation Advisor dashboard includes the following elements:

- **Bare Metal Servers**

Servers can be added manually or by importing a CSV formatted file

- **Performance Impact**

Performance Impact helps ensure a balance between costs and performance. Impact is measured by understanding how often a virtual machine exceeds the proposed destinations available resources. The default value is 5%, but you can enter a value between 0 – 100%. The higher the percentage, the more performance will be impacted.

For example, by setting a value of 10%, the impact algorithm will assess how often a cloud cluster exceeds the proposed destination resources and count each breach of the available resources based on historic performance.

- **Analysis Period**

This period will be used to calculate the average usage of the needed resources (CPU, memory, and so on) in the consolidated environment. Users can define an Average Analysis Period. The default value is 7 days and other values, such as 1, 3, and 30 days, are supported.

**NOTE:** Ensure that the chosen period is available in Foglight. If 30 days is chosen, while only 3 days of history data is available in the Foglight database, it will only use the 3 days of data for the average analysis period.

- **Consolidation table**

Configured consolidations will be displayed in the consolidation table. Refer to [Creating and Managing Consolidations](#) for information on working with consolidations.

New Consolidation		Delete Consolidation	Save Consolidation List	Load Consolidation List					
	Name	Source VMs	Source Physical Hosts	Target ESX Hosts	Required CPU	Required Memory	Required Storage Capacity	Required Storage IOPs	
	Consolidation_A	11	Please Add Hosts	1	6.9 GHz	29.94 GB	532.23 GB	94.53 c/s	
	Consolidation_B	2	Please Add Hosts	1	2.73 GHz	8.0 GB	85.78 GB	12.27 c/s	

Click the button next to a consolidation to view the aggregated resource metric charts for that consolidation for the selected analysis period.



- **Run Model** button
- Click the button to assess the configured consolidations. The consolidation model with the lowest cost will be recommended.

# Consolidation Recommendation page





The Consolidation Recommendation page displays the required hardware for the chosen consolidation project.

Consolidation Recommendations

Total Consolidation	2	Total VMs	100	Total Physical Hosts	70
Existing ESX Host	6	New Servers	4	Total Cost	\$30000.0

Details	Name	VMs	Physical Hosts	CPU	Memory	Storage	Storage IOPs	Existing ESX Hosts	New Servers	New Server Cost	All Available Servers
+	ConsolidationA	80	30	<div><div></div></div> 62 GHz / 95 GHz	<div><div></div></div> 2 TB / 2.7TB	<div><div></div></div> 6.5 TB / 9 TB	2.0 IOPs / GB	2	2	\$4000.0	3
-	ConsolidationB	20	40	<div><div></div></div> 32 GHz / 68 GHz	<div><div></div></div> 512 GB / 1TB	<div><div></div></div> 4 TB / 6 TB	2.0 IOPs / GB	4	3	\$20000.0	3

VMs & Physical Host allocation of ConsolidationA

ESX Host	Allocated VMs	Allocated Physical Hosts	CPU	Memory	Storage	New Server Cost
 user1_prod_quest_corp	40	0	10 GHz / 15 GHz	100 GB / 256GB	1.5 TB / 2TB	\$0
 user3_prod_quest_corp	20	10	12 GHz / 20 GHz	200 GB / 512 GB	2 TB / 3TB	\$0
 Dell-T140	10	10	20 GHz / 30 GHz	900 GB / 1TB	1.5 TB / 2TB	\$2000.00
 Dell-T140	10	10	20 GHz / 30 GHz	900 GB / 1TB	1.5 TB / 2TB	\$2000.00

The Consolidation Recommendation page includes the following:

- **Consolidation Summary table**
- This table displays the total number of VMs and physical hosts in the configured consolidations, as well as the aggregate metrics for the consolidation. This table includes the following controls:
- **VMs and Physical Hosts**
- Clicking on the number in the VMs or Physical Hosts cell allows to change the source workloads in the consolidation.
- **All Available Servers**

By default, Consolidation Advisor recommends the least expensive server for the consolidation. You may select a different server by clicking **All Available Servers** and selecting a new server from the dialogue. Refer to [Working with bare metal servers](#) for information on adding servers.

- *VM & Physical Host table*

The VM & Physical hosts table lists the recommended hardware to host the consolidated workloads.

- **Allocated Physical Hosts**

Click the number in the Allocated Physical Hosts cell to view the physical hosts allocated to the target server.

- **Allocated VMs**

Click the number in the Allocated VMs cell to view the virtual machines allocated to the target server.

- **Back** button

- **Recalculate** button

When changing the VM, physical host, or server configuration, click **Recalculate** to update the recommendation.

# Working with bare metal servers

Consolidation Advisor presents cost and placement recommendations for moving a selected workload consolidation to new and/or existing servers. To facilitate this, you can create a Bare Metal Server list containing the hardware configurations (and associated cost) for new bare metal servers under consideration.

## Managing the Bare Metal Server List

Foglight Consolidation Advisor allows you to manage the Bare Metal Server list as follows:

- [Adding a new server](#)
- [Editing existing servers](#)
- [Deleting existing servers](#)
- [Importing server list](#)
- [Exporting server list](#)

## Adding a new server

### To add a new server:


- 1 On the Consolidation Advisor homepage, click the numeral next to **Bare Metal Servers**.
- 2 In the **Bare Metal Server** table, click **Add**.
- 3 In the **Add Bare Metal Server** dialog box, specify the following values, as needed.
  - *Manufacturer:* The manufacturer of the new server.
  - *Model Name:* The model name of the new server.
  - *Unit Cost (\$):* The unit cost (in dollar) of the new server.
  - *Number of CPU Cores:* The number of CPU cores of the new server.
  - *Physical CPU Speed:* The physical CPU speed of the new server. The unit is one of the following: MHz, GHz (default option), and THz.
  - *Amount of Physical Memory:* The physical memory of the new server. The unit is one of the following: MB, GB (default option), and TB.
  - *Storage Capacity:* The storage capacity of the new server. The unit is one of the following: MiB, GiB, TiB.
  - *Storage IOPS:* The IOPS rating of the new server.
- 4 Click **Save**.

The **Bare Metal Server** table is updated to show the new server.



# Editing existing servers

## To edit an existing server:

- 1 On the Consolidation Advisor homepage, click the numeral next to **Bare Metal Servers**.
- 2 Select an existing server from the **Bare Metal Servers** table, and click the **Edit** icon .
- 3 In the **Edit Bare Metal Server** dialog, change any of following values, as needed.
  - *Manufacturer:* The manufacturer of the new server.
  - *Model Name:* The model name of the new server.
  - *Unit Cost (\$):* The unit cost (in dollar) of the new server.
  - *Number of CPU Cores:* The number of CPU cores of the new server.
  - *Physical CPU Speed:* The physical CPU speed of the new server. The unit is one of the following: MHz, GHz (default option), and THz.
  - *Amount of Physical Memory:* The physical memory of the new server. The unit is one of the following: MB, GB (default option), and TB.
  - *Storage Capacity:* The storage capacity of the new server. The unit is one of the following: MiB, GiB, TiB.
  - *Storage IOPS:* The IOPS rating of the new server.
- 4 Click **Save**.

The **Bare Metal Servers** table is updated to show the changes made to *this* server.

# Deleting existing servers

Before deleting existing servers, in the *Server Purchase* pane, click the *Replace Existing Servers* tab or the *Purchase Additional Servers* tab, and locate the *Server List* table at the bottom of the *Server Purchase* view.

## To delete one or more existing server(s):

- 1 On the Consolidation Advisor homepage, click the numeral next to **Bare Metal Servers**.
- 2 Select an existing server from the **Bare Metal Servers** table, and click **Delete**.
- 3 In the **Confirm Delete Bare Metal Servers** dialog, click **Delete**.

The server is removed from the **Bare Metal Servers** table.

# Importing server list

## To import an existing server list:

- 1 On the Consolidation Advisor homepage, click the numeral next to **Bare Metal Servers**.
- 2 In the **Bare Metal Server** table, click **Import**.
- 3 Click **Browse** to browse your local drive and select a .csv file, and click **Open**.
- 4 Click **Import**.

The **Bare Metal Servers** table is updated automatically to include the imported servers.

# Exporting server list

## *To export a server list:*

- 1 On the Consolidation Advisor homepage, click the numeral next to **Bare Metal Servers**.
- 1 In the **Bare Metal Server** table, click **Export**.
- 2 Download the server list as a .csv file to a location of your choice.  
In the dialog box that appears, select a location for saving the file, then click **Save**.  
The server list is saved as a .csv file to the selected location.

# Creating and Managing Consolidations

Consolidation Advisor uses **consolidations** to group target VMs and physical hosts into logical groups for consolidation modeling purposes. You may create multiple parallel consolidations, and target VMs and physical hosts can belong to more than one consolidation.

Consolidation Advisor supports the following consolidation actions:


- Setting consolidation parameters
- Creating consolidations
- Saving and loading consolidation lists
- Deleting consolidations

## Setting Consolidation Parameters

When creating consolidations, you can configure the Performance Impact and Analysis Period parameters to ensure you are modeling the correct workload.

## Performance Impact

The performance impact parameter allows you to configure an allowable performance impact when modeling consolidations. Using this value and the historical performance data, you can find the right balance between cost and performance. For example, a higher impact percentage will result in reduced performance, but also reduced hardware cost.



### **To change the performance impact value:**


- 1 On the Consolidation Advisor homepage, click the number next to **Performance Impact**.

- 2 Enter the desired value, and click **Save**.

## Analysis Period

The analysis period is used to calculate the average use of the needed resources (CPU, memory etc.) in the consolidated environment. The default analysis period is 7 days, but you may select either 1, 3, 7, or 30 days.

**NOTE:** Before selecting an analysis period, ensure that the data for that period is available in Foglight.



### To set the analysis period:

- 1 On the Consolidation Advisor homepage, click the drop-down next to **Analysis Period**.
- 2 Click a value to select the analysis period.

## Creating a consolidation

Created consolidations will be displayed in the consolidation table. You may create multiple consolidations and use them to compare consolidation options.

**IMPORTANT:** When ESX Hosts and physical hosts are added to the consolidation, the consolidation model will use those servers to host consolidated workloads.

**IMPORTANT:** In order to select VMware VMs for consolidation, the VMware Agent must be configured to collect data on those VMs. Refer to the **Foglight for VMware** documentation for more information.

### To create a new consolidation, do the following:

- 1 On the Consolidation Advisor homepage, click **New Consolidation**.

The **Add Consolidation** wizard is displayed, with pages for:

- Consolidation Details
- Target VMware ESX Hosts
- VMWare Virtual Machines
- Physical Hosts

- 2 Enter a **Consolidation Name**.
- 3 Configure the percentage of **Allocatable Resources** (CPU, Memory, and Storage) to plan for in the consolidation.


The configured value defines what percentage may be used in the newly consolidated hardware after the target load is running on the server. This allows you to plan for future growth by reserving capacity.

- 4 Select the **Target ESX Hosts** to be used in the consolidation. Click **Next**.

When adding ESX hosts, the VMs running on the host will be added to the list of virtual machines automatically. You may remove VMs in the next step.

- 5 Select virtual machines to be consolidated.

**i** | **NOTE:** Foglight Consolidation Advisor supports only VMware virtual machines.



The Virtual Machines dialog contains two panes. The left pane contains all of the VMs on the selected hosts. The right pane contains VMs selected for consolidation.

By selecting VMs on the left and moving them to the right, you can choose which VMs should be considered for consolidation. You may remove VMs from the consolidation by selecting the VMs in the right pane, and clicking the left arrow.

### Using VM Groups

You can assign multiple VMs to a VM Group for bulk processing. VM Groups can be either:

- Inclusive - VMs in an inclusive group will be moved to the same ESX host
- Exclusive - VMs in an exclusive group will be moved to different ESX hosts.

#### **To assign VMs to a VM group:**

When assigning VMs to a group, you must first create the group and then assign VMs.

- 1 In the right pane, click **VM Group**. Click **Add**.
- 2 Name your VM group and select **Inclusive** or **Exclusive**. Click **Save**.
- 3 Click the **Virtual Machines** tab.
- 4 Select the VMs to add to the group.
- 5 Click **Assign VM Group**. Select the appropriate group and click **Save**.

- 6 Click **Next**.

- 7 Select physical hosts to add to the consolidation. Click **Finish**.

**i** | **NOTE:** Physical hosts must be monitored by Foglight for Infrastructure to appear on the Physical Hosts list.

The consolidation is ready to model.

# Saving a consolidation list

Once a consolidation is created, you can save it for future use.

## *To save a consolidation list:*

- 1 On the Consolidation Advisor homepage, select the consolidation you wish to save.
- 2 Click **Save Consolidation List**.
- 3 If you have previously saved a consolidation list, you will be prompted to either **Replace current consolidation list** or **Create new consolidation list**.  
If this is the first consolidation list saved, you will be prompted to enter a name for the consolidation list, and
- 4 Make the appropriate selection and click **Save**.

# Loading a consolidation list

## *To load a consolidation list:*

- 1 On the Consolidation Advisor homepage, click **Load Consolidation List**.
- 2 Select the consolidation list to load. Click **Load**.

# Deleting a consolidation list

## *To delete a consolidation list:*

- 1 On the Consolidation Advisor homepage, click **Load Consolidation List**.
- 2 Select the consolidation list to delete. Click the delete icon.

# Understanding Consolidation Models

Consolidation Advisor analyses the average resource consumption of configured servers and determines the most cost-effective way to host those workloads. When consolidating physical servers and ESX hosts, Consolidation Advisor will try to balance the workload among the existing hosts, but will add new bare metal hardware as required.

## Running a model

### To run a consolidation model:

- 1 On the Consolidation Advisor homepage, select or load the consolidation to model.
- 2 Click **Run Model**.

## Viewing Recommendations

After the model has run, a breakdown will be shown of the hardware needed for the chosen consolidation project. When more than one server is needed, it will be shown on the list of servers.

Consolidation Recommendations

Total Consolidation: 2    Total VMs: 100    Total Physical Hosts: 70  
Existing ESX Host: 6    New Servers: 4    Total Cost: \$30000.0

Details	Name	VMs	Physical Hosts	CPU	Memory	Storage	Storage IOPs	Existing ESX Hosts	New Servers	New Server Cost	All Available Servers
⊕	ConsolidationA	80	30	62 GHz / 95 GHz	2 TB / 2.7TB	6.5 TB / 9 TB	2.0 IOPs / GB	2	2	\$4000.0	3
⊖	ConsolidationB	20	40	32 GHz / 68 GHz	512 GB / 1TB	4 TB / 6 TB	2.0 IOPs / GB	4	3	\$20000.0	3

VMs & Physical Host allocation of ConsolidationA

ESX Host	Allocated VMs	Allocated Physical Hosts	CPU	Memory	Storage	New Server Cost
user1.prod.quest.corp	40	0	10 GHz / 15 GHz	100 GB / 256GB	1.5 TB / 2TB	\$0
user3.prod.quest.corp	20	10	12 GHz / 20 GHz	200 GB / 512 GB	2 TB / 3TB	\$0
Dell-T140	10	10	20 GHz / 30 GHz	900 GB / 1TB	1.5 TB / 2TB	\$2000.00
Dell-T140	10	10	20 GHz / 30 GHz	800 GB / 1TB	1.5 TB / 2TB	\$2000.00

Consolidation Advisor will try to spread the load on existing ESX hosts and consolidated physical hosts, but will add new hardware when the combined load does not fit the existing hardware.

### To view placement recommendations:

- In the VMs & Physical Host table, click the numeral in the Allocated VMs or Allocated Physical Hosts cell.  
A table will display the VMs or physical hosts consolidated on the target host server for that row.

***To change bare metal servers used:***

Consolidation Advisor will recommend the least expensive bare metal server by default, but an alternate server can be selected for the consolidation from the following table..

- 1 In the consolidations table, click the numeral in the **All Available Servers** cell.
- 2 Select another bare metal server for your consolidation model.
- 3 Click Recalculate to view new recommendations.



Quest provides software solutions for the rapidly-changing world of enterprise IT. We help simplify the challenges caused by data explosion, cloud expansion, hybrid datacenters, security threats, and regulatory requirements. We are a global provider to 130,000 companies across 100 countries, including 95% of the Fortune 500 and 90% of the Global 1000. Since 1987, we have built a portfolio of solutions that now includes database management, data protection, identity and access management, Microsoft platform management, and unified endpoint management. With Quest, organizations spend less time on IT administration and more time on business innovation. For more information, visit [www.quest.com](http://www.quest.com).

## Technical support resources

Technical support is available to Quest customers with a valid maintenance contract and customers who have trial versions. You can access the Quest Support Portal at <https://support.quest.com>.

The Support Portal provides self-help tools you can use to solve problems quickly and independently, 24 hours a day, 365 days a year. The Support Portal enables you to:

- Submit and manage a Service Request.
- View Knowledge Base articles.
- Sign up for product notifications.
- Download software and technical documentation.
- View how-to-videos.
- Engage in community discussions.
- Chat with support engineers online.
- View services to assist you with your product.